

APPENDIX REPORT

Project No.	SHT2011024201EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT20110242001	Model No.	YYS.2016
Start test date	2020/11/17	Finish date	2020/11/17
Temperature	25°C	Humidity	50%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zheo




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Conducted Peak Output Power




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	17.16	14.84	≤ 30.00	Pass
	06	16.76	14.50		
	11	16.16	13.89		
802.11g	01	16.55	13.49	≤ 30.00	Pass
	06	16.46	13.36		
	11	15.71	12.54		
802.11n (HT20)	01	17.22	13.32	≤ 30.00	Pass
	06	16.61	13.17		
	11	16.02	12.33		
802.11n(HT40)	03	16.58	13.16	≤ 30.00	Pass
	06	16.48	13.05		
	09	16.06	12.84		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	0.29	≤8.00	Pass
	06	1.69		
	11	-0.57		
802.11g	01	-7.14	≤8.00	Pass
	06	-7.04		
	11	-7.91		
802.11n(HT20)	01	-8.14	≤8.00	Pass
	06	-8.78		
	11	-10.02		
802.11n(HT40)	03	-11.62	≤8.00	Pass
	06	-11.71		
	09	-12.14		

Type:		802.11 b
CH01	 <p>0.29 dBm 2.4113050 GHz</p> <p>CF 2.412 GHz 691 pts Span 16.0 MHz</p> <p>Date: 17 NOV 2020 15:15:02</p>	
CH06	 <p>1.69 dBm 2.4379730 GHz</p> <p>CF 2.437 GHz 691 pts Span 16.0 MHz</p> <p>Date: 17 NOV 2020 15:20:40</p>	
CH11	 <p>-0.57 dBm 2.4612820 GHz</p> <p>CF 2.462 GHz 691 pts Span 16.0 MHz</p> <p>Date: 17 NOV 2020 15:23:23</p>	

Type:		802.11 g
CH01	<p>CF 2.412 GHz 691 pts Span 25.0 MHz</p> <p>Date: 17 NOV 2020 15:28:37</p>	
CH06	<p>CF 2.437 GHz 691 pts Span 25.0 MHz</p> <p>Date: 17 NOV 2020 15:29:10</p>	
CH11	<p>CF 2.462 GHz 691 pts Span 25.0 MHz</p> <p>Date: 17 NOV 2020 15:31:19</p>	




Type:		802.11n(HT20)
CH01	 <p>Spectrum plot for CH01. The plot shows a signal peak at 2.4126870 GHz with a level of -9.14 dBm. The plot includes parameters: Ref Level 20.00 dBm, Att 30 dB, Offset 1.00 dB, RBW 30 kHz, SWT 189.6 μs, VBW 100 kHz, Mode Auto FFT, Count 100/100, CF 2.412 GHz, 691 pts, Span 25.0 MHz. Date: 17 NOV 2020 15:40:11.</p>	
CH06	 <p>Spectrum plot for CH06. The plot shows a signal peak at 2.4372890 GHz with a level of -9.70 dBm. The plot includes parameters: Ref Level 20.00 dBm, Att 30 dB, Offset 1.00 dB, RBW 30 kHz, SWT 189.6 μs, VBW 100 kHz, Mode Auto FFT, Count 100/100, CF 2.437 GHz, 691 pts, Span 25.0 MHz. Date: 17 NOV 2020 15:43:05.</p>	
CH11	 <p>Spectrum plot for CH11. The plot shows a signal peak at 2.4669930 GHz with a level of -10.02 dBm. The plot includes parameters: Ref Level 20.00 dBm, Att 30 dB, Offset 1.00 dB, RBW 30 kHz, SWT 189.6 μs, VBW 100 kHz, Mode Auto FFT, Count 100/100, CF 2.462 GHz, 691 pts, Span 25.0 MHz. Date: 17 NOV 2020 15:46:46.</p>	

Type:		802.11n(HT40)
CH03	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 442.4 μs VBW 100 kHz Mode Auto FFT Count 100/100 1PK Max -11.62 dBm 2.4169860 GHz CF 2.422 GHz 691 pts Span 55.0 MHz Date: 17 NOV 2020 15:51:07 </p>	
CH06	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 442.4 μs VBW 100 kHz Mode Auto FFT Count 100/100 1PK Max -11.71 dBm 2.4319860 GHz CF 2.437 GHz 691 pts Span 55.0 MHz Date: 17 NOV 2020 15:54:09 </p>	
CH09	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWT 442.4 μs VBW 100 kHz Mode Auto FFT Count 100/100 1PK Max -12.14 dBm 2.4469860 GHz CF 2.452 GHz 691 pts Span 55.0 MHz Date: 17 NOV 2020 15:59:18 </p>	




Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	9.81	≥0.5	Pass
	06	9.78		
	11	10.11		
802.11g	01	16.44	≥0.5	Pass
	06	16.38		
	11	16.41		
802.11n(HT20)	01	17.67	≥0.5	Pass
	06	17.55		
	11	17.73		
802.11n(HT40)	03	35.58	≥0.5	Pass
	06	35.52		
	09	36.18		

Type:	802.11 b																												
CH01	<p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -1.154 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40693 GHz</td> <td>-3.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41098 GHz</td> <td>4.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.81 MHz</td> <td>1.79 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:13:05</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40693 GHz	-3.27 dBm			M2		1	2.41098 GHz	4.85 dBm			D3	M1	1	9.81 MHz	1.79 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40693 GHz	-3.27 dBm																									
M2		1	2.41098 GHz	4.85 dBm																									
D3	M1	1	9.81 MHz	1.79 dB																									
CH06	<p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -2.249 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.43208 GHz</td> <td>-2.87 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43754 GHz</td> <td>3.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.78 MHz</td> <td>0.20 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:18:51</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.43208 GHz	-2.87 dBm			M2		1	2.43754 GHz	3.75 dBm			D3	M1	1	9.78 MHz	0.20 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.43208 GHz	-2.87 dBm																									
M2		1	2.43754 GHz	3.75 dBm																									
D3	M1	1	9.78 MHz	0.20 dB																									
CH11	<p>Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -2.740 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45693 GHz</td> <td>-4.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.46299 GHz</td> <td>3.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>10.11 MHz</td> <td>1.69 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:21:52</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45693 GHz	-4.62 dBm			M2		1	2.46299 GHz	3.26 dBm			D3	M1	1	10.11 MHz	1.69 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.45693 GHz	-4.62 dBm																									
M2		1	2.46299 GHz	3.26 dBm																									
D3	M1	1	10.11 MHz	1.69 dB																									

Type:	802.11 g																												
CH01	 <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40378 GHz</td> <td>-9.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41449 GHz</td> <td>-3.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.44 MHz</td> <td>-0.62 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:25:38</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40378 GHz	-9.33 dBm			M2		1	2.41449 GHz	-3.32 dBm			D3	M1	1	16.44 MHz	-0.62 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40378 GHz	-9.33 dBm																									
M2		1	2.41449 GHz	-3.32 dBm																									
D3	M1	1	16.44 MHz	-0.62 dB																									
CH06	 <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42878 GHz</td> <td>-8.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43199 GHz</td> <td>-2.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.38 MHz</td> <td>0.10 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:28:08</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.42878 GHz	-8.95 dBm			M2		1	2.43199 GHz	-2.52 dBm			D3	M1	1	16.38 MHz	0.10 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.42878 GHz	-8.95 dBm																									
M2		1	2.43199 GHz	-2.52 dBm																									
D3	M1	1	16.38 MHz	0.10 dB																									
CH11	 <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45378 GHz</td> <td>-10.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.45699 GHz</td> <td>-3.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.43 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:30:21</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45378 GHz	-10.02 dBm			M2		1	2.45699 GHz	-3.54 dBm			D3	M1	1	16.41 MHz	0.43 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.45378 GHz	-10.02 dBm																									
M2		1	2.45699 GHz	-3.54 dBm																									
D3	M1	1	16.41 MHz	0.43 dB																									




Type:		802.11n(HT20)																												
CH01		<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -9.90 dBm 2.4031500 GHz M2[1] -3.49 dBm 2.4069900 GHz</p> <p>D1 -9.489 dBm</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40315 GHz</td> <td>-9.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.40699 GHz</td> <td>-3.49 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.67 MHz</td> <td>-0.29 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:38:30</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40315 GHz	-9.90 dBm			M2		1	2.40699 GHz	-3.49 dBm			D3	M1	1	17.67 MHz	-0.29 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.40315 GHz	-9.90 dBm																										
M2		1	2.40699 GHz	-3.49 dBm																										
D3	M1	1	17.67 MHz	-0.29 dB																										
CH06		<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -10.62 dBm 2.4281500 GHz M2[1] -4.17 dBm 2.4319900 GHz</p> <p>D1 -10.166 dBm</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42815 GHz</td> <td>-10.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43199 GHz</td> <td>-4.17 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.55 MHz</td> <td>-0.43 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:41:36</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.42815 GHz	-10.62 dBm			M2		1	2.43199 GHz	-4.17 dBm			D3	M1	1	17.55 MHz	-0.43 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.42815 GHz	-10.62 dBm																										
M2		1	2.43199 GHz	-4.17 dBm																										
D3	M1	1	17.55 MHz	-0.43 dB																										
CH11		<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -12.33 dBm 2.4531200 GHz M2[1] -4.86 dBm 2.4569900 GHz</p> <p>D1 -10.857 dBm</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45312 GHz</td> <td>-12.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.45699 GHz</td> <td>-4.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.73 MHz</td> <td>0.21 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:44:24</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45312 GHz	-12.33 dBm			M2		1	2.45699 GHz	-4.86 dBm			D3	M1	1	17.73 MHz	0.21 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1		1	2.45312 GHz	-12.33 dBm																										
M2		1	2.45699 GHz	-4.86 dBm																										
D3	M1	1	17.73 MHz	0.21 dB																										

Type:	802.11n(HT40)																												
CH03	 <p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -13.87 dBm 2.4040600 GHz M2[1] -6.67 dBm 2.4057400 GHz</p> <p>D1 -12.667 dBm</p> <p>CF 2.422 GHz 1001 pts Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40406 GHz</td> <td>-13.87 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.40574 GHz</td> <td>-6.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.58 MHz</td> <td>-0.31 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:49:45</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40406 GHz	-13.87 dBm			M2		1	2.40574 GHz	-6.67 dBm			D3	M1	1	35.58 MHz	-0.31 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40406 GHz	-13.87 dBm																									
M2		1	2.40574 GHz	-6.67 dBm																									
D3	M1	1	35.58 MHz	-0.31 dB																									
CH06	 <p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -13.35 dBm 2.4191200 GHz M2[1] -6.74 dBm 2.4207400 GHz</p> <p>D1 -12.737 dBm</p> <p>CF 2.437 GHz 1001 pts Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.41912 GHz</td> <td>-13.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.42074 GHz</td> <td>-6.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.52 MHz</td> <td>-1.72 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:52:54</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.41912 GHz	-13.35 dBm			M2		1	2.42074 GHz	-6.74 dBm			D3	M1	1	35.52 MHz	-1.72 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.41912 GHz	-13.35 dBm																									
M2		1	2.42074 GHz	-6.74 dBm																									
D3	M1	1	35.52 MHz	-1.72 dB																									
CH09	 <p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>IPK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -14.12 dBm 2.4337600 GHz M2[1] -7.13 dBm 2.4357400 GHz</p> <p>D1 -13.137 dBm</p> <p>CF 2.452 GHz 1001 pts Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.43376 GHz</td> <td>-14.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43574 GHz</td> <td>-7.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>36.18 MHz</td> <td>0.62 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:58:55</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.43376 GHz	-14.12 dBm			M2		1	2.43574 GHz	-7.13 dBm			D3	M1	1	36.18 MHz	0.62 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.43376 GHz	-14.12 dBm																									
M2		1	2.43574 GHz	-7.13 dBm																									
D3	M1	1	36.18 MHz	0.62 dB																									




Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	12.89	-	Pass
	06	12.89		
	11	12.89		
802.11g	01	16.48	-	Pass
	06	16.54		
	11	16.57		
802.11n(HT20)	01	17.59	-	Pass
	06	17.59		
	11	17.59		
802.11n(HT40)	03	35.96	-	Pass
	06	35.90		
	09	35.90		

Type:		802.11 b
CH01	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>1PK View</p> <p>M1[1] 5.76 dBm 2.4127490 GHz 12.887112887 MHz</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 17 NOV 2020 15:13:16</p>	
CH06	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>1PK View</p> <p>M1[1] 5.22 dBm 2.4377490 GHz 12.887112887 MHz</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 17 NOV 2020 15:18:59</p>	
CH11	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500</p> <p>1PK View</p> <p>M1[1] 4.54 dBm 2.4612510 GHz 12.887112887 MHz</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <p>Date: 17 NOV 2020 15:22:00</p>	


Type:		802.11 g
CH01	 <p>Dates: 17 NOV 2020 15:25:47</p>	
CH06	 <p>Dates: 17 NOV 2020 15:28:16</p>	
CH11	 <p>Dates: 17 NOV 2020 15:30:29</p>	


Type:		802.11n(HT20)
CH01	<p> Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 1PK View M1[1] -0.86 dBm 2.4111610 GHz Occ Bw 17.592407592 MHz CF 2.412 GHz 1001 pts Span 30.0 MHz Date: 17 NOV 2020 15:38:38 </p>	
CH06	<p> Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 1PK View M1[1] -0.90 dBm 2.4418550 GHz Occ Bw 17.592407592 MHz CF 2.437 GHz 1001 pts Span 30.0 MHz Date: 17 NOV 2020 15:41:46 </p>	
CH11	<p> Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count 500/500 1PK View M1[1] -2.43 dBm 2.4599920 GHz Occ Bw 17.592407592 MHz CF 2.462 GHz 1001 pts Span 30.0 MHz Date: 17 NOV 2020 15:44:32 </p>	

Type:		802.11n(HT40)
CH03	 <p>Spectrum plot for CH03. The plot shows a signal centered at 2.4176240 GHz with a peak level of 0.73 dBm. The plot includes parameters: Ref Level 20.50 dBm, Att 30 dB, Offset 1.00 dB, RBW 500 kHz, Mode Auto Sweep, Count 500/500, and Span 60.0 MHz. The plot also shows a peak level of 35.964035964 MHz. The plot is titled 'Spectrum' and 'IPK View'.</p>	
CH06	 <p>Spectrum plot for CH06. The plot shows a signal centered at 2.4250120 GHz with a peak level of 0.17 dBm. The plot includes parameters: Ref Level 20.50 dBm, Att 30 dB, Offset 1.00 dB, RBW 500 kHz, Mode Auto Sweep, Count 500/500, and Span 60.0 MHz. The plot also shows a peak level of 35.904095904 MHz. The plot is titled 'Spectrum' and 'IPK View'.</p>	
CH09	 <p>Spectrum plot for CH09. The plot shows a signal centered at 2.4410310 GHz with a peak level of -0.59 dBm. The plot includes parameters: Ref Level 20.50 dBm, Att 30 dB, Offset 1.00 dB, RBW 500 kHz, Mode Auto Sweep, Count 500/500, and Span 60.0 MHz. The plot also shows a peak level of 35.904095904 MHz. The plot is titled 'Spectrum' and 'IPK View'.</p>	



Appendix E: Duty Cycle



Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	4.25	4.38	97.0%	0.2
11g	2437	0.70	0.83	84.3%	1.4
11n20	2437	0.16	0.20	80.0%	6.3
11n40	2437	0.10	0.14	71.4%	10.0







Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b
CH01	 <p style="text-align: right;">Date: 17.NOV.2020 15:17:49</p>		
CH11	 <p style="text-align: right;">Date: 17.NOV.2020 15:23:32</p>		


Test Item:	Bandedge	Type:	802.11 g
CH01		 <p>17 NOV 2020 15:28:47</p>	
CH11		 <p>17 NOV 2020 15:31:29</p>	

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01		 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40701 GHz</td> <td>-3.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-46.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-54.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-59.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399762 GHz</td> <td>-46.29 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:40:21</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40701 GHz	-3.64 dBm			M2	1		2.4 GHz	-46.96 dBm			M3	1		2.39 GHz	-54.09 dBm			M4	1		2.31 GHz	-59.12 dBm			M5	1		2.399762 GHz	-46.29 dBm			
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.40701 GHz	-3.64 dBm																																									
M2	1		2.4 GHz	-46.96 dBm																																									
M3	1		2.39 GHz	-54.09 dBm																																									
M4	1		2.31 GHz	-59.12 dBm																																									
M5	1		2.399762 GHz	-46.29 dBm																																									
CH11		 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.464469 GHz</td> <td>-5.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-57.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-58.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4962435 GHz</td> <td>-55.94 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 16:11:10</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.464469 GHz	-5.15 dBm			M2	1		2.4835 GHz	-57.14 dBm			M3	1		2.5 GHz	-58.62 dBm			M4	1		2.4962435 GHz	-55.94 dBm										
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.464469 GHz	-5.15 dBm																																									
M2	1		2.4835 GHz	-57.14 dBm																																									
M3	1		2.5 GHz	-58.62 dBm																																									
M4	1		2.4962435 GHz	-55.94 dBm																																									


Test Item:	Bandedge	Type:	802.11 n(HT40)																																																
CH03			<p>1PK Max</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 303.4 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>Start 2.31 GHz 691 pts Stop 2.442 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td></td> <td>2.4058 GHz</td> <td>-6.72 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-50.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-50.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-57.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td></td> <td>2.39661 GHz</td> <td>-47.09 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:51:17</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1		2.4058 GHz	-6.72 dBm			M2	1	1		2.4 GHz	-50.35 dBm			M3	1	1		2.39 GHz	-50.24 dBm			M4	1	1		2.31 GHz	-57.95 dBm			M5	1	1		2.39661 GHz	-47.09 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1	1		2.4058 GHz	-6.72 dBm																																														
M2	1	1		2.4 GHz	-50.35 dBm																																														
M3	1	1		2.39 GHz	-50.24 dBm																																														
M4	1	1		2.31 GHz	-57.95 dBm																																														
M5	1	1		2.39661 GHz	-47.09 dBm																																														
CH09			<p>1PK Max</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>Start 2.432 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td></td> <td>2.435789 GHz</td> <td>-7.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-52.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-52.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td></td> <td>2.4836406 GHz</td> <td>-51.36 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 17 NOV 2020 15:58:28</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1		2.435789 GHz	-7.02 dBm			M2	1	1		2.4835 GHz	-52.38 dBm			M3	1	1		2.5 GHz	-52.99 dBm			M4	1	1		2.4836406 GHz	-51.36 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1	1		2.435789 GHz	-7.02 dBm																																														
M2	1	1		2.4835 GHz	-52.38 dBm																																														
M3	1	1		2.5 GHz	-52.99 dBm																																														
M4	1	1		2.4836406 GHz	-51.36 dBm																																														

Test Item:	SE	Type:	802.11b
<p>CH01 Reference level</p>		<p>Spectrum</p> <p>Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100</p> <p>1Pk Max</p> <p>4.38 dBm 2.412050 GHz</p> <p>CF 2.412 GHz 691 pts Span 30.0 MHz</p> <p>Date: 17.NOV.2020 15:16:34</p>	
<p>CH01 30MHz~1000MHz</p>		<p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10</p> <p>1Pk Max</p> <p>-52.51 dBm 794.9240 MHz</p> <p>D1 -15.620 dBm</p> <p>Start 30.0 MHz 30001 pts Stop 1.0 GHz</p> <p>Date: 17.NOV.2020 15:16:49</p>	
<p>CH01 1GHz~26GHz</p>		<p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10</p> <p>1Pk Max</p> <p>-43.63 dBm 15.917500 GHz</p> <p>D1 -15.620 dBm</p> <p>Start 1.0 GHz 30001 pts Stop 26.0 GHz</p> <p>Date: 17.NOV.2020 15:17:05</p>	


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11g
<p>CH01 Reference level</p>		 <p>Date: 17.NOV.2020 16:12:36</p>	
<p>CH01 30MHz~1000MHz</p>		 <p>Date: 17.NOV.2020 16:12:52</p>	
<p>CH01 1GHz~26GHz</p>		 <p>Date: 17.NOV.2020 16:13:08</p>	


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06
Reference level






CH06
30MHz~1000MHz



CH06
1GHz~26GHz




<p>CH11 Reference level</p>	<p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 IPK Max M1[1] -4.90 dBm 2.4570070 GHz CF 2.462 GHz 691 pts Span 30.0 MHz Date: 17.NOV.2020 15:47:52</p>
<p>CH11 30MHz~1000MHz</p>	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -52.50 dBm 742.4570 MHz D1 -24.900 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 17.NOV.2020 15:48:08</p>
<p>CH11 1GHz~26GHz</p>	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 IPK Max M1[1] -44.38 dBm 15.539167 GHz D1 -24.900 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 17.NOV.2020 15:48:24</p>


Test Item:	SE	Type:	802.11n(HT40)
<p>CH03 Reference level</p>		 <p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] -6.79 dBm 2.4057630 GHz CF 2.422 GHz 691 pts Span 60.0 MHz Date: 17.NOV.2020 15:51:23</p>	
<p>CH03 30MHz~1000MHz</p>		 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -52.58 dBm 794.0600 MHz D1 -26.790 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 17.NOV.2020 15:51:39</p>	
<p>CH03 1GHz~26GHz</p>		 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -43.71 dBm 14.895000 GHz D1 -26.790 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 17.NOV.2020 15:51:55</p>	

<p>CH06 Reference level</p>	<p>Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] -6.86 dBm 2.4207630 GHz CF 2.437 GHz 691 pts Span 60.0 MHz Date: 17.NOV.2020 16:08:24</p>
<p>CH06 30MHz~1000MHz</p>	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -52.31 dBm 841.0380 MHz D1 -26.860 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 17.NOV.2020 16:08:39</p>
<p>CH06 1GHz~26GHz</p>	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -43.42 dBm 15.804167 GHz D1 -26.860 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 17.NOV.2020 16:08:55</p>


CH09
Reference level



CH09
30MHz~1000MHz



CH09
1GHz~26GHz



-----End of Report-----