

2018-12-27 增加FCC认证声明

## KAMI说明书


正面:

| What's in the box  | Getting started  |  | Mounting Instructions  |
|--|--|--|--|
| Envelope x1  Power Adapter x1  Camera x1  Screws x2  USB power cable x1  USB - Ethernet Adapter x1 | Please make sure your camera is near your Wi-FI router and your phone is on the same Wi-Fi network.  Step 1  Download the Kami Home App from the Apple App Store or Google Play. Search for "Kami Home".  Step 2  Plug in your camera to switch it on. (If you are installing a camera that has previously been installed on a different network or you've changed your Wi-Fi password, then you must first reset the camera by pressing the reset button located next to the USB connector. Continue to follow the instructions.) | Step 3 Sign up or login to your Kami account, then follow the on-screen instructions to pair your phone to your Kami camera.  Step 4 After logging in to your Kami Home App, click the + sign to select your device or scan the QR product code. When you hear the voice prompt "waiting to connect", tap "heard voice prompt". Next, scan the QR code on the App with your camera. Wait until you hear the voice prompt "pairing successful".  Now your camera is ready to use! | Note: The mounting area should support at least 3 times the total weight of the bracket and the camera.  1. Verify camera will face desired direction prior to mounting. Verify USB cable will reach desired location. Use included screws to install the mount on a flat ceiling.  2. Install the camera by twisting and locking it into the mount.  Fix the base tray to the ceiling with the screws |

## 背面:

| Specifications   |   |  | keup     |
|--|---|--|----------|
| Maximum Resolution: 1920x1080 Lens: 110° Wide Angle Audio: Built-in Mic/Speaker, full duplex Video Compression: H.264 High Profile Enhancement: 3D Noise Reduction Power Consumption: 3.5W (Max) WiFi: 2.4 GHz / 5 GHz, 802.11ac/abgn Supported Platforms: Android / iOS / PC Wireless Security: WEP/WPA/WPA2 Power Supply: DC 5V/1A (MicroUSB) Pan/Tilt: 360° horizontally/90° vertically  Website: www.kamihome.com Support: 888-878-1584 E-mail: support@kamihome.com | This device complies with Part 15 of the FCC Rules / Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Le présent appareil est conforme aux CNR d'industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.  Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.  This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residental installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:  Reorient or relocate the receiving antenna.  Increase the separation between the equipment and receiver.  Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. | Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication.  Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fondionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'Intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayomée équivalente (p.i.r.e.) ne dépasse pas l'intensité né cessaire à l'établissement d'une communication satisfaisante.  MPE Requirements  To satisfy FCC / IC RF exposure requirements, a separation distance of 20 cm or more should be maintained between the antenna of this device and persons during device operation. To ensure compliance, operations at closer than this distance is not recommended.  Les antennes instali ées doivent è tre situées de facon à ce que la population ne puissey être exposée à une distance de moin de 20 cm. Instalier les antennes de facon à ceque le personnel ne puisse approcher à 20 cm ou moins de la position centrale de l'antenne.  La FCC des états-unis stipule que cet appareil doit être en tout temps éloigné d' au moins 20 cm des personnes pendant son functionnement. | User Man |


## 折叠图:







印刷公差≤0.5mm SCALE 1:1



| 产品经理                    |
|-------------------------|
| 质量工程                    |
| 认证工程                    |
| <br>  <i>本欠人</i> 生:河川行= |

| 软件测试 |  |
|------|--|
| 部门总监 |  |

设计主管 ▶

| 项目号 ▶ Y32 | 项目名称 ▶ KAMI       | 印刷颜色 ▶ Pantone 331U+Pantone Cool Gray 11C | 物料材质 ▶ 100g 晨鸣云镜双胶 | 图号 ▶ 6099Y | 通知人员     |
|-----------|-------------------|---|--------------------|------------|----------|
| 设计于▶ 王伟   | <b>物料名称</b> ▶ 说明书 | 成品尺寸 ▶ 85 x 85mm                          | 特种工艺▶ 风琴折          | 料号 ► Y32W  | □ 项目经理 ▶ |