





Test Graphs

Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1






Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1






Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1






Duty Cycle NVNT n20 2412MHz Ant1




Duty Cycle NVNT n20 2437MHz Ant1






Duty Cycle NVNT n20 2462MHz Ant1




Duty Cycle NVNT n40 2422MHz Ant1






Duty Cycle NVNT n40 2437MHz Ant1



Duty Cycle NVNT n40 2452MHz Ant1





A.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0	2310	-48.42	2	48.84	Peak	74	Pass
NVNT	b	2412	Ant0	2310	-55.38	2	41.88	Average	54	Pass
NVNT	b	2412	Ant0	2389.443	-42.9	2	54.36	Peak	74	Pass
NVNT	b	2412	Ant0	2389.209	-49.77	2	47.49	Average	54	Pass
NVNT	b	2412	Ant0	2390	-44.82	2	52.44	Peak	74	Pass
NVNT	b	2412	Ant0	2390	-50.76	2	46.5	Average	54	Pass
NVNT	b	2462	Ant0	2483.5	-43.03	2	54.23	Peak	74	Pass
NVNT	b	2462	Ant0	2483.5	-49.95	2	47.31	Average	54	Pass
NVNT	b	2462	Ant0	2494.806	-40.71	2	56.55	Peak	74	Pass
NVNT	b	2462	Ant0	2488.287	-47.97	2	49.29	Average	54	Pass
NVNT	b	2462	Ant0	2500	-44.13	2	53.13	Peak	74	Pass
NVNT	b	2462	Ant0	2500	-50.92	2	46.34	Average	54	Pass
NVNT	g	2412	Ant0	2310	-46.9	2	50.36	Peak	74	Pass
NVNT	g	2412	Ant0	2310	-54.9	2	42.36	Average	54	Pass
NVNT	g	2412	Ant0	2389.911	-34.17	2	63.09	Peak	74	Pass
NVNT	g	2412	Ant0	2389.56	-48.9	2	48.36	Average	54	Pass
NVNT	g	2412	Ant0	2390	-31.27	2	65.99	Peak	74	Pass
NVNT	g	2412	Ant0	2390	-49.06	2	48.2	Average	54	Pass
NVNT	g	2462	Ant0	2483.5	-33.38	2	63.88	Peak	74	Pass
NVNT	g	2462	Ant0	2483.5	-44.87	2	52.39	Average	54	Pass
NVNT	g	2462	Ant0	2483.782	-28.12	2	69.14	Peak	74	Pass
NVNT	g	2462	Ant0	2483.57	-44.72	2	52.54	Average	54	Pass
NVNT	g	2462	Ant0	2500	-47.4	2	49.86	Peak	74	Pass
NVNT	g	2462	Ant0	2500	-53.46	2	43.8	Average	54	Pass
NVNT	n20	2412	Ant0	2310	-46.32	2	50.94	Peak	74	Pass
NVNT	n20	2412	Ant0	2310	-55.12	2	42.14	Average	54	Pass
NVNT	n20	2412	Ant0	2389.209	-32.45	2	64.81	Peak	74	Pass
NVNT	n20	2412	Ant0	2389.911	-48.17	2	49.09	Average	54	Pass
NVNT	n20	2412	Ant0	2390	-30.82	2	66.44	Peak	74	Pass
NVNT	n20	2412	Ant0	2390	-48.27	2	48.99	Average	54	Pass
NVNT	n20	2462	Ant0	2483.5	-39.27	2	57.99	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.5	-48.21	2	49.05	Average	54	Pass
NVNT	n20	2462	Ant0	2483.676	-30.78	2	66.48	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.517	-48.21	2	49.05	Average	54	Pass
NVNT	n20	2462	Ant0	2500	-47.57	2	49.69	Peak	74	Pass
NVNT	n20	2462	Ant0	2500	-54.35	2	42.91	Average	54	Pass





NVNT	n40	2422	Ant0	2310	-47.56	2	49.7	Peak	74	Pass
NVNT	n40	2422	Ant0	2310	-55.01	2	42.25	Average	54	Pass
NVNT	n40	2422	Ant0	2387.674	-32.7	2	64.56	Peak	74	Pass
NVNT	n40	2422	Ant0	2389.662	-49	2	48.26	Average	54	Pass
NVNT	n40	2422	Ant0	2390	-39.22	2	58.04	Peak	74	Pass
NVNT	n40	2422	Ant0	2390	-49.1	2	48.16	Average	54	Pass
NVNT	n40	2452	Ant0	2483.5	-32.45	2	64.81	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.5	-49.3	2	47.96	Average	54	Pass
NVNT	n40	2452	Ant0	2487.598	-33.7	2	63.56	Peak	74	Pass
NVNT	n40	2452	Ant0	2484.01	-49.31	2	47.95	Average	54	Pass
NVNT	n40	2452	Ant0	2500	-54.18	2	43.08	Peak	74	Pass
NVNT	n40	2452	Ant0	2500	-61.17	2	36.09	Average	54	Pass

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-49.31	2	47.95	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-60.85	2	36.41	Average	54	Pass
NVNT	b	2412	Ant1	2389.209	-45.18	2	52.08	Peak	74	Pass
NVNT	b	2412	Ant1	2389.209	-54.45	2	42.81	Average	54	Pass
NVNT	b	2412	Ant1	2390	-45.76	2	51.5	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-55.91	2	41.35	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-43.05	2	54.21	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-51.54	2	45.72	Average	54	Pass
NVNT	b	2462	Ant1	2483.676	-42.22	2	55.04	Peak	74	Pass
NVNT	b	2462	Ant1	2483.623	-51.48	2	45.78	Average	54	Pass
NVNT	b	2462	Ant1	2500	-48.79	2	48.47	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-57.93	2	39.33	Average	54	Pass
NVNT	g	2412	Ant1	2310	-51.46	2	45.8	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-60.47	2	36.79	Average	54	Pass
NVNT	g	2412	Ant1	2388.741	-27.8	2	69.46	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-51.55	2	45.71	Average	54	Pass
NVNT	g	2412	Ant1	2390	-29.1	2	68.16	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-51.62	2	45.64	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-30.44	2	66.82	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-49.06	2	48.2	Average	54	Pass
NVNT	g	2462	Ant1	2483.57	-25.79	2	71.47	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-49.06	2	48.2	Average	54	Pass
NVNT	g	2462	Ant1	2500	-48.6	2	48.66	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-58.49	2	38.77	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-52.02	2	45.24	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-60.58	2	36.68	Average	54	Pass





NVNT	n20	2412	Ant1	2389.911	-32.6	2	64.66	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.794	-54.83	2	42.43	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-30.66	2	66.6	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-55.11	2	42.15	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-38.53	2	58.73	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-55.47	2	41.79	Average	54	Pass
NVNT	n20	2462	Ant1	2483.888	-35.03	2	62.23	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.623	-55.32	2	41.94	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-49.92	2	47.34	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-60.43	2	36.83	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-51.04	2	46.22	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-60.96	2	36.3	Average	54	Pass
NVNT	n40	2422	Ant1	2389.378	-30.75	2	66.51	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.946	-56.08	2	41.18	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-39.17	2	58.09	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-56.08	2	41.18	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-32.9	2	64.36	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-55.9	2	41.36	Average	54	Pass
NVNT	n40	2452	Ant1	2484.322	-32.61	2	64.65	Peak	74	Pass
NVNT	n40	2452	Ant1	2484.166	-56.01	2	41.25	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-49.08	2	48.18	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-59.97	2	37.29	Average	54	Pass

Combined Ant_0 and Ant_1

mode	Freq. Ant_0	Freq. Ant_1	Power (dBm)			Gain (dBi)	Covert Radiated E Level At 3m(dBuV/m)	Detector	Limit (dBuV/m)	Verdict
			Ant0	Ant1	sum					
n20 MIMO	2310	2310	-46.32	-52.02	-45.28	4.58	54.52	Peak	74	Pass
	2310	2310	-55.12	-60.58	-54.03	4.58	45.77	Average	54	Pass
	2389.209	2389.911	-32.45	-32.6	-29.51	4.58	70.29	Peak	74	Pass
	2389.911	2389.794	-48.17	-54.83	-47.32	4.58	52.49	Average	54	Pass
	2390	2390	-30.82	-30.66	-27.73	4.58	72.08	Peak	74	Pass
	2390	2390	-48.27	-55.11	-47.45	4.58	52.35	Average	54	Pass
	2483.5	2483.5	-39.27	-38.53	-35.87	4.58	63.93	Peak	74	Pass
	2483.5	2483.5	-48.21	-55.47	-47.46	4.58	52.35	Average	54	Pass
	2483.676	2483.888	-30.78	-35.03	-29.39	4.58	70.41	Peak	74	Pass
	2483.517	2483.623	-48.21	-55.32	-47.44	4.58	52.37	Average	54	Pass
	2500	2500	-47.57	-49.92	-45.58	4.58	54.23	Peak	74	Pass
	2500	2500	-54.35	-60.43	-53.39	4.58	46.41	Average	54	Pass
N40	2310	2310	-47.56	-51.04	-45.95	4.58	53.86	Peak	74	Pass
MIMO	2310	2310	-55.01	-60.96	-54.03	4.58	45.78	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



2387.674	2389.378	-32.7	-30.75	-28.61	4.58	71.20	Peak	74	Pass
2389.662	2389.946	-49	-56.08	-48.22	4.58	51.58	Average	54	Pass
2390	2390	-39.22	-39.17	-36.18	4.58	63.62	Peak	74	Pass
2390	2390	-49.1	-56.08	-48.31	4.58	51.50	Average	54	Pass
2483.5	2483.5	-32.45	-32.9	-29.66	4.58	70.15	Peak	74	Pass
2483.5	2483.5	-49.3	-55.9	-48.44	4.58	51.37	Average	54	Pass
2487.598	2484.322	-33.7	-32.61	-30.11	4.58	69.70	Peak	74	Pass
2484.01	2484.166	-49.31	-56.01	-48.47	4.58	51.34	Average	54	Pass
2500	2500	-54.18	-49.08	-47.91	4.58	51.90	Peak	74	Pass
2500	2500	-61.17	-59.97	-57.52	4.58	42.29	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT b 2412MHz Ant0 Peak




Restrict Band NVNT b 2412MHz Ant0 Average






Restrict Band NVNT b 2462MHz Ant0 Peak



Restrict Band NVNT b 2462MHz Ant0 Average






Restrict Band NVNT g 2412MHz Ant0 Peak




Restrict Band NVNT g 2412MHz Ant0 Average






Restrict Band NVNT g 2462MHz Ant0 Peak



Restrict Band NVNT g 2462MHz Ant0 Average






Restrict Band NVNT n20 2412MHz Ant0 Peak




Restrict Band NVNT n20 2412MHz Ant0 Average






Restrict Band NVNT n20 2462MHz Ant0 Peak




Restrict Band NVNT n20 2462MHz Ant0 Average






Restrict Band NVNT n40 2422MHz Ant0 Peak




Restrict Band NVNT n40 2422MHz Ant0 Average






Restrict Band NVNT n40 2452MHz Ant0 Peak




Restrict Band NVNT n40 2452MHz Ant0 Average






Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average






Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average






Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average






Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average






Restrict Band NVNT n20 2462MHz Ant1 Peak




Restrict Band NVNT n20 2462MHz Ant1 Average






Restrict Band NVNT n40 2422MHz Ant1 Peak




Restrict Band NVNT n40 2422MHz Ant1 Average





Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average

