



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: WIRELESS SPEAKER

Test Model: ZEALOT-S49

Environmental Conditions

Temperature:	23.8 °C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





A.1 20dB Emission Bandwidth

Test Result


TestMode	Antenna	Frequency[MHz]	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant	2402	1.032	2401.466	2402.498	---	---
		2441	1.023	2440.472	2441.495	---	---
		2480	1.041	2479.454	2480.495	---	---
2DH5	Ant	2402	1.284	2401.355	2402.639	---	---
		2441	1.287	2440.352	2441.639	---	---
		2480	1.290	2479.352	2480.642	---	---
3DH5	Ant	2402	1.323	2401.328	2402.651	---	---
		2441	1.287	2440.340	2441.627	---	---
		2480	1.290	2479.340	2480.630	---	---






Test Graphs

DH5_Ant_2402




DH5_Ant_2441




DH5_Ant_2480






2DH5_Ant_2402




2DH5_Ant_2441






2DH5_Ant_2480




3DH5_Ant_2402






3DH5_Ant_2441



3DH5_Ant_2480





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.2 Maximum conducted output power

Test Result Peak


Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
DH5	Ant	2402	0.26	≤20.97	PASS
		2441	0.73	≤20.97	PASS
		2480	0.81	≤20.97	PASS
2DH5	Ant	2402	0.18	≤20.97	PASS
		2441	0.24	≤20.97	PASS
		2480	0.47	≤20.97	PASS
3DH5	Ant	2402	0.33	≤20.97	PASS
		2441	0.39	≤20.97	PASS
		2480	0.43	≤20.97	PASS

Test Graphs






DH5_Ant_2480




2DH5_Ant_2402






2DH5_Ant_2441




2DH5_Ant_2480






3DH5_Ant_2402




3DH5_Ant_2441





3DH5_Ant_2480



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.3 Carrier frequency separation


Test Result


TestMode	Antenna	Frequency[MHz]	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant	Hop	0.862	≥0.694	PASS
2DH5	Ant	Hop	0.866	≥0.860	PASS
3DH5	Ant	Hop	1.062	≥0.882	PASS





Test Graphs







A.4 Time of occupancy


Test Result


TestMode	Antenna	Frequency[MHz]	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH5	Ant	Hop	2.880	106.67	0.307	≤0.4	PASS
2DH5	Ant	Hop	2.884	106.67	0.308	≤0.4	PASS
3DH5	Ant	Hop	2.887	106.67	0.308	≤0.4	PASS





Test Graphs







A.5 Number of hopping channels


Test Result


TestMode	Antenna	Frequency[MHz]	Result[Num]	Limit[Num]	Verdict
DH5	Ant	Hop	79	≥15	PASS
2DH5	Ant	Hop	79	≥15	PASS
3DH5	Ant	Hop	79	≥15	PASS





Test Graphs







A.6 Band edge measurements

Test Result


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant	Low	2402	-0.50	-49.06	≤-20.5	PASS
		High	2480	-0.07	-49.12	≤-20.07	PASS
		Low	Hop_2402	-1.12	-47.68	≤-21.12	PASS
		High	Hop_2480	-0.22	-32.31	≤-20.22	PASS
2DH5	Ant	Low	2402	-1.41	-48.85	≤-21.41	PASS
		High	2480	-0.96	-48.38	≤-20.96	PASS
		Low	Hop_2402	-3.67	-47.71	≤-23.67	PASS
		High	Hop_2480	-1.03	-47.65	≤-21.03	PASS
3DH5	Ant	Low	2402	-1.84	-48.72	≤-21.84	PASS
		High	2480	-0.84	-48.6	≤-20.84	PASS
		Low	Hop_2402	-5.45	-48.27	≤-25.45	PASS
		High	Hop_2480	-3.35	-47.19	≤-23.35	PASS






Test Graphs

DH5_Ant_Low_2402



DH5_Ant_High_2480



DH5_Ant_Low_Hop_2402




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




DH5_Ant_High_Hop_2480




2DH5_Ant_Low_2402






2DH5_Ant_High_2480




2DH5_Ant_Low_Hop_2402








2DH5_Ant_High_Hop_2480




3DH5_Ant_Low_2402







3DH5_Ant_High_Hop_2480





A.7 Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant	2402	30~1000	-0.50	-60.05	≤-20.5	PASS
			1000~26500	-0.50	-47.5	≤-20.5	PASS
		2441	30~1000	-0.39	-59.76	≤-20.39	PASS
			1000~26500	-0.39	-46.59	≤-20.39	PASS
		2480	30~1000	-0.07	-59.33	≤-20.07	PASS
			1000~26500	-0.07	-46.8	≤-20.07	PASS
2DH5	Ant	2402	30~1000	-1.41	-59.47	≤-21.41	PASS
			1000~26500	-1.41	-46.76	≤-21.41	PASS
		2441	30~1000	-0.95	-59.38	≤-20.95	PASS
			1000~26500	-0.95	-47.35	≤-20.95	PASS
		2480	30~1000	-0.96	-59.61	≤-20.96	PASS
			1000~26500	-0.96	-47.12	≤-20.96	PASS
3DH5	Ant	2402	30~1000	-1.84	-59.92	≤-21.84	PASS
			1000~26500	-1.84	-47.17	≤-21.84	PASS
		2441	30~1000	-1.92	-59.23	≤-21.92	PASS
			1000~26500	-1.92	-46.58	≤-21.92	PASS
		2480	30~1000	-0.84	-59.57	≤-20.84	PASS
			1000~26500	-0.84	-46.53	≤-20.84	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs





DH5_Ant_2441_1000~26500



DH5_Ant_2480_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



DH5_Ant_2480_1000~26500



2DH5_Ant_2402_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



2DH5_Ant_2402_1000~26500



2DH5_Ant_2441_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




2DH5_Ant_2441_1000~26500




2DH5_Ant_2480_30~1000





2DH5_Ant_2480_1000~26500



3DH5_Ant_2402_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



3DH5_Ant_2402_1000~26500



3DH5_Ant_2441_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



3DH5_Ant_2441_1000~26500



3DH5_Ant_2480_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



3DH5_Ant_2480_1000~26500



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Reference Level

Test Result


TestMode	Antenna	ChName	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant	2402	2401.83	-0.50	---	PASS
		2441	2441.04	-0.39	---	PASS
		2480	2479.85	-0.07	---	PASS
2DH5	Ant	2402	2402.14	-1.41	---	PASS
		2441	2440.83	-0.95	---	PASS
		2480	2480.14	-0.96	---	PASS
3DH5	Ant	2402	2402.14	-1.84	---	PASS
		2441	2441.12	-1.92	---	PASS
		2480	2480.14	-0.84	---	PASS






Test Graphs

DH5_Ant_2402




DH5_Ant_2441




DH5_Ant_2480






2DH5_Ant_2402




2DH5_Ant_2441






2DH5_Ant_2480




3DH5_Ant_2402





3DH5_Ant_2441



3DH5_Ant_2480




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.8 Duty Cycle

Test Result


TestMode	Antenna	Frequency[M Hz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]	1/T Factor[kHz]
DH5	Ant	2402	2.88	3.75	76.80	1.15	0.35
		2441	2.88	3.75	76.80	1.15	0.35
		2480	2.88	3.75	76.80	1.15	0.35
2DH5	Ant	2402	2.89	3.75	77.07	1.13	0.35
		2441	2.88	3.75	76.80	1.15	0.35
		2480	2.89	3.75	77.07	1.13	0.35
3DH5	Ant	2402	2.89	3.75	77.07	1.13	0.35
		2441	2.89	3.75	77.07	1.13	0.35
		2480	2.89	3.75	77.07	1.13	0.35






Test Graphs






2DH5_Ant_2402




2DH5_Ant_2441





2DH5_Ant_2480



3DH5_Ant_2402




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




3DH5_Ant_2441



3DH5_Ant_2480







A.9 Emissions in Restricted Bands

Test Result

Test Mode	Antenna	ChName	Frequency [MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict		
DH5	Ant	Low	2402	AV	2310.000	-46.89	≤-41.20	48.31	≤54	PASS		
				AV	2368.880	-45.85	≤-41.20	49.35	≤54	PASS		
				AV	2390.000	-46.54	≤-41.20	48.66	≤54	PASS		
				Peak	2310.000	-39.22	≤-21.20	55.98	≤74	PASS		
				Peak	2362.055	-36.25	≤-21.20	58.95	≤74	PASS		
				Peak	2390.000	-39.79	≤-21.20	55.41	≤74	PASS		
		High	2480	AV	2483.500	-46.25	≤-41.20	48.95	≤54	PASS		
				AV	2483.600	-45.1	≤-41.20	50.10	≤54	PASS		
				AV	2500.000	-45.97	≤-41.20	49.23	≤54	PASS		
				Peak	2483.500	-39.17	≤-21.20	56.03	≤74	PASS		
				Peak	2496.880	-36.07	≤-21.20	59.13	≤74	PASS		
				Peak	2500.000	-40.93	≤-21.20	54.27	≤74	PASS		
		Low	Hop_2402	Peak	2310.000	-40.45	≤-21.20	54.75	≤74	PASS		
				Peak	2337.065	-36.73	≤-21.20	58.47	≤74	PASS		
				Peak	2390.000	-38.54	≤-21.20	56.66	≤74	PASS		
		High	Hop_2480	Peak	2483.500	-37.72	≤-21.20	57.48	≤74	PASS		
				Peak	2497.920	-36.9	≤-21.20	58.30	≤74	PASS		
				Peak	2500.000	-39.13	≤-21.20	56.07	≤74	PASS		
		2DH5	Ant	Low	2402	AV	2310.000	-46.84	≤-41.20	48.36	≤54	PASS
						AV	2387.360	-45.86	≤-41.20	49.34	≤54	PASS
						AV	2390.000	-46.23	≤-41.20	48.97	≤54	PASS
Peak	2310.000					-39.18	≤-21.20	56.02	≤74	PASS		
Peak	2358.170					-36.87	≤-21.20	58.33	≤74	PASS		
Peak	2390.000					-40.18	≤-21.20	55.02	≤74	PASS		
High	2480			AV	2483.500	-46.28	≤-41.20	48.92	≤54	PASS		
				AV	2490.080	-45.68	≤-41.20	49.52	≤54	PASS		
				AV	2500.000	-46.62	≤-41.20	48.58	≤54	PASS		
				Peak	2483.500	-38.14	≤-21.20	57.06	≤74	PASS		
				Peak	2484.640	-36.28	≤-21.20	58.92	≤74	PASS		
				Peak	2500.000	-39.43	≤-21.20	55.77	≤74	PASS		
Low	Hop_2402			Peak	2310.000	-39.68	≤-21.20	55.52	≤74	PASS		
				Peak	2380.010	-37.02	≤-21.20	58.18	≤74	PASS		
				Peak	2390.000	-40.72	≤-21.20	54.48	≤74	PASS		
High	Hop_2480			Peak	2483.500	-39.64	≤-21.20	55.56	≤74	PASS		
				Peak	2487.600	-36.76	≤-21.20	58.44	≤74	PASS		
				Peak	2500.000	-38.42	≤-21.20	56.78	≤74	PASS		





3DH5	Ant	Low	2402	AV	2310.000	-47.24	≤-41.20	47.96	≤54	PASS
				AV	2380.325	-45.72	≤-41.20	49.48	≤54	PASS
				AV	2390.000	-46.25	≤-41.20	48.95	≤54	PASS
				Peak	2310.000	-39.58	≤-21.20	55.62	≤74	PASS
				Peak	2359.430	-36.41	≤-21.20	58.79	≤74	PASS
				Peak	2390.000	-38.39	≤-21.20	56.81	≤74	PASS
		High	2480	AV	2483.500	-46.27	≤-41.20	48.93	≤54	PASS
				AV	2493.120	-45.54	≤-41.20	49.66	≤54	PASS
				AV	2500.000	-46.6	≤-41.20	48.60	≤54	PASS
				Peak	2483.500	-39.96	≤-21.20	55.24	≤74	PASS
				Peak	2487.440	-35.97	≤-21.20	59.23	≤74	PASS
				Peak	2500.000	-40.72	≤-21.20	54.48	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-38.85	≤-21.20	56.35	≤74	PASS
				Peak	2346.935	-37.08	≤-21.20	58.12	≤74	PASS
				Peak	2390.000	-39.1	≤-21.20	56.10	≤74	PASS
		High	Hop_2480	Peak	2483.500	-39.33	≤-21.20	55.87	≤74	PASS
				Peak	2486.080	-36.85	≤-21.20	58.35	≤74	PASS
				Peak	2500.000	-39.37	≤-21.20	55.83	≤74	PASS

Note:

- The Antenna Gain is compensated in the graph. The Correction Factor is compensated in the graph.
- The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.





Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



DH5_Ant_High_2480_Peak



DH5_Ant_Low_Hop_2402_Peak




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



DH5_Ant_High_Hop_2480_Peak



2DH5_Ant_Low_2402_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



2DH5_Ant_Low_2402_Peak



2DH5_Ant_High_2480_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




2DH5_Ant_High_2480_Peak




2DH5_Ant_Low_Hop_2402_Peak





2DH5_Ant_High_Hop_2480_Peak



3DH5_Ant_Low_2402_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



3DH5_Ant_Low_2402_Peak



3DH5_Ant_High_2480_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



3DH5_Ant_High_2480_Peak



3DH5_Ant_Low_Hop_2402_Peak




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



3DH5_Ant_High_Hop_2480_Peak

