

Figure 25 – Test Setup – 30 MHz to 1 GHz, X Orientation




Figure 26 – Test Setup – 1 GHz to 18 GHz, X Orientation




Figure 27 – Test Setup – 18 GHz to 25 GHz, X Orientation




Figure 28 – Test Setup – 30 MHz to 1 GHz, Y Orientation




Figure 29 – Test Setup – 1 GHz to 18 GHz, Y Orientation




Figure 30 – Test Setup – 18 GHz to 25 GHz, Y Orientation




Figure 31 – Test Setup – 30 MHz to 1 GHz, Z Orientation




Figure 32 – Test Setup – 1 GHz to 18 GHz, Z Orientation




Figure 33 – Test Setup – 18 GHz to 25 GHz, Z Orientation

FCC 47 CFR Parts 15.247(d), 15.205, 22.917(a), 24.238(a), 27.53 (h) and 27.53 (g)

The least stringent limit from the applicable rule parts was used to determine compliance for Radiated Emissions testing of multiple transmission sources.

The least stringent applicable limit was:

Clause	Limit
Part 22.917 (a), 24.238(a), 27.53 (g) and 27.53 (h)	-13 dBm (EIRP) / 82.26 dB μ V/m at 3m.

Table 34 - Limit Table