

天线规格书

Antenna Specific

制造商(Manufacturer) : Shenzhen Ouchao Technology Co., Ltd

地址(address) : 303, Building 34, Longzhu Garden, Xixiang Street, Bao'an District, Shenzhen, China.


产品种类: Integral Antenna

Product Type: Integral Antenna

产品技术指标(Technical parameter)

Electronic Parameter	
频率范围(Frequency Range)	2400~2500MHz
输入阻抗(input impedance)	50 Ω
驻波比(VSWR)	≤ 2
增益(Gain)	Max 0.0dBi
Physical Parameter	
材料(Material)	PCB/Cu
工作温度(operation temperature)	-30 $^{\circ}$ C~+80 $^{\circ}$ C
储存温度(store temperature)	-30 $^{\circ}$ C~+80 $^{\circ}$ C

产品规格图(Antenna Specification chart)







Specification	3.5MM天线		Remark	
Description	Items	Specification		
Conductor	Material	Tinned Copper		
	Structure	12/0.15 Twisting		
Insulation	Material	Pvc		
	Ave thickness	0.35		
	Min thickness	0.28		
	Diameter	1.30MM±0.10		
	Color	Transparent (透明)		
Filler	Material			Physical properties
	Structure			
Jacket	Material			
	Ave thickness			
	Min thickness			
	Diameter			
	Color			
Marking		No marking		

Test Result:


Frequency	Gain. dBi	Frequency	Efficiency
2400MHz	-0.31	2400MHz	28%
2450MHz	0.0	2450MHz	31%
2500MHz	-0.71	2500MHz	36%

Direction:





Smith Chart:



VSWR:

