Request for Modular/Limited Modular Approval

Date: December 6, 2021				
Subject: Manufacturer's Declaration for	⊠ - Modular Approval □ - Limited Modular Approval	☐ - Split Modula ☐ - Limited Spli		approval
Confidentiality Request for: (2AFO	OS-WT5010-S2)			
8 Basi	sic Requirements – FCC Part 15.212(a)(1)		
	imited Module Description Must be I	Filled Out on the Fo		
	proval Requirement		Require	ment Met
1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)			🗵 - YES	□ - NO(*)
Details: <example a="" all="" and="" antenna="" board="" circuitry.="" components="" connector="" contains="" covers="" is="" located="" metal="" module="" next="" of="" on="" rf="" shield="" the="" to="" top="" which="" –=""></example>				
2. The modular transmitter must have buffered a ensure that the module will comply with FCC over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)
Details: <example application="" data="" modulation="" the="" to="" –=""></example>	n circuit is buffered as described in the	operational descript	ion provided	with the
3. The modular transmitter must have its own personal ensure that the module will comply with FCC supplying circuitry in the device into which the	C requirements regardless of the design	of the power	⊠ - YES	□ - NO(*)
Details: <example contains="" it<="" module="" td="" the="" –=""><td>ts own power supply regulation. Pleas</td><td>e refer to schematic</td><td>filed with this</td><td>application></td></example>	ts own power supply regulation. Pleas	e refer to schematic	filed with this	application>
4. The modular transmitter must comply with th 15.203, 15.204(b), 15.204(c), 15.212(a), and attached or employ a "unique" antenna coup antenna, including the cable). The "professio to modules but can apply to limited modular and the cable of the cable	2.929(b). The antenna must either be poler (at all connections between the moonal installation" provision of § 15.203	ermanently dule and the is not applicable	⊠ - YES	□ - NO(*)
Details: <example a="" and="" antennas="" app<="" connector.="" connects="" list="" module="" of="" td="" tested="" the="" to="" –=""><td></td><td></td><td></td><td></td></example>				
5. The modular transmitter must be tested in a s inside another device during testing. This is it complying with Part 15 emission limits regard. Unless the transmitter module will be battery requirements found in Section 15.207. AC or the module must not contain ferrites, unless the 15.27(a)). The length of these lines shall be least 10 centimeters to insure that there is no equipment. Any accessories, peripherals, or s shall be unmodified or commercially available.	intended to demonstrate that the module rdless of the device into which it is ever a powered, it must comply with the AC DC power lines and data input/output they will be marketed with the module (ength typical of actual use or, if that len coupling between the case of the module output equipment connected to the module of the module of the module of the module of the module output equipment connected to the module of	e is capable of intually installed. line conducted lines connected to (see Section igth is unknown, at le and supporting dule during testing	⊠ - YES	□ - NO(*)
Details: <example module="" td="" tested<="" the="" was="" –=""><td>l stand-alone as shown in test setup ph</td><td>otographs filed with</td><td>this applicatio</td><td>on></td></example>	l stand-alone as shown in test setup ph	otographs filed with	this applicatio	on>

Modular Approval Requirement			Requirement Met	
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)	⊠ - YES	□ - NO(*)	
	Details: <example a="" application="" application.="" are="" as="" exhibit="" filed="" in="" installation="" instructions="" is="" label="" labeling="" manual="" module="" on="" shown="" the="" there="" this="" with="" –=""></example>	lication. Hos	t specific	
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)	
	Details: <example 15c="" application.="" complies="" fcc="" filed="" installation="" instructions="" manual="" module="" oem="" part="" requirements.="" the="" this="" to="" with="" –=""></example>	l installer are	provided in	
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)	
	Details: <example application.="" as="" exclusion="" exposure="" in="" inform="" levels="" meets="" module="" portable="" rf="" shown="" the="" –=""></example>	ation filed wi	th this	

Limited Module Description – When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations - KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement		Requirement Met	
1.	For <u>non-Software Defined Radio</u> transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	☐ - Provided in Separate Cover Letter	□ - N/A
	Details: <example adjusted="" application.="" be="" by="" can="" device="" filed="" firmware="" letter="" modified="" not="" of="" or="" the="" this="" with="" –=""></example>	e end user as described in a se	parate cover
2.	For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate Cover Letter	□ - N/A
	Details: <example -n="" a=""></example>		

Split Modular Requirements			
Requirement	Provided in Manual		
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	□ - N/A	
Details: <example a="" n="" –=""></example>			

OEM Integration Manual Guidance – KDB 996369 D03 Section 2				
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.				
Require	ment			
2100			□ - No,	
Is this module sale to third par		⊠ - YES	If No, and LMA applies, the applicant ca make the following detailed info public. to be basic integration instructions for information below must still be includescription. If the applicant wishes to k this will require a separate statement comodule is not for sale to third parties instructions are internal confident.	However there still needs a users manual and the uded in the operational teep this info confidential, over letter explaining the es and that integration
	Item	s required to be in tl	he manual – See KDB 996369 D03, Section 2	
applicants should i example informati products and not	As of May 1, 2019, the FCC requires ALL the following information to be in the installation manual. Modular transmitter applicants should include information in their instructions for all these items indicating clearly when they are not applicable. For example information on trace antenna design could indicate "Not Applicable". Also if a module is limited to only a grantees own products and not intended for sale to third parties, the user instructions may not need to be detailed and the following items can be placed in the operational description, but this should include a cover letter as cited above.			
* *		DB 996369 D03, Sect		
		ated to the transmitter		
Summarize the specific operational use conditions. KDB 996369 D03, Section 2.3 a. Conditions such as limits on antennas, cable loss, reduction of power for point to point systems, professional installation info				_
		B 996369 D03, Secti		
the left are provided the Modular Integral Guide (or UM) for I Modular Approval (1) or LMA. When RF exposure evaluation is necessary, state how control will be maintained such that compliance is ensured, such as Class II for new hosts, etc. 4. Trace antenna designs. KDB 996369 D03, Section 2.5 a. Layout of trace design, parts list, antenna, connectors, isolation requirements, tests for design verification, and production test procedures for ensuring compliance. If confidential, the method used to keep confidential must be identified and information			 □ - All Items shown to the left are provided in the Modular Integration Guide (or UM) for Full Modular Approval (MA) or LMA. 	
		perational description		☐ - An LMA applies
a. Clearly and explicitly state conditions that allow host manufacturers to use the module. Two types of instructions are necessary: first to the host manufacturer to define conditions (mobile, portable – xx cm from body) and second additional text needed to be provided to the end user in the host product manuals. and is approved ONL for use by the grantee their own products, an not intended for sale to			and is approved ONLY for use by the grantee in their own products, and not intended for sale to	
6. Antennas. KDI				3 rd parties as provided in
(monopole, FIFA, dipole, etc – note that "offini-directional" is not considered a type)				
a.	Advice to host int	on. KDB 996369 D03 egrators that they need: "" with their finishe."	ed to provide a physical or e-label stating	theory of operation.
			irements. KDB 996369 D03, Section 2.9	
a.	Test modes that si clarifications nece	hould be taken into co essary for stand-alone	onsideration by host integrators including e and simultaneous configurations. are test modes for evaluation	
9. Additional testing, Part 15 Subpart B disclaimer. KDB 996369 D03, Section 2.10				
Sincerely, By:	Cow	ure/Title¹)	Louie Wang	
	(Signat	cure/Title1)	(Print name)	

¹ - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.