



“UHP-HP” font is SignaColumn-Light

Material: .020" Thick Aluminum
Matte Finish
Silver background/Black text
Adhesive 9472
Process: Photo anodizing

Barcode is serial number standard code 39

Dimensions are in inches (mm)

“Serial Numbers” are **variable** and to be specified by Leica Geosystems per order.

| Revision History | | | | | |
|------------------|-----------|--------|---------|----------|---|
| Version | Date | Author | Checked | Approved | Comments |
| 1.0 | 12-Mar-14 | linb | | | Initial Version |
| 1.1 | 25-Sep-14 | hdanie | | | Changed dimensions, format and text content |
| | | | | | |
| | | | | | |
| | | | | | |

UHP Serial number Label





Made in
USA

Product: UHP HP

Leica Geosystems AG

Power: 9-36V DC, 6.5A (max)

CH-9435 Heerbrugg

FCC ID: 2AFYJ-UHPHP

*This device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions: (1) This
device may not cause harmful interference, and (2) this
device must accept any interference received, including
interference that may cause undesired operation.*

Manufacture date: 2016

Leica

Geosystems

UHP HP P/N: 828045



700117

US Patents 7941158, 8190173, 8374783



*Made in
USA*

Product: UHP HP

Leica Geosystems AG

Power: 9-36V DC, 6.5A (max)

CH-9435 Heerbrugg

FCC ID: 2AFYJ-UHPHP

This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Manufacture date: 2016