



(802.11b _2412MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3216.000	50.19	-6.35	43.84	74.00	-30.16	peak	V
3216.000	45.01	-6.35	38.66	54.00	-15.34	AVG	V
4824.750	60.93	-3.21	57.72	74.00	-16.28	peak	V
4824.750	53.53	-3.21	50.32	54.00	-1.68	AVG	V
7228.500	40.13	-0.36	39.77	54.00	-14.23	AVG	V
7244.250	48.51	-0.34	48.17	74.00	-25.83	peak	V
9636.750	47.02	1.74	48.76	74.00	-25.24	peak	V
9648.000	39.65	1.71	41.36	54.00	-12.64	AVG	V
13021.500	32.08	6.17	38.25	54.00	-15.75	AVG	V
13071.750	40.90	6.45	47.35	74.00	-26.65	peak	V
15960.750	41.46	11.27	52.73	74.00	-21.27	peak	V
16029.750	32.03	11.85	43.88	54.00	-10.12	AVG	V




(802.11b _2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
40.0433	3.83	15.66	19.49	40.00	-20.51	peak	H
72.3249	14.84	10.49	25.33	40.00	-14.67	peak	H
160.0087	9.57	12.20	21.77	43.50	-21.73	peak	H
319.9931	9.80	18.00	27.80	46.00	-18.20	peak	H
480.0224	5.00	21.54	26.54	46.00	-19.46	peak	H
800.1012	3.38	26.13	29.51	46.00	-16.49	peak	H




(802.11b _2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1089.770	2.99	29.01	32.00	54.00	-22.00	AVG	H
1098.002	10.92	29.07	39.99	74.00	-34.01	peak	H
1296.699	12.26	30.67	42.93	74.00	-31.07	peak	H
1315.713	3.72	30.78	34.50	54.00	-19.50	AVG	H
1586.582	12.66	33.61	46.27	74.00	-27.73	peak	H
1601.203	2.63	34.19	36.82	54.00	-17.18	AVG	H
2003.013	12.04	37.31	49.35	74.00	-24.65	peak	H
2006.427	3.78	37.25	41.03	54.00	-12.97	AVG	H
2437.370	51.02	40.79	91.81	NA	NA	peak	H
2437.638	45.21	40.79	86.00	NA	NA	AVG	H
2816.970	3.59	43.29	46.88	54.00	-7.12	AVG	H
2911.200	12.48	44.01	56.49	74.00	-17.51	peak	H




(802.11b_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3249.000	49.85	-6.10	43.75	74.00	-30.25	peak	H
3249.000	45.48	-6.10	39.38	54.00	-14.62	AVG	H
4872.750	54.51	-2.87	51.64	54.00	-2.36	AVG	H
4873.500	62.29	-2.86	59.43	74.00	-14.57	peak	H
7303.500	46.51	-0.27	46.24	74.00	-27.76	peak	H
7317.750	38.75	-0.24	38.51	54.00	-15.49	AVG	H
9747.750	47.44	2.00	49.44	74.00	-24.56	peak	H
9747.750	41.70	2.00	43.70	54.00	-10.30	AVG	H
13284.750	42.21	5.70	47.91	74.00	-26.09	peak	H
13356.000	32.65	6.51	39.16	54.00	-14.84	AVG	H
15971.250	32.36	11.35	43.71	54.00	-10.29	AVG	H
16029.000	41.53	11.87	53.40	74.00	-20.60	peak	H




(802.11b _2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.5092	18.75	12.99	31.74	40.00	-8.26	peak	V
39.8193	13.92	15.43	29.35	40.00	-10.65	peak	V
71.6182	22.33	10.86	33.19	40.00	-6.81	peak	V
159.9806	7.49	12.19	19.68	43.50	-23.82	peak	V
480.0224	3.66	21.54	25.20	46.00	-20.80	peak	V
799.9609	5.53	26.13	31.66	46.00	-14.34	peak	V




(802.11b _2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1277.329	11.65	30.61	42.26	74.00	-31.74	peak	V
1302.839	3.81	30.74	34.55	54.00	-19.45	AVG	V
1534.890	11.55	33.05	44.60	74.00	-29.40	peak	V
1544.702	2.76	33.27	36.03	54.00	-17.97	AVG	V
1798.564	2.77	36.68	39.45	54.00	-14.55	AVG	V
1809.663	12.19	36.13	48.32	74.00	-25.68	peak	V
2008.853	3.61	37.12	40.73	54.00	-13.27	AVG	V
2014.710	12.49	36.80	49.29	74.00	-24.71	peak	V
2437.504	49.87	40.79	90.66	NA	NA	AVG	V
2437.638	55.95	40.79	96.74	NA	NA	peak	V
2871.494	12.50	44.21	56.71	74.00	-17.29	peak	V
2945.300	2.61	44.56	47.17	54.00	-6.83	AVG	V




(802.11b _2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3249.000	51.50	-6.10	45.40	74.00	-28.60	peak	V
3249.000	49.43	-6.10	43.33	54.00	-10.67	AVG	V
4874.250	62.97	-2.86	60.11	74.00	-13.89	peak	V
4874.250	55.75	-2.86	52.89	54.00	-1.11	AVG	V
7302.000	37.30	-0.27	37.03	54.00	-16.97	AVG	V
7308.000	48.27	-0.26	48.01	74.00	-25.99	peak	V
9747.750	49.31	2.00	51.31	74.00	-22.69	peak	V
9747.750	43.87	2.00	45.87	54.00	-8.13	AVG	V
13371.750	42.68	6.48	49.16	74.00	-24.84	peak	V
13409.250	33.09	6.37	39.46	54.00	-14.54	AVG	V
15744.000	32.86	11.07	43.93	54.00	-10.07	AVG	V
15753.000	41.66	10.87	52.53	74.00	-21.47	peak	V




(802.11b _2462MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
36.6054	5.44	13.38	18.82	40.00	-21.18	peak	H
70.9558	13.64	11.37	25.01	40.00	-14.99	peak	H
160.0087	9.56	12.20	21.76	43.50	-21.74	peak	H
319.9931	10.81	18.00	28.81	46.00	-17.19	peak	H
480.0224	5.04	21.54	26.58	46.00	-19.42	peak	H
640.0497	3.32	24.09	27.41	46.00	-18.59	peak	H




(802.11b _2462MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBUV)	Factor (dB/m)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Det.	Pol
1190.733	11.24	30.07	41.31	74.00	-32.69	peak	H
1208.326	3.49	30.30	33.79	54.00	-20.21	AVG	H
1512.128	11.28	32.78	44.06	74.00	-29.94	peak	H
1543.260	2.97	33.24	36.21	54.00	-17.79	AVG	H
1804.204	3.25	36.50	39.75	54.00	-14.25	AVG	H
1810.956	12.54	36.04	48.58	74.00	-25.42	peak	H
2008.743	2.94	37.12	40.06	54.00	-13.94	AVG	H
2010.398	12.39	37.03	49.42	74.00	-24.58	peak	H
2462.942	45.32	41.52	86.84	NA	NA	AVG	H
2463.077	51.46	41.53	92.99	NA	NA	peak	H
2863.461	12.11	44.15	56.26	74.00	-17.74	peak	H
2931.580	2.77	44.38	47.15	54.00	-6.85	AVG	H




(802.11b _2462MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3282.000	51.37	-5.93	45.44	74.00	-28.56	peak	H
3282.000	46.99	-5.93	41.06	54.00	-12.94	AVG	H
4923.000	55.21	-2.74	52.47	54.00	-1.53	AVG	H
4923.750	62.70	-2.74	59.96	74.00	-14.04	peak	H
7644.000	35.81	0.77	36.58	54.00	-17.42	AVG	H
7650.000	44.37	0.85	45.22	74.00	-28.78	peak	H
9848.250	50.44	1.80	52.24	74.00	-21.76	peak	H
9848.250	44.55	1.80	46.35	54.00	-7.65	AVG	H
12741.750	42.56	4.89	47.45	74.00	-26.55	peak	H
13029.000	32.75	6.27	39.02	54.00	-14.98	AVG	H
16014.000	41.13	11.82	52.95	74.00	-21.05	peak	H
16027.500	32.14	11.86	44.00	54.00	-10.00	AVG	H




(802.11b _2462MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.6218	18.30	12.79	31.09	40.00	-8.91	peak	V
39.6313	14.94	15.14	30.08	40.00	-9.92	peak	V
71.5053	22.36	10.95	33.31	40.00	-6.69	peak	V
160.0367	8.16	12.19	20.35	43.50	-23.15	peak	V
480.0224	4.49	21.54	26.03	46.00	-19.97	peak	V
800.1012	5.34	26.13	31.47	46.00	-14.53	peak	V



(802.11b _2462MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1108.060	2.96	29.01	31.97	54.00	-22.03	AVG	V
1112.695	12.43	28.97	41.40	74.00	-32.60	peak	V
1444.655	11.72	31.71	43.43	74.00	-30.57	peak	V
1467.288	3.08	32.31	35.39	54.00	-18.61	AVG	V
1795.603	12.42	36.44	48.86	74.00	-25.14	peak	V
1808.669	3.89	36.19	40.08	54.00	-13.92	AVG	V
2010.398	3.57	37.03	40.60	54.00	-13.40	AVG	V
2013.382	12.42	36.87	49.29	74.00	-24.71	peak	V
2462.536	55.29	41.51	96.80	NA	NA	peak	V
2462.536	49.87	41.51	91.38	NA	NA	AVG	V
2860.631	12.18	44.05	56.23	74.00	-17.77	peak	V
2862.203	2.97	44.11	47.08	54.00	-6.92	AVG	V




(802.11b _2462MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3282.000	50.37	-5.93	44.44	74.00	-29.56	peak	V
3282.000	46.46	-5.93	40.53	54.00	-13.47	AVG	V
4923.000	55.86	-2.74	53.12	54.00	-0.88	AVG	V
4924.500	62.84	-2.75	60.09	74.00	-13.91	peak	V
7388.250	45.90	-0.38	45.52	74.00	-28.48	peak	V
7783.500	35.98	0.31	36.29	54.00	-17.71	AVG	V
9848.250	50.47	1.97	52.44	74.00	-21.56	peak	V
9848.250	46.66	1.97	48.63	54.00	-5.37	AVG	V
13366.500	41.59	6.49	48.08	74.00	-25.92	peak	V
13887.000	32.17	7.49	39.66	54.00	-14.34	AVG	V
15966.750	41.69	11.22	52.91	74.00	-21.09	peak	V
15985.500	32.14	11.46	43.60	54.00	-10.40	AVG	V




802.11g Test mode




(802.11g _2412MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
39.7984	2.33	15.40	17.73	40.00	-22.27	peak	H
71.7062	13.70	10.80	24.50	40.00	-15.50	peak	H
160.0087	8.98	12.20	21.18	43.50	-22.32	peak	H
319.9931	9.81	18.00	27.81	46.00	-18.19	peak	H
480.0224	4.06	21.54	25.60	46.00	-20.40	peak	H
800.1012	3.72	26.13	29.85	46.00	-16.15	peak	H




(802.11g _2412MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1196.766	2.97	30.47	33.44	54.00	-20.56	AVG	H
1202.433	10.95	30.58	41.53	74.00	-32.47	peak	H
1508.394	3.20	32.68	35.88	54.00	-18.12	AVG	H
1515.787	11.80	32.87	44.67	74.00	-29.33	peak	H
1790.383	13.24	35.90	49.14	74.00	-24.86	peak	H
1798.762	3.16	36.69	39.85	54.00	-14.15	AVG	H
2001.363	11.68	37.20	48.88	74.00	-25.12	peak	H
2005.986	3.17	37.27	40.44	54.00	-13.56	AVG	H
2413.787	48.83	41.05	89.88	NA	NA	peak	H
2417.104	41.28	40.88	82.16	NA	NA	AVG	H
2770.777	13.91	43.29	57.20	74.00	-16.80	peak	H
2863.933	2.86	44.17	47.03	54.00	-6.97	AVG	H




(802.11g_2412MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3215.250	50.61	-6.35	44.26	74.00	-29.74	peak	H
3215.250	45.55	-6.35	39.20	54.00	-14.80	AVG	H
4825.500	60.54	-3.20	57.34	74.00	-16.66	peak	H
4825.500	53.90	-3.20	50.70	54.00	-3.30	AVG	H
7235.250	38.66	-0.36	38.30	54.00	-15.70	AVG	H
7238.250	47.60	-0.35	47.25	74.00	-26.75	peak	H
9648.000	40.12	1.71	41.83	54.00	-12.17	AVG	H
9658.500	46.95	1.67	48.62	74.00	-25.38	peak	H
12795.000	42.46	4.95	47.41	74.00	-26.59	peak	H
12940.500	33.17	5.34	38.51	54.00	-15.49	AVG	H
15732.000	32.61	11.33	43.94	54.00	-10.06	AVG	H
15735.750	42.63	11.25	53.88	74.00	-20.12	peak	H




(802.11g _2412MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.5413	20.13	12.93	33.06	40.00	-6.94	peak	V
36.7404	17.84	13.45	31.29	40.00	-8.71	peak	V
70.8439	22.29	11.45	33.74	40.00	-6.26	peak	V
139.0928	6.91	11.73	18.64	43.50	-24.86	peak	V
480.0224	4.10	21.54	25.64	46.00	-20.36	peak	V
800.1012	5.73	26.13	31.86	46.00	-14.14	peak	V




(802.11g _2412MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1200.190	11.09	30.69	41.78	74.00	-32.22	peak	V
1228.876	3.92	29.89	33.81	54.00	-20.19	AVG	V
1408.144	3.49	31.70	35.19	54.00	-18.81	AVG	V
1448.071	11.72	31.80	43.52	74.00	-30.48	peak	V
1797.181	12.20	36.58	48.78	74.00	-25.22	peak	V
1801.332	3.34	36.69	40.03	54.00	-13.97	AVG	V
2005.325	2.96	37.31	40.27	54.00	-13.73	AVG	V
2011.945	12.54	36.95	49.49	74.00	-24.51	peak	V
2413.654	53.75	41.04	94.79	NA	NA	peak	V
2417.237	46.38	40.88	87.26	NA	NA	AVG	V
2863.304	12.39	44.15	56.54	74.00	-17.46	peak	V
2863.304	3.13	44.15	47.28	54.00	-6.72	AVG	V




(802.11g _2412MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3216.000	53.04	-6.35	46.69	74.00	-27.31	peak	V
3216.000	49.61	-6.35	43.26	54.00	-10.74	AVG	V
4825.500	62.86	-3.20	59.66	74.00	-14.34	peak	V
4825.500	54.72	-3.20	51.52	54.00	-2.48	AVG	V
7230.000	40.53	-0.36	40.17	54.00	-13.83	AVG	V
7241.250	48.63	-0.34	48.29	74.00	-25.71	peak	V
9648.000	40.34	1.71	42.05	54.00	-11.95	AVG	V
9652.500	47.20	1.69	48.89	74.00	-25.11	peak	V
13408.500	43.05	6.36	49.41	74.00	-24.59	peak	V
13785.750	33.37	7.04	40.41	54.00	-13.59	AVG	V
15750.000	33.54	10.94	44.48	54.00	-9.52	AVG	V
15761.250	42.53	10.69	53.22	74.00	-20.78	peak	V




(802.11g _2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
40.0925	2.97	15.61	18.58	40.00	-21.42	peak	H
71.3926	13.76	11.04	24.80	40.00	-15.20	peak	H
160.0087	9.89	12.20	22.09	43.50	-21.41	peak	H
319.9931	10.07	18.00	28.07	46.00	-17.93	peak	H
480.0224	5.41	21.54	26.95	46.00	-19.05	peak	H
800.1012	2.74	26.13	28.87	46.00	-17.13	peak	H




(802.11g _2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1067.199	11.08	28.94	40.02	74.00	-33.98	peak	H
1072.076	3.32	29.03	32.35	54.00	-21.65	AVG	H
1205.674	3.31	30.42	33.73	54.00	-20.27	AVG	H
1249.157	11.47	30.17	41.64	74.00	-32.36	peak	H
1510.467	12.13	32.74	44.87	74.00	-29.13	peak	H
1545.381	2.94	33.28	36.22	54.00	-17.78	AVG	H
2007.198	3.27	37.21	40.48	54.00	-13.52	AVG	H
2008.081	13.01	37.16	50.17	74.00	-23.83	peak	H
2432.689	48.67	40.78	89.45	NA	NA	peak	H
2435.898	40.55	40.79	81.34	NA	NA	AVG	H
2818.363	13.73	43.17	56.90	74.00	-17.10	peak	H
2864.720	2.61	44.20	46.81	54.00	-7.19	AVG	H




(802.11g_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3249.000	49.62	-6.10	43.52	74.00	-30.48	peak	H
3249.000	45.75	-6.10	39.65	54.00	-14.35	AVG	H
4873.500	60.54	-2.86	57.68	74.00	-16.32	peak	H
4875.750	53.23	-2.85	50.38	54.00	-3.62	AVG	H
7315.500	37.48	-0.25	37.23	54.00	-16.77	AVG	H
7320.000	45.49	-0.24	45.25	74.00	-28.75	peak	H
9747.750	38.36	2.00	40.36	54.00	-13.64	AVG	H
9762.750	45.10	1.87	46.97	74.00	-27.03	peak	H
14013.000	41.22	8.12	49.34	74.00	-24.66	peak	H
14026.500	32.11	8.18	40.29	54.00	-13.71	AVG	H
16030.500	40.73	11.85	52.58	74.00	-21.42	peak	H
16030.500	31.53	11.85	43.38	54.00	-10.62	AVG	H




(802.11g _2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.5092	18.07	12.99	31.06	40.00	-8.94	peak	V
39.6938	14.36	15.24	29.60	40.00	-10.40	peak	V
70.9061	21.96	11.41	33.37	40.00	-6.63	peak	V
171.9042	6.62	12.00	18.62	43.50	-24.88	peak	V
362.8572	6.03	18.28	24.31	46.00	-21.69	peak	V
800.1012	5.22	26.13	31.35	46.00	-14.65	peak	V




(802.11g _2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1311.744	12.60	30.78	43.38	74.00	-30.62	peak	V
1321.580	3.44	30.78	34.22	54.00	-19.78	AVG	V
1548.184	3.39	33.31	36.70	54.00	-17.30	AVG	V
1557.396	11.48	33.24	44.72	74.00	-29.28	peak	V
1794.025	3.62	36.28	39.90	54.00	-14.10	AVG	V
1801.530	12.76	36.68	49.44	74.00	-24.56	peak	V
2004.224	2.79	37.37	40.16	54.00	-13.84	AVG	V
2005.766	12.02	37.29	49.31	74.00	-24.69	peak	V
2432.288	53.58	40.78	94.36	NA	NA	peak	V
2432.288	45.28	40.78	86.06	NA	NA	AVG	V
2850.279	13.83	43.68	57.51	74.00	-16.49	peak	V
2857.490	3.31	43.94	47.25	54.00	-6.75	AVG	V




(802.11g _2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3249.000	51.35	-6.10	45.25	74.00	-28.75	peak	V
3249.000	48.83	-6.10	42.73	54.00	-11.27	AVG	V
4874.250	60.49	-2.86	57.63	74.00	-16.37	peak	V
4874.250	51.67	-2.86	48.81	54.00	-5.19	AVG	V
7302.000	37.40	-0.27	37.13	54.00	-16.87	AVG	V
7314.000	45.23	-0.25	44.98	74.00	-29.02	peak	V
9747.750	46.13	2.00	48.13	74.00	-25.87	peak	V
9747.750	40.33	2.00	42.33	54.00	-11.67	AVG	V
13043.250	41.64	6.29	47.93	74.00	-26.07	peak	V
13345.500	32.69	6.37	39.06	54.00	-14.94	AVG	V
15757.500	42.16	10.77	52.93	74.00	-21.07	peak	V
16035.000	31.67	11.72	43.39	54.00	-10.61	AVG	V




(802.11g _2462MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
39.6660	3.18	15.20	18.38	40.00	-21.62	peak	H
71.9581	14.00	10.60	24.60	40.00	-15.40	peak	H
159.9806	9.56	12.19	21.75	43.50	-21.75	peak	H
320.0492	10.31	17.99	28.30	46.00	-17.70	peak	H
480.0224	5.08	21.54	26.62	46.00	-19.38	peak	H
799.9609	3.46	26.13	29.59	46.00	-16.41	peak	H




(802.11g _2462MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1056.583	11.88	28.73	40.61	74.00	-33.39	peak	H
1070.605	3.42	29.05	32.47	54.00	-21.53	AVG	H
1204.218	3.19	30.49	33.68	54.00	-20.32	AVG	H
1211.050	11.04	30.19	41.23	74.00	-32.77	peak	H
1550.738	11.69	33.28	44.97	74.00	-29.03	peak	H
1586.233	3.12	33.60	36.72	54.00	-17.28	AVG	H
1999.605	3.27	37.07	40.34	54.00	-13.66	AVG	H
2001.473	12.55	37.20	49.75	74.00	-24.25	peak	H
2461.184	40.90	41.46	82.36	NA	NA	AVG	H
2463.077	47.88	41.53	89.41	NA	NA	peak	H
2815.578	13.17	43.40	56.57	74.00	-17.43	peak	H
2863.776	2.96	44.16	47.12	54.00	-6.88	AVG	H




(802.11g _2462MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3282.000	46.38	-5.93	40.45	54.00	-13.55	AVG	H
3282.750	50.21	-5.95	44.26	74.00	-29.74	peak	H
4925.250	59.16	-2.76	56.40	74.00	-17.60	peak	H
4925.250	52.01	-2.76	49.25	54.00	-4.75	AVG	H
7660.500	35.49	0.91	36.40	54.00	-17.60	AVG	H
7749.750	45.11	0.15	45.26	74.00	-28.74	peak	H
9848.250	47.22	1.80	49.02	74.00	-24.98	peak	H
9848.250	39.65	1.80	41.45	54.00	-12.55	AVG	H
13041.000	42.10	6.43	48.53	74.00	-25.47	peak	H
13413.000	32.94	6.35	39.29	54.00	-14.71	AVG	H
15730.500	33.02	11.32	44.34	54.00	-9.66	AVG	H
15738.000	41.22	11.20	52.42	74.00	-21.58	peak	H




(802.11g _2462MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.6271	18.34	12.78	31.12	40.00	-8.88	peak	V
36.6310	19.63	13.39	33.02	40.00	-6.98	peak	V
71.1551	22.48	11.22	33.70	40.00	-6.30	peak	V
159.9806	8.45	12.19	20.64	43.50	-22.86	peak	V
480.0224	3.38	21.54	24.92	46.00	-21.08	peak	V
800.1012	5.58	26.13	31.71	46.00	-14.29	peak	V



(802.11g _2462MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1059.198	3.57	28.73	32.30	54.00	-21.70	AVG	V
1075.615	11.20	28.97	40.17	74.00	-33.83	peak	V
1281.405	11.64	30.67	42.31	74.00	-31.69	peak	V
1290.304	3.37	30.65	34.02	54.00	-19.98	AVG	V
1589.810	2.69	33.76	36.45	54.00	-17.55	AVG	V
1599.006	11.28	34.19	45.47	74.00	-28.53	peak	V
2008.412	11.91	37.14	49.05	74.00	-24.95	peak	V
2010.951	3.44	37.00	40.44	54.00	-13.56	AVG	V
2457.536	52.24	41.32	93.56	NA	NA	peak	V
2461.048	44.86	41.46	86.32	NA	NA	AVG	V
2863.933	12.35	44.17	56.52	74.00	-17.48	peak	V
2939.481	2.46	44.49	46.95	54.00	-7.05	AVG	V




(802.11g _2462MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3282.000	51.01	-5.93	45.08	74.00	-28.92	peak	V
3282.000	46.83	-5.93	40.90	54.00	-13.10	AVG	V
4920.750	59.45	-2.73	56.72	74.00	-17.28	peak	V
4926.750	52.85	-2.77	50.08	54.00	-3.92	AVG	V
7728.000	46.08	0.03	46.11	74.00	-27.89	peak	V
7737.000	36.21	0.09	36.30	54.00	-17.70	AVG	V
9847.500	47.67	1.96	49.63	74.00	-24.37	peak	V
9847.500	42.31	1.96	44.27	54.00	-9.73	AVG	V
13038.750	41.40	6.24	47.64	74.00	-26.36	peak	V
13736.250	31.98	7.05	39.03	54.00	-14.97	AVG	V
16009.500	32.35	11.70	44.05	54.00	-9.95	AVG	V
16072.500	41.55	11.30	52.85	74.00	-21.15	peak	V




802.11n-20MHz Test mode




(802.11n_20M_2412MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
40.0504	2.54	15.65	18.19	40.00	-21.81	peak	V
71.2300	13.85	11.16	25.01	40.00	-14.99	peak	V
160.0087	9.59	12.20	21.79	43.50	-21.71	peak	V
320.0492	10.27	17.99	28.26	46.00	-17.74	peak	V
480.0224	4.59	21.54	26.13	46.00	-19.87	peak	V
800.1012	3.56	26.13	29.69	46.00	-16.31	peak	V




(802.11n_20M_2412MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1205.343	3.19	30.43	33.62	54.00	-20.38	AVG	H
1208.127	11.64	30.30	41.94	74.00	-32.06	peak	H
1473.345	3.09	32.43	35.52	54.00	-18.48	AVG	H
1475.451	11.50	32.40	43.90	74.00	-30.10	peak	H
1795.898	12.31	36.47	48.78	74.00	-25.22	peak	H
1797.675	3.48	36.61	40.09	54.00	-13.91	AVG	H
1998.178	3.43	36.97	40.40	54.00	-13.60	AVG	H
2006.537	12.01	37.24	49.25	74.00	-24.75	peak	H
2417.370	46.42	40.87	87.29	NA	NA	peak	H
2417.370	38.91	40.87	79.78	NA	NA	AVG	H
2757.718	12.88	43.73	56.61	74.00	-17.39	peak	H
2757.718	2.79	43.73	46.52	54.00	-7.48	AVG	H




(802.11n_20M_2412MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3215.250	43.75	-6.35	37.40	54.00	-16.60	AVG	H
3216.000	49.29	-6.35	42.94	74.00	-31.06	peak	H
4822.500	64.65	-3.23	61.42	74.00	-12.58	peak	H
4822.500	55.26	-3.23	52.03	54.00	-1.97	AVG	H
7242.750	46.75	-0.34	46.41	74.00	-27.59	peak	H
7242.750	38.93	-0.34	38.59	54.00	-15.41	AVG	H
9640.500	46.24	1.73	47.97	74.00	-26.03	peak	H
9648.000	38.85	1.71	40.56	54.00	-13.44	AVG	H
13365.750	33.00	6.50	39.50	54.00	-14.50	AVG	H
13380.000	42.11	6.44	48.55	74.00	-25.45	peak	H
15745.500	32.79	11.03	43.82	54.00	-10.18	AVG	H
15752.250	41.33	10.89	52.22	74.00	-21.78	peak	H




(802.11n_20M_2412MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.5253	19.11	12.96	32.07	40.00	-7.93	peak	V
39.4995	14.88	14.94	29.82	40.00	-10.18	peak	V
71.2300	22.05	11.16	33.21	40.00	-6.79	peak	V
160.0087	6.60	12.20	18.80	43.50	-24.70	peak	V
480.0224	4.17	21.54	25.71	46.00	-20.29	peak	V
800.1012	5.45	26.13	31.58	46.00	-14.42	peak	V




(802.11n_20M_2412MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1202.367	2.55	30.58	33.13	54.00	-20.87	AVG	V
1226.583	11.32	29.87	41.19	74.00	-32.81	peak	V
1593.132	11.74	33.92	45.66	74.00	-28.34	peak	V
1600.764	2.55	34.21	36.76	54.00	-17.24	AVG	V
2011.282	12.40	36.99	49.39	74.00	-24.61	peak	V
2011.282	3.19	36.99	40.18	54.00	-13.82	AVG	V
2406.506	53.79	41.39	95.18	NA	NA	peak	V
2417.768	46.40	40.85	87.25	NA	NA	AVG	V
2759.688	3.07	43.66	46.73	54.00	-7.27	AVG	V
2815.887	13.54	43.37	56.91	74.00	-17.09	peak	V
1202.367	2.55	30.58	33.13	54.00	-20.87	AVG	V
1226.583	11.32	29.87	41.19	74.00	-32.81	peak	V




(802.11n_20M_2412MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3216.000	51.22	-6.35	44.87	74.00	-29.13	peak	V
3216.000	47.55	-6.35	41.20	54.00	-12.80	AVG	V
4824.750	52.17	-3.21	48.96	54.00	-5.04	AVG	V
4828.500	60.86	-3.19	57.67	74.00	-16.33	peak	V
7233.750	39.63	-0.36	39.27	54.00	-14.73	AVG	V
7246.500	47.60	-0.33	47.27	74.00	-26.73	peak	V
9648.000	46.64	1.71	48.35	74.00	-25.65	peak	V
9648.000	40.56	1.71	42.27	54.00	-11.73	AVG	V
13409.250	41.30	6.37	47.67	74.00	-26.33	peak	V
13793.250	32.00	7.02	39.02	54.00	-14.98	AVG	V
15736.500	32.76	11.23	43.99	54.00	-10.01	AVG	V
16016.250	41.17	11.73	52.90	74.00	-21.10	peak	V




(802.11n_20M_2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
39.9102	3.50	15.56	19.06	40.00	-20.94	peak	H
71.0305	12.96	11.31	24.27	40.00	-15.73	peak	H
159.9806	10.04	12.19	22.23	43.50	-21.27	peak	H
320.0492	10.13	17.99	28.12	46.00	-17.88	peak	H
480.0224	4.57	21.54	26.11	46.00	-19.89	peak	H
800.1012	2.62	26.13	28.75	46.00	-17.25	peak	H




(802.11n_20M_2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1201.839	10.79	30.61	41.40	74.00	-32.60	peak	H
1203.490	2.68	30.53	33.21	54.00	-20.79	AVG	H
1402.124	3.19	31.92	35.11	54.00	-18.89	AVG	H
1408.763	11.97	31.68	43.65	74.00	-30.35	peak	H
1799.355	3.03	36.73	39.76	54.00	-14.24	AVG	H
1808.073	12.12	36.23	48.35	74.00	-25.65	peak	H
2013.272	12.24	36.88	49.12	74.00	-24.88	peak	H
2013.272	3.42	36.88	40.30	54.00	-13.70	AVG	H
2438.575	45.16	40.80	85.96	NA	NA	peak	H
2438.575	37.46	40.80	78.26	NA	NA	AVG	H
2750.155	12.40	43.63	56.03	74.00	-17.97	peak	H
2809.089	3.07	43.94	47.01	54.00	-6.99	AVG	H




(802.11n_20M_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3249.000	49.07	-6.10	42.97	74.00	-31.03	peak	H
3249.000	45.77	-6.10	39.67	54.00	-14.33	AVG	H
4878.000	62.09	-2.83	59.26	74.00	-14.74	peak	H
4878.000	53.21	-2.83	50.38	54.00	-3.62	AVG	H
7311.750	46.12	-0.25	45.87	74.00	-28.13	peak	H
7311.750	37.31	-0.25	37.06	54.00	-16.94	AVG	H
9747.750	45.10	2.00	47.10	74.00	-26.90	peak	H
9747.750	37.57	2.00	39.57	54.00	-14.43	AVG	H
12045.750	33.88	4.33	38.21	54.00	-15.79	AVG	H
12267.750	42.82	4.04	46.86	74.00	-27.14	peak	H
15727.500	41.35	11.26	52.61	74.00	-21.39	peak	H
15740.250	32.84	11.15	43.99	54.00	-10.01	AVG	H




(802.11n_20M_2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.4878	18.15	13.03	31.18	40.00	-8.82	peak	V
39.5965	15.40	15.09	30.49	40.00	-9.51	peak	V
71.3300	22.33	11.08	33.41	40.00	-6.59	peak	V
160.0087	5.88	12.20	18.08	43.50	-25.42	peak	V
480.0224	3.76	21.54	25.30	46.00	-20.70	peak	V
800.1012	5.51	26.13	31.64	46.00	-14.36	peak	V




(802.11n_20M_2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1203.292	10.71	30.54	41.25	74.00	-32.75	peak	V
1227.931	4.19	29.88	34.07	54.00	-19.93	AVG	V
1468.013	3.39	32.33	35.72	54.00	-18.28	AVG	V
1473.264	11.42	32.43	43.85	74.00	-30.15	peak	V
1769.265	12.58	35.03	47.61	74.00	-26.39	peak	V
1791.957	3.48	36.06	39.54	54.00	-14.46	AVG	V
2006.868	12.00	37.23	49.23	74.00	-24.77	peak	V
2012.166	3.16	36.94	40.10	54.00	-13.90	AVG	V
2431.887	53.12	40.79	93.91	NA	NA	peak	V
2438.307	45.45	40.80	86.25	NA	NA	AVG	V
2750.004	12.97	43.63	56.60	74.00	-17.40	peak	V
2755.598	2.89	43.81	46.70	54.00	-7.30	AVG	V




(802.11n_20M_2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3249.000	50.49	-6.10	44.39	74.00	-29.61	peak	V
3249.000	47.55	-6.10	41.45	54.00	-12.55	AVG	V
4873.500	52.22	-2.86	49.36	54.00	-4.64	AVG	V
4879.500	59.11	-2.82	56.29	74.00	-17.71	peak	V
7693.500	36.50	0.37	36.87	54.00	-17.13	AVG	V
7748.250	45.44	0.15	45.59	74.00	-28.41	peak	V
9747.750	46.64	2.00	48.64	74.00	-25.36	peak	V
9747.750	40.43	2.00	42.43	54.00	-11.57	AVG	V
12971.250	42.17	5.45	47.62	74.00	-26.38	peak	V
13051.500	32.66	6.42	39.08	54.00	-14.92	AVG	V
15768.750	41.95	10.53	52.48	74.00	-21.52	peak	V
16010.250	32.27	11.71	43.98	54.00	-10.02	AVG	V




(802.11n_20M_2462MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
36.6310	5.43	13.39	18.82	40.00	-21.18	peak	H
72.0843	14.03	10.55	24.58	40.00	-15.42	peak	H
159.9806	9.22	12.19	21.41	43.50	-22.09	peak	H
319.9931	10.49	18.00	28.49	46.00	-17.51	peak	H
480.0224	3.81	21.54	25.35	46.00	-20.65	peak	H
800.1012	4.64	26.13	30.77	46.00	-15.23	peak	H




(802.11n_20M_2462MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1259.769	11.58	30.36	41.94	74.00	-32.06	peak	H
1278.592	3.57	30.64	34.21	54.00	-19.79	AVG	H
1553.466	11.94	33.27	45.21	74.00	-28.79	peak	H
1607.813	3.02	33.97	36.99	54.00	-17.01	AVG	H
1799.552	3.41	36.75	40.16	54.00	-13.84	AVG	H
1803.511	12.17	36.54	48.71	74.00	-25.29	peak	H
2007.198	2.92	37.21	40.13	54.00	-13.87	AVG	H
2020.029	12.97	36.51	49.48	74.00	-24.52	peak	H
2456.861	40.78	41.30	82.08	NA	NA	AVG	H
2466.597	48.05	41.66	89.71	NA	NA	peak	H
2862.360	3.20	44.11	47.31	54.00	-6.69	AVG	H
2871.494	12.16	44.21	56.37	74.00	-17.63	peak	H




(802.11n_20M_2462MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3282.000	50.35	-5.93	44.42	74.00	-29.58	peak	H
3282.000	46.46	-5.93	40.53	54.00	-13.47	AVG	H
4922.250	52.51	-2.74	49.77	54.00	-4.23	AVG	H
4927.500	60.04	-2.78	57.26	74.00	-16.74	peak	H
7242.750	44.93	-0.34	44.59	74.00	-29.41	peak	H
7382.250	36.94	-0.34	36.60	54.00	-17.40	AVG	H
9848.250	45.15	1.80	46.95	74.00	-27.05	peak	H
9848.250	39.80	1.80	41.60	54.00	-12.40	AVG	H
13419.000	41.90	6.35	48.25	74.00	-25.75	peak	H
13548.750	32.57	6.38	38.95	54.00	-15.05	AVG	H
15716.250	41.29	11.06	52.35	74.00	-21.65	peak	H
16083.750	32.89	11.24	44.13	54.00	-9.87	AVG	H




(802.11n_20M_2462MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.6325	16.57	12.77	29.34	40.00	-10.66	peak	V
39.9242	13.97	15.59	29.56	40.00	-10.44	peak	V
72.5280	22.83	10.44	33.27	40.00	-6.73	peak	V
160.0087	5.76	12.20	17.96	43.50	-25.54	peak	V
480.0224	3.91	21.54	25.45	46.00	-20.55	peak	V
800.1012	6.31	26.13	32.44	46.00	-13.56	peak	V



(802.11n_20M_2462MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1152.508	11.69	28.98	40.67	74.00	-33.33	peak	V
1153.839	3.34	28.99	32.33	54.00	-21.67	AVG	V
1466.160	3.40	32.29	35.69	54.00	-18.31	AVG	V
1482.519	11.67	32.34	44.01	74.00	-29.99	peak	V
1801.728	11.52	36.66	48.18	74.00	-25.82	peak	V
1813.445	3.64	35.87	39.51	54.00	-14.49	AVG	V
2007.529	11.67	37.19	48.86	74.00	-25.14	peak	V
2008.412	2.94	37.14	40.08	54.00	-13.92	AVG	V
2463.212	51.97	41.53	93.50	NA	NA	peak	V
2463.212	43.83	41.53	85.36	NA	NA	AVG	V
2882.399	13.40	43.98	57.38	74.00	-16.62	peak	V
2942.874	2.60	44.52	47.12	54.00	-6.88	AVG	V




(802.11n_20M_2462MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3282.000	50.97	-5.93	45.04	74.00	-28.96	peak	V
3282.000	47.10	-5.93	41.17	54.00	-12.83	AVG	V
4928.250	61.00	-2.78	58.22	74.00	-15.78	peak	V
4928.250	51.33	-2.78	48.55	54.00	-5.45	AVG	V
7284.750	45.12	-0.29	44.83	74.00	-29.17	peak	V
7392.750	36.80	-0.42	36.38	54.00	-17.62	AVG	V
9848.250	47.20	1.97	49.17	74.00	-24.83	peak	V
9848.250	41.30	1.97	43.27	54.00	-10.73	AVG	V
13335.750	42.82	6.24	49.06	74.00	-24.94	peak	V
13414.500	32.90	6.36	39.26	54.00	-14.74	AVG	V
15732.750	32.33	11.31	43.64	54.00	-10.36	AVG	V
15753.750	41.54	10.85	52.39	74.00	-21.61	peak	V




802.11n-40MHz Test mode




(802.11n_40M_2422MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
39.3198	3.54	14.67	18.21	40.00	-21.79	peak	H
71.1177	13.31	11.25	24.56	40.00	-15.44	peak	H
159.9806	8.92	12.19	21.11	43.50	-22.39	peak	H
319.9931	10.51	18.00	28.51	46.00	-17.49	peak	H
480.0224	4.98	21.54	26.52	46.00	-19.48	peak	H
800.1012	3.94	26.13	30.07	46.00	-15.93	peak	H




(802.11n_40M_2422MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1088.573	11.09	28.99	40.08	74.00	-33.92	peak	H
1096.013	3.15	29.07	32.22	54.00	-21.78	AVG	H
1301.552	3.60	30.73	34.33	54.00	-19.67	AVG	H
1320.854	12.61	30.78	43.39	74.00	-30.61	peak	H
1548.440	12.43	33.30	45.73	74.00	-28.27	peak	H
1575.206	2.91	33.28	36.19	54.00	-17.81	AVG	H
2007.309	11.82	37.20	49.02	74.00	-24.98	peak	H
2007.309	3.35	37.20	40.55	54.00	-13.45	AVG	H
2420.160	36.15	40.75	76.90	NA	NA	AVG	H
2432.154	44.22	40.78	85.00	NA	NA	peak	H
2756.658	2.87	43.77	46.64	54.00	-7.36	AVG	H
2758.173	12.46	43.71	56.17	74.00	-17.83	peak	H




(802.11n_40M_2422MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3228.750	50.02	-6.39	43.63	74.00	-30.37	peak	H
3228.750	45.15	-6.39	38.76	54.00	-15.24	AVG	H
4843.500	57.41	-3.07	54.34	74.00	-19.66	peak	H
4843.500	49.67	-3.07	46.60	54.00	-7.40	AVG	H
7272.750	46.23	-0.30	45.93	74.00	-28.07	peak	H
7272.750	37.01	-0.30	36.71	54.00	-17.29	AVG	H
10492.500	44.22	2.67	46.89	74.00	-27.11	peak	H
10508.250	35.09	2.58	37.67	54.00	-16.33	AVG	H
13375.500	41.86	6.46	48.32	74.00	-25.68	peak	H
13392.750	33.02	6.40	39.42	54.00	-14.58	AVG	H
15721.500	41.31	11.15	52.46	74.00	-21.54	peak	H
15749.250	32.87	10.95	43.82	54.00	-10.18	AVG	H




(802.11n_40M_2422MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.5628	16.95	12.89	29.84	40.00	-10.16	peak	V
36.6054	16.69	13.38	30.07	40.00	-9.93	peak	V
71.1926	22.35	11.19	33.54	40.00	-6.46	peak	V
160.0367	5.59	12.19	17.78	43.50	-25.72	peak	V
480.0224	2.51	21.54	24.05	46.00	-21.95	peak	V
800.1012	4.79	26.13	30.92	46.00	-15.08	peak	V




(802.11n_40M_2422MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1194.927	11.46	30.34	41.80	74.00	-32.20	peak	V
1198.345	3.72	30.58	34.30	54.00	-19.70	AVG	V
1492.324	11.83	32.39	44.22	74.00	-29.78	peak	V
1523.466	2.80	32.93	35.73	54.00	-18.27	AVG	V
1801.036	11.99	36.71	48.70	74.00	-25.30	peak	V
1801.036	3.03	36.71	39.74	54.00	-14.26	AVG	V
2011.724	12.24	36.96	49.20	74.00	-24.80	peak	V
2015.706	3.85	36.74	40.59	54.00	-13.41	AVG	V
2417.768	43.06	40.85	83.91	NA	NA	AVG	V
2431.620	51.43	40.79	92.22	NA	NA	peak	V
2731.336	13.88	43.04	56.92	74.00	-17.08	peak	V
2756.053	3.35	43.79	47.14	54.00	-6.86	AVG	V




(802.11n_40M_2422MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3228.750	51.25	-6.39	44.86	74.00	-29.14	peak	V
3228.750	48.56	-6.39	42.17	54.00	-11.83	AVG	V
4843.500	57.46	-3.07	54.39	74.00	-19.61	peak	V
4843.500	50.79	-3.07	47.72	54.00	-6.28	AVG	V
7645.500	44.98	0.79	45.77	74.00	-28.23	peak	V
7980.750	35.50	1.00	36.50	54.00	-17.50	AVG	V
9687.750	45.26	1.71	46.97	74.00	-27.03	peak	V
9687.750	38.62	1.71	40.33	54.00	-13.67	AVG	V
12251.250	42.87	4.04	46.91	74.00	-27.09	peak	V
12393.750	33.38	4.37	37.75	54.00	-16.25	AVG	V
15741.000	41.48	11.13	52.61	74.00	-21.39	peak	V
16026.750	31.74	11.78	43.52	54.00	-10.48	AVG	V




(802.11n_40M_2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
40.0574	2.71	15.64	18.35	40.00	-21.65	peak	H
71.1551	13.79	11.22	25.01	40.00	-14.99	peak	H
160.0087	9.54	12.20	21.74	43.50	-21.76	peak	H
320.0492	10.29	17.99	28.28	46.00	-17.72	peak	H
480.0224	4.78	21.54	26.32	46.00	-19.68	peak	H
800.1012	2.85	26.13	28.98	46.00	-17.02	peak	H




(802.11n_40M_2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1086.423	3.52	28.95	32.47	54.00	-21.53	AVG	H
1090.728	10.91	29.04	39.95	74.00	-34.05	peak	H
1278.241	3.40	30.63	34.03	54.00	-19.97	AVG	H
1288.746	11.97	30.65	42.62	74.00	-31.38	peak	H
1590.683	11.65	33.81	45.46	74.00	-28.54	peak	H
1611.527	2.96	33.84	36.80	54.00	-17.20	AVG	H
1796.490	12.12	36.53	48.65	74.00	-25.35	peak	H
1801.134	3.14	36.70	39.84	54.00	-14.16	AVG	H
2430.819	44.03	40.78	84.81	NA	NA	peak	H
2430.819	35.47	40.78	76.25	NA	NA	AVG	H
2794.929	12.13	44.28	56.41	74.00	-17.59	peak	H
2819.911	3.48	43.05	46.53	54.00	-7.47	AVG	H




(802.11n_40M_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3249.000	49.38	-6.10	43.28	74.00	-30.72	peak	H
3249.000	45.53	-6.10	39.43	54.00	-14.57	AVG	H
4868.250	56.87	-2.90	53.97	74.00	-20.03	peak	H
4875.000	49.36	-2.86	46.50	54.00	-7.50	AVG	H
7299.750	36.76	-0.26	36.50	54.00	-17.50	AVG	H
7682.250	44.36	0.55	44.91	74.00	-29.09	peak	H
9747.750	37.95	2.00	39.95	54.00	-14.05	AVG	H
10006.500	44.38	1.89	46.27	74.00	-27.73	peak	H
12071.250	33.66	4.21	37.87	54.00	-16.13	AVG	H
12303.750	42.83	4.16	46.99	74.00	-27.01	peak	H
15002.250	31.89	10.60	42.49	54.00	-11.51	AVG	H
15050.250	40.27	10.31	50.58	74.00	-23.42	peak	H




(802.11n_40M_2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.6164	16.88	12.80	29.68	40.00	-10.32	peak	V
36.6953	16.56	13.43	29.99	40.00	-10.01	peak	V
71.5555	22.25	10.91	33.16	40.00	-6.84	peak	V
160.0087	6.37	12.20	18.57	43.50	-24.93	peak	V
480.0224	4.68	21.54	26.22	46.00	-19.78	peak	V
800.1012	6.37	26.13	32.50	46.00	-13.50	peak	V




(802.11n_40M_2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1190.668	11.67	30.06	41.73	74.00	-32.27	peak	V
1196.372	2.83	30.44	33.27	54.00	-20.73	AVG	V
1394.749	3.75	31.78	35.53	54.00	-18.47	AVG	V
1396.359	11.73	31.85	43.58	74.00	-30.42	peak	V
1589.810	11.78	33.76	45.54	74.00	-28.46	peak	V
1611.970	2.80	33.82	36.62	54.00	-17.38	AVG	V
2004.444	11.87	37.36	49.23	74.00	-24.77	peak	V
2010.288	3.08	37.04	40.12	54.00	-13.88	AVG	V
2427.749	42.22	40.77	82.99	NA	NA	AVG	V
2429.083	50.26	40.78	91.04	NA	NA	peak	V
2765.303	12.84	43.47	56.31	74.00	-17.69	peak	V
2799.539	2.42	44.72	47.14	54.00	-6.86	AVG	V




(802.11n_40M_2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3249.000	51.22	-6.10	45.12	74.00	-28.88	peak	V
3249.000	48.41	-6.10	42.31	54.00	-11.69	AVG	V
4873.500	57.05	-2.86	54.19	74.00	-19.81	peak	V
4873.500	50.68	-2.86	47.82	54.00	-6.18	AVG	V
8033.250	36.29	0.48	36.77	54.00	-17.23	AVG	V
8175.750	45.24	0.77	46.01	74.00	-27.99	peak	V
9747.750	45.33	2.00	47.33	74.00	-26.67	peak	V
9747.750	40.02	2.00	42.02	54.00	-11.98	AVG	V
13371.000	33.20	6.48	39.68	54.00	-14.32	AVG	V
13380.000	41.13	6.44	47.57	74.00	-26.43	peak	V
15753.000	32.92	10.87	43.79	54.00	-10.21	AVG	V
15981.750	40.76	11.41	52.17	74.00	-21.83	peak	V




(802.11n_40M_2452MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
40.1488	3.08	15.56	18.64	40.00	-21.36	peak	H
71.4176	14.17	11.02	25.19	40.00	-14.81	peak	H
160.0087	9.24	12.20	21.44	43.50	-22.06	peak	H
319.9931	10.25	18.00	28.25	46.00	-17.75	peak	H
480.0224	3.77	21.54	25.31	46.00	-20.69	peak	H
799.9609	2.73	26.13	28.86	46.00	-17.14	peak	H




(802.11n_40M_2452MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1196.372	3.64	30.44	34.08	54.00	-19.92	AVG	H
1207.928	11.10	30.31	41.41	74.00	-32.59	peak	H
1480.972	12.30	32.35	44.65	74.00	-29.35	peak	H
1517.036	2.90	32.89	35.79	54.00	-18.21	AVG	H
1772.475	13.63	35.04	48.67	74.00	-25.33	peak	H
1799.256	2.74	36.72	39.46	54.00	-14.54	AVG	H
2007.860	12.69	37.17	49.86	74.00	-24.14	peak	H
2010.730	3.64	37.02	40.66	54.00	-13.34	AVG	H
2456.456	35.58	41.28	76.86	NA	NA	AVG	H
2462.130	43.71	41.49	85.20	NA	NA	peak	H
2854.510	2.89	43.83	46.72	54.00	-7.28	AVG	H
2861.260	13.17	44.08	57.25	74.00	-16.75	peak	H




(802.11n_40M_2452MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3269.250	48.97	-5.76	43.21	74.00	-30.79	peak	H
3269.250	45.56	-5.76	39.80	54.00	-14.20	AVG	H
4903.500	50.73	-2.68	48.05	54.00	-5.95	AVG	H
4904.250	57.72	-2.69	55.03	74.00	-18.97	peak	H
7355.250	45.48	-0.20	45.28	74.00	-28.72	peak	H
7374.000	36.53	-0.29	36.24	54.00	-17.76	AVG	H
9807.750	40.09	1.63	41.72	54.00	-12.28	AVG	H
9808.500	45.99	1.64	47.63	74.00	-26.37	peak	H
12163.500	43.49	3.95	47.44	74.00	-26.56	peak	H
12505.500	33.09	4.93	38.02	54.00	-15.98	AVG	H
15748.500	32.87	10.97	43.84	54.00	-10.16	AVG	H
16115.250	41.26	11.07	52.33	74.00	-21.67	peak	H




(802.11n_40M_2452MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.6164	16.88	12.80	29.68	40.00	-10.32	peak	V
36.6953	16.56	13.43	29.99	40.00	-10.01	peak	V
71.5555	22.25	10.91	33.16	40.00	-6.84	peak	V
160.0087	6.37	12.20	18.57	43.50	-24.93	peak	V
480.0224	4.68	21.54	26.22	46.00	-19.78	peak	V
800.1012	6.37	26.13	32.50	46.00	-13.50	peak	V



(802.11n_40M_2452MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1071.429	11.70	29.04	40.74	74.00	-33.26	peak	V
1074.434	3.83	29.00	32.83	54.00	-21.17	AVG	V
1323.396	11.81	30.77	42.58	74.00	-31.42	peak	V
1337.795	3.38	30.85	34.23	54.00	-19.77	AVG	V
1595.058	2.44	34.01	36.45	54.00	-17.55	AVG	V
1599.709	11.84	34.23	46.07	74.00	-27.93	peak	V
2007.860	3.12	37.17	40.29	54.00	-13.71	AVG	V
2011.503	12.20	36.97	49.17	74.00	-24.83	peak	V
2461.048	41.87	41.46	83.33	NA	NA	AVG	V
2461.724	50.34	41.48	91.82	NA	NA	peak	V
2858.746	3.05	43.99	47.04	54.00	-6.96	AVG	V
2881.449	13.18	44.00	57.18	74.00	-16.82	peak	V



(802.11n_40M_2452MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
3269.250	50.18	-5.76	44.42	74.00	-29.58	peak	V
3269.250	47.57	-5.76	41.81	54.00	-12.19	AVG	V
4903.500	48.96	-2.68	46.28	54.00	-7.72	AVG	V
4908.000	56.69	-2.68	54.01	74.00	-19.99	peak	V
7579.500	36.16	0.17	36.33	54.00	-17.67	AVG	V
7970.250	44.32	1.22	45.54	74.00	-28.46	peak	V
9807.750	46.72	1.66	48.38	74.00	-25.62	peak	V
9807.750	41.99	1.66	43.65	54.00	-10.35	AVG	V
13026.750	41.88	6.06	47.94	74.00	-26.06	peak	V
13407.000	33.08	6.37	39.45	54.00	-14.55	AVG	V
15753.000	32.71	10.87	43.58	54.00	-10.42	AVG	V
16030.500	40.55	11.76	52.31	74.00	-21.69	peak	V



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Peak Output Power	$\pm 2.22\text{dB}$
Power spectral density (PSD)	$\pm 2.22\text{dB}$
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	$\pm 2.77\text{ dB}$
Restricted Frequency Bands	$\pm 5\%$
Radiated Emission	$\pm 3.1\text{dB}$
Conducted Emission	$\pm 1.8\text{dB}$

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1..Identification of the Responsible Testing Laboratory

Laboratory Name:	Kehu-Morlab Test Laboratory
Laboratory Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China
Telephone:	+86-0592-5612050
Facsimile:	+86-0592-5612095

2. Identification of the Responsible Testing Location

Name:	Kehu-Morlab Test Laboratory
Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China

3. Accreditation Certificate

Accredited Testing Laboratory:	The FCC designation number is CN1249. (Kehu-Morlab Test Laboratory)
---------------------------------------	--

4. Test Equipments Utilized

4.1 Conducted Test Equipments

No	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	MXA Signal Analyzer	MY57150136	N9030A	Keysight	2021. 03.08
2	RF cable (30MHz-26.5GHz)	RF01	N/A	Morlab	2021.03.06
3	Coaxial cable	RF02	N/A	Morlab	2021.03.06
4	SMA connector	RF03	N/A	Xingbo	N/A
5	Power Probe	MY5434002	U2021XA	Agilent	2020.06.18

4.2 Conducted Emission Test Equipments

No	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	EMI Receiver	102174	ESR3	ESR3	2021.03.15
2	LISN	101338	ENV432	ENV432	2021.03.09

4.4 List of Software Used

No	Model	Version Number	Producer	Test Item
1	EMC32	V10.00.00	Rode&Schwarz	RE



2	EMC32	V10.20.01	Rode&Schwarz	CE
---	-------	-----------	--------------	----

4.5 Radiated Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	Anechoic Chamber	N/A	9m*6m*6m	ETS-Lindgren	2022.07.20
2	Signal Analyzer	101294	FSV40	R&S	2021.03.02
3	Linear Log Periodic Broad Band Antenna	949	VULB 9163	Schwarzbeck	2021.09.24
4	Ultra-Wideband Horn Antenna	102615	HF907	R&S	2022.01.18
5	Steatite Antennas	17868	QSH-SL-18 -26-S-20	Seibersdorf	2021.03.23
6	RF Switch and Control Platform	N/A	RSC	CDSI	N/A
7	Coaxial cable (N male) (9kHz -3GHz)	EMC02	N/A	Morlab	2021.03.23
8	Coaxial cable (N male) (9kHz -3GHz)	EMC03	N/A	Morlab	2021.03.23
9	Coaxial cable (N male) (1GHz-26.5GHz)	EMC04	N/A	Morlab	2021.03.23
10	Coaxial cable (N male) (1GHz-26.5GHz)	EMC05	N/A	Morlab	2021.03.23
11	Pre-amplifier (1GHz-18GHz)	8810011	PAP-1G18	CDSI	N/A
12	Pre-amplifier (18GHz-40GHz)	17021-17024	PAP-1840	CDSI	2021.03.23
13	Band stop Filter	EMC19	BJF2400/24 85-60	CDSI	2021.03.23
14	High Pass Filter	EMC22	HFP-3.0/18 G-60	CDSI	2021.03.23

_____ END OF REPORT _____