


BLE\_2M\_Ant1\_2402\_0~Reference



BLE\_2M\_Ant1\_2402\_30~1000




BLE\_2M\_Ant1\_2402\_1000~26500



BLE\_2M\_Ant1\_2440\_0~Reference



BLE\_2M\_Ant1\_2440\_30~1000




BLE\_2M\_Ant1\_2440\_1000~26500




BLE\_2M\_Ant1\_2480\_0-Reference



BLE\_2M\_Ant1\_2480\_30-1000



BLE\_2M\_Ant1\_2480\_1000-26500



## Appendix A.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30 MHz - 1GHz

### EUT Information

EUT Name:	Xiaomi Electric Scooter 5 Pro
Model:	DDHBC50ZM
Test Mode:	BLE 1M_LOW CH
Order No/Sample No:	168490597 / A003763811-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
58.018077	15.53	40.00	24.47	100.0	H	162.0	-19.1
106.256923	14.00	43.50	29.50	100.0	H	80.0	-19.2
464.000385	19.73	46.00	26.27	100.0	H	145.0	-13.0
710.455000	23.64	46.00	22.36	100.0	H	225.0	-8.2

### Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_LOW CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
43.505385	23.56	40.00	16.44	100.0	V	284.0	-19.5
58.950769	24.49	40.00	15.51	100.0	V	134.0	-19.2
115.621154	15.00	43.50	28.50	100.0	V	340.0	-20.2
500.002308	23.63	46.00	22.37	100.0	V	70.0	-12.2


### Final\_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_LOW CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1300.000000	---	36.52	54.00	17.48	150.0	V	202.0	1.9
1327.500000	46.56	---	74.00	27.44	150.0	V	269.0	2.0
3200.000000	52.22	---	74.00	21.78	150.0	V	202.0	8.6
3200.000000	---	42.52	54.00	11.48	150.0	V	202.0	8.6
4806.000000	51.20	---	74.00	22.80	150.0	V	153.0	11.8
4809.000000	---	40.06	54.00	13.94	150.0	V	98.0	11.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_LOW CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7203.491667	---	34.25	54.00	19.75	150.0	H	150.0	8.8
7205.950000	43.50	---	74.00	30.50	150.0	H	255.0	8.8
15047.050000	54.28	---	74.00	19.72	150.0	H	357.0	17.7
15051.966667	---	45.26	54.00	8.74	150.0	H	312.0	17.7


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_LOW CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7206.441667	42.73	---	74.00	31.27	150.0	V	62.0	8.8
7218.733333	---	34.21	54.00	19.79	150.0	V	15.0	8.7
15398.100000	56.15	---	74.00	17.85	150.0	V	4.0	18.0
15597.716667	---	47.02	54.00	6.98	150.0	V	27.0	18.6

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_MID CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1250.000000	---	34.90	54.00	19.10	150.0	H	280.0	1.9
1251.500000	44.63	---	74.00	29.37	150.0	H	105.0	1.9
3259.000000	---	41.86	54.00	12.14	150.0	H	350.0	8.5
3272.000000	52.88	---	74.00	21.12	150.0	H	186.0	8.5
4873.000000	50.42	---	74.00	23.58	150.0	H	211.0	11.8
4882.500000	---	39.39	54.00	14.61	150.0	H	66.0	11.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_MID CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.500000	44.02	---	74.00	29.98	150.0	V	300.0	1.9
1299.500000	---	36.36	54.00	17.64	150.0	V	300.0	1.9
3397.000000	53.41	---	74.00	20.59	150.0	V	14.0	8.7
3403.500000	---	42.11	54.00	11.89	150.0	V	109.0	8.7
4880.500000	---	39.37	54.00	14.63	150.0	V	328.0	11.8
4883.500000	50.26	---	74.00	23.74	150.0	V	109.0	11.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_MID CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9767.533333	---	34.14	54.00	19.86	150.0	H	14.0	10.4
9775.891667	43.12	---	74.00	30.88	150.0	H	230.0	10.4
15599.191667	57.01	---	74.00	16.99	150.0	H	110.0	18.6
15626.233333	---	47.58	54.00	6.42	150.0	H	14.0	18.8

### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_MID CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7318.541667	---	33.58	54.00	20.42	150.0	V	134.0	8.2
7327.391667	43.77	---	74.00	30.23	150.0	V	242.0	8.1
9764.583333	---	34.39	54.00	19.61	150.0	V	121.0	10.4
9780.316667	43.82	---	74.00	30.18	150.0	V	339.0	10.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_HIGH CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1249.500000	---	34.48	54.00	19.52	150.0	H	268.0	1.9
1262.000000	45.00	---	74.00	29.00	150.0	H	105.0	1.9
3469.000000	53.99	---	74.00	20.01	150.0	H	275.0	8.9
3511.000000	---	42.40	54.00	11.60	150.0	H	79.0	9.0
4959.500000	---	40.29	54.00	13.71	150.0	H	111.0	11.8
4969.000000	51.23	---	74.00	22.77	150.0	H	212.0	11.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_HIGH CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1200.000000	---	36.76	54.00	17.24	150.0	V	181.0	1.1
1200.500000	43.43	---	74.00	30.57	150.0	V	239.0	1.1
3190.000000	54.03	---	74.00	19.97	150.0	V	200.0	8.6
3190.000000	---	44.43	54.00	9.57	150.0	V	200.0	8.6
4958.000000	51.27	---	74.00	22.73	150.0	V	11.0	11.8
4960.500000	---	40.04	54.00	13.96	150.0	V	0.0	11.8

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_HIGH CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7458.175000	---	34.00	54.00	20.00	150.0	H	0.0	8.5
7481.283333	43.12	---	74.00	30.88	150.0	H	29.0	8.7
15665.075000	57.28	---	74.00	16.72	150.0	H	29.0	19.0
15695.066667	---	48.00	54.00	6.00	150.0	H	4.0	19.1


### Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---



### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_HIGH CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7439.983333	---	33.80	54.00	20.20	150.0	V	104.0	8.4
7451.291667	43.95	---	74.00	30.05	150.0	V	258.0	8.5
15654.258333	57.48	---	74.00	16.52	150.0	V	343.0	18.9
15720.633333	---	47.41	54.00	6.59	150.0	V	45.0	19.1


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

## Appendix A.6: Test Results of Radiated Emissions in Restricted Bands

### EUT Information

EUT Name:	Xiaomi Electric Scooter 5 Pro
Model:	DDHBC50ZM
Test Mode:	BLE 1M_LOW CH
Order No/Sample No:	168490597 / A003763811-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin



### Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2386.223529	49.62	---	74.00	24.38	150.0	H	3.0	7.0
2386.726471	---	38.93	54.00	15.07	150.0	H	95.0	7.0

### Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_LOW CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2387.452941	---	38.57	54.00	15.43	150.0	V	280.0	7.0
2388.822059	49.99	---	74.00	24.01	150.0	V	303.0	7.0

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name:	Xiaomi Electric Scooter 5 Pro
Model:	DDHBC50ZM
Test Mode:	BLE 1M_HIGH CH
Order No/Sample No:	168490597 / A003763811-004
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Alano Qu
Reviewed By:	Terry Yin



### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2485.731618	---	40.15	54.00	13.85	150.0	H	347.0	7.4
2486.191177	51.06	---	74.00	22.94	150.0	H	131.0	7.4

### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Model: DDHBC50ZM  
 Test Mode: BLE 1M\_HIGH CH  
 Order No/Sample No: 168490597 / A003763811-004  
 Test Voltage: Battery  
 Remark: Temp 23 Humi:53%  
 Test Standard: FCC 15.247  
 Tested By: Alano Qu  
 Reviewed By: Terry Yin



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2486.636030	50.95	---	74.00	23.05	150.0	V	215.0	7.4
2486.772059	---	39.97	54.00	14.03	150.0	V	34.0	7.4


### Final\_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

### Appendix A.7: Test Results of Conducted Emission on AC Mains

#### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Order Number: 168490597 (P01519267)  
 Model: DDHBC50ZM  
 Test Mode: Charging Mode with BLE Connecting  
 Test Voltage: AC 120V/60Hz  
 Test Standard: FCC Part 15  
 Test By./Review By: Steve Lan/ Shower Dai  
 Tem./Hum./Pressure: 23.4°C/51.2%/101kPa  
 Remark: SR2



#### Critical\_Freqs


Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.150000	---	41.54	56.00	14.46	L1	9.9
0.150000	64.10	---	66.00	1.90	L1	9.9
0.206000	54.16	---	63.37	9.20	L1	9.9
0.210000	---	34.00	53.21	19.20	L1	9.9
0.270000	---	32.97	51.12	18.15	L1	9.9
0.270000	49.54	---	61.12	11.58	L1	9.9
0.358000	---	24.49	48.78	24.29	L1	9.9
0.358000	42.56	---	58.78	16.21	L1	9.9
10.154000	---	25.38	50.00	24.62	L1	10.3
10.162000	36.71	---	60.00	23.29	L1	10.3
29.342000	33.75	---	60.00	26.25	L1	10.4
29.726000	---	19.13	50.00	30.87	L1	10.4

#### Final\_Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.150000	---	37.94	56.00	18.06	1000.0	9.000	L1	9.9
0.150000	59.28	---	66.00	6.72	1000.0	9.000	L1	9.9

### EUT Information

EUT Name: Xiaomi Electric Scooter 5 Pro  
 Order Number: 168490597 (P01519267)  
 Model: DDHBC50ZM  
 Test Mode: Charging Mode with BLE Connecting  
 Test Voltage: AC 120V/60Hz  
 Test Standard: FCC Part 15  
 Test By:/Review By: Steve Lan/ Shower Dai  
 Tem./Hum./Pressure: 23.4°C/51.2%/101kPa  
 Remark: SR2



### Critical\_Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.150000	62.96	---	66.00	3.04	N	9.8
0.150000	---	40.15	56.00	15.85	N	9.8
0.202000	52.23	---	63.53	11.29	N	9.8
0.210000	---	35.69	53.21	17.51	N	9.8
0.270000	---	30.36	51.12	20.76	N	9.8
0.270000	46.89	---	61.12	14.23	N	9.8
0.358000	---	22.21	48.78	26.57	N	9.8
0.366000	40.51	---	58.59	18.08	N	9.8
3.242000	30.86	---	56.00	25.14	N	9.9
3.314000	---	14.78	46.00	31.22	N	9.9
9.358000	36.58	---	60.00	23.42	N	10.0
10.002000	---	24.39	50.00	25.61	N	10.0

### Final\_Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.150000	---	37.16	56.00	18.84	1000.0	9.000	N	9.8
0.150000	59.86	---	66.00	6.14	1000.0	9.000	N	9.8