




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	20	647334	3710.01	DFT-s-OFDM BPSK	50@0	see graph	PASS
77	30	20	647334	3710.01	DFT-s-OFDM QPSK	50@0	see graph	PASS
77	30	20	664666	3969.99	DFT-s-OFDM BPSK	1@50	see graph	PASS
77	30	20	664666	3969.99	DFT-s-OFDM QPSK	1@50	see graph	PASS
77	30	20	664666	3969.99	DFT-s-OFDM BPSK	50@0	see graph	PASS
77	30	20	664666	3969.99	DFT-s-OFDM QPSK	50@0	see graph	PASS
77	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	60	648668	3730.02	DFT-s-OFDM BPSK	162@0	see graph	PASS
77	30	60	648668	3730.02	DFT-s-OFDM QPSK	162@0	see graph	PASS
77	30	60	663332	3949.98	DFT-s-OFDM BPSK	1@161	see graph	PASS
77	30	60	663332	3949.98	DFT-s-OFDM QPSK	1@161	see graph	PASS
77	30	60	663332	3949.98	DFT-s-OFDM BPSK	162@0	see graph	PASS
77	30	60	663332	3949.98	DFT-s-OFDM QPSK	162@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	270@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	270@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM BPSK	1@272	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM QPSK	1@272	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM BPSK	270@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM QPSK	270@0	see graph	PASS


N77(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N77(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N77(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N77(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N77(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(60M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N77(60M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N77(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N77(60M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(60M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N78

<Ant. 6>

Transmitter Conducted Output Power And ERP/EIRP, ($G_T - L_C$)=-2dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	25@12	26.05	24.05	0.2541
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@1	26.1	24.1	0.2570
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@49	26.18	24.18	0.2618
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	25@12	26.02	24.02	0.2523
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@1	26.16	24.16	0.2606
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@49	26.18	24.18	0.2618
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	25@12	24.97	22.97	0.1982
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@1	25.37	23.37	0.2173
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@49	25.23	23.23	0.2104
78	30	20	647334	3710.01	DFT-s-OFDM 64 QAM	25@12	23.52	21.52	0.1419
78	30	20	647334	3710.01	DFT-s-OFDM 64 QAM	1@1	24.07	22.07	0.1611
78	30	20	647334	3710.01	DFT-s-OFDM 64 QAM	1@49	24.11	22.11	0.1626
78	30	20	647334	3710.01	DFT-s-OFDM 256 QAM	25@12	21.49	19.49	0.0889
78	30	20	647334	3710.01	DFT-s-OFDM 256 QAM	1@1	21.58	19.58	0.0908
78	30	20	647334	3710.01	DFT-s-OFDM 256 QAM	1@49	21.64	19.64	0.0920
78	30	20	647334	3710.01	CP-OFDM QPSK	25@121	23.01	21.01	0.1262
78	30	20	647334	3710.01	CP-OFDM QPSK	1@1	24.64	22.64	0.1837
78	30	20	647334	3710.01	CP-OFDM QPSK	1@49	24.74	22.74	0.1879
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	25@12	26.55	24.55	0.2851
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.44	24.44	0.2780

78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@49	26.5	24.5	0.2818
78	30	20	650000	3750	DFT-s-OFDM QPSK	25@12	26.55	24.55	0.2851
78	30	20	650000	3750	DFT-s-OFDM QPSK	1@1	26.63	24.63	0.2904
78	30	20	650000	3750	DFT-s-OFDM QPSK	1@49	26.6	24.6	0.2884
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	25@12	25.53	23.53	0.2254
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.76	23.76	0.2377
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	1@49	25.67	23.67	0.2328
78	30	20	650000	3750	DFT-s-OFDM 64 QAM	25@12	24.1	22.1	0.1622
78	30	20	650000	3750	DFT-s-OFDM 64 QAM	1@1	24.04	22.04	0.1600
78	30	20	650000	3750	DFT-s-OFDM 64 QAM	1@49	23.97	21.97	0.1574
78	30	20	650000	3750	DFT-s-OFDM 256 QAM	25@12	22.09	20.09	0.1021
78	30	20	650000	3750	DFT-s-OFDM 256 QAM	1@1	22.04	20.04	0.1009
78	30	20	650000	3750	DFT-s-OFDM 256 QAM	1@49	21.95	19.95	0.0989
78	30	20	650000	3750	CP-OFDM QPSK	25@121	23.51	21.51	0.1416
78	30	20	650000	3750	CP-OFDM QPSK	1@1	25.33	23.33	0.2153
78	30	20	650000	3750	CP-OFDM QPSK	1@49	25.17	23.17	0.2075
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	25@12	26.15	24.15	0.2600
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@1	26.1	24.1	0.2570
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@49	26.35	24.35	0.2723
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	25@12	26.16	24.16	0.2606
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@1	26.31	24.31	0.2698
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@49	26.47	24.47	0.2799
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	25@12	25.23	23.23	0.2104
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@1	25.39	23.39	0.2183

78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@49	25.49	23.49	0.2234
78	30	20	652666	3789.99	DFT-s-OFDM 64 QAM	25@12	23.65	21.65	0.1462
78	30	20	652666	3789.99	DFT-s-OFDM 64 QAM	1@1	23.97	21.97	0.1574
78	30	20	652666	3789.99	DFT-s-OFDM 64 QAM	1@49	24.09	22.09	0.1618
78	30	20	652666	3789.99	DFT-s-OFDM 256 QAM	25@12	21.39	19.39	0.0869
78	30	20	652666	3789.99	DFT-s-OFDM 256 QAM	1@1	22.1	20.1	0.1023
78	30	20	652666	3789.99	DFT-s-OFDM 256 QAM	1@49	21.73	19.73	0.0940
78	30	20	652666	3789.99	CP-OFDM QPSK	25@121	23.26	21.26	0.1337
78	30	20	652666	3789.99	CP-OFDM QPSK	1@1	24.86	22.86	0.1932
78	30	20	652666	3789.99	CP-OFDM QPSK	1@49	24.98	22.98	0.1986
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	36@18	26.12	24.12	0.2582
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	1@1	26.28	24.28	0.2679
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	1@76	26.42	24.42	0.2767
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	36@18	26.21	24.21	0.2636
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@1	26.16	24.16	0.2606
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@76	26.56	24.56	0.2858
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	36@18	25.14	23.14	0.2061
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@1	25.26	23.26	0.2118
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@76	25.59	23.59	0.2286
78	30	30	647668	3715.02	DFT-s-OFDM 64 QAM	36@18	23.66	21.66	0.1466
78	30	30	647668	3715.02	DFT-s-OFDM 64 QAM	1@1	23.81	21.81	0.1517
78	30	30	647668	3715.02	DFT-s-OFDM 64 QAM	1@76	23.95	21.95	0.1567
78	30	30	647668	3715.02	DFT-s-OFDM 256 QAM	36@18	21.67	19.67	0.0927
78	30	30	647668	3715.02	DFT-s-OFDM 256 QAM	1@1	21.63	19.63	0.0918

78	30	30	647668	3715.02	DFT-s-OFDM 256 QAM	1@76	21.97	19.97	0.0993
78	30	30	647668	3715.02	CP-OFDM QPSK	39@19	24.7	22.7	0.1862
78	30	30	647668	3715.02	CP-OFDM QPSK	1@1	24.78	22.78	0.1897
78	30	30	647668	3715.02	CP-OFDM QPSK	1@76	24.93	22.93	0.1963
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	36@18	26.5	24.5	0.2818
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.5	24.5	0.2818
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	1@76	26.61	24.61	0.2891
78	30	30	650000	3750	DFT-s-OFDM QPSK	36@18	26.65	24.65	0.2917
78	30	30	650000	3750	DFT-s-OFDM QPSK	1@1	26.51	24.51	0.2825
78	30	30	650000	3750	DFT-s-OFDM QPSK	1@76	26.67	24.67	0.2931
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	36@18	25.55	23.55	0.2265
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.71	23.71	0.2350
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	1@76	25.81	23.81	0.2404
78	30	30	650000	3750	DFT-s-OFDM 64 QAM	36@18	24.17	22.17	0.1648
78	30	30	650000	3750	DFT-s-OFDM 64 QAM	1@1	24.12	22.12	0.1629
78	30	30	650000	3750	DFT-s-OFDM 64 QAM	1@76	24.06	22.06	0.1607
78	30	30	650000	3750	DFT-s-OFDM 256 QAM	36@18	22.19	20.19	0.1045
78	30	30	650000	3750	DFT-s-OFDM 256 QAM	1@1	22	20	0.1000
78	30	30	650000	3750	DFT-s-OFDM 256 QAM	1@76	22.14	20.14	0.1033
78	30	30	650000	3750	CP-OFDM QPSK	39@19	25.15	23.15	0.2065
78	30	30	650000	3750	CP-OFDM QPSK	1@1	25.1	23.1	0.2042
78	30	30	650000	3750	CP-OFDM QPSK	1@76	25.05	23.05	0.2018
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	36@18	26.26	24.26	0.2667
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	1@1	26.31	24.31	0.2698

78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	1@76	26.5	24.5	0.2818
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	36@18	26.25	24.25	0.2661
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	1@1	26.27	24.27	0.2673
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	1@76	26.51	24.51	0.2825
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	36@18	25.2	23.2	0.2089
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	1@1	25.43	23.43	0.2203
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	1@76	25.58	23.58	0.2280
78	30	30	652332	3784.98	DFT-s-OFDM 64 QAM	36@18	23.81	21.81	0.1517
78	30	30	652332	3784.98	DFT-s-OFDM 64 QAM	1@1	23.85	21.85	0.1531
78	30	30	652332	3784.98	DFT-s-OFDM 64 QAM	1@76	23.92	21.92	0.1556
78	30	30	652332	3784.98	DFT-s-OFDM 256 QAM	36@18	22.11	20.11	0.1026
78	30	30	652332	3784.98	DFT-s-OFDM 256 QAM	1@1	21.46	19.46	0.0883
78	30	30	652332	3784.98	DFT-s-OFDM 256 QAM	1@76	21.8	19.8	0.0955
78	30	30	652332	3784.98	CP-OFDM QPSK	39@19	24.83	22.83	0.1919
78	30	30	652332	3784.98	CP-OFDM QPSK	1@1	24.84	22.84	0.1923
78	30	30	652332	3784.98	CP-OFDM QPSK	1@76	24.86	22.86	0.1932
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	50@25	26.36	24.36	0.2729
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@1	26.28	24.28	0.2679
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@104	26.66	24.66	0.2924
78	30	40	648000	3720	DFT-s-OFDM QPSK	50@25	26.32	24.32	0.2704
78	30	40	648000	3720	DFT-s-OFDM QPSK	1@1	26.43	24.43	0.2773
78	30	40	648000	3720	DFT-s-OFDM QPSK	1@104	26.7	24.7	0.2951
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	50@25	25.22	23.22	0.2099
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@1	25.48	23.48	0.2228

78	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@104	25.46	23.46	0.2218
78	30	40	648000	3720	DFT-s-OFDM 64 QAM	50@25	23.84	21.84	0.1528
78	30	40	648000	3720	DFT-s-OFDM 64 QAM	1@1	23.81	21.81	0.1517
78	30	40	648000	3720	DFT-s-OFDM 64 QAM	1@104	24.2	22.2	0.1660
78	30	40	648000	3720	DFT-s-OFDM 256 QAM	50@25	21.89	19.89	0.0975
78	30	40	648000	3720	DFT-s-OFDM 256 QAM	1@1	21.83	19.83	0.0962
78	30	40	648000	3720	DFT-s-OFDM 256 QAM	1@104	22.27	20.27	0.1064
78	30	40	648000	3720	CP-OFDM QPSK	53@26	24.81	22.81	0.1910
78	30	40	648000	3720	CP-OFDM QPSK	1@1	24.88	22.88	0.1941
78	30	40	648000	3720	CP-OFDM QPSK	1@104	25.38	23.38	0.2178
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	50@25	26.69	24.69	0.2944
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.52	24.52	0.2831
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@104	26.61	24.61	0.2891
78	30	40	650000	3750	DFT-s-OFDM QPSK	50@25	26.62	24.62	0.2897
78	30	40	650000	3750	DFT-s-OFDM QPSK	1@1	26.64	24.64	0.2911
78	30	40	650000	3750	DFT-s-OFDM QPSK	1@104	26.71	24.71	0.2958
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	50@25	25.58	23.58	0.2280
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.73	23.73	0.2360
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	1@104	25.75	23.75	0.2371
78	30	40	650000	3750	DFT-s-OFDM 64 QAM	50@25	24.17	22.17	0.1648
78	30	40	650000	3750	DFT-s-OFDM 64 QAM	1@1	24.28	22.28	0.1690
78	30	40	650000	3750	DFT-s-OFDM 64 QAM	1@104	24.32	22.32	0.1706
78	30	40	650000	3750	DFT-s-OFDM 256 QAM	50@25	22.14	20.14	0.1033
78	30	40	650000	3750	DFT-s-OFDM 256 QAM	1@1	21.67	19.67	0.0927

78	30	40	650000	3750	DFT-s-OFDM 256 QAM	1@104	21.82	19.82	0.0959
78	30	40	650000	3750	CP-OFDM QPSK	53@26	25.26	23.26	0.2118
78	30	40	650000	3750	CP-OFDM QPSK	1@1	25.33	23.33	0.2153
78	30	40	650000	3750	CP-OFDM QPSK	1@104	25.22	23.22	0.2099
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	50@25	26.34	24.34	0.2716
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@1	26.66	24.66	0.2924
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@104	26.59	24.59	0.2877
78	30	40	652000	3780	DFT-s-OFDM QPSK	50@25	26.3	24.3	0.2692
78	30	40	652000	3780	DFT-s-OFDM QPSK	1@1	26.71	24.71	0.2958
78	30	40	652000	3780	DFT-s-OFDM QPSK	1@104	26.73	24.73	0.2972
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	50@25	25.3	23.3	0.2138
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	1@1	25.79	23.79	0.2393
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	1@104	25.73	23.73	0.2360
78	30	40	652000	3780	DFT-s-OFDM 64 QAM	50@25	23.92	21.92	0.1556
78	30	40	652000	3780	DFT-s-OFDM 64 QAM	1@1	24.14	22.14	0.1637
78	30	40	652000	3780	DFT-s-OFDM 64 QAM	1@104	23.79	21.79	0.1510
78	30	40	652000	3780	DFT-s-OFDM 256 QAM	50@25	22.21	20.21	0.1050
78	30	40	652000	3780	DFT-s-OFDM 256 QAM	1@1	22.14	20.14	0.1033
78	30	40	652000	3780	DFT-s-OFDM 256 QAM	1@104	22	20	0.1000
78	30	40	652000	3780	CP-OFDM QPSK	53@26	24.94	22.94	0.1968
78	30	40	652000	3780	CP-OFDM QPSK	1@1	25.18	23.18	0.2080
78	30	40	652000	3780	CP-OFDM QPSK	1@104	25.07	23.07	0.2028
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	64@32	26.17	24.17	0.2612
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@1	26	24	0.2512

78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@131	26.47	24.47	0.2799
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	64@32	26.07	24.07	0.2553
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@1	25.98	23.98	0.2500
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@131	26.55	24.55	0.2851
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	64@32	25.16	23.16	0.2070
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@1	25.12	23.12	0.2051
78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@131	25.45	23.45	0.2213
78	30	50	648334	3725.01	DFT-s-OFDM 64 QAM	64@32	23.62	21.62	0.1452
78	30	50	648334	3725.01	DFT-s-OFDM 64 QAM	1@1	23.55	21.55	0.1429
78	30	50	648334	3725.01	DFT-s-OFDM 64 QAM	1@131	24.17	22.17	0.1648
78	30	50	648334	3725.01	DFT-s-OFDM 256 QAM	64@32	21.69	19.69	0.0931
78	30	50	648334	3725.01	DFT-s-OFDM 256 QAM	1@1	21.66	19.66	0.0925
78	30	50	648334	3725.01	DFT-s-OFDM 256 QAM	1@131	22.03	20.03	0.1007
78	30	50	648334	3725.01	CP-OFDM QPSK	67@33	24.6	22.6	0.1820
78	30	50	648334	3725.01	CP-OFDM QPSK	1@1	24.76	22.76	0.1888
78	30	50	648334	3725.01	CP-OFDM QPSK	1@131	25.16	23.16	0.2070
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	64@32	26.43	24.43	0.2773
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.99	23.99	0.2506
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@131	26.11	24.11	0.2576
78	30	50	650000	3750	DFT-s-OFDM QPSK	64@32	26.47	24.47	0.2799
78	30	50	650000	3750	DFT-s-OFDM QPSK	1@1	26.15	24.15	0.2600
78	30	50	650000	3750	DFT-s-OFDM QPSK	1@131	26.23	24.23	0.2649
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	64@32	25.43	23.43	0.2203
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.17	23.17	0.2075

78	30	50	650000	3750	DFT-s-OFDM 16 QAM	1@131	25.17	23.17	0.2075
78	30	50	650000	3750	DFT-s-OFDM 64 QAM	64@32	23.98	21.98	0.1578
78	30	50	650000	3750	DFT-s-OFDM 64 QAM	1@1	23.68	21.68	0.1472
78	30	50	650000	3750	DFT-s-OFDM 64 QAM	1@131	23.31	21.31	0.1352
78	30	50	650000	3750	DFT-s-OFDM 256 QAM	64@32	21.96	19.96	0.0991
78	30	50	650000	3750	DFT-s-OFDM 256 QAM	1@1	21.6	19.6	0.0912
78	30	50	650000	3750	DFT-s-OFDM 256 QAM	1@131	21.65	19.65	0.0923
78	30	50	650000	3750	CP-OFDM QPSK	67@33	25.01	23.01	0.2000
78	30	50	650000	3750	CP-OFDM QPSK	1@1	24.68	22.68	0.1854
78	30	50	650000	3750	CP-OFDM QPSK	1@131	24.56	22.56	0.1803
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	64@32	26.05	24.05	0.2541
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@1	26.24	24.24	0.2655
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@131	26.09	24.09	0.2564
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	64@32	26.01	24.01	0.2518
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	1@1	26.39	24.39	0.2748
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	1@131	26.17	24.17	0.2612
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	64@32	25.16	23.16	0.2070
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@1	25.54	23.54	0.2259
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@131	25.24	23.24	0.2109
78	30	50	651666	3774.99	DFT-s-OFDM 64 QAM	64@32	23.67	21.67	0.1469
78	30	50	651666	3774.99	DFT-s-OFDM 64 QAM	1@1	23.74	21.74	0.1493
78	30	50	651666	3774.99	DFT-s-OFDM 64 QAM	1@131	23.53	21.53	0.1422
78	30	50	651666	3774.99	DFT-s-OFDM 256 QAM	64@32	21.66	19.66	0.0925
78	30	50	651666	3774.99	DFT-s-OFDM 256 QAM	1@1	22.02	20.02	0.1005

78	30	50	651666	3774.99	DFT-s-OFDM 256 QAM	1@131	21.7	19.7	0.0933
78	30	50	651666	3774.99	CP-OFDM QPSK	67@33	24.54	22.54	0.1795
78	30	50	651666	3774.99	CP-OFDM QPSK	1@1	24.82	22.82	0.1914
78	30	50	651666	3774.99	CP-OFDM QPSK	1@131	24.68	22.68	0.1854
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	81@40	26.22	24.22	0.2642
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	1@1	25.88	23.88	0.2443
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	1@160	26.35	24.35	0.2723
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	81@40	26.11	24.11	0.2576
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@1	25.95	23.95	0.2483
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@160	26.48	24.48	0.2805
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	81@40	25.12	23.12	0.2051
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@1	24.98	22.98	0.1986
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@160	25.49	23.49	0.2234
78	30	60	648668	3730.02	DFT-s-OFDM 64 QAM	81@40	23.72	21.72	0.1486
78	30	60	648668	3730.02	DFT-s-OFDM 64 QAM	1@1	23.34	21.34	0.1361
78	30	60	648668	3730.02	DFT-s-OFDM 64 QAM	1@160	23.74	21.74	0.1493
78	30	60	648668	3730.02	DFT-s-OFDM 256 QAM	81@40	21.69	19.69	0.0931
78	30	60	648668	3730.02	DFT-s-OFDM 256 QAM	1@1	21.41	19.41	0.0873
78	30	60	648668	3730.02	DFT-s-OFDM 256 QAM	1@160	21.88	19.88	0.0973
78	30	60	648668	3730.02	CP-OFDM QPSK	81@40	24.7	22.7	0.1862
78	30	60	648668	3730.02	CP-OFDM QPSK	1@1	24.59	22.59	0.1816
78	30	60	648668	3730.02	CP-OFDM QPSK	1@160	24.95	22.95	0.1972
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	81@40	26.43	24.43	0.2773
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.84	23.84	0.2421

78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	1@160	26.12	24.12	0.2582
78	30	60	650000	3750	DFT-s-OFDM QPSK	81@40	26.37	24.37	0.2735
78	30	60	650000	3750	DFT-s-OFDM QPSK	1@1	25.75	23.75	0.2371
78	30	60	650000	3750	DFT-s-OFDM QPSK	1@160	26.2	24.2	0.2630
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	81@40	25.43	23.43	0.2203
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.96	22.96	0.1977
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	1@160	25.25	23.25	0.2113
78	30	60	650000	3750	DFT-s-OFDM 64 QAM	81@40	23.95	21.95	0.1567
78	30	60	650000	3750	DFT-s-OFDM 64 QAM	1@1	23.4	21.4	0.1380
78	30	60	650000	3750	DFT-s-OFDM 64 QAM	1@160	23.61	21.61	0.1449
78	30	60	650000	3750	DFT-s-OFDM 256 QAM	81@40	22.01	20.01	0.1002
78	30	60	650000	3750	DFT-s-OFDM 256 QAM	1@1	21.46	19.46	0.0883
78	30	60	650000	3750	DFT-s-OFDM 256 QAM	1@160	21.5	19.5	0.0891
78	30	60	650000	3750	CP-OFDM QPSK	81@40	24.96	22.96	0.1977
78	30	60	650000	3750	CP-OFDM QPSK	1@1	24.6	22.6	0.1820
78	30	60	650000	3750	CP-OFDM QPSK	1@160	24.64	22.64	0.1837
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	81@40	26.24	24.24	0.2655
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	1@1	26.19	24.19	0.2624
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	1@160	26.26	24.26	0.2667
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	81@40	26.15	24.15	0.2600
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@1	26.23	24.23	0.2649
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@160	26.27	24.27	0.2673
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	81@40	25.21	23.21	0.2094
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	1@1	25.31	23.31	0.2143

78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	1@160	25.39	23.39	0.2183
78	30	60	651332	3769.98	DFT-s-OFDM 64 QAM	81@40	23.75	21.75	0.1496
78	30	60	651332	3769.98	DFT-s-OFDM 64 QAM	1@1	23.72	21.72	0.1486
78	30	60	651332	3769.98	DFT-s-OFDM 64 QAM	1@160	23.92	21.92	0.1556
78	30	60	651332	3769.98	DFT-s-OFDM 256 QAM	81@40	21.57	19.57	0.0906
78	30	60	651332	3769.98	DFT-s-OFDM 256 QAM	1@1	21.7	19.7	0.0933
78	30	60	651332	3769.98	DFT-s-OFDM 256 QAM	1@160	21.71	19.71	0.0935
78	30	60	651332	3769.98	CP-OFDM QPSK	81@40	24.75	22.75	0.1884
78	30	60	651332	3769.98	CP-OFDM QPSK	1@1	24.79	22.79	0.1901
78	30	60	651332	3769.98	CP-OFDM QPSK	1@160	24.84	22.84	0.1923
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	90@45	26.24	24.24	0.2655
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	1@1	25.95	23.95	0.2483
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	1@187	26.15	24.15	0.2600
78	30	70	649000	3735	DFT-s-OFDM QPSK	90@45	26.26	24.26	0.2667
78	30	70	649000	3735	DFT-s-OFDM QPSK	1@1	26.04	24.04	0.2535
78	30	70	649000	3735	DFT-s-OFDM QPSK	1@187	26.13	24.13	0.2588
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	90@45	25.25	23.25	0.2113
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@1	25.14	23.14	0.2061
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@187	25.27	23.27	0.2123
78	30	70	649000	3735	DFT-s-OFDM 64 QAM	90@45	23.73	21.73	0.1489
78	30	70	649000	3735	DFT-s-OFDM 64 QAM	1@1	23.42	21.42	0.1387
78	30	70	649000	3735	DFT-s-OFDM 64 QAM	1@187	23.59	21.59	0.1442
78	30	70	649000	3735	DFT-s-OFDM 256 QAM	90@45	21.8	19.8	0.0955
78	30	70	649000	3735	DFT-s-OFDM 256 QAM	1@1	21.56	19.56	0.0904

78	30	70	649000	3735	DFT-s-OFDM 256 QAM	1@187	21.63	19.63	0.0918
78	30	70	649000	3735	CP-OFDM QPSK	95@47	24.75	22.75	0.1884
78	30	70	649000	3735	CP-OFDM QPSK	1@1	24.52	22.52	0.1786
78	30	70	649000	3735	CP-OFDM QPSK	1@187	25.04	23.04	0.2014
78	30	70	650000	3735	DFT-s-OFDM PI/2 BPSK	90@45	26.17	24.17	0.2612
78	30	70	650000	3735	DFT-s-OFDM PI/2 BPSK	1@1	25.9	23.9	0.2455
78	30	70	650000	3735	DFT-s-OFDM PI/2 BPSK	1@187	26.18	24.18	0.2618
78	30	70	650000	3750	DFT-s-OFDM QPSK	90@45	26.41	24.41	0.2761
78	30	70	650000	3750	DFT-s-OFDM QPSK	1@1	25.89	23.89	0.2449
78	30	70	650000	3750	DFT-s-OFDM QPSK	1@187	25.89	23.89	0.2449
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	90@45	25.35	23.35	0.2163
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	1@1	25	23	0.1995
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	1@187	25.06	23.06	0.2023
78	30	70	650000	3750	DFT-s-OFDM 64 QAM	90@45	23.95	21.95	0.1567
78	30	70	650000	3750	DFT-s-OFDM 64 QAM	1@1	23.33	21.33	0.1358
78	30	70	650000	3750	DFT-s-OFDM 64 QAM	1@187	23.26	21.26	0.1337
78	30	70	650000	3750	DFT-s-OFDM 256 QAM	90@45	21.94	19.94	0.0986
78	30	70	650000	3750	DFT-s-OFDM 256 QAM	1@1	21.26	19.26	0.0843
78	30	70	650000	3750	DFT-s-OFDM 256 QAM	1@187	21.4	19.4	0.0871
78	30	70	650000	3750	CP-OFDM QPSK	95@47	24.87	22.87	0.1936
78	30	70	650000	3750	CP-OFDM QPSK	1@1	24.37	22.37	0.1726
78	30	70	650000	3750	CP-OFDM QPSK	1@187	24.85	22.85	0.1928
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	90@45	26.31	24.31	0.2698
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	1@1	26.09	24.09	0.2564

78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	1@187	26.2	24.2	0.2630
78	30	70	651000	3765	DFT-s-OFDM QPSK	90@45	26.25	24.25	0.2661
78	30	70	651000	3765	DFT-s-OFDM QPSK	1@1	26.19	24.19	0.2624
78	30	70	651000	3765	DFT-s-OFDM QPSK	1@187	26.03	24.03	0.2529
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	90@45	25.24	23.24	0.2109
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	1@1	25.26	23.26	0.2118
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	1@187	25.27	23.27	0.2123
78	30	70	651000	3765	DFT-s-OFDM 64 QAM	90@45	23.84	21.84	0.1528
78	30	70	651000	3765	DFT-s-OFDM 64 QAM	1@1	23.63	21.63	0.1455
78	30	70	651000	3765	DFT-s-OFDM 64 QAM	1@187	23.74	21.74	0.1493
78	30	70	651000	3765	DFT-s-OFDM 256 QAM	90@45	21.84	19.84	0.0964
78	30	70	651000	3765	DFT-s-OFDM 256 QAM	1@1	21.51	19.51	0.0893
78	30	70	651000	3765	DFT-s-OFDM 256 QAM	1@187	21.69	19.69	0.0931
78	30	70	651000	3765	CP-OFDM QPSK	95@47	24.87	22.87	0.1936
78	30	70	651000	3765	CP-OFDM QPSK	1@1	24.79	22.79	0.1901
78	30	70	651000	3765	CP-OFDM QPSK	1@187	24.91	22.91	0.1954
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	108@54	26.23	24.23	0.2649
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	1@1	25.83	23.83	0.2415
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	1@215	26.06	24.06	0.2547
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	108@54	26.17	24.17	0.2612
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@1	25.9	23.9	0.2455
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@215	25.98	23.98	0.2500
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	108@54	25.3	23.3	0.2138
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@1	25.01	23.01	0.2000

78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@215	25.27	23.27	0.2123
78	30	80	649334	3740.01	DFT-s-OFDM 64 QAM	108@54	23.83	21.83	0.1524
78	30	80	649334	3740.01	DFT-s-OFDM 64 QAM	1@1	23.35	21.35	0.1365
78	30	80	649334	3740.01	DFT-s-OFDM 64 QAM	1@215	23.56	21.56	0.1432
78	30	80	649334	3740.01	DFT-s-OFDM 256 QAM	108@54	21.78	19.78	0.0951
78	30	80	649334	3740.01	DFT-s-OFDM 256 QAM	1@1	21.25	19.25	0.0841
78	30	80	649334	3740.01	DFT-s-OFDM 256 QAM	1@215	21.43	19.43	0.0877
78	30	80	649334	3740.01	CP-OFDM QPSK	109@54	24.85	22.85	0.1928
78	30	80	649334	3740.01	CP-OFDM QPSK	1@1	24.53	22.53	0.1791
78	30	80	649334	3740.01	CP-OFDM QPSK	1@215	24.64	22.64	0.1837
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	108@54	26.4	24.4	0.2754
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.86	23.86	0.2432
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	1@215	26.12	24.12	0.2582
78	30	80	650000	3750	DFT-s-OFDM QPSK	108@54	26.35	24.35	0.2723
78	30	80	650000	3750	DFT-s-OFDM QPSK	1@1	25.88	23.88	0.2443
78	30	80	650000	3750	DFT-s-OFDM QPSK	1@215	26.05	24.05	0.2541
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	108@54	25.4	23.4	0.2188
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.01	23.01	0.2000
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	1@215	25.44	23.44	0.2208
78	30	80	650000	3750	DFT-s-OFDM 64 QAM	108@54	23.98	21.98	0.1578
78	30	80	650000	3750	DFT-s-OFDM 64 QAM	1@1	23.27	21.27	0.1340
78	30	80	650000	3750	DFT-s-OFDM 64 QAM	1@215	23.73	21.73	0.1489
78	30	80	650000	3750	DFT-s-OFDM 256 QAM	108@54	21.99	19.99	0.0998
78	30	80	650000	3750	DFT-s-OFDM 256 QAM	1@1	21.16	19.16	0.0824

78	30	80	650000	3750	DFT-s-OFDM 256 QAM	1@215	21.8	19.8	0.0955
78	30	80	650000	3750	CP-OFDM QPSK	109@54	24.9	22.9	0.1950
78	30	80	650000	3750	CP-OFDM QPSK	1@1	24.55	22.55	0.1799
78	30	80	650000	3750	CP-OFDM QPSK	1@215	24.8	22.8	0.1905
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	108@54	26.27	24.27	0.2673
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	1@1	25.82	23.82	0.2410
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	1@215	26.18	24.18	0.2618
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	108@54	26.22	24.22	0.2642
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	1@1	25.9	23.9	0.2455
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	1@215	26.29	24.29	0.2685
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	108@54	25.32	23.32	0.2148
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	1@1	25.12	23.12	0.2051
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	1@215	25.47	23.47	0.2223
78	30	80	650666	3759.99	DFT-s-OFDM 64 QAM	108@54	23.91	21.91	0.1552
78	30	80	650666	3759.99	DFT-s-OFDM 64 QAM	1@1	23.35	21.35	0.1365
78	30	80	650666	3759.99	DFT-s-OFDM 64 QAM	1@215	23.74	21.74	0.1493
78	30	80	650666	3759.99	DFT-s-OFDM 256 QAM	108@54	21.88	19.88	0.0973
78	30	80	650666	3759.99	DFT-s-OFDM 256 QAM	1@1	21.3	19.3	0.0851
78	30	80	650666	3759.99	DFT-s-OFDM 256 QAM	1@215	21.78	19.78	0.0951
78	30	80	650666	3759.99	CP-OFDM QPSK	109@54	24.8	22.8	0.1905
78	30	80	650666	3759.99	CP-OFDM QPSK	1@1	24.43	22.43	0.1750
78	30	80	650666	3759.99	CP-OFDM QPSK	1@215	24.85	22.85	0.1928
78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	120@60	26.49	24.49	0.2812
78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	1@1	25.93	23.93	0.2472

78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	1@243	26.26	24.26	0.2667
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	120@60	26.31	24.31	0.2698
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@1	25.88	23.88	0.2443
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@243	26.2	24.2	0.2630
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	120@60	25.28	23.28	0.2128
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@1	24.95	22.95	0.1972
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@243	25.37	23.37	0.2173
78	30	90	649668	3745.02	DFT-s-OFDM 64 QAM	120@60	24.09	22.09	0.1618
78	30	90	649668	3745.02	DFT-s-OFDM 64 QAM	1@1	23.33	21.33	0.1358
78	30	90	649668	3745.02	DFT-s-OFDM 64 QAM	1@243	23.72	21.72	0.1486
78	30	90	649668	3745.02	DFT-s-OFDM 256 QAM	120@60	21.95	19.95	0.0989
78	30	90	649668	3745.02	DFT-s-OFDM 256 QAM	1@1	21.41	19.41	0.0873
78	30	90	649668	3745.02	DFT-s-OFDM 256 QAM	1@243	21.75	19.75	0.0944
78	30	90	649668	3745.02	CP-OFDM QPSK	123@61	24.87	22.87	0.1936
78	30	90	649668	3745.02	CP-OFDM QPSK	1@1	24.43	22.43	0.1750
78	30	90	649668	3745.02	CP-OFDM QPSK	1@243	24.61	22.61	0.1824
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	120@60	26.37	24.37	0.2735
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.72	23.72	0.2355
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	1@243	26.16	24.16	0.2606
78	30	90	650000	3750	DFT-s-OFDM QPSK	120@60	26.33	24.33	0.2710
78	30	90	650000	3750	DFT-s-OFDM QPSK	1@1	25.86	23.86	0.2432
78	30	90	650000	3750	DFT-s-OFDM QPSK	1@243	26.3	24.3	0.2692
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	120@60	25.33	23.33	0.2153
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.86	22.86	0.1932

78	30	90	650000	3750	DFT-s-OFDM 16 QAM	1@243	25.42	23.42	0.2198
78	30	90	650000	3750	DFT-s-OFDM 64 QAM	120@60	23.86	21.86	0.1535
78	30	90	650000	3750	DFT-s-OFDM 64 QAM	1@1	23.39	21.39	0.1377
78	30	90	650000	3750	DFT-s-OFDM 64 QAM	1@243	23.85	21.85	0.1531
78	30	90	650000	3750	DFT-s-OFDM 256 QAM	120@60	21.97	19.97	0.0993
78	30	90	650000	3750	DFT-s-OFDM 256 QAM	1@1	21.3	19.3	0.0851
78	30	90	650000	3750	DFT-s-OFDM 256 QAM	1@243	21.72	19.72	0.0938
78	30	90	650000	3750	CP-OFDM QPSK	123@61	24.86	22.86	0.1932
78	30	90	650000	3750	CP-OFDM QPSK	1@1	24.59	22.59	0.1816
78	30	90	650000	3750	CP-OFDM QPSK	1@243	24.74	22.74	0.1879
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	120@60	26.33	24.33	0.2710
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	1@1	25.66	23.66	0.2323
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	1@243	26.28	24.28	0.2679
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	120@60	26.31	24.31	0.2698
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	1@1	25.73	23.73	0.2360
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	1@243	26.23	24.23	0.2649
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	120@60	25.37	23.37	0.2173
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	1@1	24.84	22.84	0.1923
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	1@243	25.38	23.38	0.2178
78	30	90	650332	3754.98	DFT-s-OFDM 64 QAM	120@60	23.8	21.8	0.1514
78	30	90	650332	3754.98	DFT-s-OFDM 64 QAM	1@1	23.2	21.2	0.1318
78	30	90	650332	3754.98	DFT-s-OFDM 64 QAM	1@243	23.78	21.78	0.1507
78	30	90	650332	3754.98	DFT-s-OFDM 256 QAM	120@60	21.79	19.79	0.0953
78	30	90	650332	3754.98	DFT-s-OFDM 256 QAM	1@1	21.16	19.16	0.0824

78	30	90	650332	3754.98	DFT-s-OFDM 256 QAM	1@243	21.82	19.82	0.0959
78	30	90	650332	3754.98	CP-OFDM QPSK	123@61	24.85	22.85	0.1928
78	30	90	650332	3754.98	CP-OFDM QPSK	1@1	24.34	22.34	0.1714
78	30	90	650332	3754.98	CP-OFDM QPSK	1@243	24.78	22.78	0.1897
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	135@67	26.38	24.38	0.2742
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.81	23.81	0.2404
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@271	26.75	24.75	0.2985
78	30	100	650000	3750	DFT-s-OFDM QPSK	135@67	26.34	24.34	0.2716
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@1	25.83	23.83	0.2415
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@271	26.4	24.4	0.2754
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	135@67	25.35	23.35	0.2163
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@1	24.86	22.86	0.1932
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@271	25.82	23.82	0.2410
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	135@67	23.96	21.96	0.1570
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@1	23.35	21.35	0.1365
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@271	23.89	21.89	0.1545
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	135@67	21.85	19.85	0.0966
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@1	21.34	19.34	0.0859
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@271	21.87	19.87	0.0971
78	30	100	650000	3750	CP-OFDM QPSK	137@68	24.89	22.89	0.1945
78	30	100	650000	3750	CP-OFDM QPSK	1@1	24.44	22.44	0.1754
78	30	100	650000	3750	CP-OFDM QPSK	1@271	24.9	22.9	0.1950


Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00385	PASS	NV
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00731	PASS	LV
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00231	PASS	HV
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00602	PASS	-30°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00245	PASS	-20°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00453	PASS	-10°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00456	PASS	0°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00426	PASS	10°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00806	PASS	20°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00887	PASS	30°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00281	PASS	40°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	-0.00632	PASS	50°C


Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	50@0	6.81	13	PASS
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@0	6.8	13	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	50@0	7.42	13	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	7.62	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	50@0	6.91	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	1@0	6.8	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	7.81	13	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	8.37	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	50@0	6.87	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@0	6.77	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	50@0	7.69	13	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	7.37	13	PASS


N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH




N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	50@0	17.777	18.78
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	17.794	19.07
78	30	20	650000	3750.0	CP-OFDM QPSK	51@0	18.202	19.47
78	30	20	650000	3750.0	CP-OFDM 16 QAM	51@0	18.229	19.43
78	30	20	650000	3750.0	CP-OFDM 64 QAM	51@0	18.199	19.21
78	30	20	650000	3750.0	CP-OFDM 256 QAM	51@0	18.187	19.44
78	30	30	650000	3750.0	DFT-s-OFDM PI/2 BPSK	75@0	26.757	28.09
78	30	30	650000	3750.0	DFT-s-OFDM QPSK	75@0	26.73	28.12
78	30	30	650000	3750.0	CP-OFDM QPSK	78@0	27.859	29.07
78	30	30	650000	3750.0	CP-OFDM 16 QAM	78@0	27.86	29.27
78	30	30	650000	3750.0	CP-OFDM 64 QAM	78@0	27.839	29.14
78	30	30	650000	3750.0	CP-OFDM 256 QAM	78@0	27.806	29.2
78	30	40	650000	3750.0	DFT-s-OFDM PI/2 BPSK	100@0	35.659	37.11
78	30	40	650000	3750.0	DFT-s-OFDM QPSK	100@0	35.736	37.23
78	30	40	650000	3750.0	CP-OFDM QPSK	106@0	37.783	39.44
78	30	40	650000	3750.0	CP-OFDM 16 QAM	106@0	37.838	39.46
78	30	40	650000	3750.0	CP-OFDM 64 QAM	106@0	37.753	39.46
78	30	40	650000	3750.0	CP-OFDM 256 QAM	106@0	37.848	39.37
78	30	50	650000	3750.0	DFT-s-OFDM PI/2 BPSK	128@0	45.748	47.47
78	30	50	650000	3750.0	DFT-s-OFDM QPSK	128@0	45.754	47.34
78	30	50	650000	3750.0	CP-OFDM QPSK	133@0	47.414	49.53
78	30	50	650000	3750.0	CP-OFDM 16 QAM	133@0	47.388	49.49
78	30	50	650000	3750.0	CP-OFDM 64 QAM	133@0	47.521	49.19
78	30	50	650000	3750.0	CP-OFDM 256 QAM	133@0	47.396	49.32


78	30	60	650000	3750.0	DFT-s-OFDM PI/2 BPSK	162@0	57.892	59.92
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	162@0	57.86	60.09
78	30	60	650000	3750.0	CP-OFDM QPSK	162@0	57.748	59.92
78	30	60	650000	3750.0	CP-OFDM 16 QAM	162@0	57.822	59.82
78	30	60	650000	3750.0	CP-OFDM 64 QAM	162@0	57.832	61.66
78	30	60	650000	3750.0	CP-OFDM 256 QAM	162@0	57.885	59.89
78	30	70	650000	3750.0	DFT-s-OFDM PI/2 BPSK	180@0	64.474	66.39
78	30	70	650000	3750.0	DFT-s-OFDM QPSK	180@0	64.42	66.54
78	30	70	650000	3750.0	CP-OFDM QPSK	189@0	67.403	69.81
78	30	70	650000	3750.0	CP-OFDM 16 QAM	189@0	67.526	69.66
78	30	70	650000	3750.0	CP-OFDM 64 QAM	189@0	67.525	72.72
78	30	70	650000	3750.0	CP-OFDM 256 QAM	189@0	67.554	69.68
78	30	80	650000	3750.0	DFT-s-OFDM PI/2 BPSK	216@0	77.142	79.77
78	30	80	650000	3750.0	DFT-s-OFDM QPSK	216@0	77.127	79.62
78	30	80	650000	3750.0	CP-OFDM QPSK	217@0	77.465	80.0
78	30	80	650000	3750.0	CP-OFDM 16 QAM	217@0	77.602	79.96
78	30	80	650000	3750.0	CP-OFDM 64 QAM	217@0	77.476	80.13
78	30	80	650000	3750.0	CP-OFDM 256 QAM	217@0	77.538	79.97
78	30	90	650000	3750.0	DFT-s-OFDM PI/2 BPSK	240@0	85.708	88.54
78	30	90	650000	3750.0	DFT-s-OFDM QPSK	240@0	85.737	88.49
78	30	90	650000	3750.0	CP-OFDM QPSK	245@0	87.502	90.35
78	30	90	650000	3750.0	CP-OFDM 16 QAM	245@0	87.76	90.33
78	30	90	650000	3750.0	CP-OFDM 64 QAM	245@0	87.466	90.28
78	30	90	650000	3750.0	CP-OFDM 256 QAM	245@0	87.472	90.26
78	30	100	650000	3750.0	DFT-s-OFDM PI/2 BPSK	270@0	96.324	99.54
78	30	100	650000	3750.0	DFT-s-OFDM	270@0	96.526	99.62

QPSK								
78	30	100	650000	3750.0	CP-OFDM QPSK	273@0	97.515	100.6
78	30	100	650000	3750.0	CP-OFDM 16 QAM	273@0	97.526	100.6
78	30	100	650000	3750.0	CP-OFDM 64 QAM	273@0	97.357	100.6
78	30	100	650000	3750.0	CP-OFDM 256 QAM	273@0	97.354	100.5

N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH



N78(30M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(30M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(30M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(30M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(30M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(30M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(40M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(40M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(50M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




N78(50M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N78(50M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N78(50M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N78(50M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N78(50M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N78(60M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(60M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(60M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(60M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(60M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(60M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(70M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




N78(70M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N78(70M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N78(70M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N78(70M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N78(70M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N78(80M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(80M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(80M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(80M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(80M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N78(80M)_CP-OFDM_256QAM_Outer_Full_Mid_CH



N78(90M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(90M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(90M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(90M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(90M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(90M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(100M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




N78(100M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N78(100M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N78(100M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N78(100M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N78(100M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
78	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	20	652666	3789.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---

78	30	60	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	60	651332	3769.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH

