> Report No.: SUAR/2021/B000707 Rev.: 01 1 of 31 Page:

**TEST REPORT** 

Test Result :	PASS *							
Date of Issue:	2022/1/23							
Date of Test:	2021/12/30 to 2022/1/20							
Date of Receipt:	2021/12/8							
Standards:	47 CFR Part 15, Subpart C 15.225							
FCC ID:	2AFZZ1210G							
Trade Mark:	POCO							
Model No.:	21121210G							
EUT Description:	Mobile Phone							
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085							
Manufacturer:	Xiaomi Communications Co., Ltd.							
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085							
Applicant:	Xiaomi Communications Co., Ltd.							
Application No.:	AR/2021/B0007							
Application No.:	AB/2021/B0007							

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

anta Sun

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. Attention is down to the limitation of liability, indeemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleat set and to fa advente the report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com").

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980

Member of the SGS Group (SGS SA)

sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 2 of 31

### 1 Version

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2022/1/23		Original				

Prepared By	weller lin		
	(Weller Liu) / Engineer		
Checked By	well wei		
	(Well Wei) / Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Liangsu) Pitol Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 3 of 31

### 2 Test Summary

SG

Test Item	Test Requirement	Test Method	Test Result	Result
Antenna Requirement	15.203		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013	Clause 4.2	PASS
20dB Spectrum Bandwidth	15.215(c)	ANSI C63.10 2013	Clause 4.3	PASS
Frequency Stability	15.225(e)	ANSI C63.10 2013	Clause 4.4	PASS
Field Strength of Fundamental Emissions	15.225(a)(b)(c)	ANSI C63.10 2013	Clause 4.5	PASS
Radiated Spurious Emissions	15.225(d)/15.209	ANSI C63.10 2013	Clause 4.6	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN\_Doccheck@sgs.com

South of No. 6 Parti, No. 1, Runsheng Road, Stazhou Indushal Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州/ド区苏州工业园区洞脏路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 4 of 31

## Contents

1	Versi	on	2
2	Test S	Summary	3
3	Gene	ral Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment	7
	3.6	Description of Support Units	7
4	Test r	results and Measurement Data	8
	4.1	Antenna Requirement	8
	4.2	AC Power Line Conducted Emissions	9
	4.3	20dB Spectrum Bandwidth & 99% Occupied Bandwidth	13
	4.4	Frequency Stability	14
	4.5	Field Strength of Fundamental Emissions	15
	4.6	Radiated Spurious Emissions	17
5	Meas	urement Uncertainty (95% confidence levels, k=2)	19
6	Equip	ment List	
7	Photo	graphs - EUT Constructional Details	



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pitot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 範編: 215000

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 5 of 31

## **3** General Information

#### 3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

### 3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Weller Liu, King-p Li, Nature Shen, Tizzy Song

### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6336.01)
SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.
Innovation, Science and Economic Development Canada
SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.
CAB identifier: CN0120.
IC#: 27594.
FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number:0031225543



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 6 of 31

#### 3.4 General Description of EUT

EUT Description:	Mobile Phone
Model No.:	21121210G
Trade Mark:	POCO
Hardware Version:	P2
Software Version:	MIUI 13
Operation Frequency:	13.56MHz
Modulation Type:	ASK
Sample Type:	Portable Device, Module
Antenna Type:	Loop Antenna



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pitot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 範編: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 7 of 31

#### 3.5 Test Environment

S

Environment Parameter	101.0 KPa Selected Values During Tests			
Relative Humidity	44-4	6 % RH Ambient		
Value	Temperature(°C)	Voltage(V)		
NTNV	22~23	7.74		
LTLV	-10	6.8		
LTHV	-10	8.9		
HTLV	50	6.8		
HTHV	50	8.9		
Remark:				
NV: Normal Voltage				
NT: Normal Temperature				
LT: Low Extreme Test Temperature				
HT: High Extreme Test Temperature				
LV: Low Extreme Test Voltage				
HV: High Extreme Test Voltage				

### 3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. for electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. For the comments, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. For the comment as advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 deys only: aremali? (O Doccheck@ms com y of testing fingection report & certificate, please contact us at telephone: (86-75) 8307 1443, aremali?

South of No. 6 Pant, No. 1, Runsheng Read, Suzhou Industrial Pank, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业国区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 8 of 31

### 4 Test results and Measurement Data

#### 4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203	Standard requirement: 4
------------------------------------------------------	-------------------------

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

The antenna of the EUT are permanently attached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions of Electronic Documents after *Littp://www.sgs.com/en/Terms-and-Conditions, aspx* and, for electronic Document, aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document is unawitud and offenders may be prosecuted to the fullest extent of the law lines otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us a ttelephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 9 of 31

### 4.2 AC Power Line Conducted Emissions

S

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	150kHz to 30MHz				
Limit:		Limit (dBuV)			
	Frequency range(MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	<ul> <li>5-30 60 50</li> <li>* Decreases with the logarithm of the frequency.</li> <li>1) The mains terminal disturbance voltage test was conducted in a shield room.</li> <li>2) The EUT was connected to AC power source through a LISN 1 (Li Impedance Stabilization Network) which provides a 50Ω/50µH + 5Ω line impedance. The power cables of all other units of the EUT we connected to a second LISN 2, which was bonded to the ground referen plane in the same way as the LISN 1 for the unit being measured. multiple socket outlet strip was used to connect multiple power cables to single LISN provided the rating of the LISN was not exceeded.</li> <li>3) The tabletop EUT was placed upon a non-metallic table 0.8m above t ground reference plane. And for floor-standing arrangement, the EUT we placed on the horizontal ground reference plane.</li> <li>4) The test was performed with a vertical ground reference plane. The rear the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane. The LISN 1 was placed 0.8 m from the boundary of t unit under test and bonded to a ground reference plane for LIS mounted on top of the ground reference plane. This distance was betwee the closest points of the LISN 1 and the EUT. All other units of the EI and associated equipment was at least 0.8 m from the LISN 2.</li> <li>5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to</li> </ul>				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions, Terms-and-Conditions, and the limits of Client's instructions, if any. The Company sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced to the full, without prior written approval of the Company. Any unauthorized altertation, forgery or faisification of the content or appearance of this document is uniawritui and offenders may be prosecuted to the full. Unless otherwises stated the results shown in this test report feer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: ctN.Doccheck@sgs.com

Sound vive, or Pail, Not, I, Rulaining Road, Suzhou industrair and, Suzhou Alea, Cinita (Jaalgsu) Hou Hee nade Zule 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 10 of 31





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, for electronic Document, as http://www.sgs.com/en/Terms-and-Conditions, for the document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Ch.Doccheck@sgs.com

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01


 Page:
 11 of 31

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:



Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1860	10.77	37.80	64.21	26.41	26.00	54.21	28.21	PASS
2	0.2355	10.81	26.93	62.25	35.32	19.44	52.25	32.81	PASS
3	0.3705	10.50	24.73	58.49	33.76	18.66	48.49	29.83	PASS
4	11.9040	10.59	29.26	60.00	30.74	21.35	50.00	28.65	PASS
5	13.5600	10.55	40.08	60.00	19.92	39.77	50.00	10.23	PASS
6	28.2480	10.31	33.08	60.00	26.92	25.20	50.00	24.80	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to rems and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions, Terms-and-Conditions, and the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the full-list extend for 30 days only. Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@sgs.com (196, 512) 62992980 www.sgsgroup.com.cn end ei with end (1), humentage.attenders, abuiltable and and the sample (3) attenders and the full-listed attender of 30 days only. Attender of a terms-ander and the terms-and and the terms and terms and terms-and and terms and terms and terms

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 12 of 31



Fina	Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.1770	10.71	43.45	64.63	21.18	31.98	54.63	22.65	PASS	
2	0.4740	10.81	32.91	56.44	23.53	30.05	46.44	16.39	PASS	
3	0.7305	10.81	27.14	56.00	28.86	19.49	46.00	26.51	PASS	
4	13.5600	10.62	44.92	60.00	15.08	44.62	50.00	5.38	PASS	
5	25.5435	10.52	29.31	60.00	30.69	22.04	50.00	27.96	PASS	
6	28.7070	10.45	34.10	60.00	25.90	25.50	50.00	24.50	PASS	

Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to rerms and Conditions for Electronic Document as thttp://www.sgs.com/en/Terms-and-Conditions, for electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) later teating for 30 days only. Attention: To check the authenticity of testing fingheetion report & certificate, please contact us a ttelephone: (86-755) 8307 1443, or enail: CN.Doccheck@sgs.com


 Yundiv.Strahu, N.J.nawdeg Red.Staubindstaft, Subukea, One (Jangu)/Intifier TateZare
 215000
 t (86-512) 62992980
 www.sgsgroup.com.cn.

 mail: Strahu et all (JS) habgstabcSHMFCSMH\_Usgs.com
 mail: 215000
 t (86-512) 62992980
 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 13 of 31



#### 4.3 20dB Spectrum Bandwidth

S



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To breek the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Liangsu) Pitol Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 14 of 31

#### 4.4 Frequency Stability





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in the test report refer only to the sample(s) fested and such sample(s) are retained for 30 days only. Attention: To breck the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Liangsu) Pitol Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980

Member of the SGS Group (SGS SA)

sgs.china@sgs.com

Report No.: SUAR/2021/B000707 Rev.: 01 15 of 31 Page:

### 4.5 Field Strength of Fundamental Emissions

SG

Test Requirement:	47 CFR Part 15C Section 15.225							
Test Method:	ANSI C63.10 :2013 Section 6.4.7							
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)							
Limit:	Frequency	Field Strength ( $\mu$ V/m) at 30m	Field Strength (dB µ V/m) at 30m	Field Strength (dB $\mu$ V/m) at 10m	Field Strength (dB μ V/m) at 3m			
	1.705~13.110 MHz	30	29.5	48.58	69.5			
	13.110-13.410 MHz	106	40.5	59.58	80.5			
	13.410-13.553 MHz	334	50.5	69.58	90.5			
	13.553-13.567 MHz	15,848	84.0	103.08	124.0			
	13.567-13.710 MHz	334	50.5	69.58	90.5			
	13.710-14.010 MHz	106	40.5	59.58	80.5			
	14.010~30.000 MHz	30	29.5	48.58	69.5			
Test Procedure:	Image: space of the space							
	<ul> <li>a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.</li> <li>b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.</li> <li>c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.</li> <li>d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.</li> <li>e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.</li> </ul>							



20'FM EN EN	Unless otherwise agreed in writing, this document is issued by th overleaf, available on request or accessible at <u>http://www.sgs.com/e</u> subject to Terms and Conditions for Electronic Documents at <u>http:</u> Attention is drawn to the limitation of liability, indemnification and J dvised that information contained hereon reflects the Company's i Client's instructions, if any. The Company's sole responsibility is transaction from exercising all their rights and obligations under th except in full, without prior written approval of the Company. Any appearance of this document is unlawful and offenders may be pros results shown in this test report refer only to the sample(s) tested and Attention: To check the authenticity of testing Jinspection report or email: <u>CN.Doccheck@sgs.com</u> [Subrdhk.0FeH.k. RinsbergRead. Subulhuksi Park Juou kes. Cline Liansul Piot Fee TadeZone	n/Terms-and-Conditio //www.sgs.com/en/Ter urisdiction issues def indings at the time of to its Cilent and this he transaction docum unauthorized alterati ecuted to the fullest e such sample(s) are re & certificate, please	ns.aspx and, for electron ms-and-Conditions/Term fined therein. Any holde f its intervention only ar document does not ex- ents. This document ci on, forgery or falsificati xtent of the law. Unless tained for 30 days only.	hic format documents, ns-e-Document.aspx. r of this document is nd within the limits of conerate parties to a annot be reproduced ion of the content or otherwise stated the	
		215000	t (86–512) 62992980	sgs.china@sgs.com	

邮编: 215000

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 16 of 31

	. ago:
	<ul> <li>f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.</li> <li>g. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.</li> <li>h. Repeat above procedures until all frequencies measured was complete.</li> <li>i. RBW set to 9kHz.</li> </ul>
Exploratory Test Mode:	Transmitting with modulation. Charge + Transmitting mode.
Final Test Mode:	Charge + Transmitting mode.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	see: Appendix



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 17 of 31

### 4.6 Radiated Spurious Emissions

SG

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.225								
Test Method:	ANSI C63.10 :2013 Section 6.4&6.5								
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)								
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)				
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300				
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30				
	1.705MHz-30MHz	30	-	-	30				
	30MHz-88MHz	100	40.0	Quasi-peak	3				
	88MHz-216MHz	150	43.5	Quasi-peak	3				
	216MHz-960MHz	200	46.0	Quasi-peak	3				
	Above 960MHz	500	54.0	Quasi-peak	3				
Test Setup:	110-490kHz and above based on measurements any emission shall not e by more than 20 dB und	s employing an ave xceed the maximu	erage detect m permitted	or, the peak fie average limits	ld strength of				
Test Setup:		<sup>2</sup> ] [*							
AE EUT Antenna Antenna Ground Reference Plane Ground Reference Plane									
Test F	Receiver Amplifier		Test Rece	iver Amplifier Co	introlles				
Fig	ure 1. Below 30MHz		Figure 2.	Above 30MHz					
Test Procedure:j.The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.k.The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.I.The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.m.For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency									



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions, aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditio</u>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pliot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州ド区苏州工业国区消胜路1号的6号厂房南部 終編: 215000

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 18 of 31

	of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. n. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.					
	o. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.					
	p. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.					
	q. Repeat above procedures until all frequencies measured was complete.					
Exploratory Test	Transmitting with modulation.					
Mode:	Charge + Transmitting mode.					
Final Test Mode:	Charge + Transmitting mode.					
Instruments Used:	Refer to section 6 for details					
Test Results:	esults: Pass					
The detailed test data s	see: Appendix					



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pitot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 範編: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 19 of 31

### 5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Radio Frequency	±7.25x 10 <sup>-8</sup>
2	Occupied Bandwidth	±7.25x 10 <sup>-8</sup>
3	Conduction Emission	± 2.90dB (150kHz to 30MHz)
4	Dedicted Emission	± 3.13dB (9k -30MHz)
4	Radiated Emission	± 4.80dB (30M -1GHz)



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck@ses.com

South of No. 6 Pant, No. 1, Runsheng Road, Suzhou Industrial Pank, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 解编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 20 of 31

## 6 Equipment List

SG

RF Test Equipment								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date			
Shielding Room	Brilliant-emc	N/A	SUWI-04- 01-06	2021/5/8	2024/5/7			
Temperature and humidity meter	MingGao	TH101B	SUWI-01- 01-07	2021/2/20	2022/2/19			
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01- 02-02	2021/2/20	2022/2/19			
Pulse power Sensor	Anritsu	MA2411B	SUWI-01- 32-01	2021/12/4	2022/12/3			
Measurement Software	Tonscend	JS1120-3 Test System V3.1.51	SUWI-02- 09-09	NCR	NCR			
Temperature Chamber	ESPEC	SU-242	SUWI-01- 13-01	2021/2/20	2022/2/19			

CE Test Equipment									
Equipment	Manufacturer	Model No. Inventory No.		Cal Date	Cal Due Date				
Shielding Room	Brilliant-emc	N/A	SUWI-04-03- 01	2021/5/8	2024/5/7				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19- 01	2021/2/20	2022/2/19				
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19- 02	2021/2/20	2022/2/19				
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09- 05	NCR	NCR				
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2021/2/20	2022/2/19				
Temperature and humidity meter			SUWI-01-01- 06	2021/2/20	2022/2/19				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 21 of 31

RSE Test Equipment									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date				
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02- 01	2021/5/8	2024/5/7				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01- 05	2021/2/20	2022/2/19				
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02- 04	2021/5/28	2022/5/27				
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10- 01	2021/2/20	2022/2/19				
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11- 01	2021/5/16	2022/5/15				
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14- 01	2021/2/20	2022/2/19				
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21- 01	2021/6/10	2022/6/9				
Measurement Software	Tonscend	JS32-RE V3.0.0.3	SUWI-02-09- 04	NCR	NCR				



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 22 of 31

# 7 Photographs - EUT Constructional Details

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and Juriddiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Pant, No. 1, Runsheng Road, Suzhou Industrial Pank, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业国区海胜路1号的6号厂房南部 解编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 23 of 31

# Appendix



SG


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

South of No. 6 Pant, No. 1, Runsheng Road, Suzhou Industrial Pank, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 解编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 24 of 31



### 20dB Spectrum Bandwidth

S

10:34:54 19.01.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. for electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. For the comments, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. For the comment as advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawill and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are relained for 30 deys only: aremali? (O Doccheck@ms com y of testing fingection report & certificate, please contact us at telephone: (86-75) 8307 1443, aremali?

South of No. 6 Pant, No. 1, Runsheng Road, Suzhou Industrial Pank, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业国区海胜路1号的6号厂房南部 解编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 25 of 31

Declared Frequency	/ (MHz)	13.56MHz					
Temperature (°C)	Voltage(VDC)	Measurement Frequency(MHz)	Frequency Tolerance (%)	Limit (%)	Result		
50		13.559970	0.0002		Pass		
40		13.559974	0.0002	-	Pass		
30		13.559968	0.0002		Pass		
20		13.559965	0.0003		Pass		
10	7.74	13.559968	0.0002	+0.01	Pass		
0		13.559965	0.0003	±0.01	Pass		
-10		13.559962	0.0003		Pass		
-20	-	13.559971	0.0002		Pass		
20	8.9	13.559974	0.0002		Pass		
20	6.8	13.559970	0.0002		Pass		

#### **Frequency tolerance**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com


 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 26 of 31

### **Field Strength of Fundamental Emissions**

#### NFC\_Emission Mask



QP Final Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [ຶ]	Polarity
1	13.5599	31.52	20.36	51.88	124.00	72.12	100	186.4	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck@ses.com

South of No. 6 Pant, No. 1, Runsheng Road, Suzhou Industrial Pank, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业国区海胜路1号的6号厂房南部 解编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980


sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 27 of 31

### NFC\_Emission Mask



#### **Test Graph**

QP Final Data List										
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [ຶ]	Polarity	
1	13.5602	28.47	20.36	48.83	124.00	75.17	110	111.5	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN\_Doccheck@sgs.com

South of No. 6 Pant, No. 1, Runsheng Road, Suzhou Industrial Pank, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业国区海胜路1号的6号厂房南部 解编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUAR/2021/B000707


 Rev.:
 01

 Page:
 28 of 31

### **Radiated Spurious Emissions**

NFC\_RE

Test Graph



QP Final Data List										
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	40.67	33.21	-15.84	17.37	40.00	22.63	125	107	Horizontal	
2	57.16	30.25	-15.66	14.59	40.00	25.41	117	251	Horizontal	
3	142.035	38.95	-19.80	19.15	43.50	24.35	101	301	Horizontal	
4	230.305	40.21	-14.78	25.43	46.00	20.57	100	134	Horizontal	
5	562.53	29.45	-6.74	22.71	46.00	23.29	169	150	Horizontal	
6	950.045	28.55	-0.14	28.41	46.00	17.59	221	251	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Document, as http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawing and of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawing of the sample(s) tested and such sample(s) are taking for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Liangsu) Pitol Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com


 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 29 of 31



**Test Graph** 



QP Final Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [ຶ]	Polarity
1	30.7275	42.25	-18.19	24.06	40.00	15.94	169	16	Vertical
2	40.67	42.55	-15.84	26.71	40.00	13.29	152	81	Vertical
3	55.22	41.25	-15.26	25.99	40.00	14.01	102	360	Vertical
4	147.855	40.21	-20.24	19.97	43.50	23.53	116	29	Vertical
5	223.757	34.58	-14.82	19.76	46.00	26.24	145	297	Vertical
6	690.57	28.55	-4.22	24.33	46.00	21.67	117	359	Vertical



QP Detector

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, attration is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document is underwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn


sgs.china@sgs.com

t (86-512) 62992980

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 30 of 31



QP Final Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6.5834	24.53	20.37	44.90	69.54	24.64	120	349	Vertical
2	14.3644	21.12	20.33	41.45	69.54	28.09	110	71.8	Vertical
3	22.1184	31.72	20.41	52.13	69.54	17.41	110	124	Vertical
4	29.6456	15.62	20.72	36.34	69.54	33.20	110	258.5	Vertical
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
5	0.0098	27.5	20.23	47.73	127.77	80.04	100	92	Vertical
6	0.1649	20.7	20.73	41.43	103.26	61.83	100	345	Vertical



**NFC-RSE** 

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Document, as http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawing and of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawing of the sample(s) tested and such sample(s) are taking for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pitol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

 Report No.:
 SUAR/2021/B000707

 Rev.:
 01

 Page:
 31 of 31

FCC 15.209 140 130 120 110 100 90 Level[dBµV/m] 80 70 60 50 40 30 20 10 0-10M 9k 100k 1M 30M Frequency[Hz] - QP Limit - AV Limit ---- Horizontal PK QP Detector

QP Final Data List									
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	0.0177	32.7	20.27	52.97	122.64	69.67	100	20	Horizontal
2	0.9862	7.52	20.07	27.59	67.72	40.13	100	92	Horizontal
3	3.0021	5.98	20.29	26.27	69.54	43.27	100	245	Horizontal
4	12.5738	5.21	20.39	25.60	69.54	43.94	100	360	Horizontal
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
5	0.0098	28.6	20.23	48.83	127.77	78.94	100	192	Horizontal
6	0.15	17.85	20.73	38.58	104.08	65.50	100	123	Horizontal

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, attration is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document is underwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pliut Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

#### NFC-RSE

**Test Graph**