

Report No.: SUAR/2021/B000708

Rev.: 01

Page: 1 of 26

### **TEST REPORT**

**Application No:** AR/2021/B0007

**Applicant:** Xiaomi Communications Co., Ltd.

Address of Applicant #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

Manufacturer: Xiaomi Communications Co., Ltd.

Address of Manufacturer: #019, 9th Floor, Building 6, 33 Xi'ergi Middle Road, Haidian District, Beijing,

China, 100085

EUT Description: Mobile Phone Model No.: 21121210G
Trade Mark: POCO

FCC ID: 2AFZZ1210G

Standard(s): 47 CFR Part 15, Subpart B

**Date of Receipt:** 2021/12/8

**Date of Test:** 2021/12/30 to 2022/1/15

**Date of Issue:** 2022/1/20

Test Result: Pass\*

Authorized Signature:

Panta Sun

Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industria Plant, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-5 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-5

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 2 of 26

Revision Record									
Version	Modifier	Remark							
01		2022/1/20		Original					

Prepared By	(Weller Liu) / Engineer
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excented parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 3 of 26

### **Test Summary**

Emission Part									
Item	Standard	Method	Requirement	Result					
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (30MHz-1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (above 1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 4 of 26

### **Contents**

1	GEN	ERAL INFORMATION	5
	1.1 1.2 1.3 1.4 1.5	DESCRIPTION OF SUPPORT UNITS	6 6
2	EMIS	SSION TEST RESULTS	7
	2.1 2.1.1 2.1.2 2.1.3 2.2 2.2.1 2.2.2 2.2.3 2.3.1 2.3.2 2.3.3	Test Setup Procedures  Measurement Data  RADIATED EMISSIONS (30MHz-1GHz)  E.U.T. Operation  Test Setup Procedures  Measurement Data  RADIATED EMISSIONS (ABOVE 1GHz)  E.U.T. Operation  Test Setup Procedures	781112121717
3	EQU	IPMENT LIST	23
4		SUREMENT UNCERTAINTY	
Э			
	5.1 5.2	TEST SETUP EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 5 of 26

### **General Information**

Product Name:	Mobile Phone									
Model No.(EUT):	21121210G	21121210G								
Trade Mark:	POCO	POCO								
Hardware Version:	P2	P2								
Software Version:	MIUI 13	<del>_</del>								
	Band	Tx (MHz)	Rx (MHz)							
	GSM850	824~849	869~894							
	GSM1900	1850~1910	1930~1990							
	WCDMA Band II	1850~1910	1930~1990							
	WCDMA Band IV	1710~1755	2110~2155							
	WCDMA Band V	824~849	869~894							
	LTE Band 2	1850~1910	1930~1990							
	LTE Band 4	1710~1755	2110~2155							
	LTE Band 5	824~849	869~894							
	LTE Band 7	2500~2570	2620~2690							
	LTE Band 12	699~716	729~746							
	LTE Band 17	704~716	734~746							
	LTE Band 26	814~849	859~894							
	LTE Band 38	2570~2620	2570~2620							
	LTE Band 41	2496~2690	2496~2690							
Frequency Bands:	LTE CA_7C	2500~2570	2620~2690							
, ,	LTE CA_38C	2570~2620	2570~2620							
	NR Band n5	824~849	869~894							
	NR Band n7	2500~2570	2620~2690							
	NR Band n38	2570~2620	2570~2620							
	NR Band n41	2496~2690	2496~2690							
	NR Band n77	3700-3980	3700-3980							
	TATE BATTA TITE	3450-3550	3450-3550							
	NR Band n78	3700-3800	3700-3800							
	\\\; \( \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3450-3550	3450-3550							
	Wi-Fi 2.4G	2412~2462	2412~2462							
	Bluetooth Wi-Fi 5G	2402~2480	2402~2480 5150~5850							
	WI-FI 5G NFC	5150~5850 13.56	5150~5850							
	GNSS(GPS+Glonass +	13.56								
	Beidou+Compass+Galile	1559~1610								
	0+QZSS+NavIC)	1164~1215								
	UT QZOOTIVAVIO)									



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 6 of 26

### 1.1 Description of Support Units

Description	Manufacturer	Model No.	Inventory No.	
Router	Smavwave Technology Co.,Ltd	SRT 421	SUWI-04-34-01	
Computer	Lenovo	T14	SUWI-03-33-04	
Mouse	Lenovo	3D optical Mouse	SUWI-03-33-05	
Adaptor	Huawei	HW-050200C02	SUWI-03-33-06	

#### 1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Weller Liu, King-p Li, Nature Shen, Tizzy Song

### 1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### • FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number:0031225543

#### 1.4 Deviation from Standards

None

#### 1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extra of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 1- Part, No. 1, Runsheng Road, Suzhou Industrial Part, Suzhou Area, China (Jiangsu) Phot Piee I rade Zone 215000 中国 • 苏州 • 中国 (江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000

t (86–512) 62992980 + (86–512) 62002080



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 7 of 26

### 2 Emission Test Results

### 2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 150kHz to 30MHz

Limit:

0.15M-0.5MHz 66dB( $\mu$ V)-56dB( $\mu$ V) quasi-peak, 56dB( $\mu$ V)-46dB( $\mu$ V) average

0.5M-5MHz 56dB( $\mu$ V) quasi-peak, 46dB( $\mu$ V) average 5M-30MHz 60dB( $\mu$ V) quasi-peak, 50dB( $\mu$ V) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

### 2.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22~23°C Humidity: 44~46% RH Atmospheric Pressure:101 Kpa

Pretest these modes to find a: GSM850 Idle+EUT+adapter(1)+usb Cable+BT+2.4GWLAN+Camera(Rear) b: WCDMA Band V Idle+EUT+adapter(1)+usb

the worst case: Cable+BT+5GWLAN+Camera(Front)

c: LTE Band 5 Idle+EUT+adapter(1)+usb Cable+BT+5GWLAN+MP4

d: LTE Band 12 Idle+EUT+adapter(1)+usb Cable+BT+2.4G WLAN+GNSS+NFC

e: LTE Band 26 Idle+EUT+adapter(2)+usb Cable+BT+5G WLAN+GNSS

f: 5G NR SA Band 5 Idle+Transfer data between the EUT and the PC+USB cable g: 5G NR SA Band 5 Idle+Transfer data between the EUT 2 and the PC+USB

cable

The worst case for final test:

f: 5G NR SA Band 5 Idle+Transfer data between the EUT and the PC+USB cable



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extra of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 8 of 26

### 2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



#### 2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condit




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 9 of 26

#### Mode:f; Line:Live Line



Fina	Final Data List										
NO	Frequency [MHz]	Factor [dB]	QP Value [dBµV	QP Limit [dBµV	QP Margin [dB]	AV Value [dBµV	AV Limit [dBµV	AV Margi n	Verdict		
1	0.1905	10.78	47.45	64.01	16.56	33.84	54.01	20.17	PASS		
2	0.2535	10.79	42.34	61.64	19.30	31.09	51.64	20.55	PASS		
3	1.2480	10.78	30.32	56.00	25.68	22.05	46.00	23.95	PASS		
4	1.9905	10.68	32.40	56.00	23.60	24.12	46.00	21.88	PASS		
5	6.1755	10.67	30.44	60.00	29.56	23.75	50.00	26.25	PASS		
6	9.8655	10.64	32.36	60.00	27.64	26.23	50.00	23.77	PASS		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pliot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 10 of 26

### Mode:f; Line:Neutral Line



Final Data List										
NO	Frequency [MHz]	Factor [dB]	QP Value [dBµV	QP Limit [dBµV	QP Margin [dB]	AV Value [dBµV	AV Limit [dBµV	AV Margi n	Verdict	
1	0.1950	10.67	48.45	63.82	15.37	35.73	53.82	18.09	PASS	
2	0.2625	10.73	45.81	61.35	15.54	34.22	51.35	17.13	PASS	
3	0.4155	10.82	40.33	57.54	17.21	28.08	47.54	19.46	PASS	
4	1.9410	10.78	34.24	56.00	21.76	25.25	46.00	20.75	PASS	
5	4.0155	10.75	32.50	56.00	23.50	25.83	46.00	20.17	PASS	
6	11.8860	10.65	32.21	60.00	27.79	25.36	50.00	24.64	PASS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Koad, Suzhou Industrial Park, Suzhou Area, China (Hangsu) Phot Free Irade Zone 215000 中国 • 苏州 • 中国(江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 11 of 26

### 2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 30MHz to 1GHz

Measurement Distance: 3m

Limit:

30 MHz - 88 MHz  $40.0 (\text{dB}\mu\text{V/m})$  quasi-peak 88 MHz - 216 MHz  $43.5 (\text{dB}\mu\text{V/m})$  quasi-peak 216 MHz - 960 MHz  $46.0 (\text{dB}\mu\text{V/m})$  quasi-peak 960 MHz - 1000 MHz  $54.0 (\text{dB}\mu\text{V/m})$  quasi-peak

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz

#### 2.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22~23°C Humidity: 44~46% RH Atmospheric Pressure:101 Kpa

Pretest these a: GSM850 Idle+EUT+adapter(1)+usb Cable+BT+2.4GWLAN+Camera(Rear)

modes to find b: WCDMA Band V Idle+EUT+adapter(1)+usb

the worst case: Cable+BT+5GWLAN+Camera(Front)

c: LTE Band 5 Idle+EUT+adapter(1)+usb Cable+BT+5GWLAN+MP4

d: LTE Band 12 Idle+EUT+adapter(1)+usb Cable+BT+2.4G WLAN+GNSS+NFC e: LTE Band 26 Idle+EUT+adapter(2)+usb Cable+BT+5G WLAN+GNSS(1~4

WORSE)

f: LTE Band 26 Idle+EUT+Earphone+BT+5G WLAN+GNSS(1~5WORSE) q: 5G NR SA Band 77 Idle+EUT(reverse charging for usb) to Phone

h: 5G NR SA Band 5 Idle+Transfer data between the EUT and the PC+USB

cable

i: 5G NR SA Band 5 Idle+Transfer data between the EUT 2 and the PC+USB

cable

The worst case for final test:

d: LTE Band 12 Idle+EUT+adapter(1)+usb Cable+BT+2.4G WLAN+GNSS+NFC

i: 5G NR SA Band 5 Idle+Transfer data between the EUT 2 and the PC+USB

cable



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.acx">http://www.sgs.com/en/Terms-and-Conditions.acx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.acx">http://www.sgs.com/en/Terms-en-Document.acx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Attention:\*\* To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*\*

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www t (86–512) 62992980 sas

sgs.china@sgs.com




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 12 of 26

#### 2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



#### 2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasipeak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extra of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of Nat. 0 Partit, No. 1, Nutrition in ground, Suzziou industrial Parts, Suzziou Pries, China (Jeangsu) Priot Pries in alea Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区沟胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

sgs.china@sgs.com

Member of the SGS Group (SGS SA)




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 13 of 26

### Mode:d; Polarization:Horizontal



Final I	Final Data List											
NO.	Freq. [MHz]	QP Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	46.2475	30.26	-14.76	15.50	40.00	24.50	126	357	Horizontal			
2	67.5875	36.98	-18.36	18.62	40.00	21.38	224	312	Horizontal			
3	77.2875	34.88	-20.42	14.46	40.00	25.54	184	10	Horizontal			
4	149.0675	34.69	-20.34	14.35	43.50	29.15	105	333	Horizontal			
5	203.3875	32.65	-16.14	16.51	43.50	26.99	116	117	Horizontal			
6	284.625	33.85	-13.63	20.22	46.00	25.78	100	48	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Koad, Suzhou Industrial Park, Suzhou Area, China (Hangsu) Phot Hree Irade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.d t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 14 of 26

### Mode:d; Polarization:Vertical



Final	Final Data List										
NO.	Freq. [MHz]	QP Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	33.1525	46.98	-17.87	29.11	40.00	10.89	145	157	Vertical		
2	42.3675	43.52	-15.49	28.03	40.00	11.97	118	286	Vertical		
3	59.3425	41.25	-16.10	25.15	40.00	14.85	162	49	Vertical		
4	67.5875	42.63	-18.36	24.27	40.00	15.73	152	52	Vertical		
5	127	37.25	-18.79	18.46	43.50	25.04	120	0	Vertical		
6	143.975	38.56	-19.95	18.61	43.50	24.89	100	315	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Koad, Suzhou Industrial Park, Suzhou Area, China (Hangsu) Phot Free Irade Zone 215000 中国 • 苏州 • 中国(江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 15 of 26

#### Mode:i: Polarization:Horizontal



	Dete	

Final	Data List								
NO.	Freq. [MHz]	QP Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	56.675	35.21	-15.56	19.65	40.00	20.35	118	3	Horizontal
2	66.1325	33.28	-17.95	15.33	40.00	24.67	126	250	Horizontal
3	130.395	32.99	-18.98	14.01	43.50	29.49	344	45	Horizontal
4	199.5075	33.47	-16.47	17.00	43.50	26.50	205	0	Horizontal
5	290.445	34.25	-13.07	21.18	46.00	24.82	169	20	Horizontal
6	480.08	31.654	-8.56	23.09	46.00	22.91	200	103	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

sgs.china@sgs.com




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 16 of 26

### Mode:i; Polarization:Vertical



Final	Final Data List								
NO.	Freq. [MHz]	QP Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	44.065	35.62	-15.14	20.48	40.00	19.52	154	2	Vertical
2	53.5225	41.25	-14.92	26.33	40.00	13.67	119	0	Vertical
3	66.1325	42.62	-17.95	24.67	40.00	15.33	205	357	Vertical
4	73.8925	35.26	-19.78	15.48	40.00	24.52	136	145	Vertical
5	139.125	33.45	-19.58	13.87	43.50	29.63	227	343	Vertical
6	143.975	38.95	-19.95	19.00	43.50	24.50	310	315	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Koad, Suzhou Industrial Park, Suzhou Area, China (Hangsu) Phot Hree Irade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.d t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 17 of 26

### 2.3 Radiated Emissions (above 1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: Above 1GHz

Measurement 3m

Distance:

Limit:

Above 1GHz 74(dBµV/m) peak, 54(dBµV/m) average

Detector: Peak for pre-scan (1000kHz resolution bandwidth) 1000M to 40000MHz

### 2.3.1 E.U.T. Operation

Operating Environment:

Temperature: 22~23°C Humidity: 44~46% RH Atmospheric Pressure:101 Kpa

Pretest these modes to find the worst

a: GSM850 Idle+EUT+adapter(1)+usb Cable+BT+2.4GWLAN+Camera(Rear)

b: WCDMA Band V Idle+EUT+adapter(1)+usb Cable+BT+5GWLAN+Camera(Front)

case:

c: LTE Band 5 Idle+EUT+adapter(1)+usb Cable+BT+5GWLAN+MP4

d: LTE Band 12 Idle+EUT+adapter(1)+usb Cable+BT+2.4G

WLAN+GNSS+NFC

e: LTE Band 26 Idle+EUT+adapter(2)+usb Cable+BT+5G WLAN+GNSS(1~4

WORSE)

f: LTE Band 26 Idle+EUT+Earphone+BT+5G WLAN+GNSS(1~5WORSE)

g: 5G NR SA Band 77 Idle+EUT(reverse charging for usb) to Phone

h: 5G NR SA Band 5 Idle+Transfer data between the EUT and the PC+USB

Cable

i: 5G NR SA Band 5 Idle+Transfer data between the EUT 2 and the PC+USB

cable

The worst case for final

test:

a: GSM850 Idle+EUT+adapter(1)+usb Cable+BT+2.4GWLAN+Camera(Rear)

cab

i: 5G NR SA Band 5 Idle+Transfer data between the EUT 2 and the PC+USB cable



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extra of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 415000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区沟胜路(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 18 of 26

#### 2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.



#### 2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed. Scan from 1GHz to 30GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Documents">http://www.sgs.com/en/Terms-en/Documents</a> advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extra of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. o Prant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Phot Free Trade Zone 215000中国 • 苏州 • 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000

t (86-512) 62992980

sgs.china@sgs.com




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 19 of 26

### Mode:a; Polarization:Horizontal



Data	List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1441.15	54.84	-23.19	31.65	74.00	42.35	148	319	Horizontal
2	5760	62.39	-10.10	52.29	74.00	21.71	118	357	Horizontal
3	17969.4	41.02	12.30	53.32	74.00	20.68	206	112	Horizontal
4	3900.2	42.80	-15.17	27.63	54.00	26.37	164	94	Horizontal
5	5760	52.80	-10.10	42.70	54.00	11.30	205	357	Horizontal
6	17977.05	32.42	12.38	44.80	54.00	9.20	149	319	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Koad, Suzhou Industrial Park, Suzhou Area, China (Hangsu) Phot Free Irade Zone 215000 中国 • 苏州 • 中国(江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 20 of 26

#### Mode:a; Polarization:Vertical



Data	List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1878.9	53.88	-22.11	31.77	74.00	42.23	148	360	Vertical
2	9908	47.89	1.22	49.11	74.00	24.89	119	174	Vertical
3	17907.35	41.58	11.68	53.26	74.00	20.74	206	137	Vertical
4	5419.15	43.93	-11.25	32.68	54.00	21.32	321	21	Vertical
5	9280.7	39.89	0.27	40.16	54.00	13.84	118	356	Vertical
6	17958.35	32.18	12.19	44.37	54.00	9.63	205	137	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

boun on No. Prant, No. 1, Kunsheng Koso, Suzhou industria rans, Suzhou Area, Crima (ulangsu) Priot nee Irade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 + (86–512) 62992980




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 21 of 26

#### Mode:i; Polarization:Horizontal



Data	List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1254.15	55.47	-23.20	32.27	74.00	41.73	158	321	Horizontal
2	3588.25	53.26	-16.34	36.92	74.00	37.08	116	54	Horizontal
3	17943.9	41.28	12.05	53.33	74.00	20.67	205	54	Horizontal
4	1257.55	46.34	-23.20	23.14	54.00	30.86	117	282	Horizontal
5	2423.75	47.30	-19.64	27.66	54.00	26.34	255	132	Horizontal
6	17938.8	32.70	12.00	44.70	54.00	9.30	165	92	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

Sound rive. o Plant, No. 1, Kursheng koda, Suznou Industrai Park, Suzznou Arda, Unitra (Jangsu) Prior Free Irade zone 215000中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路 1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.d t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUAR/2021/B000708

Rev.: 01

Page: 22 of 26

Mode:i; Polarization:Vertical



Data	List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1019.55	56.66	-22.27	34.39	74.00	39.61	184	324	Vertical
2	13625.9	46.26	5.46	51.72	74.00	22.28	221	21	Vertical
3	17974.5	41.07	12.36	53.43	74.00	20.57	105	137	Vertical
4	3553.4	42.90	-16.46	26.44	54.00	27.56	116	174	Vertical
5	9287.5	39.83	0.28	40.11	54.00	13.89	184	3	Vertical
6	17978.75	31.69	12.40	44.09	54.00	9.91	150	117	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

Sound of No. o Prant, No. 1, Runsheng Road, Suznou Industrial Park, Suznou Area, Unitra (Jaingsu) Prior Free Irade Zone 215000 中国 · 苏州 · 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 23 of 26

### **Equipment List**

		CE Test System			
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	Brilliant-emc	N/A	SUWI-04-02-01	2021-06-15	2024-06-14
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2021-02-20	2022-02-19
UXM 5G Wireless Test Platform	Keysight	E7515B	SUWI-01-04-01	2021-02-20	2022-02-19
Wideband Radio Communication Tester	Anritsu	MT8821C	SUWI-01-26-03	2021-12-04	2022-12-3
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2021-02-20	2022-02-19
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-01	2021-02-20	2022-02-19
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2021-02-20	2022-02-19
Measurement Software CE	StarPoint	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only ad within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com</a>

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 24 of 26

RSE Test Equipment 996-01						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/5/8	2024/5/7	
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2021/2/20	2022/2/19	
Signal Analyzer	ROHDE&SCHW ARZ	FSW43	SUWI-01-02-04	2021/5/28	2022/5/27	
Test receiver	ROHDE&SCHW ARZ	ESR7	SUWI-01-10-01	2021/2/20	2022/2/19	
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2021/2/20	2022/2/19	
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/5/16	2022/5/15	
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/5/16	2022/5/15	
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/5/14	2022/5/13	
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2021/2/20	2022/2/19	
Amplifier	Tonscend	TAP0101805 0	SUWI-01-14-02	2021/2/20	2022/2/19	
Amplifier	Tonscend	TAP1804004 8	SUWI-01-14-03	2021/2/20	2022/2/19	
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/6/10	2022/6/9	
Measurement Software	Tonscend	JS32-RE V4.0.0.0	SUWI-02-09-04	NCR	NCR	
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2021/2/20	2022/2/19	
Wideband Radio Communication Tester	Anritsu	MT8821C	SUWI-01-26-03	2021/12/4	2022/12/3	
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	SUWI-01-04-01	2021/2/20	2022/2/19	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only ad within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com</a>

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 25 of 26

### 4 Measurement Uncertainty

No.	Item	Measurement Uncertainty			
1	Conduction Emission	± 2.9dB (150kHz to 30MHz)			
		±3.13dB (9k-30MHz)			
2	Radiated Emission	± 4.8dB (Below 1GHz)			
_	Hadiated Emission	± 4.8dB (1GHz to 18GHz)			
		± 4.8dB (Above 18GHz)			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

South of No. 6 Part, No. 1, Runsharg Road, Suchou Industrial Park, Suchou Area, Chira (Jiangsu) Pitot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 鄉編。215000

t (86–512) 62992980 www.sgsgroup.com.d t (86–512) 62992980 sgs.china@sgs.com

(00 012) 02002000



Report No.: SUAR/2021/B000708

Rev.: 01

Page: 26 of 26

### 5 Photographs

### 5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

### 5.2 EUT Constructional Details (EUT Photos)

Refer to Photographs of EUT Constructional Details

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 415000 中国 - 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6月厂房南部 邮编: 215000

t (86–512) 62992960 + (86–512) 62002080

sgs.china@sgs.com