



Spot Check Evaluation

APPLICANT : Xiaomi Communications Co., Ltd.
EQUIPMENT : Mobile Phone
BRAND NAME : POCO
MODEL NAME : 22041219PG
FCC ID : 2AFZZ1219PG
STANDARD : 47 CFR Part 2, 22(H), 24(E), 27(L), 27(M), 27(O), 27(Q)
47 CFR Part 15 Subpart C §15.247
47 CFR Part 15 Subpart E §15.407

We, Sporton International Inc. (Kunshan), would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (Kunshan), the test report shall not be reproduced except in full.

Jason Jia

Reviewed by: Jason Jia / Supervisor

Alex Wang

Approved by: Alex Wang / Manager



Sporton International Inc. (Kunshan)

**No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300
People's Republic of China**



TABLE OF CONTENTS

REVISION HISTORY..... 3

1 GENERAL DESCRIPTION..... 4

 1.1 Applicant 4

 1.2 Manufacturer..... 4

 1.3 Product Feature of Equipment Under Test..... 4

 1.4 Modification of EUT 4

 1.5 Testing Location 5

 1.6 Test Software..... 5

2 RE-USE OF MEASURED DATA..... 6

 2.1 Introduction Section 6

 2.2 Model Difference Information 6

 2.3 Reference detail Section: 7

 2.4 Spot Check Verification Data Section..... 8

3 LIST OF MEASURING EQUIPMENT..... 10

APPENDIX A. SETUP PHOTOGRAPHS



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
211901-02	Rev. 01	Initial issue of report	Mar. 18, 2021



1 General Description

1.1 Applicant

Xiaomi Communications Co., Ltd.

#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

1.2 Manufacturer

Xiaomi Communications Co., Ltd.

#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Phone
Brand Name	POCO
Model Name	22041219PG
FCC ID	2AFZZ1219PG
HW Version	P2
SW Version	MIUI 13
EUT Stage	Identical Prototype

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

1.4 Modification of EUT

No modifications are made to the EUT during all test items.



1.5 Testing Location

Sporton International Inc. (Kunshan) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.02.

Test Firm	Sporton International Inc. (Kunshan)		
Test Site Location	No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China TEL : +86-512-57900158 FAX : +86-512-57900958		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	03CH04-KS 03CH05-KS TH01-KS	CN1257	314309

1.6 Test Software

Item	Site	Manufacture	Name	Version
1.	03CH04-KS	AUDIX	E3	6.2009-8-24a
2.	03CH05-KS	AUDIX	E3	6.2009-8-24a1



2 Re-use of Measured Data

2.1 Introduction Section

This application re-uses data collected on a similar device. The subject device of this application (Model: 22041219PG, FCC ID: 2AFZZ1219PG) is electrically identical to the reference device (Model: 22041219G, FCC ID: 2AFZZ1219G) for the portions of the circuitry corresponding to the data being re-used. Based on their similarity, the FCC Part 15C (equipment class: DTS, DSS) and FCC Part 15E (equipment class: NII) and FCC Part 22, 24, 27 (equipment class: PCE) reuse the original model's result and do spot-check, following the FCC KDB 484596 D01 v01.

The applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID: 2AFZZ1219PG .

2.2 Model Difference Information

The **main** difference between FCC ID: 2AFZZ1219G and FCC ID: 2AFZZ1219PG is as below:

- Add NFC function.

Other differences and all the details of similarity and difference can be found in the confidential documents (22041219PG_Operational Description of Product Equality Declaration).



2.3 Reference detail Section:

Rule Part	Equipment Class	Frequency Band (MHz)	Reference FCC ID(Parent)	Type Grant/ Permissive Change	Reference Title	FCC ID Filling (Variant)	Report Title/Section
15C	DSS (BR/EDR)	2400~2483.5	2AFZZ1219G	Original Grant	FR211901A	2AFZZ1219PG	All sections applicable
	DTS (BLE)	2400~2483.5	2AFZZ1219G	Original Grant	FR211901B	2AFZZ1219PG	All sections applicable
	DTS (WLAN)	2400~2483.5	2AFZZ1219G	Original Grant	FR211901C	2AFZZ1219PG	All sections applicable
15E	U-NII-1	5180~5240	2AFZZ1219G	Original Grant	FR211901D	2AFZZ1219PG	All sections applicable
	U-NII-2A	5260~5320	2AFZZ1219G	Original Grant	FR211901D	2AFZZ1219PG	All sections applicable
	U-NII-2C	5500~5720	2AFZZ1219G	Original Grant	FR211901D	2AFZZ1219PG	All sections applicable
	U-NII-3	5745~5825	2AFZZ1219G	Original Grant	FR211901E	2AFZZ1219PG	All sections applicable
	DFS	5260~5320 5500~5720	2AFZZ1219G	Original Grant	FZ211901	2AFZZ1219PG	All sections applicable
22, 24, 27	PCE (GSM)	GSM 850/1900	2AFZZ1219G	Original Grant	FR211901A	2AFZZ1219PG	All sections applicable
	PCE (WCDMA)	Band II, IV, V	2AFZZ1219G	Original Grant	FR211901A	2AFZZ1219PG	All sections applicable
	PCE (LTE)	B2/4/5/7/38/41 ULCA 7C/38C	2AFZZ1219G	Original Grant	FR211901B	2AFZZ1219PG	All sections applicable
22, 27	PCE (NR)	n5/n7/n38/n41/ n77/n78	2AFZZ1219G	Original Grant	FR211901C FR211901D FR211901E	2AFZZ1219PG	All sections applicable



2.4 Spot Check Verification Data Section

Conducted power test and radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model

Summary for power and RSE spot check for each rule entry and technology is listed as below:

Test Item	Mode	2AFZZ1219G Parent Worst Result	2AFZZ1219PG Variant Check Result	Difference (dB)
Conducted Power (dBm)	BT BR/EDR	11.22	10.91	0.31
	BLE 1Mbps	-1.91	-2.04	0.13
	BLE 2Mbps	-1.80	-1.88	0.08
	11b, 2.4GHz	20.31	20.01	0.3
	11g, 2.4GHz	24.63	24.28	0.35
	11n HT20, 2.4GHz	24.62	24.29	0.33
	11a, 5.2GHz	15.81	15.79	0.02
	11a, 5.3GHz	17.05	17.03	0.02
	11a, 5.5GHz	17.20	17.07	0.13
	11a, 5.8GHz	15.07	14.74	0.33
	11n HT20, 5.2GHz	15.84	15.68	0.16
	11n HT20, 5.3GHz	16.12	16.06	0.06
	11n HT20, 5.5GHz	16.17	15.85	0.32
	11n HT20, 5.8GHz	14.95	14.81	0.14
	11n HT40, 5.2GHz	15.74	15.70	0.04
	11n HT40, 5.3GHz	16.11	16.01	0.1
	11n HT40, 5.5GHz	16.20	16.12	0.08
	11n HT40, 5.8GHz	14.77	14.85	0.08
	11ac VHT20, 5.2GHz	15.89	15.72	0.17
	11ac VHT20, 5.3GHz	16.17	16.14	0.03
	11ac VHT20, 5.5GHz	16.20	15.90	0.3
	11ac VHT20, 5.8GHz	15.01	14.88	0.13
	11ac VHT40, 5.2GHz	15.76	15.71	0.05
	11ac VHT40, 5.3GHz	16.06	16.04	0.02
	11ac VHT40, 5.5GHz	16.22	16.18	0.04
	11ac VHT40, 5.8GHz	14.84	14.91	0.07
	11ac VHT80, 5.2GHz	10.05	9.99	0.06
	11ac VHT80, 5.3GHz	10.20	10.11	0.09
	11ac VHT80, 5.5GHz	15.89	15.86	0.03
	11ac VHT80, 5.8GHz	14.31	14.59	0.28
	GSM850	33.12	33.12	0
	GSM1900	29.89	29.89	0
	WCDMA Band II	24.12	24.12	0
	WCDMA Band IV	23.87	23.87	0
	WCDMA Band V	24.31	24.31	0
	LTE Band 2	24.26	24.26	0
	LTE Band 4	24.14	24.14	0
	LTE Band 5	24.24	24.24	0
	LTE Band 7	24.09	24.09	0
	LTE Band 7 CA	23.80	23.80	0
LTE Band 38 CA	23.97	23.97	0	
LTE Band 38	24.05	24.05	0	
LTE Band 41	24.12	24.12	0	
5G NR n5	25.12	24.91	0.21	
5G NR n7	26.43	24.38	2.05	
5G NR n38	25.88	25.93	0.05	
5G NR n41	28.44	26.74	1.7	
5G NR n77, Part 27O	27.25	27.15	0.1	
5G NR n78, Part 27O	27.03	26.92	0.11	
5G NR n77, Part 27Q	27.58	27.46	0.12	
5G NR n78, Part 27Q	27.56	27.41	0.15	



Test Item	Mode	2AFZZ1219G Parent Worst Result	2AFZZ1219PG Variant Check Result	Difference (dB)
Radiated Spurious Emission (dBuV/m) @ 3m	BT BR/EDR Ch78	53.56	56.51	2.95
	BLE 2Mbps Ch39	43.22	46.12	2.9
	11g Ch01, 2.4GHz	50.88	48.70	2.18
	11ac VHT20 Ch36, 5.2GHz	50.84	49.87	0.97
	11ac VHT80 Ch155, 5.8GHz	63.97	58.87	5.1
Radiated Spurious Emission (dBm)	GSM850	-52.08	-54.88	2.8
	WCDMA Band II	-51.79	-52.32	0.53
	LTE Band 41	-37.24	-40.08	2.84
	5G NR n7	-47.13	-49.88	2.75

Conclusion:

Radiated spurious emission test against the variant model based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

Based on the spot check test result, the test data from the original model is representative for the variant model. The power level and RSE spot check are shown within expected level compliant to limit line.

We are using power and ERP/EIRP measurements from the original parent model reports to list on the grant.

The same DFS detection is used in the variant. Hence, there is no spot check data for DFS.

We confirm that the test data reuse policy of FCC KDB 484596 D01 Referencing Test Data v01 has been followed and the test data as referenced from the parent model report represents compliance with new FCC ID.



3 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Oct. 14, 2021	Mar. 10, 2022	Oct. 13, 2022	Conducted (TH01-KS)
Power divider	STI	STI08-0055	-	0.5~40GHz	Aug. 26, 2021	Mar. 10, 2022	Aug. 25, 2022	Conducted (TH01-KS)
EXA Spectrum Analyzer	Keysight	N9010A	MY55150244	10Hz-44G,MAX 30dB	Apr. 13, 2021	Mar. 08, 2022	Apr. 12, 2022	Radiation (03CH04-KS)
Loop Antenna	R&S	HFH2-Z2	100321	9kHz~30MHz	Oct. 30, 2021	Mar. 08, 2022	Oct. 29, 2022	Radiation (03CH04-KS)
Bilog Antenna	TeseQ	CBL6111D	49922	30MHz-1GHz	May 30, 2021	Mar. 08, 2022	May 29, 2022	Radiation (03CH04-KS)
Horn Antenna	Schwarzbeck	BBHA9120D	1356	1GHz~18GHz	Apr. 18, 2021	Mar. 08, 2022	Apr. 17, 2022	Radiation (03CH04-KS)
SHF-EHF Horn	Com-power	AH-840	101070	18GHz~40GHz	Jan. 05, 2022	Mar. 08, 2022	Jan. 04, 2023	Radiation (03CH04-KS)
Amplifier	SONOMA	310N	187289	9KHz-1GHz	Jan. 05, 2022	Mar. 08, 2022	Jan. 04, 2023	Radiation (03CH04-KS)
Amplifier	MITEQ	EM18G40GG A	060728	18~40GHz	Jan. 05, 2022	Mar. 08, 2022	Jan. 04, 2023	Radiation (03CH04-KS)
high gain Amplifier	MITEQ	AMF-7D-0010 1800-30-10P	2025788	1Ghz-18Ghz	Jul. 30, 2021	Mar. 08, 2022	Jul. 29, 2022	Radiation (03CH04-KS)
Amplifier	Keysight	83017A	MY57280106	500MHz~26.5G Hz	Oct. 13, 2021	Mar. 08, 2022	Oct. 12, 2022	Radiation (03CH04-KS)
AC Power Source	Chroma	61601	F104090004	N/A	NCR	Mar. 08, 2022	NCR	Radiation (03CH04-KS)
Turn Table	ChamPro	EM 1000-T	060762-T	0~360 degree	NCR	Mar. 08, 2022	NCR	Radiation (03CH04-KS)
Antenna Mast	ChamPro	EM 1000-A	060762-A	1 m~4 m	NCR	Mar. 08, 2022	NCR	Radiation (03CH04-KS)
EMI Test Receiver	Keysight	N9038A	MY56400004	3Hz~8.5GHz;M ax 30dBm	Oct. 16, 2021	Mar. 10, 2022	Oct. 15, 2022	Radiation (03CH05-KS)
EXA Spectrum Analyzer	Keysight	N9010A	MY55150244	10Hz-44G,MAX 30dB	Apr. 13, 2021	Mar. 10, 2022	Apr. 12, 2022	Radiation (03CH05-KS)
Loop Antenna	R&S	HFH2-Z2	100321	9kHz~30MHz	Oct. 30, 2021	Mar. 10, 2022	Oct. 29, 2022	Radiation (03CH05-KS)
Bilog Antenna	TeseQ	CBL6111D	49922	30MHz-1GHz	Jun. 04, 2021	Mar. 10, 2022	Jun. 03, 2022	Radiation (03CH05-KS)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00218652	1GHz~18GHz	Apr. 24, 2021	Mar. 10, 2022	Apr. 23, 2022	Radiation (03CH05-KS)
SHF-EHF Horn	Com-power	AH-840	101070	18GHz~40GHz	Jan. 05, 2022	Mar. 10, 2022	Jan. 04, 2023	Radiation (03CH05-KS)
Amplifier	SONOMA	310N	187289	9KHz-1GHz	Apr. 12, 2021	Mar. 10, 2022	Apr. 11, 2022	Radiation (03CH05-KS)
Amplifier	MITEQ	EM18G40GG A	060728	18~40GHz	Jan. 05, 2022	Mar. 10, 2022	Jan. 04, 2023	Radiation (03CH05-KS)
high gain Amplifier	MITEQ	AMF-7D-0010 1800-30-10P	2012228	1Ghz-18Ghz	Oct. 16, 2021	Mar. 10, 2022	Oct. 15, 2022	Radiation (03CH05-KS)
Amplifier	Keysight	83017A	MY53270316	500MHz~26.5G Hz	Oct. 16, 2021	Mar. 10, 2022	Oct. 15, 2022	Radiation (03CH05-KS)
AC Power Source	Chroma	61601	F104090004	N/A	NCR	Mar. 10, 2022	NCR	Radiation (03CH05-KS)
Turn Table	ChamPro	EM 1000-T	060762-T	0~360 degree	NCR	Mar. 10, 2022	NCR	Radiation (03CH05-KS)
Antenna Mast	ChamPro	EM 1000-A	060762-A	1 m~4 m	NCR	Mar. 10, 2022	NCR	Radiation (03CH05-KS)

NCR: No Calibration Required.

-THE END-