

10729	AAC	IEEE 802.11ax (80MHz, MCS10, 90pc dc)	WLAN	8.64	± 9.6 %
10730	AAC	IEEE 802.11ax (80MHz, MCS11, 90pc dc)	WLAN	8.67	± 9.6 %
10731	AAC	IEEE 802.11ax (80MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10732	AAC	IEEE 802.11ax (80MHz, MCS1, 99pc dc)	WLAN	8.46	± 9.6 %
10733	AAC	IEEE 802.11ax (80MHz, MCS2, 99pc dc)	WLAN	8.40	± 9.6 %
10734	AAC	IEEE 802.11ax (80MHz, MCS3, 99pc dc)	WLAN	8.25	± 9.6 %
10735	AAC	IEEE 802.11ax (80MHz, MCS4, 99pc dc)	WLAN	8.33	± 9.6 %
10736	AAC	IEEE 802.11ax (80MHz, MCS5, 99pc dc)	WLAN	8.27	± 9.6 %
10737	AAC	IEEE 802.11ax (80MHz, MCS6, 99pc dc)	WLAN	8.36	± 9.6 %
10738	AAC	IEEE 802.11ax (80MHz, MCS7, 99pc dc)	WLAN	8.42	± 9.6 %
10739	AAC	IEEE 802.11ax (80MHz, MCS8, 99pc dc)	WLAN	8.29	± 9.6 %
10740	AAC	IEEE 802.11ax (80MHz, MCS9, 99pc dc)	WLAN	8.48	± 9.6 %
10741	AAC	IEEE 802.11ax (80MHz, MCS10, 99pc dc)	WLAN	8.40	± 9.6 %
10742	AAC	IEEE 802.11ax (80MHz, MCS11, 99pc dc)	WLAN	8.43	± 9.6 %
10743	AAC	IEEE 802.11ax (160MHz, MCS0, 90pc dc)	WLAN	8.94	± 9.6 %
10744	AAC	IEEE 802.11ax (160MHz, MCS1, 90pc dc)	WLAN	9.16	± 9.6 %
10745	AAC	IEEE 802.11ax (160MHz, MCS2, 90pc dc)	WLAN	8.93	± 9.6 %
10746	AAC	IEEE 802.11ax (160MHz, MCS3, 90pc dc)	WLAN	9.11	± 9.6 %
10747	AAC	IEEE 802.11ax (160MHz, MCS4, 90pc dc)	WLAN	9.04	± 9.6 %
10748	AAC	IEEE 802.11ax (160MHz, MCS5, 90pc dc)	WLAN	8.93	± 9.6 %
10749	AAC	IEEE 802.11ax (160MHz, MCS6, 90pc dc)	WLAN	8.90	± 9.6 %
10750	AAC	IEEE 802.11ax (160MHz, MCS7, 90pc dc)	WLAN	8.79	± 9.6 %
10751	AAC	IEEE 802.11ax (160MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10752	AAC	IEEE 802.11ax (160MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10753	AAC	IEEE 802.11ax (160MHz, MCS10, 90pc dc)	WLAN	9.00	± 9.6 %
10754	AAC	IEEE 802.11ax (160MHz, MCS11, 90pc dc)	WLAN	8.94	± 9.6 %
10755	AAC	IEEE 802.11ax (160MHz, MCS0, 99pc dc)	WLAN	8.64	± 9.6 %
10756	AAC	IEEE 802.11ax (160MHz, MCS1, 99pc dc)	WLAN	8.77	± 9.6 %
10757	AAC	IEEE 802.11ax (160MHz, MCS2, 99pc dc)	WLAN	8.77	± 9.6 %
10758	AAC	IEEE 802.11ax (160MHz, MCS3, 99pc dc)	WLAN	8.69	± 9.6 %
10759	AAC	IEEE 802.11ax (160MHz, MCS4, 99pc dc)	WLAN	8.58	± 9.6 %
10760	AAC	IEEE 802.11ax (160MHz, MCS5, 99pc dc)	WLAN	8.49	± 9.6 %
10761	AAC	IEEE 802.11ax (160MHz, MCS6, 99pc dc)	WLAN	8.58	± 9.6 %
10762	AAC	IEEE 802.11ax (160MHz, MCS7, 99pc dc)	WLAN	8.49	± 9.6 %
10763	AAC	IEEE 802.11ax (160MHz, MCS8, 99pc dc)	WLAN	8.53	± 9.6 %
10764	AAC	IEEE 802.11ax (160MHz, MCS9, 99pc dc)	WLAN	8.54	± 9.6 %
10765	AAC	IEEE 802.11ax (160MHz, MCS10, 99pc dc)	WLAN	8.54	± 9.6 %
10766	AAC	IEEE 802.11ax (160MHz, MCS11, 99pc dc)	WLAN	8.51	± 9.6 %
10767	AAE	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	± 9.6 %
10768	AAD	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10769	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10770	AAD	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10771	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10772	AAD	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.23	± 9.6 %
10773	AAD	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	± 9.6 %
10774	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10775	AAD	5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10776	AAD	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10777	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10778	AAD	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10779	AAC	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10780	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10781	AAD	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10782	AAD	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10783	AAE	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10784	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %

10785	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10786	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10787	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
10788	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10789	AAD	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10790	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAE	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
10792	AAD	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
10793	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	± 9.6 %
10794	AAD	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10795	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 %
10796	AAD	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10797	AAD	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10798	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAD	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10801	AAD	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAD	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10805	AAD	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10806	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10809	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10810	AAD	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10812	AAD	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10817	AAE	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10818	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10819	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	± 9.6 %
10820	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10821	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10822	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10823	AAD	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10824	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAD	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAD	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAD	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAD	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAD	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAD	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAD	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10840	AAD	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAD	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10854	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10855	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10856	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10857	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10858	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10859	AAD	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10860	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %

10861	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10863	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAD	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10866	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10868	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	± 9.6 %
10869	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10870	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10879	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	± 9.6 %
10880	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10886	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10887	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10888	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	± 9.6 %
10892	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10897	AAC	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	± 9.6 %
10898	AAB	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10899	AAB	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10900	AAB	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10901	AAB	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10902	AAB	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10903	AAB	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10904	AAB	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10905	AAB	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10906	AAB	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10907	AAC	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6 %
10908	AAB	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10909	AAB	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6 %
10910	AAB	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10911	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10912	AAB	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10913	AAB	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10914	AAB	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	± 9.6 %
10915	AAB	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10916	AAB	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10917	AAB	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10918	AAC	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10919	AAB	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10920	AAB	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10921	AAB	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10922	AAB	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %

10923	AAB	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAB	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAB	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAB	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAB	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAC	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAC	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAC	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAC	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAC	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAC	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAC	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAC	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAC	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAC	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAC	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAC	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAC	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAC	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAD	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAC	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAC	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAC	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAC	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAC	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAC	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAC	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %
10954	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %
10958	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAC	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAC	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAB	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %
10972	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	11.59	± 9.6 %
10973	AAB	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	± 9.6 %
10974	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.28	± 9.6 %
10978	AAA	ULLA BDR	ULLA	2.23	± 9.6 %
10979	AAA	ULLA HDR4	ULLA	7.02	± 9.6 %
10980	AAA	ULLA HDR8	ULLA	8.82	± 9.6 %
10981	AAA	ULLA HDRp4	ULLA	1.50	± 9.6 %
10982	AAA	ULLA HDRp8	ULLA	1.44	± 9.6 %
10983	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.31	± 9.6 %
10984	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.42	± 9.6 %

10985	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.54	± 9.6 %
10986	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.50	± 9.6 %
10987	AAA	5G NR DL (CP-OFDM, TM 3.1, 60 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.53	± 9.6 %
10988	AAA	5G NR DL (CP-OFDM, TM 3.1, 70 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.38	± 9.6 %
10989	AAA	5G NR DL (CP-OFDM, TM 3.1, 80 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.33	± 9.6 %
10990	AAA	5G NR DL (CP-OFDM, TM 3.1, 90 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.52	± 9.6 %

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.



Appendix E. Conducted RF Output Power Table

The detailed power table are shown as follows.



Band 66_Ant 0

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power (Power Ch/Freq, Power Hsp Ch/Freq, Power MPR Ch/Freq), T-Step (dB), MPR (dB), and a grid of 20 rows x 20 columns of data points.

Band 66_Ant 1

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power (Power Ch/Freq, Power Hsp Ch/Freq, Power MPR Ch/Freq), T-Step (dB), MPR (dB), and a grid of 20 rows x 20 columns of data points.

Band 66_Ant 2

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power (Power Ch/Freq, Power Hsp Ch/Freq, Power MPR Ch/Freq), T-Step (dB), MPR (dB), and a grid of 20 rows x 20 columns of data points.

Band 66_Ant 3

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power (Power Ch/Freq, Power Hsp Ch/Freq, Power MPR Ch/Freq), T-Step (dB), MPR (dB), and a grid of 20 rows x 20 columns of data points.



Reduced Power for DSI 0

Table with columns: Band, TX Channel, Frequency (MHz), and Power (dBm) for GSM900_Air.0. Includes rows for GSM1 Tx, GSM1 Tr, and EDGE 2 Tx.

Table with columns: Band, TX Channel, Frequency (MHz), and Power (dBm) for GSM900_Air.2. Includes rows for GSM1 Tx, GSM1 Tr, and EDGE 2 Tx.

Table with columns: Band, TX Channel, Frequency (MHz), and Power (dBm) for GSM1900_Air.0. Includes rows for GSM1 Tx, GSM1 Tr, and EDGE 2 Tx.

Table with columns: Band, TX Channel, Frequency (MHz), and Power (dBm) for GSM1900_Air.2. Includes rows for GSM1 Tx, GSM1 Tr, and EDGE 2 Tx.

Table with columns: Band, TX Channel, Frequency (MHz), and Power (dBm) for GSM900_Air.1. Includes rows for GSM1 Tx, GSM1 Tr, and EDGE 2 Tx.

Table with columns: Band, TX Channel, Frequency (MHz), and Power (dBm) for GSM900_Air.1. Includes rows for GSM1 Tx, GSM1 Tr, and EDGE 2 Tx.

Table with columns: Band, TX Channel, Frequency (MHz), and Power (dBm) for GSM1900_Air.1. Includes rows for GSM1 Tx, GSM1 Tr, and EDGE 2 Tx.

Table with columns: Band, TX Channel, Frequency (MHz), and Power (dBm) for GSM1900_Air.1. Includes rows for GSM1 Tx, GSM1 Tr, and EDGE 2 Tx.



Reduced Power for DSI 3

Table with 5 columns: DSSM90_Air 0, Band, Average Power (dBm), TX Channel, and Power Level (dBm).

Table with 5 columns: DSSM90_Air 2, Band, Average Power (dBm), TX Channel, and Power Level (dBm).

Table with 5 columns: Band, WCDMA_V_Air 0, and WCDMA_V_Air 1, including TX Channel, Power Level, and various RSCP/RISCP values.

Table with 5 columns: Band, WCDMA_V_Air 0, and WCDMA_V_Air 1, including TX Channel, Power Level, and various RSCP/RISCP values.

Table with 5 columns: DSSM90_Air 1, Band, Average Power (dBm), TX Channel, and Power Level (dBm).

Table with 5 columns: DSSM90_Air 1, Band, Average Power (dBm), TX Channel, and Power Level (dBm).

Table with 5 columns: Band, WCDMA_V_Air 2, and WCDMA_V_Air 3, including TX Channel, Power Level, and various RSCP/RISCP values.

Table with 5 columns: Band, WCDMA_V_Air 0, and WCDMA_V_Air 1, including TX Channel, Power Level, and various RSCP/RISCP values.



Band 17_Ant 0

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Band 17_Ant 1

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Band 26_Ant 0

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Band 26_Ant 1

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low Ch. / Freq., Power Mid Ch. / Freq., Power High Ch. / Freq., Turn-up time (min), MPR (dB). Includes Frequency (MHz) and Channel headers.



Band 17_Ant 0

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 709, 710, and 711, with various modulation types like QPSK, BPSK, and 16QAM.

Band 17_Ant 1

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 709, 710, and 711, with various modulation types like QPSK, BPSK, and 16QAM.

Band 26_Ant 0

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 8115, 8116, and 8117, with various modulation types like QPSK, BPSK, and 16QAM.

Band 26_Ant 1

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 8115, 8116, and 8117, with various modulation types like QPSK, BPSK, and 16QAM.

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 709.5, 710.5, and 711.5, with various modulation types like QPSK, BPSK, and 16QAM.

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 709.5, 710.5, and 711.5, with various modulation types like QPSK, BPSK, and 16QAM.

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 8115.5, 8116.5, and 8117.5, with various modulation types like QPSK, BPSK, and 16QAM.

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 8115.5, 8116.5, and 8117.5, with various modulation types like QPSK, BPSK, and 16QAM.

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 709, 710, and 711, with various modulation types like QPSK, BPSK, and 16QAM.

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 709, 710, and 711, with various modulation types like QPSK, BPSK, and 16QAM.

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 8115, 8116, and 8117, with various modulation types like QPSK, BPSK, and 16QAM.

Table with columns: BW (MHz), Modulation, RS Size, RB Offset, Power Low Ch./Freq., Power Mid Ch./Freq., Power High Ch./Freq., Turn-up (dB), MPR (dB). Contains data for channels 8115, 8116, and 8117, with various modulation types like QPSK, BPSK, and 16QAM.



Band 66_Ant 0

BW (MHz)	Modulation	RIS Size	RIS Offset	Power Low	Power Med	Power High	Time-up (min)	MPR (dB)
20	QPSK	1	0	21.61	21.91	22.13	23	0
20	QPSK	1	99	21.72	21.78	21.71	23	0
20	QPSK	50	24	20.45	20.36	20.48	23	1
20	QPSK	50	24	20.75	20.59	20.81	23	1
20	QPSK	50	24	20.98	20.93	20.76	23	1
20	QPSK	50	24	20.77	20.35	20.73	23	1
20	QPSK	1	0	20.26	20.21	20.12	22	1
20	QPSK	1	99	21.08	21.12	21.12	22	1
20	QPSK	50	50	19.73	19.86	19.77	21	2
20	QPSK	50	50	19.63	19.89	19.78	21	2
20	QPSK	100	8	19.64	19.86	19.85	21	2
20	QPSK	100	8	19.55	19.88	19.78	21	2
20	QPSK	100	8	19.77	19.91	19.73	21	2
20	QPSK	1	99	19.3	19.83	19.77	21	2
20	QPSK	50	24	18.64	18.85	18.68	20	3
20	QPSK	50	24	18.68	18.87	18.85	20	3
20	QPSK	50	24	18.87	18.81	18.77	20	3
20	QPSK	1	0	18.39	17.95	18.37	18	5
20	QPSK	1	99	17.83	17.86	17.08	18	5
20	QPSK	50	50	18.85	18.62	18.86	18	5
20	QPSK	50	24	18.84	18.60	18.75	18	5
20	QPSK	50	24	18.65	18.41	18.53	18	5
20	QPSK	100	8	18.85	18.61	18.76	18	5

Band 66_Ant 1

BW (MHz)	Modulation	RIS Size	RIS Offset	Power Low	Power Med	Power High	Time-up (min)	MPR (dB)
20	QPSK	1	0	22.23	22.23	22.23	23.5	0
20	QPSK	1	99	22.23	22.23	22.23	23.5	0
20	QPSK	50	24	21.35	21.48	21.38	22.5	1
20	QPSK	50	24	21.22	21.89	21.21	22.5	1
20	QPSK	50	24	21.38	21.50	21.33	22.5	1
20	QPSK	1	0	21.34	21.72	21.59	22.5	1
20	QPSK	1	99	21.42	21.82	21.45	22.5	1
20	QPSK	50	50	20.43	20.40	20.59	21.5	2
20	QPSK	50	50	20.52	20.51	20.40	21.5	2
20	QPSK	100	8	20.25	20.51	20.35	21.5	2
20	QPSK	100	8	20.26	20.53	20.31	21.5	2
20	QPSK	1	99	20.44	20.53	20.44	21.5	2
20	QPSK	1	99	20.46	20.54	20.48	21.5	2
20	QPSK	50	24	19.30	19.52	19.32	20.5	3
20	QPSK	50	24	19.23	19.54	19.51	20.5	3
20	QPSK	50	24	19.43	19.44	19.39	20.5	3
20	QPSK	1	0	17.56	17.76	17.61	18.5	5
20	QPSK	1	99	17.86	17.77	17.84	18.5	5
20	QPSK	50	50	17.86	17.77	17.78	18.5	5
20	QPSK	50	24	17.27	17.41	17.30	18.5	5
20	QPSK	50	24	17.52	17.82	17.46	18.5	5
20	QPSK	100	8	17.53	17.82	17.47	18.5	5
20	QPSK	100	8	17.53	17.85	17.48	18.5	5

Band 66_Ant 2

BW (MHz)	Modulation	RIS Size	RIS Offset	Power Low	Power Med	Power High	Time-up (min)	MPR (dB)
20	QPSK	1	0	23.02	23.12	23.02	24	0
20	QPSK	1	99	23.11	23.19	23.01	24	0
20	QPSK	50	24	22.18	22.22	22.03	24	0
20	QPSK	50	24	22.12	22.2	22.04	24	0
20	QPSK	50	24	22.18	22.21	21.94	24	0
20	QPSK	50	24	22.12	22.2	21.95	24	0
20	QPSK	50	24	22.25	22.37	22.16	24	0
20	QPSK	50	24	22.25	22.09	21.93	24	0
20	QPSK	50	24	21.11	21.12	21.04	24	0
20	QPSK	50	24	21.01	21.16	21.02	24	0
20	QPSK	50	24	21.12	21.17	20.94	24	0
20	QPSK	100	8	21.08	21.13	20.95	24	0
20	QPSK	100	8	21.03	21.13	20.98	24	0
20	QPSK	100	8	21.15	21.28	21.09	24	0
20	QPSK	1	99	21.18	21.19	20.91	24	0
20	QPSK	1	99	21.07	21.13	20.92	24	0
20	QPSK	50	24	20.08	20.14	20.02	21	3
20	QPSK	50	24	20.08	20.17	19.89	21	3
20	QPSK	100	8	20.03	20.11	19.98	21	3
20	QPSK	1	99	17.91	17.97	17.82	19	5
20	QPSK	1	99	17.91	17.85	17.84	19	5
20	QPSK	50	50	17.91	17.85	17.83	19	5
20	QPSK	50	24	17.83	17.96	18.07	19	5
20	QPSK	100	8	17.83	17.96	17.84	19	5

Band 66_Ant 3

BW (MHz)	Modulation	RIS Size	RIS Offset	Power Low	Power Med	Power High	Time-up (min)	MPR (dB)
20	QPSK	1	0	22.13	22.19	22.24	24	0
20	QPSK	1	99	22.22	22.28	22.21	24	0
20	QPSK	50	24	21.09	21.32	21.41	23	1
20	QPSK	50	24	21.16	21.27	21.42	23	1
20	QPSK	50	24	21.16	21.37	21.33	23	1
20	QPSK	1	0	21.09	21.48	21.50	23	1
20	QPSK	1	99	21.08	21.32	21.47	23	1
20	QPSK	50	50	20.56	20.42	20.38	22	2
20	QPSK	50	50	20.57	20.52	20.39	22	2
20	QPSK	100	8	20.29	20.43	20.39	22	2
20	QPSK	100	8	20.17	20.22	20.24	22	2
20	QPSK	100	8	20.29	20.35	20.41	22	2
20	QPSK	50	24	19.12	19.35	19.37	21	3
20	QPSK	50	24	19.12	19.23	19.44	21	3
20	QPSK	100	8	19.03	19.32	19.34	21	3
20	QPSK	1	99	17.81	17.87	17.87	19	5
20	QPSK	1	99	17.86	17.87	17.89	19	5
20	QPSK	50	50	17.86	17.87	17.83	19	5
20	QPSK	50	24	17.80	17.99	17.94	19	5
20	QPSK	50	24	17.89	17.88	17.86	19	5
20	QPSK	100	8	17.73	17.89	17.79	19	5



Reduced Power for DB1

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power High, Power High Ch. Peak, Turn-up (dB), MPR (dB). Contains data for Band 2_Ant 2.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power High, Power High Ch. Peak, Turn-up (dB), MPR (dB). Contains data for Band 2_Ant 3.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power High, Power High Ch. Peak, Turn-up (dB), MPR (dB). Contains data for Band 4_Ant 2.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power High, Power High Ch. Peak, Turn-up (dB), MPR (dB). Contains data for Band 4_Ant 3.



Band 5_Ant 0

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power Mid, Power High, Ch. Freq., TAU-up (dBm), MPR (dB). Includes sub-tables for Frequency (MHz), Channel, and Channel.

Band 5_Ant 1

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power Mid, Power High, Ch. Freq., TAU-up (dBm), MPR (dB). Includes sub-tables for Frequency (MHz), Channel, and Channel.

Band 7_Ant 0

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power Mid, Power High, Ch. Freq., TAU-up (dBm), MPR (dB). Includes sub-tables for Frequency (MHz), Channel, and Channel.

Band 7_Ant 1

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power Mid, Power High, Ch. Freq., TAU-up (dBm), MPR (dB). Includes sub-tables for Frequency (MHz), Channel, and Channel.



Band 38_Ant 3

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power, Power Ch./Freq, Power, Power Ch./Freq, Power, Power Ch./Freq, Tune-up limit (dBm), MPR (dB). Includes sub-tables for Channel, Channel, and Channel.

Band 41_Ant 0

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power, Power Ch./Freq, Power, Power Ch./Freq, Power, Power Ch./Freq, Tune-up limit (dBm), MPR (dB). Includes sub-tables for Channel, Channel, and Channel.

Band 41_Ant 1

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power, Power Ch./Freq, Power, Power Ch./Freq, Power, Power Ch./Freq, Tune-up limit (dBm), MPR (dB). Includes sub-tables for Channel, Channel, and Channel.



Reduced Power for DBS

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Channel, Power Low, Power High, Ch. Offset, Time-up (min), MPR (dB). Contains data for Band 2_Ant 2.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Channel, Power Low, Power High, Ch. Offset, Time-up (min), MPR (dB). Contains data for Band 2_Ant 3.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Channel, Power Low, Power High, Ch. Offset, Time-up (min), MPR (dB). Contains data for Band 4_Ant 2.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Channel, Power Low, Power High, Ch. Offset, Time-up (min), MPR (dB). Contains data for Band 4_Ant 3.



Table with 11 columns: BW [MHz], Modulation, RB Size, RE Offset, Power Low Ch, Power Middle Ch, Power High Ch, Turn-up Init [dBm], MPR [dB]. Includes sub-tables for Band 5_Ant 0, Band 5_Ant 1, and Band 5_Ant 2.

Table with 11 columns: BW [MHz], Modulation, RB Size, RE Offset, Power Low Ch, Power Middle Ch, Power High Ch, Turn-up Init [dBm], MPR [dB]. Includes sub-tables for Band 7_Ant 0, Band 7_Ant 1, and Band 7_Ant 2.

Table with 11 columns: BW [MHz], Modulation, RB Size, RE Offset, Power Low Ch, Power Middle Ch, Power High Ch, Turn-up Init [dBm], MPR [dB]. Includes sub-tables for Band 7_Ant 0, Band 7_Ant 1, and Band 7_Ant 2.

Table with 11 columns: BW [MHz], Modulation, RB Size, RE Offset, Power Low Ch, Power Middle Ch, Power High Ch, Turn-up Init [dBm], MPR [dB]. Includes sub-tables for Band 7_Ant 0, Band 7_Ant 1, and Band 7_Ant 2.



Reduced Power for DS4

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power High, Power High Ch. Freq., Turn-up (dB), MPR (dB). Contains data for Band 2_Ant 2.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power High, Power High Ch. Freq., Turn-up (dB), MPR (dB). Contains data for Band 2_Ant 3.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power High, Power High Ch. Freq., Turn-up (dB), MPR (dB). Contains data for Band 4_Ant 2.

Table with columns: BW (MHz), Modulation, RB Size, RB Offset, Power Low, Power High, Power High Ch. Freq., Turn-up (dB), MPR (dB). Contains data for Band 4_Ant 3.

