

Report No.: SEWM2209000170RG04

Rev.: 1 of 76 Page:

TEST REPORT

Application No.: SEWM2209000170RG

Applicant: Xiaomi Communications Co., Ltd.

#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, **Address of Applicant:**

China, 100085

Xiaomi Communications Co., Ltd. Manufacturer:

#019, 9th Floor, Building 6, 33 Xi'ergi Middle Road, Haidian District, Beijing, **Address of Manufacturer:**

China, 100085

EUT Description: Mobile Phone Model No.: 22101316G

Trade Mark: Redmi

FCC ID: 2AFZZ1316G

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

Date of Receipt: 2022/09/02

Date of Test: 2022/09/09 to 2022/09/28

Date of Issue: 2022/10/09

Test Result: PASS *

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service p overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx.and, and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the lin Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partie transaction from exercising all their rights and obligations under the transaction document. This document cannot be repro except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the company appearance of this document is unlawfull and offendars may be prospected to the fullest start of the fallest the lakes otherwise sets.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州丁业园区海胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sasgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 2 of 76

Version

Revision Record						
Version	Remark					
01		2022/10/09		Original		

Prepared By	(Tizzy Song) / Test Engineer
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 3 of 76

2 Test Summary

Test Item	FCC Rule No.	Test Method	Test Result	Result
Antenna Requirement	15.203/15.247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013 Section 6.2	Clause 4.2	PASS
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013 Section11.9.2.3	Clause 4.4	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10 2013 Section 11.8 Option 2 / 6.9.3	Clause 4.5	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10 2013 Section 11.10.2	Clause 4.6	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013 Section 11.11	Clause 4.7	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013 Section 11.11	Clause 4.8	PASS
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10 2013 Section 11.12	Clause 4.9	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10 2013 Section 11.12	Clause 4.10	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 4 of 76

Contents

1	Versio	n	2
2	Test S	dummary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment	7
	3.6	Description of Support Units	7
4	Test re	esults and Measurement Data	8
	4.1	Antenna Requirement	8
	4.2	AC Power Line Conducted Emissions	9
	4.3	Duty Cycle	13
	4.4	Conducted Output Power	14
	4.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15
	4.6	Power Spectral Density	16
	4.7	Band-edge for RF Conducted Emissions	17
	4.8	RF Conducted Spurious Emissions	18
	4.9	Radiated Spurious Emissions	19
	4.10	Restricted bands around fundamental frequency	22
5	Measu	rement Uncertainty (95% confidence levels, k=2)	24
6	Equipr	ment List	25
7	Photo	graphs - Setup Photos	27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 5 of 76

3 General Information

3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Tizzy Song, Lves Cheng

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 6 of 76

3.4 General Description of EUT

EUT Description:	Mobile Phone					
Model No.:	22101316G					
Trade Mark:	Redmi	Redmi				
Hardware Version:	P2					
Software Version:	MIUI14					
IMEI:	RF Conducted	861485060061299 861485060061278 861485060061307 861485060061378				
	RSE & AC power line	861485060084416 861485060084424				
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.					
Bluetooth version:	Bluetooth V5.2					
Modulation Type:	GFSK					
Number of Channel:	40					
Datas T at.	⊠Provided by client					
Rates Type*:	1M PHY 2M PHY					
Antenna Type:	PIFA Antenna					
	-0.34dBi(Ant1)					
Antenna Gain:	Note: The antenna gain are derived from the gain information report provided by the manufacturer.					
RF Cable:	1dB					

Note: *Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information , SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing funsection reports & certificate please contact us at telephone (86-755)83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 7 of 76

	Operation Frequency of each channel							
Channel	nannel Frequency Channel		Frequency	Channel	Frequency	Channel	Frequency	
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz	
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz	
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz	
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz	
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz	
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz	
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz	
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz	
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz	
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz	

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz

3.5 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests				
Relative Humidity	44-46 % RH Ambient				
Value	Temperature(°C) Voltage(V)				
NTNV	22~23 3.87				

Remark:

NV: Normal VoltageNT: Normal Temperature

3.6 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fiee Trade Zone 215000 中国 - 苏州 - 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 8 of 76 Page:

Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is PIFA Antenna and no consideration of replacement. The best case gain of the antenna is -0.34dBi(Ant1). *

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability reliability or/and integrity of the information.



otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed f, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, to Terms and Conditions for Electronic Documents at https://www.sps.com/en/Terms-and-Conditions/Terms-en-Document.aspx, is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a tion from exercising all their rights and obligations under the transaction documents. This document not be reproduced in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ance of this document is unlawful and offenders may be prosecuted to the fullest extent of the .Unless otherwise stated the shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

On: To check the authenticity of testing inspection report & certificate, please contact us telephone; (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 9 of 76

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207					
Test Method:	ANSI C63.10: 2013 Section 6.2					
Test Frequency Range:	150kHz to 30MHz					
Receiver Setup:	RBW = 9kHz, VBW = 30)kHz				
Limit:	Frequency range(MHz) Limit (dBuV)					
	Frequency range(MHZ)	Quasi-peak	Average			
	0.15-0.5	66 to 56*	56 to 46*			
	0.5-5	56	46			
	5-30	60	50			
	* Decreases with the log	arithm of the frequency.				
Test Procedure:	The mains terminal di room.	sturbance voltage test was co	onducted in a shielded			
	 room. 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane. 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to 					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Conditions/Terms

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980

t (86–512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 10 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWM2209000170RG04

Rev.: 01 Page: 11 of 76

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission



Fina	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.4740	10.59	10.57	21.16	56.44	35.28	1.28	11.87	46.44	34.57	PASS
2	0.7080	10.57	18.20	28.77	56.00	27.23	4.75	15.32	46.00	30.68	PASS
3	1.0455	10.56	10.55	21.11	56.00	34.89	2.89	13.45	46.00	32.55	PASS
4	2.6475	10.66	5.34	16.00	56.00	40.00	-0.35	10.31	46.00	35.69	PASS
5	4.4250	10.69	7.72	18.41	56.00	37.59	1.68	12.37	46.00	33.63	PASS
6	9.1770	10.66	13.25	23.91	60.00	36.09	6.14	16.80	50.00	33.20	PASS
D				·			·	·	·	·	

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$3071443.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Bangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 12 of 76



Final	l Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.5055	10.80	11.01	21.81	56.00	34.19	1.75	12.55	46.00	33.45	PASS
2	0.7215	10.81	13.07	23.88	56.00	32.12	1.18	11.99	46.00	34.01	PASS
3	2.0715	10.77	6.56	17.33	56.00	38.67	0.18	10.95	46.00	35.05	PASS
4	3.5340	10.67	5.94	16.61	56.00	39.39	0.36	11.03	46.00	34.97	PASS
5	9.2760	10.64	13.71	24.35	60.00	35.65	6.30	16.94	50.00	33.06	PASS
6	20.5395	10.40	6.01	16.41	60.00	43.59	0.35	10.75	50.00	39.25	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate_please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.:

Page: 13 of 76

4.3 Duty Cycle

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980


t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 14 of 76

4.4 Conducted Output Power






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comments/Terms-en/Com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 15 of 76

4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 16 of 76

4.6 Power Spectral Density





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$3071443,



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 17 of 76

4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	ANSI C63.10: 2013 Section 11.11				
Test Setup:	PC Spectrum Analyzer				
Instruments Used:	Refer to section 6 for details				
Test Mode:	Transmitting with GFSK modulation.				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 18 of 76

4.8 RF Conducted Spurious Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro




Report No.: SEWM2209000170RG04

Rev.: 01 Page: 19 of 76

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10 :2013 Sec	ANSI C63.10 :2013 Section 11.12						
Test Site:	Measurement Distance:	3m (Semi-Anecho	ic Chamber)					
Test Frequency:	9kHz ~ 25GHz							
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)			
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz	30	-	-	30			
	30MHz-88MHz	100	40.0	Quasi-peak	3			
	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz	500	54.0	Average	3			
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.							

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing (inspection report & certificate please contact us at telephone; (86-755) \$30.71443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 20 of 76




Figure 3. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- i. Repeat above procedures until all frequencies measured was complete.
- j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
- k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
- I. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

Test Configuration:

Measurements Below 1000MHz

- RBW = 120 kHz
- VBW = 300 kHz
- Detector = Peak
- Trace mode = max hold



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, Chira (Jiangsu) Pikt Free Trade Zone 215000 中国 - 苏州 - 中国(汀苏)自由贸易试验区苏州上区苏州丁學园区巡路路(号的公号厂房亩器 邮编: 215000

t (86–512) 62992980 v t (86–512) 62992980 s

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 21 of 76

	Fage. 210176
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	• VBW ≥ [3 *RBW]
	• Detector = RMS (power averaging), if span / (# of points in sweep) ≤ (RBW / 2). Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
	Sweep time = auto
	Perform a trace average of at least 100 traces.
Exploratory Test	Transmitting with GFSK modulation.
Mode:	Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode,
	For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com




Report No.: SEWM2209000170RG04

Rev.: 01 Page: 22 of 76

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10: 2013 Section	ANSI C63.10: 2013 Section 11.12					
Test Site:	Measurement Distance: 3m	Measurement Distance: 3m (Semi-Anechoic Chamber)					
Limit:	Frequency	Limit (dBuV/m)	Remark				
	30MHz-88MHz	40.0	Quasi-peak				
	88MHz-216MHz	43.5	Quasi-peak				
	216MHz-960MHz	46.0	Quasi-peak				
	960MHz-1GHz	54.0	Quasi-peak				
	Above 4011=	54.0	Average Value				
	Above 1GHz	74.0	Peak Value				

Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agox and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.agox. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 23 of 76 Page:

	 bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW ≥ [3 *RBW] • Detector = RMS (power averaging), if span / (# of points in sweep) ≤ (RBW / 2). Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak. • Sweep time = auto • Perform a trace average of at least 100 traces.
Exploratory Test Mode:	Transmitting with GFSK modulation. Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data see	e: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 24 of 76

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±1.0 %
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±1.0 %
7	Conduction Emission	± 2.90dB (150kHz to 30MHz)
		± 3.13dB (9k -30MHz)
8	Radiated Emission	± 4.80dB (30M -1GHz)
0	Radiated Effission	± 4.80dB (1GHz to 18GHz)
		± 4.80dB (Above 18GHz)

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 25 of 76

6 Equipment List

	RF Test Equipment									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07					
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2022/02/16	2023/02/15					
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2022/05/17	2023/05/16					
Measurement Software	Tonscend	JS1120-3 Test System V3.1.55	SUWI-02-09-09	NCR	NCR					
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27					
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2022/02/15	2023/02/14					
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2021/12/04	2022/12/03					
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2021/12/04	2022/12/03					
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2022/02/15	2023/02/14					
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-16-05	2022/02/14	2023/02/13					
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2022/02/14	2023/02/13					

	CE Test System							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date			
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/05/08	2024/05/07			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-01	2022/02/16	2023/02/15			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2022/02/16	2023/02/15			
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/02/16	2023/02/15			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2022/02/16	2023/02/15			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 26 of 76

PSF Tool System								
		RSE Test Sy	/stem					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)			
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2022/02/16	2023/02/15			
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27			
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2021/12/04	2022/12/03			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/02/19	2023/02/18			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/05/16	2023/05/15			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/05/16	2023/05/15			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/05/14	2023/05/13			
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2022/02/14	2023/02/13			
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2022/02/14	2023/02/13			
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2022/02/19	2023/02/18			
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/06/10	2023/06/09			
Measurement Software	Tonscend	JS32-RSE V4.0.0.0	SUWI-02-09-06	NCR	NCR			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.:

Page: 27 of 76

7 **Photographs - Setup Photos**

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG04

Rev.:

Page: 28 of 76

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG04

Rev.:

Page: 29 of 76

DTS Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.68	2401.66	2402.34	≥0.5	PASS
BLE_1M	Ant1	2440	0.68	2439.66	2440.34	≥0.5	PASS
_		2480	0.68	2479.65	2480.34	≥0.5	PASS
BLE_2M	Ant1	2402	1.19	2401.40	2402.59	≥0.5	PASS
		2440	1.19	2439.40	2440.59	≥0.5	PASS
		2480	1.24	2479.35	2480.59	≥0.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2209000170RG04

Rev.: 01

Page: 30 of 76

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

or email: CN_Doccheck@sgs_com | Sodn dhk, 6 Fixth, th, Runsheng Road, Subtou Indastali Park, Subtou Area, China (Jangsu) Pkd Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易は強区苏州上区苏州工业国区到胜路(号約6号厂房南部 鄭樂: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 31 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C





Rev.: 01 Page: 32 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01

Page: 33 of 76

Occupied Channel Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	1.023	2401.491	2402.514		
BLE_1M	Ant1	2440	1.022	2439.490	2440.512		
		2480	1.023	2479.489	2480.511		
		2402	2.042	2400.993	2403.035		
BLE_2M	Ant1	2440	2.041	2438.992	2441.033		
		2480	2.043	2478.986	2481.029		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com




Report No.: SEWM2209000170RG04

Rev.: 01

Page: 34 of 76

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C

or email: CN. <u>Doccheck@sgs.com</u> Soundrika Fibru, h. [Anshare] pool, Johno Indatafel Park, Suchou Area, China (Jängsi) Pkt Free Trade Zone 215000 中国・苏州・中国(江苏)自由関系试验区苏州上区苏州工业国区河胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 35 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Document as thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention:Doc neck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

or email: CN. <u>Doccheck@sgs.com</u> Soundrika Fibru, h. [Anshare] pool, Johno Indatafel Park, Suchou Area, China (Jängsi) Pkt Free Trade Zone 215000 中国・苏州・中国(江苏)自由関系试验区苏州上区苏州工业国区河胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 36 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Document as thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:Doc neck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

or email: CN_Doccheck@sgs_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWM2209000170RG04

Rev.:

Page: 37 of 76

Maximum conducted output power **Test Result Peak**

TestMode	Antenna	Frequency[MHz]	Conducted Peak Powert[dBm]	Conducted Limit[dBm]	Verdict
		2402	7.54	≤30	PASS
BLE_1M	Ant1	2440	8.57	≤30	PASS
		2480	7.29	≤30	PASS
		2402	7.52	≤30	PASS
BLE_2M	Ant1	2440	8.59	≤30	PASS
		2480	7.42	≤30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01

Page: 38 of 76

Maximum power spectral density Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
		2402	-9.36	≤8.00	PASS
BLE_1M	Ant1	2440	-8.48	≤8.00	PASS
		2480	-9.59	≤8.00	PASS
		2402	-11.29	≤8.00	PASS
BLE_2M	Ant1	2440	-10.36	≤8.00	PASS
		2480	-11.62	≤8.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

or email: CM_Doccheck@sgs.com Sudnifhko Fight, No, Hunsheng most, Juston Jus




Report No.: SEWM2209000170RG04

Rev.: 01

Page: 39 of 76

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later eland such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ass.com

or email: CM_Doccheck@egs.com Sudnith& Feyn, tho. (Runsherg Read, Sudou Indasteil Park, Sudrou Area, China (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路1号的6号「房南部 邮集: 215000





Rev.: 01 Page: 40 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Document as thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention:Doc neck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

or email: CN.Doccheck@sgs.com Sound No. Flext, No. 1, Runsheng Rost, Soubu Indxish Park, Suchou Area, Clinie (Jängsu) Plot Free Trade Zone 中国 - 苏州 - 中国 (丁苏) 自由贸易试验区苏州十区苏州工业园区润胜路1号的6千 房南部 邮集 215000





Rev.: 01 Page: 41 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Document as thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:Doc neck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

or email: CN_Doccheck@sgs_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000




Report No.: SEWM2209000170RG04

Rev.: 01

Page: 42 of 76

Band edge measurements Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject

or email: CN. <u>Doccheck@sgs.com</u> Soundriva Fiehtu, 1, Runsheng Rost, Judou Indastriel Park, Suchou Area, China (Jängsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的5号 房南部 鄭線: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 43 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C

or email: CM_Doccheck@egs.com South of No. Plant, No. 1, Runsheny Road, Subtou Industrial Park, Subtou Area, China (Mangsu) Plot Free Trade Zone 中国 苏州・中国(江苏)自由贸易试验区苏州广区苏州工业园区周胜数1号的号厂房南部 鄭樂: 215000




Report No.: SEWM2209000170RG04

Rev.: 01

Page: 44 of 76

Conducted Spurious Emission Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents as the subject to Terms and Conditions [Felectronic Document as full the subject to Terms and Conditions for Electronic Document as full the subject to the subject to the subject of the subject on the subject of the subject of the subject on the subject of the subject of the subject of the subject on the subject of the subject on the subject of the subject of the subject of the subject of the subject on the subject of the subject of the subject on the subject of the s



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 45 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 46 of 76






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

or email: CN_Doccheck@sgs_com Subnit Vla. Filtr. th. 1, Rursheng Rout, Subnou Indastel Park, Subnou Area, China (Jängsa) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号「房南部 鄭塢: 215000





Rev.: 01 Page: 47 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

or email: CN_Doccheck@sgs.com South of No.6 Pleat, No.1, Runsheng Rose, Southon Marke Pleat, Suchou Area, Chine (Aiangsu) Plat Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州十区苏州工业园区沟胜路(号的6号) 房南部 単築: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 48 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later eland such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ass.com

or email: CM_Doccheck@egs.com Sudnith& Feyn, tho. (Runsherg Read, Sudou Indasteil Park, Sudrou Area, China (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路1号的6号「房南部 邮集: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 49 of 76






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

or email: CN_Doccheck@sgs_com | 20nd r/Na. Fiyuk, Ni, Runshang Road, 20ndun Indastalei Park, Suchou Area, China (Jiangsi) PM Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业国区海胜数1号的6号厂房南部 邮線: 215000





Rev.: 01 Page: 50 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

or email: CN_Doccheck@sgs_com Subnit Vla. Filtr. th. 1, Rursheng Rout, Subnou Indastel Park, Subnou Area, China (Jängsa) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号「房南部 鄭塢: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 51 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

or email: CN. Doccheck@sgs.com Soundriko Finku h. (Runshang Rook) Lobroul Indahari Park, Suchou Area, Chira (Jiangsu) Pikt Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 邮集: 215000



Report No.: SEWM2209000170RG04

Rev.: 01 Page: 52 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C

or email: CM_Doccheck@egs.com Sudnith& Feyn, tho. (Runsherg Read, Sudou Indasteil Park, Sudrou Area, China (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路1号的6号「房南部 邮集: 215000



Report No.: SEWM2209000170RG04

Rev.: 01

Page: 53 of 76

Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	2.13	2.50	85.20	0.70
BLE_2M	Ant1	2402	1.07	1.88	56.91	2.45



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com



Report No.: SEWM2209000170RG04

Rev.: 01

Page: 54 of 76

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.

or email: <u>CM_DOCCHECK@segs_com</u> South がM.6 Pister M.6, Tunshrey nead, Subruh Indistrial Park, Suzhou Area, China (Airqsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏)自由贸易试验区苏州片区苏州工业园区周胜路(号的0号厂房南部 邮集: 215000




Report No.: SEWM2209000170RG04

Rev.: 01 Page: 55 of 76

Radiated Spurious Emissions Radiated emission below 1GHz

Worst case Mode: BLE 1M _ Channel 00




Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	37.5175	36.13	-36.38	13.73	13.49	40.00	26.51	215	218	Horizontal
2	92.3225	44.26	-36.27	9.60	17.59	43.50	25.91	142	325	Horizontal
3	184.23	49.12	-35.31	13.67	27.48	43.50	16.02	136	357	Horizontal
4	290.2025	50.03	-34.06	12.56	28.53	46.00	17.47	269	3	Horizontal
5	338.7025	43.02	-34.10	13.60	22.52	46.00	23.48	155	12	Horizontal
6	386.7175	41.22	-33.46	14.50	22.26	46.00	23.74	191	197	Horizontal





Report No.: SEWM2209000170RG04

Rev.: 01 Page: 56 of 76



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	46.49	46.13	-36.19	13.62	23.56	40.00	16.44	255	177	Vertical
2	70.4975	47.13	-36.48	10.74	21.40	40.00	18.60	142	138	Vertical
3	77.045	56.29	-35.89	9.74	30.14	40.00	9.86	136	134	Vertical
4	116.0875	50.16	-36.15	11.81	25.82	43.50	17.68	266	146	Vertical
5	187.3825	48.19	-35.37	12.92	25.74	43.50	17.76	199	146	Vertical
6	290.445	42.11	-34.06	12.56	20.61	46.00	25.39	147	73	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading(dB μ V) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Value($dB\mu V/m$)

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro

or email: <u>CN.Doccheck@sgs.com</u> South of No.Fleat, No.1, Runsheng Rose, Subrou Industrial Park, Suchou Area, China (Jángsu) Plot Free Trade Zune 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州 | 上型园区湾胜路(号龄6号厂房南部 邮编: 215000




Report No.: SEWM2209000170RG04

Rev.: 01 Page: 57 of 76

Transmitter emission Above 1GHz

BLE 1M Channel 00



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4804.0000	48.18	32.33	-45.54	34.97	74.00	39.03	168	336	Horizontal		
2	4804.0000	39.68	32.33	-45.54	26.47	54.00	27.53	125	354	Horizontal		
3	7206.0000	36.26	36.60	-43.44	29.42	54.00	24.58	133	56	Horizontal		
4	7206.0000	45.15	36.60	-43.44	38.31	74.00	35.69	145	28	Horizontal		
5	9608.0000	39.36	38.43	-39.65	38.14	74.00	35.86	195	112	Horizontal		
6	9608.0000	31.08	38.43	-39.65	29.86	54.00	24.14	147	196	Horizontal		






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 58 of 76

BLE 1M_Channel 00



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4804.0000	46.92	32.33	-45.54	33.71	74.00	40.29	254	4	Vertical			
2	4804.0000	40.06	32.33	-45.54	26.85	54.00	27.15	145	355	Vertical			
3	7206.0000	44.51	36.60	-43.44	37.67	74.00	36.33	126	28	Vertical			
4	7206.0000	36.84	36.60	-43.44	30.00	54.00	24.00	136	355	Vertical			
5	9608.0000	40.85	38.43	-39.65	39.63	74.00	34.37	298	196	Vertical			
6	9608.0000	31.72	38.43	-39.65	30.50	54.00	23.50	222	307	Vertical			






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 59 of 76

BLE 1M_Channel 19



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4880.0000	49.15	32.54	-45.53	36.16	74.00	37.84	124	55	Horizontal		
2	4880.0000	41.11	32.54	-45.53	28.12	54.00	25.88	192	251	Horizontal		
3	7320.0000	45.42	36.53	-43.68	38.27	74.00	35.73	185	55	Horizontal		
4	7320.0000	35.91	36.53	-43.68	28.76	54.00	25.24	173	55	Horizontal		
5	9760.0000	35.69	38.26	-39.46	34.49	74.00	39.51	146	166	Horizontal		
6	9760.0000	26.88	38.26	-39.46	25.68	54.00	28.32	211	280	Horizontal		






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 60 of 76

BLE 1M_Channel 19



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4880.0000	49.03	32.54	-45.53	36.04	74.00	37.96	155	226	Vertical			
2	4880.0000	40.89	32.54	-45.53	27.90	54.00	26.10	281	57	Vertical			
3	7320.0000	35.78	36.53	-43.68	28.63	54.00	25.37	142	222	Vertical			
4	7320.0000	44.04	36.53	-43.68	36.89	74.00	37.11	146	139	Vertical			
5	9760.0000	34.97	38.26	-39.46	33.77	74.00	40.23	269	305	Vertical			
6	9760.0000	26.88	38.26	-39.46	25.68	54.00	28.32	136	139	Vertical			






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 61 of 76

BLE 1M_Channel 39



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4960.0000	47.95	32.77	-45.60	35.12	74.00	38.88	125	196	Horizontal		
2	4960.0000	40.54	32.77	-45.60	27.71	54.00	26.29	158	360	Horizontal		
3	7440.0000	45.08	36.47	-43.30	38.25	74.00	35.75	145	56	Horizontal		
4	7440.0000	37.33	36.47	-43.30	30.50	54.00	23.50	172	279	Horizontal		
5	9920.0000	36.78	38.38	-39.31	35.85	74.00	38.15	268	305	Horizontal		
6	9920.0000	29.15	38.38	-39.31	28.22	54.00	25.78	193	111	Horizontal		






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 62 of 76

BLE 1M_Channel 39



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4960.0000	48.97	32.77	-45.60	36.14	74.00	37.86	226	55	Vertical		
2	4960.0000	40.87	32.77	-45.60	28.04	54.00	25.96	185	250	Vertical		
3	7440.0000	44.76	36.47	-43.30	37.93	74.00	36.07	125	278	Vertical		
4	7440.0000	37.65	36.47	-43.30	30.82	54.00	23.18	149	140	Vertical		
5	9920.0000	36.55	38.38	-39.31	35.62	74.00	38.38	145	140	Vertical		
6	9920.0000	28.02	38.38	-39.31	27.09	54.00	26.91	172	166	Vertical		






Report No.: SEWM2209000170RG04

Rev.: Page: 63 of 76

BLE 2M_Channel 00



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4804.0000	48.00	32.33	-45.54	34.79	74.00	39.21	256	195	Horizontal		
2	4804.0000	39.22	32.33	-45.54	26.01	54.00	27.99	125	337	Horizontal		
3	7206.0000	45.51	36.60	-43.44	38.67	74.00	35.33	148	251	Horizontal		
4	7206.0000	37.38	36.60	-43.44	30.54	54.00	23.46	147	56	Horizontal		
5	9608.0000	40.29	38.43	-39.65	39.07	74.00	34.93	196	280	Horizontal		
6	9608.0000	31.74	38.43	-39.65	30.52	54.00	23.48	130	167	Horizontal		






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 64 of 76

BLE 2M_Channel 00



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4804.0000	47.69	32.33	-45.54	34.48	74.00	39.52	216	221	Vertical				
2	4804.0000	39.08	32.33	-45.54	25.87	54.00	28.13	175	360	Vertical				
3	7206.0000	45.29	36.60	-43.44	38.45	74.00	35.55	158	84	Vertical				
4	7206.0000	37.25	36.60	-43.44	30.41	54.00	23.59	142	279	Vertical				
5	9608.0000	38.94	38.43	-39.65	37.72	74.00	36.28	149	250	Vertical				
6	9608.0000	31.51	38.43	-39.65	30.29	54.00	23.71	130	353	Vertical				






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 65 of 76

BLE 2M_Channel 19



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4880.0000	49.29	32.54	-45.53	36.30	74.00	37.70	211	141	Horizontal				
2	4880.0000	40.99	32.54	-45.53	28.00	54.00	26.00	172	57	Horizontal				
3	7320.0000	44.29	36.53	-43.68	37.14	74.00	36.86	269	169	Horizontal				
4	7320.0000	36.79	36.53	-43.68	29.64	54.00	24.36	143	307	Horizontal				
5	9760.0000	33.69	38.26	-39.46	32.49	74.00	41.51	281	353	Horizontal				
6	9760.0000	26.53	38.26	-39.46	25.33	54.00	28.67	216	336	Horizontal				






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 66 of 76

BLE 2M_Channel 19



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4880.0000	49.21	32.54	-45.53	36.22	74.00	37.78	215	141	Vertical				
2	4880.0000	40.30	32.54	-45.53	27.31	54.00	26.69	175	338	Vertical				
3	7320.0000	36.98	36.53	-43.68	29.83	54.00	24.17	142	167	Vertical				
4	7320.0000	44.93	36.53	-43.68	37.78	74.00	36.22	168	225	Vertical				
5	9760.0000	35.46	38.26	-39.46	34.26	74.00	39.74	149	225	Vertical				
6	9760.0000	26.82	38.26	-39.46	25.62	54.00	28.38	108	354	Vertical				






Report No.: SEWM2209000170RG04

Rev.: 01

Page: 67 of 76

BLE 2M_Channel 39



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4960.0000	47.71	32.77	-45.60	34.88	74.00	39.12	165	54	Horizontal				
2	4960.0000	39.31	32.77	-45.60	26.48	54.00	27.52	142	359	Horizontal				
3	7440.0000	36.95	36.47	-43.30	30.12	54.00	23.88	133	359	Horizontal				
4	7440.0000	44.78	36.47	-43.30	37.95	74.00	36.05	145	222	Horizontal				
5	9920.0000	35.17	38.38	-39.31	34.24	74.00	39.76	291	353	Horizontal				
6	9920.0000	28.45	38.38	-39.31	27.52	54.00	26.48	216	139	Horizontal				






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 68 of 76

BLE 2M_Channel 39



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.0000	47.73	32.77	-45.60	34.90	74.00	39.10	215	55	Vertical
2	4960.0000	40.79	32.77	-45.60	27.96	54.00	26.04	236	352	Vertical
3	7440.0000	37.43	36.47	-43.30	30.60	54.00	23.40	255	194	Vertical
4	7440.0000	44.52	36.47	-43.30	37.69	74.00	36.31	145	222	Vertical
5	9920.0000	36.58	38.38	-39.31	35.65	74.00	38.35	216	222	Vertical
6	9920.0000	29.08	38.38	-39.31	28.15	54.00	25.85	185	194	Vertical

Remark:

 The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dB μ V) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro




Report No.: SEWM2209000170RG04

Rev.: 01

Page: 69 of 76

Restricted bands around fundamental frequency

BLE 1M_Channel 00



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2374.8267	39.53	27.43	-23.57	43.38	74.00	30.62	169	250	Horizontal			
2	2375.5633	27.78	27.43	-23.57	31.64	54.00	22.36	169	250	Horizontal			
3	2384.9233	27.63	27.43	-23.57	31.49	54.00	22.51	169	250	Horizontal			
4	2387.22	39.88	27.43	-23.57	43.74	74.00	30.26	169	250	Horizontal			






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 70 of 76

BLE 1M_Channel 00



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2375.52	39.34	27.43	-23.57	43.20	74.00	30.80	216	320	Vertical				
2	2379.68	27.61	27.43	-23.57	31.47	54.00	22.53	216	320	Vertical				
3	2385.4867	39.78	27.43	-23.57	43.64	74.00	30.36	216	320	Vertical				
4	2386.31	27.67	27.43	-23.57	31.53	54.00	22.47	216	320	Vertical				






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 71 of 76

BLE 1M_Channel 39



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2484.085	39.37	27.72	-23.54	43.54	74.00	30.46	129	303	Horizontal			
2	2484.4	29.20	27.72	-23.54	33.37	54.00	20.63	129	303	Horizontal			
3	2485.6525	39.39	27.72	-23.54	43.57	74.00	30.43	129	303	Horizontal			
4	2486.2825	28.30	27.72	-23.54	32.48	54.00	21.52	129	303	Horizontal			






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 72 of 76

BLE 1M_Channel 39



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2483.8375	29.45	27.72	-23.54	33.62	54.00	20.38	294	145	Vertical			
2	2484.0175	39.16	27.72	-23.54	43.33	74.00	30.67	294	145	Vertical			
3	2486.9575	28.00	27.73	-23.54	32.18	54.00	21.82	294	145	Vertical			
4	2487.6925	39.13	27.73	-23.54	43.32	74.00	30.68	294	145	Vertical			






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 73 of 76

BLE 2M_Channel 00



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2378.51	39.61	27.43	-23.57	43.47	74.00	30.53	266	200	Horizontal				
2	2383.32	27.66	27.43	-23.57	31.52	54.00	22.48	266	200	Horizontal				
3	2388.0867	27.80	27.43	-23.57	31.66	54.00	22.34	266	200	Horizontal				
4	2388.4333	38.83	27.43	-23.57	42.69	74.00	31.31	266	200	Horizontal				






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 74 of 76

BLE 2M_Channel 00



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2383.6233	27.73	27.43	-23.57	31.59	54.00	22.41	211	20	Vertical				
2	2383.71	40.72	27.43	-23.57	44.58	74.00	29.42	211	20	Vertical				
3	2388.5633	27.96	27.43	-23.57	31.82	54.00	22.18	211	20	Vertical				
4	2389.5167	40.05	27.43	-23.57	43.91	74.00	30.09	211	20	Vertical				






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 75 of 76

BLE 2M_Channel 39



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2483.59	44.80	27.72	-23.54	48.97	74.00	25.03	213	273	Horizontal				
2	2483.695	36.67	27.72	-23.54	40.84	54.00	13.16	213	273	Horizontal				
3	2483.9725	34.02	27.72	-23.54	38.19	54.00	15.81	213	273	Horizontal				
4	2485.5325	39.17	27.72	-23.54	43.35	74.00	30.65	213	273	Horizontal				






Report No.: SEWM2209000170RG04

Rev.: 01 Page: 76 of 76

BLE 2M_Channel 39



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.665	34.58	27.72	-23.54	38.75	54.00	15.25	266	262	Vertical
2	2483.71	42.23	27.72	-23.54	46.40	74.00	27.60	266	262	Vertical
3	2484.715	28.68	27.72	-23.54	32.85	54.00	21.15	266	262	Vertical
4	2485.0675	39.16	27.72	-23.54	43.34	74.00	30.66	266	262	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro