

Report No.: SEWM2209000170RG07

Rev.: 1 of 31 Page:

TEST REPORT

SEWM2209000170RG **Application No.:**

Xiaomi Communications Co., Ltd. Applicant:

#019, 9th Floor, Building 6, 33 Xi'ergi Middle Road, Haidian District, Beijing, **Address of Applicant:**

China, 100085

Xiaomi Communications Co., Ltd. Manufacturer:

#019, 9th Floor, Building 6, 33 Xi'ergi Middle Road, Haidian District, Beijing, **Address of Manufacturer:**

China, 100085

EUT Description: Mobile Phone Model No.: 22101316G

Trade Mark: Redmi

FCC ID: 2AFZZ1316G

Standards: FCC 47 CFR Part 15, Subpart C 15.225

Date of Receipt: 2022/09/02

Date of Test: 2022/09/09 to 2022/09/28

Date of Issue: 2022/10/09

PASS * Test Result:

In the configuration tested, the EUT detailed in this report complied with the standards specified

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service p overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.apx, and, for electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the lin Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partie transaction from exercising all their rights and obligations under the transaction documents. This document cannot be repro except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the contappearance of this document is unlawful and offenders may be prosecuted to the fulliast extent of the law. Unless otherwise state results shown in this test report refer only to the sample(s) less testing the law. Only configuration of the contappearance of this document only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州丁业园区海胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sasgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG07

Rev.: Page: 2 of 31

Version 1

Revision Record								
Version	Version Chapter Date Modifier Remark							
01		2022/10/09		Original				

Prepared By	(Tizzy Song) / Test Engineer
Checked By	(Well Wei) / Reviewer





Report No.: SEWM2209000170RG07

Rev.: 01 Page: 3 of 31

2 Test Summary

Test Item	FCC Rules No.	Test Method	Test Result	Result
Antenna Requirement	15.203		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013	Clause 4.2	PASS
20dB Spectrum Bandwidth	15.215(c)	ANSI C63.10 2013	Clause 4.3	PASS
Frequency Stability	15.225(e)	ANSI C63.10 2013	Clause 4.4	PASS
Field Strength of Fundamental Emissions	15.225(a)(b)(c)	ANSI C63.10 2013	Clause 4.5	PASS
Radiated Spurious Emissions	15.225(d)/15.209	ANSI C63.10 2013	Clause 4.6	PASS





Report No.: SEWM2209000170RG07

Rev.: 01 Page: 4 of 31

Contents

1	Versi	on	2
2	Test	Summary	3
3		eral Information	
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment	7
	3.6	Description of Support Units	7
	The	EUT has been tested as an independent unit	7
4	Test	results and Measurement Data	8
	4.1	Antenna Requirement	8
	4.2	AC Power Line Conducted Emissions	9
	4.3	20dB Spectrum Bandwidth	13
	4.4	Frequency Stability	14
	4.5	Field Strength of Fundamental Emissions	15
	4.6	Radiated Spurious Emissions	17
5	Meas	surement Uncertainty (95% confidence levels, k=2)	19
6	Equip	oment List	20
7	Photo	ographs - Setup Photos	22



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later standple(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ess.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 5 of 31

3 General Information

3.1 Details of Client

Applicant: Xiaomi Communications Co., Ltd.					
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085				
Manufacturer:	Xiaomi Communications Co., Ltd.				
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085				

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.			
Address: South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Su Area, China (Jiangsu) Pilot Free Trade Zone				
Post code:	215000			
Test engineer:	Lves Cheng, Tizzy Song			

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 6 of 31

3.4 General Description of EUT

EUT Description:	Mobile Phone				
Model No.:	22101316G				
Trade Mark:	Redmi				
Hardware Version:	P2				
Software Version:	MIUI14				
INACI	RF Conducted	861485060061414 861485060061422			
IMEI:	RSE & AC power line	861485060084416 861485060084424			
Operation Frequency:	13.56MHz				
Modulation Type:	ASK				
Antenna Type: Coil Antenna					

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.





Report No.: SEWM2209000170RG07

Rev.: 01 Page: 7 of 31

3.5 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests						
Relative Humidity	44-46 % RH Ambient						
Value	Temperature(°C)	Voltage(V)					
NTNV	22~23	3.87					
LTLV	-20	3.6					
LTHV	-20	4.3					
HTLV	50	3.6					
HTHV	50	4.3					

Remark:

NV: Normal Voltage
NT: Normal Temperature
LV: Low Extreme Test Voltage
LT: Low Extreme Test Temperature
HV: High Extreme Test Voltage
HT: High Extreme Test Temperature

3.6 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit



Report No.: SEWM2209000170RG07

Rev.: 01 8 of 31 Page:

Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

The antenna of the EUT are permanently attached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

www.sgsgroup.com.cn sgs.china@sgs.com

t (86-512) 62992980

t (86-512) 62992980



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 9 of 31

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207						
Test Method:	ANSI C63.10: 2013						
Test Frequency Range:	150kHz to 30MHz						
Limit:	Frequency range(MHz)	Limit (d	BuV)				
	Frequency range(winz)	Quasi-peak	Average				
	0.15-0.5	66 to 56*	56 to 46*				
	0.5-5	56	46				
	5-30	60	50				
	* Decreases with the log	arithm of the frequency.					
Test Procedure:	The mains terminal disturbance voltage test was conducted in a shielder room.						
	 The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane. The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to 						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 10 of 31





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-

South of No. 6 Plant, No. 1, Purchang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的4号厂房南部 邮编: 215000




Report No.: SEWM2209000170RG07

Rev.: 01 Page: 11 of 31

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission



Final	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.6945	10.58	18.20	28.78	56.00	27.22	3.82	14.40	46.00	31.60	PASS
2	0.8340	10.54	12.62	23.16	56.00	32.84	0.78	11.32	46.00	34.68	PASS
3	1.3605	10.79	8.59	19.38	56.00	36.62	1.18	11.97	46.00	34.03	PASS
4	3.5205	10.71	8.96	19.67	56.00	36.33	1.87	12.58	46.00	33.42	PASS
5	4.9470	10.64	10.53	21.17	56.00	34.83	4.00	14.64	46.00	31.36	PASS
6	9.2715	10.66	13.77	24.43	60.00	35.57	6.99	17.65	50.00	32.35	PASS

Remark

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$3071443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 12 of 31



Final	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	ΑV Reading [dBμV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.6945	10.80	18.13	28.93	56.00	27.07	4.14	14.94	46.00	31.06	PASS
2	0.9195	10.74	11.90	22.64	56.00	33.36	0.18	10.92	46.00	35.08	PASS
3	1.4145	10.78	7.11	17.89	56.00	38.11	0.38	11.16	46.00	34.84	PASS
4	2.8095	10.66	7.51	18.17	56.00	37.83	0.75	11.41	46.00	34.59	PASS
5	4.8975	10.64	10.50	21.14	56.00	34.86	4.33	14.97	46.00	31.03	PASS
6	9.2445	10.64	13.96	24.60	60.00	35.40	7.11	17.75	50.00	32.25	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate_please contact us at telephone (86-755) \$3071443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 13 of 31

4.3 20dB Spectrum Bandwidth







Report No.: SEWM2209000170RG07

Rev.: 01 Page: 14 of 31

4.4 Frequency Stability

Test Requirement:	47 CFR Part 15C Section 15.225(e)							
Test Method:	ANSI C63.10: 2013 Section 6.8							
Test Setup:	PC Spectrum Analyzer Spectrum Analyzer Fr Control Unit Filter Group Communication Communic							
Instruments Used:	Refer to section 6 for details							
Limit:	The frequency tolerance of the carrier signal shall be maintained within +/-0.01% (100ppm) of the operating frequency over a temperature variation of -20 degrees to +50 degrees C at normal supply voltage, and for a variation in the primary supply voltage from 85% to 115% of the rated supply voltage at a temperature of 20 degrees C. For battery operated equipment, the equipment tests shall be performed using a new battery.							
Test Results:	Pass							
The detailed test data see: A	ppendix							





Report No.: SEWM2209000170RG07

Rev.: 01 Page: 15 of 31

4.5 Field Strength of Fundamental Emissions

	<u> </u>								
Test Requirement:	47 CFR Part 15C Section	47 CFR Part 15C Section 15.225							
Test Method:	ANSI C63.10 :2013 Sec	tion 6.4.7							
Test Site:	Measurement Distance:	3m (Semi-Anecho	ic Chamber)						
Limit:	Frequency	Field Strength (μV/m) at 30m	Field Strength (dBµV/m) at 30m	Field Strength (dBµV/m) at 10m	Field Strength (dBµV/m) at 3m				
	1.705~13.110 MHz	30	29.5	48.58	69.5				
	13.110-13.410 MHz	106	40.5	59.58	80.5				
	13.410-13.553 MHz	334	50.5	69.58	90.5				
	13.553-13.567 MHz	15,848	84.0	103.08	124.0				
	13.567-13.710 MHz	334	50.5	69.58	90.5				
	13.710-14.010 MHz	106	40.5	59.58	80.5				
	14.010~30.000 MHz	30	29.5	48.58	69.5				

Test Setup:




Figure 1. Below 30MHz

Test Procedure:

- a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest sterior to the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report) & certificities, please contact us at telephone (86-755) \$3071443.

South of No. Float, No. 1, Runshang Road, Sudou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由限易试验区苏州片区苏州工业园区润胜路(号的6号厂房商部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 16 of 31

	1 ago: 10 0.01					
	 f. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. g. Repeat above procedures until all frequencies measured was complete. h. RBW set to 9kHz. 					
Exploratory Test Mode:	Transmitting with modulation. Charge + Transmitting mode.					
Final Test Mode:	Transmitting with modulation. Pretest the EUT at Charge + Transmitting mode.Only the worst case is recorded in the report.					
Instruments Used:	Refer to section 6 for details					
Test Results:	Pass					
The detailed test data see: Appendix						






Report No.: SEWM2209000170RG07

Rev.: 01 Page: 17 of 31

4.6 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	47 CFR Part 15C Section 15.209 and 15.225								
Test Method:	ANSI C63.10 :2013 Section 6.4&6.5									
Test Site:	Measurement Distance:	3m (Semi-Anecho	ic Chamber)							
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)					
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300					
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30					
	1.705MHz-30MHz	30	-	-	30					
	30MHz-88MHz	100	40.0	Quasi-peak	3					
	88MHz-216MHz	150	43.5	Quasi-peak	3					
	216MHz-960MHz	200	46.0	Quasi-peak	3					
	Above 960MHz	500	54.0	Quasi-peak	3					
	Remark: The emission li employing a CISPR qua 110-490kHz and above based on measurements any emission shall not e by more than 20 dB und	si-peak detector e: 1000 MHz. Radiatos s employing an avo xceed the maximu	xcept for the ed emission erage detect m permitted	frequency ban limits in these tor, the peak fie average limits	ds 9-90kHz, three bands are ld strength of					

Test Setup:






Figure 1. Below 30MHz

Figure 2. Above 30MHz

Test Procedure:

- i. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- j. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- k. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- I. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest sterior to the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report) & certificities, please contact us at telephone (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 ww t (86–512) 62992980 sg

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 18 of 31

	1 ago. 10 01 01
	of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. m. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	 n. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. o. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with modulation. Charge + Transmitting mode.
Final Test Mode:	Transmitting with modulation. Pretest the EUT at Charge + Transmitting mode.Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	see: Appendix





Report No.: SEWM2209000170RG07

Rev.: 01 Page: 19 of 31

5 Measurement Uncertainty (95% confidence levels, k=2)

	—————————————————————————————————————	, ,
No.	Item	Measurement Uncertainty
1	Radio Frequency	±1.0 %
2	Occupied Bandwidth	±1.0 %
3	Conduction Emission	± 2.90dB (150kHz to 30MHz)
4	De diete d'Essie eie e	± 3.13dB (9k -30MHz)
4	Radiated Emission	± 4.80dB (30M -1GHz)

Remark:

The U_{lab} (lab Uncertainty) is less than U_{ciso//ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.spa.com/en/rerms-and-Conditions.aspx.and, for electronic Documents, subject to Terms and Conditions (Terms-and-Conditions-aspx.and) for electronic Documents at Life (Jewwess-and-Conditions-Germs-acconditions-germs-germs-acconditions-germs-germs-acconditions-germ



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 20 of 31

6 Equipment List

о Ечигрии	icht Eist				
		RF Test Equipmen	nt		
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2022/02/16	2023/02/15
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2022/05/17	2023/05/16
Measurement Software	Tonscend	JS1120-3 Test System V3.1.55	SUWI-02-09-09	NCR	NCR
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2022/02/15	2023/02/14
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2021/12/04	2022/12/03
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2021/12/04	2022/12/03
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2022/02/15	2023/02/14
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2022/02/14	2023/02/13

CE Test System										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/05/08	2024/05/07					
Artificial network	ROHDE&SCHWARZ ENV216		SUWI-01-19-01	2022/02/16	2023/02/15					
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2022/02/16	2023/02/15					
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR					
Test receiver	ROHDE&SCHWARZ	ROHDE&SCHWARZ ESR7 SUWI-01-1		2022/02/16	2023/02/15					
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2022/02/16	2023/02/15					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Liangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜露1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 21 of 31

		RSE Test S	ystem		
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2022/02/16	2023/02/15
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2021/12/04	2022/12/03
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/02/19	2023/02/18
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/05/16	2023/05/15
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2022/02/14	2023/02/13
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/06/10	2023/06/09
Measurement Tonscend		JS32-RSE V4.0.0.1	SUWI-02-09-06	NCR	NCR
Measurement Software	Tonscend	JS32-RE V4.0.0.0	SUWI-02-09-04	NCR	NCR



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2209000170RG07

Rev.:

Page: 22 of 31

7 **Photographs - Setup Photos**

Refer to Appendix A.4 NFC Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2209000170RG07

Rev.:

Page: 23 of 31

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 24 of 31

20dB Bandwidth



11:46:54 26.09.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-end-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-end-Conditions-end-Conditions-end



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 25 of 31

Frequency tolerance

Declared Frequency	y (MHz)	13.56MHz				
Temperature (°C)	Voltage(VDC)	Measurement Frequency(MHz)	Frequency Tolerance (%)	Limit (%)	Result	
50		13.55996	0.0003		Pass	
40		13.55996	0.0003		Pass	
30	0.07	13.55998	0.0001		Pass	
20		13.56000	0.0000		Pass	
10	3.87	13.55999	0.0001	±0.01	Pass	
0		13.55999	0.0001	10.01	Pass	
-10		13.56001	0.0001		Pass	
-20		13.55999	0.0001		Pass	
20	4.30	13.55999	0.0001		Pass	
	3.60	13.55999	0.0001		Pass	






Report No.: SEWM2209000170RG07

Rev.: 01 Page: 26 of 31

Field Strength of Fundamental Emissions

NFC Emission Mask



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	13.5592	32.81	19.67	0.69	53.17	124.00	70.83	100	198	Horizontal

Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + Factor(Antenna Factor + Cable loss).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.ago; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions [Terms-en-Document as place]. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection reports & certificate please contact us at telephone (86-755183071443.

or email: CM_Doccheck@egs.com Sudnith& Feyn, tho. (Runsherg Read, Sudou Indasteil Park, Sudrou Area, China (Jangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路1号からF)房南部 単編: 215000



Report No.: SEWM2209000170RG07

Rev.: 01 Page: 27 of 31



	Final Data List										
ı	NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
	1	13.5601	32.97	19.67	0.69	53.33	124.00	70.67	100	199	Vertical

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + Factor(Antenna Factor + Cable loss).






Report No.: SEWM2209000170RG07

Rev.: 01 Page: 28 of 31

Radiated Spurious Emissions

NFC RSE



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
3	0.0946	18.63	20.22	0.43	39.28	108.08	68.80	100	71	Horizontal
4	5.227	30.03	19.89	0.53	50.45	69.54	19.09	100	355	Horizontal
5	12.096	24.26	19.75	0.66	44.66	69.54	24.88	100	260	Horizontal
6	17.845	22.12	19.86	0.77	42.75	69.54	26.79	100	360	Horizontal
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	0.018	41.35	19.84	0.43	61.62	122.49	60.87	100	290	Horizontal
2	0.0319	36.46	19.89	0.43	56.78	117.52	60.74	100	85	Horizontal

Remark:


- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + Factor(Antenna Factor + Cable loss).





Report No.: SEWM2209000170RG07

Rev.: 01 Page: 29 of 31



Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
3	0.0944	17.68	20.22	0.43	38.33	108.10	69.77	100	0	Vertical
4	5.2718	31.22	19.89	0.53	51.64	69.54	17.90	100	259	Vertical
5	12.0512	25.53	19.75	0.66	45.94	69.54	23.60	100	339	Vertical
6	17.1879	23.52	19.89	0.76	44.17	69.54	25.37	100	236	Vertical
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	AV Value [dΒμV/m]	AV Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	0.018	40.9	19.84	0.43	61.17	122.49	61.32	100	262	Vertical
2	0.0235	40.86	19.87	0.43	61.16	120.18	59.02	100	100	Vertical

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + Factor(Antenna Factor + Cable loss).






Report No.: SEWM2209000170RG07

Rev.: 01 Page: 30 of 31

NFC_RE



Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBμV/m]	QP Limit [dΒμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	38.0756	45.71	11.54	-28.18	29.07	40.00	10.93	251	10	Horizontal
2	44.1740	44.62	12.91	-28.05	29.48	40.00	10.52	106	284	Horizontal
3	55.6901	41.06	12.43	-27.79	25.70	40.00	14.30	118	194	Horizontal
4	61.6287	40.92	10.99	-27.65	24.26	40.00	15.74	119	202	Horizontal
5	140.0124	39.49	7.51	-27.14	19.86	43.50	23.64	106	337	Horizontal
6	204.7153	29.19	10.79	-26.86	13.12	43.50	30.38	120	167	Horizontal

Remark


- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Final Value Level = Reading + Factor(Antenna Factor + Cable loss Preamplifier Factor).





Report No.: SEWM2209000170RG07

Rev.: 01 Page: 31 of 31



Final Data List										
	Frequency	Reading	AF	Factor	QP Value	QP Limit	QP	Height	Angle	
NO.	[MHz]	[dBµV]	[dB/m]	[dB]	[dBµV/m]	[dBµV/m]	Margin [dB]	[cm]	[°]	Polarity
1	37.9615	42.27	11.54	-28.18	25.63	40.00	14.37	263	190	Vertical
2	44.1715	42.60	12.91	-28.05	27.46	40.00	12.54	254	194	Vertical
3	55.2755	42.61	12.55	-27.81	27.35	40.00	12.65	142	46	Vertical
4	140.0569	35.35	7.51	-27.14	15.72	43.50	27.78	265	4	Vertical
5	202.6454	34.97	10.72	-26.91	18.78	43.50	24.72	210	360	Vertical
6	288.1993	26.23	12.92	-26.20	12.95	46.00	33.05	186	146	Vertical

Remark

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Final Value Level = Reading + Factor(Antenna Factor + Cable loss Preamplifier Factor).

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.ago; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions [Terms-en-Document as place]. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection reports & certificate please contact us at telephone (86-755183071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000