

# **EUT EXTERNAL PHOTOS**

#### FRONT VIEW OF EUT



#### **REAR VIEW OF EUT**





### LEFT SIDE VIEW OF EUT



### RIGHT SIDE OF EUT





## TOP VIEW OF EUT



### **BOTTOM VIEW OF EUT**





# Accessory-Power Adapter MDY-12-EA (USA Plug)



## **CLOSE-UP**





### Accessory-USB Cable 1



### Accessory- USB Cable 2





## **Ancillary Equipment**

illary Equipment		
Ancillary Equipment 1	Li-Polymer Battery 1	
	Brand Name	MI
	Model No.	BN5J
	Serial No.	N/A
	Capacitance	Rated: 4900mAh/18.9Wh
		Typical: 5000mAh/19.3Wh
	Rated Voltage	3.87 Vdc
	Limited Voltage	4.45 Vdc
	Manufacturer	Zhuhai CosMX Battery Co., Ltd.
Ancillary Equipment 2	Li-Polymer Battery 2	
	Brand Name	MI
	Model No.	BN5J
	Serial No.	N/A
	Capacitance	Rated: 4900mAh/18.9Wh
		Typical: 5000mAh/19.3Wh
	Rated Voltage	3.87 Vdc
	Limited Voltage	4.45 Vdc
	Manufacturer	Dongguan Amperex Technology Limited
Ancillary Equipment 3	Power Supply Unit 1	
	Brand Name	MI
	Model No.	MDY-12-EA (USA Plug)
	Supplier	AoHai
	Rated Input	100-240Vac, 50/60Hz, 0.7A
	Rated Output	5.0 Vdc, 3.0A/ 9.0 Vdc, 3A/ 12 Vdc, 2.25A/
		20 Vdc, 1.35A/ 11 Vdc, 3A max
		(33.0W Max)
Ancillary Equipment 4	USB Cable 1	
	Model No.	K23230
	Length (Approx.)	1.0 m
Ancillary Equipment 5	USB Cable 2	
	Model No.	B23230
	Length (Approx.)	1.0 m

Note 1: Letter in () means plug type.

Note 2: All batteries are tested, only the worst data of BN5J (Zhuhai CosMX Battery Co., Ltd.) shown in this report.

Note 3: All USB cable are tested, only the worst data of K23230 shown in this report.