



## A.2 Peak to Average Ratio

# 1. WCDMA\_Band5


## 1.1. WCDMA Peak to Average Ratio(NTNV)(Channel:4132)



## 1.2. WCDMA Peak to Average Ratio(NTNV)(Channel:4182)




### 1.3. WCDMA Peak to Average Ratio(NTNV)(Channel:4233)




## 2. WCDMA\_Band2


### 2.1. WCDMA Peak to Average Ratio(NTNV)(Channel:9262)



## 2.2. WCDMA Peak to Average Ratio(NTNV)(Channel:9400)




### 2.3. WCDMA Peak to Average Ratio(NTNV)(Channel:9538)




### 3. WCDMA\_Band4

#### 3.1. WCDMA Peak to Average Ratio(NTNV)(Channel:1312)






### 3.2. WCDMA Peak to Average Ratio(NTNV)(Channel:1412)




### 3.3. WCDMA Peak to Average Ratio(NTNV)(Channel:1513)




## 4. LTE\_Band2


### 4.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**4.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




### 4.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




#### 4.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



#### 4.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**4.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**







**4.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**4.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**4.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




#### 4.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



**4.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




#### 4.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




## 5. LTE\_Band4

### 5.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**5.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**







**5.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**5.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**5.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**5.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




**5.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




### 5.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



### 5.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**5.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**






### 5.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**5.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 6. LTE\_Band5


### 6.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**6.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




### 6.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




**6.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**



### 6.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




### 6.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)







**6.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**6.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




### 6.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**6.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**



**6.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




### 6.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




## 7. LTE\_Band7

### 7.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




## 7.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)







### 7.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**7.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**7.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**7.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




**7.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**7.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**



**7.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**7.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**






**7.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**7.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 8. LTE\_Band38


### 8.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




### 8.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




### 8.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**8.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**



**8.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




### 8.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)







### 8.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**8.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**8.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




### 8.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



### 8.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




**8.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 9. LTE\_Band41 full

### 9.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**9.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**







**9.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**9.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




**9.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**9.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**




**9.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**9.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**



**9.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**9.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**






**9.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**9.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**




## 10. CA\_7C


### 10.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:21006+21150, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)



**10.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:21006+21150, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**



**10.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**



**10.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.8	0.1	6.47	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.137

GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 2534.80000 Ref. Level: 30.00 Connector:RF4COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count		Probability	
Sample Count	998712	10,000%	3.469 dB
Sample Time	9.992 ms	1,0000%	5.531 dB
Avg Power	21.572 dBm	0,1000%	6.469 dB
Max Power	29.144 dBm	0,0100%	6.984 dB
PAR	7.572 dB	0,0010%	7.313 dB
		0,0001%	7.453 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger


List Config.

Power


Statistic

Marker / Display

**10.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:21025+21175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**



**10.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:21025+21175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**





**10.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:21003+21174, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

