



RSE-V&V n77 BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.160	-71.36	-21.10	-13.0	-58.36	317.00	Vertical	Vertical	Pass
2122.700	-53.93	-0.71	-13.0	-40.93	299.00	Vertical	Vertical	Pass
3842.000	-30.73	16.12	-13.0	-17.73	77.00	Vertical	Vertical	N/A
7883.000	-30.63	23.88	-13.0	-17.63	318.00	Vertical	Vertical	Pass
12699.412	-37.67	16.53	-13.0	-24.67	284.00	Vertical	Vertical	Pass
17955.899	-42.81	13.94	-13.0	-29.81	142.00	Vertical	Vertical	Pass


RSE-V&H n77 BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.657	-70.12	-21.25	-13.0	-57.12	264.00	Vertical	Horizontal	Pass
2073.800	-53.27	-0.77	-13.0	-40.27	0.00	Vertical	Horizontal	Pass
3837.750	-34.84	16.10	-13.0	-21.84	107.00	Vertical	Horizontal	N/A
6637.000	-31.09	23.36	-13.0	-18.09	251.00	Vertical	Horizontal	Pass
12711.763	-39.10	16.41	-13.0	-26.10	169.00	Vertical	Horizontal	Pass
17807.063	-42.48	13.01	-13.0	-29.48	249.00	Vertical	Horizontal	Pass


22.2 n77 BW50, PI/2 BPSK, Middle Channel

RSE-H&H n77 BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.283	-72.79	-16.13	-13.0	-59.79	278.00	Horizontal	Horizontal	Pass
2111.800	-53.11	-0.24	-13.0	-40.11	17.00	Horizontal	Horizontal	Pass
3833.500	-32.93	16.07	-13.0	-19.93	109.00	Horizontal	Horizontal	N/A
4234.750	-37.91	17.52	-13.0	-24.91	288.00	Horizontal	Horizontal	Pass
7801.250	-31.57	24.89	-13.0	-18.57	59.00	Horizontal	Horizontal	Pass
12667.588	-39.43	15.98	-13.0	-26.43	0.00	Horizontal	Horizontal	Pass

RSE-H&V n77 BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
183.842	-73.25	-17.30	-13.0	-60.25	293.00	Horizontal	Vertical	Pass
2083.600	-53.29	-0.17	-13.0	-40.29	99.00	Horizontal	Vertical	Pass
3836.000	-33.98	16.08	-13.0	-20.98	88.00	Horizontal	Vertical	N/A
7751.750	-31.75	23.15	-13.0	-18.75	190.00	Horizontal	Vertical	Pass
12657.849	-39.74	15.81	-13.0	-26.74	0.00	Horizontal	Vertical	Pass
17954.324	-42.59	13.98	-13.0	-29.59	10.00	Horizontal	Vertical	Pass

RSE-V&V n77 BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.560	-69.53	-21.26	-13.0	-56.53	251.00	Vertical	Vertical	Pass
2092.200	-53.11	-0.21	-13.0	-40.11	79.00	Vertical	Vertical	Pass
3838.000	-33.06	16.10	-13.0	-20.06	57.00	Vertical	Vertical	N/A
6717.250	-31.29	24.32	-13.0	-18.29	117.00	Vertical	Vertical	Pass
12669.487	-39.37	16.01	-13.0	-26.37	208.00	Vertical	Vertical	Pass
19783.350	-42.36	12.94	-13.0	-29.36	346.00	Vertical	Vertical	Pass


RSE-V&H n77 BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.996	-67.98	-21.22	-13.0	-54.98	279.00	Vertical	Horizontal	Pass
2121.800	-53.58	-0.70	-13.0	-40.58	304.00	Vertical	Horizontal	Pass
3837.250	-36.70	16.09	-13.0	-23.70	66.00	Vertical	Horizontal	N/A
7815.250	-31.00	24.52	-13.0	-18.00	96.00	Vertical	Horizontal	Pass
12703.688	-37.77	16.50	-13.0	-24.77	24.00	Vertical	Horizontal	Pass
17812.050	-41.36	12.87	-13.0	-28.36	177.00	Vertical	Horizontal	Pass


22.3 n77 BW100, PI/2 BPSK, Middle Channel

RSE-H&H n77 BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.768	-72.71	-16.04	-13.0	-59.71	263.00	Horizontal	Horizontal	Pass
3737.500	-29.23	15.50	-13.0	-16.23	115.00	Horizontal	Horizontal	N/A
3841.500	-35.50	16.12	-13.0	-22.50	45.00	Horizontal	Horizontal	N/A
7798.500	-31.45	24.87	-13.0	-18.45	69.00	Horizontal	Horizontal	Pass
12582.325	-38.65	15.01	-13.0	-25.65	0.00	Horizontal	Horizontal	Pass
19782.001	-42.61	12.94	-13.0	-29.61	363.00	Horizontal	Horizontal	Pass

RSE-H&V n77 BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
198.247	-73.35	-16.01	-13.0	-60.35	273.00	Horizontal	Vertical	Pass
3739.750	-30.07	16.05	-13.0	-17.07	177.00	Horizontal	Vertical	N/A
3839.000	-36.18	16.10	-13.0	-23.18	148.00	Horizontal	Vertical	N/A
7961.500	-30.71	24.14	-13.0	-17.71	360.00	Horizontal	Vertical	Pass
12723.401	-39.29	16.29	-13.0	-26.29	276.00	Horizontal	Vertical	Pass
17951.963	-42.79	14.04	-13.0	-29.79	13.00	Horizontal	Vertical	Pass

RSE-V&V n77 BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.608	-70.74	-21.26	-13.0	-57.74	251.00	Vertical	Vertical	Pass
3739.000	-31.49	15.80	-13.0	-18.49	360.00	Vertical	Vertical	N/A
3837.750	-36.28	16.10	-13.0	-23.28	31.00	Vertical	Vertical	N/A
7973.500	-31.30	23.98	-13.0	-18.30	360.00	Vertical	Vertical	Pass
12714.375	-39.14	16.38	-13.0	-26.14	0.00	Vertical	Vertical	Pass
17960.624	-42.88	13.83	-13.0	-29.88	0.00	Vertical	Vertical	Pass


RSE-V&H n77 BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.063	-69.18	-21.12	-13.0	-56.18	289.00	Vertical	Horizontal	Pass
2005.100	-53.47	-1.50	-13.0	-40.47	182.00	Vertical	Horizontal	Pass
3735.000	-33.94	15.30	-13.0	-20.94	120.00	Vertical	Horizontal	N/A
7968.000	-31.81	24.40	-13.0	-18.81	267.00	Vertical	Horizontal	Pass
12729.813	-37.14	16.22	-13.0	-24.14	21.00	Vertical	Horizontal	Pass
17939.364	-43.04	13.83	-13.0	-30.04	42.00	Vertical	Horizontal	Pass


22.4 n77 BW20, QPSK Channel

RSE-H&H n77 BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.776	-72.78	-15.51	-13.0	-59.78	269.00	Horizontal	Horizontal	Pass
2014.000	-54.24	-1.37	-13.0	-41.24	117.00	Horizontal	Horizontal	Pass
3836.750	-30.22	16.09	-13.0	-17.22	64.00	Horizontal	Horizontal	N/A
6725.750	-30.65	24.61	-13.0	-17.65	-3.00	Horizontal	Horizontal	Pass
12680.651	-39.01	16.20	-13.0	-26.01	79.00	Horizontal	Horizontal	Pass
19655.100	-42.74	12.93	-13.0	-29.74	363.00	Horizontal	Horizontal	Pass

RSE-H&V n77 BW20 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.962	-74.54	-16.03	-13.0	-61.54	282.00	Horizontal	Vertical	Pass
2112.200	-53.90	-0.20	-13.0	-40.90	239.00	Horizontal	Vertical	Pass
3840.000	-29.59	16.11	-13.0	-16.59	193.00	Horizontal	Vertical	N/A
7804.000	-31.42	24.98	-13.0	-18.42	291.00	Horizontal	Vertical	Pass
12664.263	-39.19	15.92	-13.0	-26.19	95.00	Horizontal	Vertical	Pass
18324.449	-42.54	12.87	-13.0	-29.54	192.00	Horizontal	Vertical	Pass

RSE-V&V n77 BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.937	-68.52	-21.16	-13.0	-55.52	267.00	Vertical	Vertical	Pass
2021.200	-53.86	-1.01	-13.0	-40.86	363.00	Vertical	Vertical	Pass
3841.500	-32.72	16.12	-13.0	-19.72	-3.00	Vertical	Vertical	N/A
7798.500	-30.76	24.87	-13.0	-17.76	303.00	Vertical	Vertical	Pass
9444.950	-39.76	14.14	-13.0	-26.76	332.00	Vertical	Vertical	Pass
13784.776	-39.78	15.99	-13.0	-26.78	0.00	Vertical	Vertical	Pass


RSE-V&H n77 BW20 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.511	-69.13	-21.26	-13.0	-56.13	224.00	Vertical	Horizontal	Pass
2118.900	-53.32	-0.46	-13.0	-40.32	79.00	Vertical	Horizontal	Pass
3839.000	-33.89	16.10	-13.0	-20.89	83.00	Vertical	Horizontal	N/A
7796.500	-31.21	24.78	-13.0	-18.21	-3.00	Vertical	Horizontal	Pass
12682.550	-38.41	16.24	-13.0	-25.41	240.00	Vertical	Horizontal	Pass
17936.738	-42.82	13.77	-13.0	-29.82	279.00	Vertical	Horizontal	Pass


22.5 n77 BW50, QPSK, Middle Channel

RSE-H&H n77 BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.914	-73.48	-16.04	-13.0	-60.48	277.00	Horizontal	Horizontal	Pass
2065.100	-53.45	-1.12	-13.0	-40.45	121.00	Horizontal	Horizontal	Pass
3838.250	-33.55	16.10	-13.0	-20.55	120.00	Horizontal	Horizontal	N/A
7811.250	-31.10	24.75	-13.0	-18.10	360.00	Horizontal	Horizontal	Pass
12744.300	-39.30	16.06	-13.0	-26.30	360.00	Horizontal	Horizontal	Pass
19633.949	-42.82	12.93	-13.0	-29.82	186.00	Horizontal	Horizontal	Pass

RSE-H&V n77 BW50 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.314	-73.89	-16.14	-13.0	-60.89	262.00	Horizontal	Vertical	Pass
2117.900	-53.90	-0.36	-13.0	-40.90	309.00	Horizontal	Vertical	Pass
3838.250	-31.74	16.10	-13.0	-18.74	115.00	Horizontal	Vertical	N/A
7810.250	-31.99	24.71	-13.0	-18.99	-3.00	Horizontal	Vertical	Pass
12713.900	-38.49	16.39	-13.0	-25.49	360.00	Horizontal	Vertical	Pass
17944.875	-43.21	13.97	-13.0	-30.21	0.00	Horizontal	Vertical	Pass

RSE-V&V n77 BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.608	-68.35	-21.26	-13.0	-55.35	269.00	Vertical	Vertical	Pass
2082.100	-53.75	-0.34	-13.0	-40.75	89.00	Vertical	Vertical	Pass
3837.750	-32.60	16.10	-13.0	-19.60	48.00	Vertical	Vertical	N/A
7755.000	-30.75	22.99	-13.0	-17.75	170.00	Vertical	Vertical	Pass
13348.237	-38.18	16.47	-13.0	-25.18	112.00	Vertical	Vertical	Pass
17952.225	-42.68	14.03	-13.0	-29.68	337.00	Vertical	Vertical	Pass


RSE-V&H n77 BW50 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
78.112	-69.83	-21.11	-13.0	-56.83	299.00	Vertical	Horizontal	Pass
2135.400	-53.81	-0.63	-13.0	-40.81	340.00	Vertical	Horizontal	Pass
3842.500	-36.56	16.13	-13.0	-23.56	61.00	Vertical	Horizontal	N/A
7816.750	-31.50	24.50	-13.0	-18.50	277.00	Vertical	Horizontal	Pass
12507.513	-39.30	15.51	-13.0	-26.30	210.00	Vertical	Horizontal	Pass
17923.351	-42.42	13.45	-13.0	-29.42	140.00	Vertical	Horizontal	Pass


22.6 n77 BW100, QPSK, Middle Channel

RSE-H&H n77 BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.272	-73.24	-15.79	-13.0	-60.24	251.00	Horizontal	Horizontal	Pass
3740.500	-28.97	16.18	-13.0	-15.97	135.00	Horizontal	Horizontal	N/A
3837.000	-36.16	16.09	-13.0	-23.16	167.00	Horizontal	Horizontal	N/A
6726.250	-31.04	24.57	-13.0	-18.04	360.00	Horizontal	Horizontal	Pass
12698.225	-38.63	16.51	-13.0	-25.63	118.00	Horizontal	Horizontal	Pass
17802.338	-42.77	13.14	-13.0	-29.77	271.00	Horizontal	Horizontal	Pass

RSE-H&V n77 BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
201.496	-72.99	-16.01	-13.0	-59.99	277.00	Horizontal	Vertical	Pass
3741.000	-29.60	16.19	-13.0	-16.60	86.00	Horizontal	Vertical	N/A
3837.250	-36.44	16.09	-13.0	-23.44	141.00	Horizontal	Vertical	N/A
7963.750	-30.94	24.51	-13.0	-17.94	360.00	Horizontal	Vertical	Pass
12714.375	-38.53	16.38	-13.0	-25.53	76.00	Horizontal	Vertical	Pass
17912.324	-42.70	13.19	-13.0	-29.70	22.00	Horizontal	Vertical	Pass

RSE-V&V n77 BW100 CH656000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
77.142	-68.34	-21.21	-13.0	-55.34	290.00	Vertical	Vertical	Pass
3740.250	-30.76	16.18	-13.0	-17.76	62.00	Vertical	Vertical	N/A
3839.250	-37.02	16.11	-13.0	-24.02	62.00	Vertical	Vertical	N/A
7972.750	-31.20	24.01	-13.0	-18.20	287.00	Vertical	Vertical	Pass
12663.312	-39.12	15.90	-13.0	-26.12	21.00	Vertical	Vertical	Pass
17953.538	-43.14	14.00	-13.0	-30.14	0.00	Vertical	Vertical	Pass

RSE-V&H n77 BW100 CH656000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.608	-69.73	-21.26	-13.0	-56.73	242.00	Vertical	Horizontal	Pass
2041.800	-53.49	-0.78	-13.0	-40.49	277.00	Vertical	Horizontal	Pass
3738.500	-35.22	15.77	-13.0	-22.22	97.00	Vertical	Horizontal	N/A
3840.750	-38.29	16.11	-13.0	-25.29	48.00	Vertical	Horizontal	N/A
7043.250	-31.59	22.95	-13.0	-18.59	216.00	Vertical	Horizontal	Pass
12716.037	-38.95	16.37	-13.0	-25.95	43.00	Vertical	Horizontal	Pass

23 n78(3450-3550MHz)


23.1 n78 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n78 BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
275.264	-69.45	-13.98	-13.0	-56.45	81.00	Horizontal	Horizontal	Pass
2072.200	-53.84	-0.86	-13.0	-40.84	53.00	Horizontal	Horizontal	Pass
3497.000	-37.30	14.85	-13.0	-24.30	114.00	Horizontal	Horizontal	N/A
7791.000	-30.71	24.93	-13.0	-17.71	302.00	Horizontal	Horizontal	Pass
12673.287	-39.50	16.08	-13.0	-26.50	42.00	Horizontal	Horizontal	Pass
17803.651	-43.38	13.10	-13.0	-30.38	247.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
940.102	-67.85	1.44	-13.0	-54.85	138.00	Horizontal	Vertical	Pass
2035.700	-53.31	-0.99	-13.0	-40.31	1.00	Horizontal	Vertical	Pass
3497.250	-34.58	14.85	-13.0	-21.58	168.00	Horizontal	Vertical	N/A
7964.500	-30.84	25.10	-13.0	-17.84	40.00	Horizontal	Vertical	Pass
13800.526	-39.57	17.00	-13.0	-26.57	261.00	Horizontal	Vertical	Pass
17797.349	-43.24	13.04	-13.0	-30.24	105.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.774	-70.40	-17.63	-13.0	-57.40	48.00	Vertical	Vertical	Pass
2105.600	-53.17	-0.40	-13.0	-40.17	72.00	Vertical	Vertical	Pass
3498.000	-38.88	14.84	-13.0	-25.88	112.00	Vertical	Vertical	N/A
7947.250	-30.75	24.16	-13.0	-17.75	0.00	Vertical	Vertical	Pass
12657.613	-39.34	15.80	-13.0	-26.34	-1.00	Vertical	Vertical	Pass
19669.500	-42.57	12.94	-13.0	-29.57	325.00	Vertical	Vertical	Pass


RSE-V&H n78 BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.677	-70.09	-17.71	-13.0	-57.09	239.00	Vertical	Horizontal	Pass
2105.200	-52.77	-0.39	-13.0	-39.77	343.00	Vertical	Horizontal	Pass
3417.500	-41.37	15.50	-13.0	-28.37	73.00	Vertical	Horizontal	Pass
7969.750	-30.99	24.39	-13.0	-17.99	140.00	Vertical	Horizontal	Pass
12484.000	-38.81	15.13	-13.0	-25.81	144.00	Vertical	Horizontal	Pass
19420.199	-43.04	12.92	-13.0	-30.04	310.00	Vertical	Horizontal	Pass


23.2 n78 BW50, PI/2 BPSK, Middle Channel

RSE-H&H n78 BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.756	-68.69	-0.12	-13.0	-55.69	4.00	Horizontal	Horizontal	Pass
2098.900	-53.57	-0.36	-13.0	-40.57	198.00	Horizontal	Horizontal	Pass
3501.000	-40.51	14.82	-13.0	-27.51	352.00	Horizontal	Horizontal	N/A
7801.500	-31.07	25.33	-13.0	-18.07	352.00	Horizontal	Horizontal	Pass
13366.088	-39.41	16.69	-13.0	-26.41	92.00	Horizontal	Horizontal	Pass
17962.725	-42.92	13.77	-13.0	-29.92	77.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.029	-74.84	-15.86	-13.0	-61.84	49.00	Horizontal	Vertical	Pass
2120.400	-53.81	-0.54	-13.0	-40.81	33.00	Horizontal	Vertical	Pass
3498.750	-37.41	14.84	-13.0	-24.41	173.00	Horizontal	Vertical	N/A
7962.500	-31.10	25.07	-13.0	-18.10	142.00	Horizontal	Vertical	Pass
12497.063	-39.51	15.56	-13.0	-26.51	275.00	Horizontal	Vertical	Pass
17987.138	-43.32	13.17	-13.0	-30.32	188.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.629	-70.85	-17.75	-13.0	-57.85	28.00	Vertical	Vertical	Pass
2083.800	-53.22	-0.23	-13.0	-40.22	-1.00	Vertical	Vertical	Pass
3497.000	-39.49	14.85	-13.0	-26.49	361.00	Vertical	Vertical	N/A
7961.250	-31.86	25.03	-13.0	-18.86	361.00	Vertical	Vertical	Pass
12602.276	-39.13	15.23	-13.0	-26.13	-1.00	Vertical	Vertical	Pass
17945.926	-43.43	13.99	-13.0	-30.43	304.00	Vertical	Vertical	Pass


RSE-V&H n78 BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.968	-70.09	-17.47	-13.0	-57.09	98.00	Vertical	Horizontal	Pass
2140.400	-53.17	-1.05	-13.0	-40.17	85.00	Vertical	Horizontal	Pass
3397.500	-40.47	15.59	-13.0	-27.47	38.00	Vertical	Horizontal	Pass
7204.750	-31.60	23.48	-13.0	-18.60	254.00	Vertical	Horizontal	Pass
12491.600	-39.46	15.38	-13.0	-26.46	360.00	Vertical	Horizontal	Pass
17799.975	-42.78	13.20	-13.0	-29.78	0.00	Vertical	Horizontal	Pass


23.3 n78 BW100, PI/2 BPSK, Middle Channel

RSE-H&H n78 BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
183.551	-75.70	-17.36	-13.0	-62.70	246.00	Horizontal	Horizontal	Pass
2114.700	-53.18	-0.30	-13.0	-40.18	340.00	Horizontal	Horizontal	Pass
3522.250	-40.20	14.75	-13.0	-27.20	161.00	Horizontal	Horizontal	N/A
7955.000	-31.68	24.50	-13.0	-18.68	88.00	Horizontal	Horizontal	Pass
13378.425	-39.11	16.81	-13.0	-26.11	124.00	Horizontal	Horizontal	Pass
17980.838	-43.31	13.33	-13.0	-30.31	185.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
945.583	-68.07	1.51	-13.0	-55.07	84.00	Horizontal	Vertical	Pass
1988.200	-53.71	-1.27	-13.0	-40.71	333.00	Horizontal	Vertical	Pass
3523.000	-39.52	14.74	-13.0	-26.52	110.00	Horizontal	Vertical	N/A
7800.500	-31.71	25.25	-13.0	-18.71	197.00	Horizontal	Vertical	Pass
12660.938	-39.27	15.86	-13.0	-26.27	191.00	Horizontal	Vertical	Pass
17815.988	-43.25	12.77	-13.0	-30.25	299.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.822	-71.17	-17.59	-13.0	-58.17	92.00	Vertical	Vertical	Pass
2115.900	-53.03	-0.27	-13.0	-40.03	129.00	Vertical	Vertical	Pass
3522.750	-38.94	14.75	-13.0	-25.94	81.00	Vertical	Vertical	N/A
7970.000	-31.17	24.28	-13.0	-18.17	276.00	Vertical	Vertical	Pass
12695.612	-38.93	16.46	-13.0	-25.93	54.00	Vertical	Vertical	Pass
17954.589	-42.27	13.98	-13.0	-29.27	316.00	Vertical	Vertical	Pass


RSE-V&H n78 BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.289	-70.84	-18.02	-13.0	-57.84	213.00	Vertical	Horizontal	Pass
2099.900	-52.81	-0.30	-13.0	-39.81	361.00	Vertical	Horizontal	Pass
3414.250	-41.40	15.52	-13.0	-28.40	252.00	Vertical	Horizontal	Pass
7814.000	-31.54	24.60	-13.0	-18.54	193.00	Vertical	Horizontal	Pass
12674.950	-39.41	16.10	-13.0	-26.41	194.00	Vertical	Horizontal	Pass
19737.901	-43.23	12.94	-13.0	-30.23	265.00	Vertical	Horizontal	Pass


23.4 n78 BW20, QPSK, Middle Channel

RSE-H&H n78 BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
158.913	-73.99	-19.86	-13.0	-60.99	152.00	Horizontal	Horizontal	Pass
1987.400	-53.56	-1.15	-13.0	-40.56	250.00	Horizontal	Horizontal	Pass
3497.750	-39.10	14.85	-13.0	-26.10	134.00	Horizontal	Horizontal	N/A
7950.500	-30.78	24.25	-13.0	-17.78	360.00	Horizontal	Horizontal	Pass
9458.487	-39.80	13.96	-13.0	-26.80	75.00	Horizontal	Horizontal	Pass
17870.324	-42.07	12.27	-13.0	-29.07	347.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW20 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.854	-75.00	-15.65	-13.0	-62.00	247.00	Horizontal	Vertical	Pass
2586.600	-51.46	1.45	-13.0	-38.46	225.00	Horizontal	Vertical	Pass
3498.000	-38.03	14.84	-13.0	-25.03	181.00	Horizontal	Vertical	N/A
7966.250	-30.72	24.81	-13.0	-17.72	8.00	Horizontal	Vertical	Pass
12694.425	-39.39	16.44	-13.0	-26.39	10.00	Horizontal	Vertical	Pass
17809.162	-42.19	12.95	-13.0	-29.19	360.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.192	-70.09	-18.09	-13.0	-57.09	102.00	Vertical	Vertical	Pass
2001.100	-52.56	-1.32	-13.0	-39.56	303.00	Vertical	Vertical	Pass
3497.000	-36.77	14.85	-13.0	-23.77	200.00	Vertical	Vertical	N/A
7970.250	-30.92	24.18	-13.0	-17.92	231.00	Vertical	Vertical	Pass
13358.737	-38.67	16.62	-13.0	-25.67	304.00	Vertical	Vertical	Pass
20408.850	-42.38	12.97	-13.0	-29.38	18.00	Vertical	Vertical	Pass


RSE-V&H n78 BW20 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.356	-70.60	-17.06	-13.0	-57.60	58.00	Vertical	Horizontal	Pass
2103.500	-52.95	-0.32	-13.0	-39.95	252.00	Vertical	Horizontal	Pass
3429.000	-40.76	15.44	-13.0	-27.76	43.00	Vertical	Horizontal	Pass
7209.500	-31.07	23.27	-13.0	-18.07	236.00	Vertical	Horizontal	Pass
12724.588	-39.13	16.27	-13.0	-26.13	1.00	Vertical	Horizontal	Pass
17799.975	-43.23	13.20	-13.0	-30.23	100.00	Vertical	Horizontal	Pass


23.5 n78 BW50, QPSK, Middle Channel

RSE-H&H n78 BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
885.734	-68.83	-0.06	-13.0	-55.83	13.00	Horizontal	Horizontal	Pass
2113.700	-53.33	-0.30	-13.0	-40.33	95.00	Horizontal	Horizontal	Pass
3432.750	-41.21	15.42	-13.0	-28.21	83.00	Horizontal	Horizontal	Pass
6687.250	-31.40	22.53	-13.0	-18.40	83.00	Horizontal	Horizontal	Pass
12673.287	-39.05	16.08	-13.0	-26.05	249.00	Horizontal	Horizontal	Pass
17972.437	-42.17	13.53	-13.0	-29.17	242.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW50 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.660	-73.91	-15.69	-13.0	-60.91	59.00	Horizontal	Vertical	Pass
2105.500	-52.38	-0.40	-13.0	-39.38	129.00	Horizontal	Vertical	Pass
3495.250	-40.42	14.87	-13.0	-27.42	169.00	Horizontal	Vertical	N/A
7797.250	-31.40	25.34	-13.0	-18.40	360.00	Horizontal	Vertical	Pass
12522.000	-38.95	15.21	-13.0	-25.95	230.00	Horizontal	Vertical	Pass
19773.901	-43.16	12.94	-13.0	-30.16	161.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.677	-70.25	-17.71	-13.0	-57.25	198.00	Vertical	Vertical	Pass
2647.400	-51.25	2.52	-13.0	-38.25	224.00	Vertical	Vertical	Pass
3431.500	-41.19	15.42	-13.0	-28.19	360.00	Vertical	Vertical	Pass
7954.250	-31.91	24.46	-13.0	-18.91	64.00	Vertical	Vertical	Pass
12699.412	-39.13	16.53	-13.0	-26.13	146.00	Vertical	Vertical	Pass
17922.300	-43.16	13.43	-13.0	-30.16	320.00	Vertical	Vertical	Pass


RSE-V&H n78 BW50 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.240	-70.99	-18.06	-13.0	-57.99	243.00	Vertical	Horizontal	Pass
2403.000	-52.24	-0.75	-13.0	-39.24	343.00	Vertical	Horizontal	Pass
3508.250	-41.40	14.80	-13.0	-28.40	25.00	Vertical	Horizontal	N/A
7956.250	-31.50	24.79	-13.0	-18.50	240.00	Vertical	Horizontal	Pass
12706.300	-39.04	16.47	-13.0	-26.04	276.00	Vertical	Horizontal	Pass
17973.225	-43.25	13.51	-13.0	-30.25	244.00	Vertical	Horizontal	Pass


23.6 n78 BW100, QPSK, Middle Channel

RSE-H&H n78 BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
957.271	-67.93	1.78	-13.0	-54.93	78.00	Horizontal	Horizontal	Pass
2060.500	-53.17	-1.09	-13.0	-40.17	268.00	Horizontal	Horizontal	Pass
3524.000	-39.72	14.74	-13.0	-26.72	336.00	Horizontal	Horizontal	N/A
7963.500	-31.89	25.14	-13.0	-18.89	352.00	Horizontal	Horizontal	Pass
13373.175	-39.16	16.76	-13.0	-26.16	229.00	Horizontal	Horizontal	Pass
17951.177	-42.44	14.06	-13.0	-29.44	246.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.951	-75.11	-15.63	-13.0	-62.11	91.00	Horizontal	Vertical	Pass
2135.500	-53.77	-0.63	-13.0	-40.77	38.00	Horizontal	Vertical	Pass
3522.500	-38.25	14.75	-13.0	-25.25	161.00	Horizontal	Vertical	N/A
7160.000	-30.76	22.57	-13.0	-17.76	195.00	Horizontal	Vertical	Pass
12641.937	-39.54	15.60	-13.0	-26.54	360.00	Horizontal	Vertical	Pass
19754.551	-42.71	12.94	-13.0	-29.71	121.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW100 CH633332



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.532	-71.42	-17.83	-13.0	-58.42	360.00	Vertical	Vertical	Pass
2062.600	-53.68	0.00	-13.0	-40.68	0.00	Vertical	Vertical	Pass
3500.500	-39.16	14.82	-13.0	-26.16	158.00	Vertical	Vertical	N/A
7839.500	-31.69	23.80	-13.0	-18.69	144.00	Vertical	Vertical	Pass
12676.138	-39.30	16.12	-13.0	-26.30	133.00	Vertical	Vertical	Pass
17975.589	-42.82	13.46	-13.0	-29.82	20.00	Vertical	Vertical	Pass

RSE-V&H n78 BW100 CH633332




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.725	-70.43	-17.67	-13.0	-57.43	207.00	Vertical	Horizontal	Pass
2112.700	-53.08	-0.20	-13.0	-40.08	198.00	Vertical	Horizontal	Pass
3522.750	-41.02	14.75	-13.0	-28.02	153.00	Vertical	Horizontal	N/A
6691.250	-31.65	22.79	-13.0	-18.65	18.00	Vertical	Horizontal	Pass
12679.700	-38.98	16.19	-13.0	-25.98	137.00	Vertical	Horizontal	Pass
17949.338	-42.83	14.07	-13.0	-29.83	0.00	Vertical	Horizontal	Pass

24 n78(3700-3800MHz)


24.1 n78 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n78 BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
275.313	-69.95	-13.98	-13.0	-56.95	307.00	Horizontal	Horizontal	Pass
2028.100	-53.42	-0.82	-13.0	-40.42	335.00	Horizontal	Horizontal	Pass
3588.500	-41.17	13.80	-13.0	-28.17	203.00	Horizontal	Horizontal	Pass
5316.750	-36.92	17.30	-13.0	-23.92	284.00	Horizontal	Horizontal	Pass
7970.750	-32.36	24.41	-13.0	-19.36	268.00	Horizontal	Horizontal	Pass
12707.963	-39.04	16.45	-13.0	-26.04	360.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
949.414	-68.19	1.59	-13.0	-55.19	299.00	Horizontal	Vertical	Pass
2047.400	-53.37	-1.02	-13.0	-40.37	154.00	Horizontal	Vertical	Pass
3794.250	-40.32	14.98	-13.0	-27.32	144.00	Horizontal	Vertical	N/A
5186.500	-38.60	17.37	-13.0	-25.60	326.00	Horizontal	Vertical	Pass
7951.500	-31.63	23.71	-13.0	-18.63	243.00	Horizontal	Vertical	Pass
12629.112	-38.90	15.48	-13.0	-25.90	362.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
907.559	-69.57	0.33	-13.0	-56.57	295.00	Vertical	Vertical	Pass
2044.500	-53.60	-0.83	-13.0	-40.60	162.00	Vertical	Vertical	Pass
3793.000	-40.12	14.99	-13.0	-27.12	94.00	Vertical	Vertical	N/A
5153.250	-38.45	17.99	-13.0	-25.45	360.00	Vertical	Vertical	Pass
7970.500	-31.45	24.42	-13.0	-18.45	26.00	Vertical	Vertical	Pass
12682.787	-38.84	16.24	-13.0	-25.84	190.00	Vertical	Vertical	Pass


RSE-V&H n78 BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1300.600	-57.09	-4.36	-13.0	-44.09	360.00	Vertical	Horizontal	Pass
2109.200	-53.33	-0.41	-13.0	-40.33	164.00	Vertical	Horizontal	Pass
3216.500	-42.34	13.36	-13.0	-29.34	56.00	Vertical	Horizontal	Pass
4970.250	-37.77	17.51	-13.0	-24.77	56.00	Vertical	Horizontal	Pass
7960.000	-32.29	24.14	-13.0	-19.29	188.00	Vertical	Horizontal	Pass
12657.375	-39.19	15.80	-13.0	-26.19	207.00	Vertical	Horizontal	Pass


24.2 n78 BW50, PI/2 BPSK, Middle Channel

RSE-H&H n78 BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
183.308	-75.34	-17.38	-13.0	-62.34	240.00	Horizontal	Horizontal	Pass
2104.500	-52.80	-0.35	-13.0	-39.80	196.00	Horizontal	Horizontal	Pass
3734.000	-41.08	15.13	-13.0	-28.08	219.00	Horizontal	Horizontal	N/A
6722.000	-30.86	24.19	-13.0	-17.86	303.00	Horizontal	Horizontal	Pass
12669.963	-39.31	16.02	-13.0	-26.31	173.00	Horizontal	Horizontal	Pass
17919.150	-42.74	13.35	-13.0	-29.74	-3.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
204.309	-75.39	-15.44	-13.0	-62.39	85.00	Horizontal	Vertical	Pass
2016.500	-53.58	-1.35	-13.0	-40.58	62.00	Horizontal	Vertical	Pass
3734.250	-40.94	15.13	-13.0	-27.94	199.00	Horizontal	Vertical	N/A
6699.000	-31.72	23.31	-13.0	-18.72	219.00	Horizontal	Vertical	Pass
12665.925	-39.45	15.95	-13.0	-26.45	130.00	Horizontal	Vertical	Pass
17943.562	-42.90	13.94	-13.0	-29.90	346.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.629	-69.62	-17.75	-13.0	-56.62	39.00	Vertical	Vertical	Pass
2096.900	-53.51	-0.30	-13.0	-40.51	128.00	Vertical	Vertical	Pass
3734.750	-40.95	15.14	-13.0	-27.95	126.00	Vertical	Vertical	N/A
7798.000	-31.46	24.76	-13.0	-18.46	261.00	Vertical	Vertical	Pass
12717.938	-38.75	16.35	-13.0	-25.75	335.00	Vertical	Vertical	Pass
17951.699	-42.51	14.05	-13.0	-29.51	62.00	Vertical	Vertical	Pass


RSE-V&H n78 BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.608	-69.96	-21.26	-13.0	-56.96	107.00	Vertical	Horizontal	Pass
2439.800	-52.15	0.22	-13.0	-39.15	255.00	Vertical	Horizontal	Pass
3732.500	-41.62	15.11	-13.0	-28.62	116.00	Vertical	Horizontal	N/A
7791.750	-31.52	24.75	-13.0	-18.52	219.00	Vertical	Horizontal	Pass
12729.338	-38.66	16.22	-13.0	-25.66	231.00	Vertical	Horizontal	Pass
17941.199	-43.04	13.88	-13.0	-30.04	22.00	Vertical	Horizontal	Pass


24.3 n78 BW100, PI/2 BPSK, Middle Channel

RSE-H&H n78 BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
851.542	-69.53	-0.19	-13.0	-56.53	214.00	Horizontal	Horizontal	Pass
2025.900	-53.73	-0.85	-13.0	-40.73	28.00	Horizontal	Horizontal	Pass
3840.500	-37.06	15.23	-13.0	-24.06	90.00	Horizontal	Horizontal	Pass
7809.000	-31.18	24.51	-13.0	-18.18	165.00	Horizontal	Horizontal	Pass
9470.838	-38.91	13.57	-13.0	-25.91	173.00	Horizontal	Horizontal	Pass
17939.100	-42.76	13.83	-13.0	-29.76	317.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
199.120	-76.05	-16.13	-13.0	-63.05	63.00	Horizontal	Vertical	Pass
2080.900	-53.50	-0.40	-13.0	-40.50	362.00	Horizontal	Vertical	Pass
3834.250	-37.09	15.19	-13.0	-24.09	86.00	Horizontal	Vertical	Pass
7937.750	-31.73	23.50	-13.0	-18.73	65.00	Horizontal	Vertical	Pass
13347.974	-38.88	16.46	-13.0	-25.88	102.00	Horizontal	Vertical	Pass
20020.050	-43.41	12.95	-13.0	-30.41	185.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.725	-71.51	-17.67	-13.0	-58.51	195.00	Vertical	Vertical	Pass
2501.100	-52.02	1.57	-13.0	-39.02	249.00	Vertical	Vertical	Pass
3840.750	-39.37	15.23	-13.0	-26.37	354.00	Vertical	Vertical	Pass
6632.250	-31.70	23.10	-13.0	-18.70	21.00	Vertical	Vertical	Pass
13389.187	-39.31	16.91	-13.0	-26.31	142.00	Vertical	Vertical	Pass
17945.137	-43.54	13.97	-13.0	-30.54	60.00	Vertical	Vertical	Pass


RSE-V&H n78 BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.919	-70.11	-17.51	-13.0	-57.11	198.00	Vertical	Horizontal	Pass
2036.900	-53.62	-0.84	-13.0	-40.62	125.00	Vertical	Horizontal	Pass
3840.500	-38.96	15.23	-13.0	-25.96	154.00	Vertical	Horizontal	Pass
7970.500	-31.60	24.42	-13.0	-18.60	196.00	Vertical	Horizontal	Pass
12692.050	-39.15	16.40	-13.0	-26.15	177.00	Vertical	Horizontal	Pass
17993.175	-43.45	13.02	-13.0	-30.45	-2.00	Vertical	Horizontal	Pass


24.4 n78 BW20, QPSK Channel

RSE-H&H n78 BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1047.400	-57.80	-5.01	-13.0	-44.80	15.00	Horizontal	Horizontal	Pass
2103.200	-53.29	-0.37	-13.0	-40.29	264.00	Horizontal	Horizontal	Pass
3198.250	-42.18	12.85	-13.0	-29.18	304.00	Horizontal	Horizontal	Pass
5051.750	-38.45	17.76	-13.0	-25.45	190.00	Horizontal	Horizontal	Pass
7882.250	-32.08	23.58	-13.0	-19.08	5.00	Horizontal	Horizontal	Pass
12737.175	-39.27	16.14	-13.0	-26.27	225.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW20 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1381.700	-57.24	-4.42	-13.0	-44.24	38.00	Horizontal	Vertical	Pass
2018.500	-54.28	-1.20	-13.0	-41.28	10.00	Horizontal	Vertical	Pass
3793.500	-40.20	14.98	-13.0	-27.20	182.00	Horizontal	Vertical	N/A
7871.250	-31.80	23.49	-13.0	-18.80	317.00	Horizontal	Vertical	Pass
12680.887	-39.65	16.21	-13.0	-26.65	275.00	Horizontal	Vertical	Pass
19696.501	-42.71	12.94	-13.0	-29.71	55.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.950	-70.44	-18.24	-13.0	-57.44	281.00	Vertical	Vertical	Pass
1629.000	-56.24	-3.87	-13.0	-43.24	69.00	Vertical	Vertical	Pass
3708.250	-41.32	14.82	-13.0	-28.32	322.00	Vertical	Vertical	N/A
4882.250	-38.27	17.37	-13.0	-25.27	47.00	Vertical	Vertical	Pass
7807.000	-31.75	24.64	-13.0	-18.75	2.00	Vertical	Vertical	Pass
12697.275	-39.48	16.49	-13.0	-26.48	3.00	Vertical	Vertical	Pass


RSE-V&H n78 BW20 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.465	-70.99	-18.32	-13.0	-57.99	262.00	Vertical	Horizontal	Pass
2108.300	-53.19	-0.39	-13.0	-40.19	216.00	Vertical	Horizontal	Pass
3693.500	-40.39	14.67	-13.0	-27.39	220.00	Vertical	Horizontal	Pass
4907.750	-38.13	17.74	-13.0	-25.13	157.00	Vertical	Horizontal	Pass
7817.250	-31.80	24.47	-13.0	-18.80	135.00	Vertical	Horizontal	Pass
12571.162	-39.63	14.88	-13.0	-26.63	319.00	Vertical	Horizontal	Pass


24.5 n78 BW50, QPSK, Middle Channel

RSE-H&H n78 BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
275.410	-71.73	-13.98	-13.0	-58.73	296.00	Horizontal	Horizontal	Pass
1064.500	-58.35	-5.24	-13.0	-45.35	3.00	Horizontal	Horizontal	Pass
2109.300	-52.95	-0.40	-13.0	-39.95	121.00	Horizontal	Horizontal	Pass
3833.250	-40.06	15.18	-13.0	-27.06	13.00	Horizontal	Horizontal	Pass
6624.750	-30.91	23.07	-13.0	-17.91	360.00	Horizontal	Horizontal	Pass
12716.750	-39.25	16.36	-13.0	-26.25	106.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW50 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
275.410	-72.81	-13.98	-13.0	-59.81	291.00	Horizontal	Vertical	Pass
2102.800	-52.81	-0.39	-13.0	-39.81	344.00	Horizontal	Vertical	Pass
3866.000	-39.50	14.83	-13.0	-26.50	142.00	Horizontal	Vertical	Pass
5240.750	-37.25	17.31	-13.0	-24.25	360.00	Horizontal	Vertical	Pass
7245.750	-31.22	23.28	-13.0	-18.22	197.00	Horizontal	Vertical	Pass
12671.625	-39.52	16.05	-13.0	-26.52	104.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.337	-70.79	-17.98	-13.0	-57.79	321.00	Vertical	Vertical	Pass
2096.100	-53.27	-0.30	-13.0	-40.27	7.00	Vertical	Vertical	Pass
3831.500	-39.85	15.17	-13.0	-26.85	102.00	Vertical	Vertical	Pass
5794.750	-35.00	19.24	-13.0	-22.00	310.00	Vertical	Vertical	Pass
7965.750	-31.88	24.45	-13.0	-18.88	37.00	Vertical	Vertical	Pass
13339.837	-39.15	16.14	-13.0	-26.15	2.00	Vertical	Vertical	Pass


RSE-V&H n78 BW50 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1288.600	-57.33	-4.25	-13.0	-44.33	314.00	Vertical	Horizontal	Pass
2027.000	-53.63	-0.80	-13.0	-40.63	218.00	Vertical	Horizontal	Pass
3560.750	-33.34	13.81	-13.0	-20.34	56.00	Vertical	Horizontal	Pass
4906.750	-38.08	17.70	-13.0	-25.08	45.00	Vertical	Horizontal	Pass
7818.750	-31.61	24.33	-13.0	-18.61	235.00	Vertical	Horizontal	Pass
12745.012	-39.65	16.05	-13.0	-26.65	321.00	Vertical	Horizontal	Pass


24.6 n78 BW100, QPSK, Middle Channel

RSE-H&H n78 BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
898.247	-69.26	-0.01	-13.0	-56.26	358.00	Horizontal	Horizontal	Pass
2008.500	-53.69	-1.49	-13.0	-40.69	120.00	Horizontal	Horizontal	Pass
3835.500	-31.94	15.20	-13.0	-18.94	146.00	Horizontal	Horizontal	Pass
5156.750	-38.04	18.00	-13.0	-25.04	60.00	Horizontal	Horizontal	Pass
7815.250	-31.06	24.44	-13.0	-18.06	211.00	Horizontal	Horizontal	Pass
12659.512	-38.40	15.84	-13.0	-25.40	3.00	Horizontal	Horizontal	Pass

RSE-H&V n78 BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.047	-69.66	-0.09	-13.0	-56.66	343.00	Horizontal	Vertical	Pass
2141.800	-53.21	-1.08	-13.0	-40.21	124.00	Horizontal	Vertical	Pass
3835.250	-31.10	15.19	-13.0	-18.10	133.00	Horizontal	Vertical	Pass
5985.500	-34.07	20.85	-13.0	-21.07	38.00	Horizontal	Vertical	Pass
7972.250	-31.93	24.30	-13.0	-18.93	218.00	Horizontal	Vertical	Pass
12713.662	-39.43	16.39	-13.0	-26.43	299.00	Horizontal	Vertical	Pass

RSE-V&V n78 BW100 CH650000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.919	-70.93	-17.51	-13.0	-57.93	302.00	Vertical	Vertical	Pass
2040.600	-52.89	-0.89	-13.0	-39.89	217.00	Vertical	Vertical	Pass
3853.250	-35.69	14.96	-13.0	-22.69	38.00	Vertical	Vertical	Pass
5755.000	-35.19	19.74	-13.0	-22.19	113.00	Vertical	Vertical	Pass
7786.500	-30.95	24.45	-13.0	-17.95	113.00	Vertical	Vertical	Pass
12674.000	-39.62	16.09	-13.0	-26.62	202.00	Vertical	Vertical	Pass

RSE-V&H n78 BW100 CH650000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1739.800	-56.68	-4.70	-13.0	-43.68	82.00	Vertical	Horizontal	Pass
3103.750	-43.80	12.27	-13.0	-30.80	301.00	Vertical	Horizontal	Pass
3842.000	-38.70	15.24	-13.0	-25.70	158.00	Vertical	Horizontal	Pass
5148.500	-37.92	17.88	-13.0	-24.92	213.00	Vertical	Horizontal	Pass
6717.250	-31.56	23.94	-13.0	-18.56	169.00	Vertical	Horizontal	Pass
12667.588	-39.02	15.98	-13.0	-26.02	110.00	Vertical	Horizontal	Pass

25 DC_2A_n78A (3450-3550MHz)


25.1 DC_2A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_2A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1851.100	-44.83	2.45	-13.0	-31.83	328.00	Horizontal	Horizontal	N/A
1934.900	-24.16	2.89	-13.0	-11.16	76.00	Horizontal	Horizontal	N/A
3451.500	-30.77	15.30	-13.0	-17.77	0.00	Horizontal	Horizontal	N/A
3865.750	-36.22	14.68	-13.0	-23.22	125.00	Horizontal	Horizontal	Pass
7804.000	-30.55	25.10	-13.0	-17.55	181.00	Horizontal	Horizontal	Pass
13792.388	-38.91	16.50	-13.0	-25.91	207.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
190.195	-75.90	-16.30	-13.0	-62.90	268.00	Horizontal	Vertical	Pass
1934.800	-22.87	2.91	-13.0	-9.87	248.00	Horizontal	Vertical	N/A
3460.750	-38.49	15.21	-13.0	-25.49	171.00	Horizontal	Vertical	N/A
7825.750	-31.15	24.10	-13.0	-18.15	128.00	Horizontal	Vertical	Pass
13373.175	-39.41	16.76	-13.0	-26.41	56.00	Horizontal	Vertical	Pass
17820.975	-42.84	12.63	-13.0	-29.84	0.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.344	-74.37	-16.06	-13.0	-61.37	228.00	Vertical	Vertical	Pass
1850.700	-50.02	2.44	-13.0	-37.02	162.00	Vertical	Vertical	N/A
1934.800	-36.80	2.91	-13.0	-23.80	118.00	Vertical	Vertical	N/A
3451.500	-34.45	15.30	-13.0	-21.45	64.00	Vertical	Vertical	N/A
7956.250	-30.93	24.79	-13.0	-17.93	96.00	Vertical	Vertical	Pass
10353.388	-40.22	9.15	-13.0	-27.22	122.00	Vertical	Vertical	Pass


RSE-V&H DC_2A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1851.100	-48.79	2.45	-13.0	-35.79	167.00	Vertical	Horizontal	N/A
1932.400	-34.08	3.19	-13.0	-21.08	194.00	Vertical	Horizontal	N/A
3451.500	-37.91	15.30	-13.0	-24.91	130.00	Vertical	Horizontal	N/A
7804.500	-30.26	25.15	-13.0	-17.26	22.00	Vertical	Horizontal	Pass
13376.588	-39.48	16.79	-13.0	-26.48	124.00	Vertical	Horizontal	Pass
19765.350	-42.87	12.94	-13.0	-29.87	343.00	Vertical	Horizontal	Pass


25.2 DC_2A_n78A BW20(LTE)+BW100(NR), QPSK, High Channel

RSE-H&H DC_2A_n78A BW20(LTE)+BW100NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
183.696	-71.99	-17.34	-13.0	-58.99	71.00	Horizontal	Horizontal	Pass
1972.800	-24.35	2.89	-13.0	-11.35	83.00	Horizontal	Horizontal	N/A
3451.750	-32.33	15.30	-13.0	-19.33	129.00	Horizontal	Horizontal	N/A
3960.500	-34.90	14.70	-13.0	-21.90	118.00	Horizontal	Horizontal	Pass
7044.750	-31.23	23.28	-13.0	-18.23	141.00	Horizontal	Horizontal	Pass
13387.350	-39.38	16.89	-13.0	-26.38	360.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n78A BW20(LTE)+BW100NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
183.502	-75.88	-17.36	-13.0	-62.88	75.00	Horizontal	Vertical	Pass
1972.800	-28.78	2.89	-13.0	-15.78	79.00	Horizontal	Vertical	N/A
3451.500	-33.82	15.30	-13.0	-20.82	178.00	Horizontal	Vertical	N/A
3960.500	-36.93	14.70	-13.0	-23.93	137.00	Horizontal	Vertical	Pass
7959.250	-30.96	25.11	-13.0	-17.96	95.00	Horizontal	Vertical	Pass
11952.238	-39.33	14.00	-13.0	-26.33	305.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n78A BW20(LTE)+BW100NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.811	-73.69	-15.82	-13.0	-60.69	236.00	Vertical	Vertical	Pass
1978.400	-41.26	2.77	-13.0	-28.26	107.00	Vertical	Vertical	N/A
3451.750	-35.52	15.30	-13.0	-22.52	359.00	Vertical	Vertical	N/A
3960.500	-35.63	14.70	-13.0	-22.63	65.00	Vertical	Vertical	Pass
7789.500	-30.42	24.62	-13.0	-17.42	360.00	Vertical	Vertical	Pass
13339.050	-37.88	16.11	-13.0	-24.88	132.00	Vertical	Vertical	Pass

RSE-V&H DC_2A_n78A BW20(LTE)+BW100NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.393	-74.01	-16.11	-13.0	-61.01	158.00	Vertical	Horizontal	Pass
1977.900	-38.90	2.85	-13.0	-25.90	253.00	Vertical	Horizontal	N/A
3451.500	-37.90	15.30	-13.0	-24.90	122.00	Vertical	Horizontal	N/A
3960.500	-38.97	14.70	-13.0	-25.97	144.00	Vertical	Horizontal	Pass
7803.250	-30.77	25.20	-13.0	-17.77	111.00	Vertical	Horizontal	Pass
13393.651	-39.44	16.95	-13.0	-26.44	360.00	Vertical	Horizontal	Pass

26 DC_2A_n78A (3700-3800MHz)


26.1 DC_2A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_2A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1851.000	-45.46	2.45	-13.0	-32.46	337.00	Horizontal	Horizontal	N/A
1933.200	-25.61	3.17	-13.0	-12.61	73.00	Horizontal	Horizontal	N/A
3701.500	-38.85	14.74	-13.0	-25.85	143.00	Horizontal	Horizontal	N/A
3865.750	-36.25	14.84	-13.0	-23.25	111.00	Horizontal	Horizontal	Pass
7805.250	-31.04	24.72	-13.0	-18.04	143.00	Horizontal	Horizontal	Pass
13379.474	-39.72	16.82	-13.0	-26.72	191.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1850.900	-43.40	2.44	-13.0	-30.40	121.00	Horizontal	Vertical	N/A
1934.700	-23.42	2.93	-13.0	-10.42	264.00	Horizontal	Vertical	N/A
3701.500	-40.28	14.74	-13.0	-27.28	154.00	Horizontal	Vertical	N/A
3865.500	-38.61	14.87	-13.0	-25.61	131.00	Horizontal	Vertical	Pass
7795.000	-31.06	24.71	-13.0	-18.06	186.00	Horizontal	Vertical	Pass
13367.137	-40.19	16.70	-13.0	-27.19	300.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.816	-74.14	-18.83	-13.0	-61.14	115.00	Vertical	Vertical	Pass
1851.300	-44.93	2.45	-13.0	-31.93	63.00	Vertical	Vertical	N/A
1932.900	-34.20	3.20	-13.0	-21.20	122.00	Vertical	Vertical	N/A
3865.750	-38.90	14.84	-13.0	-25.90	73.00	Vertical	Vertical	Pass
7789.500	-30.55	24.59	-13.0	-17.55	128.00	Vertical	Vertical	Pass
12670.437	-39.06	14.48	-13.0	-26.06	0.00	Vertical	Vertical	Pass


RSE-V&H DC_2A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.816	-74.11	-18.83	-13.0	-61.11	195.00	Vertical	Horizontal	Pass
1851.200	-48.29	2.45	-13.0	-35.29	60.00	Vertical	Horizontal	N/A
1932.100	-39.55	3.18	-13.0	-26.55	182.00	Vertical	Horizontal	N/A
3865.500	-40.81	14.87	-13.0	-27.81	101.00	Vertical	Horizontal	Pass
7932.250	-31.50	23.28	-13.0	-18.50	124.00	Vertical	Horizontal	Pass
13806.037	-39.53	16.87	-13.0	-26.53	187.00	Vertical	Horizontal	Pass


26.2 DC_2A_n78A BW20(LTE)+BW100(NR), QPSK, High Channel

RSE-H&H DC_2A_n78A BW20(LTE)+BW100NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
195.724	-76.37	-15.87	-13.0	-63.37	233.00	Horizontal	Horizontal	Pass
1985.700	-27.80	2.97	-13.0	-14.80	142.00	Horizontal	Horizontal	N/A
3701.750	-40.14	14.74	-13.0	-27.14	119.00	Horizontal	Horizontal	N/A
3898.000	-36.64	15.56	-13.0	-23.64	108.00	Horizontal	Horizontal	Pass
7968.000	-31.69	24.58	-13.0	-18.69	299.00	Horizontal	Horizontal	Pass
13348.237	-39.70	16.47	-13.0	-26.70	179.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n78A BW20(LTE)+BW100NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
183.551	-74.64	-17.36	-13.0	-61.64	242.00	Horizontal	Vertical	Pass
1989.600	-27.80	2.97	-13.0	-14.80	254.00	Horizontal	Vertical	N/A
3701.750	-41.29	14.74	-13.0	-28.29	147.00	Horizontal	Vertical	N/A
3960.500	-36.31	14.71	-13.0	-23.31	147.00	Horizontal	Vertical	Pass
7840.750	-30.75	23.58	-13.0	-17.75	316.00	Horizontal	Vertical	Pass
13403.362	-39.80	16.94	-13.0	-26.80	0.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n78A BW20(LTE)+BW100NR



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.331	-74.61	-19.20	-13.0	-61.61	88.00	Vertical	Vertical	Pass
1972.300	-37.08	2.90	-13.0	-24.08	123.00	Vertical	Vertical	N/A
3701.250	-40.41	14.74	-13.0	-27.41	76.00	Vertical	Vertical	N/A
3960.250	-37.82	14.72	-13.0	-24.82	87.00	Vertical	Vertical	Pass
7965.500	-31.53	24.42	-13.0	-18.53	310.00	Vertical	Vertical	Pass
13360.838	-38.94	16.64	-13.0	-25.94	68.00	Vertical	Vertical	Pass

RSE-V&H DC_2A_n78A BW20(LTE)+BW100NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.106	-74.47	-18.67	-13.0	-61.47	206.00	Vertical	Horizontal	Pass
1984.400	-38.48	2.85	-13.0	-25.48	250.00	Vertical	Horizontal	N/A
3692.000	-41.25	14.65	-13.0	-28.25	224.00	Vertical	Horizontal	Pass
7965.750	-31.23	24.45	-13.0	-18.23	46.00	Vertical	Horizontal	Pass
13362.150	-39.01	16.65	-13.0	-26.01	130.00	Vertical	Horizontal	Pass
17930.963	-42.36	13.63	-13.0	-29.36	196.00	Vertical	Horizontal	Pass

27 DC_5A_n78A (3450-3550MHz)


27.1 DC_5A_n78A BW5(LTE)+BW20(NR), QPSK, High Channel

RSE-H&H DC_5A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.364	-54.76	4.83	-13.0	-41.76	131.00	Horizontal	Horizontal	N/A
891.166	-49.63	4.32	-13.0	-36.63	262.00	Horizontal	Horizontal	N/A
2736.000	-44.55	1.24	-13.0	-31.55	61.00	Horizontal	Horizontal	Pass
3464.250	-39.92	15.18	-13.0	-26.92	112.00	Horizontal	Horizontal	N/A
7961.000	-30.96	25.06	-13.0	-17.96	80.00	Horizontal	Horizontal	Pass
12501.812	-38.85	15.62	-13.0	-25.85	188.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.412	-54.63	4.83	-13.0	-41.63	161.00	Horizontal	Vertical	N/A
891.602	-46.84	4.29	-13.0	-33.84	173.00	Horizontal	Vertical	N/A
2735.900	-41.75	1.23	-13.0	-28.75	176.00	Horizontal	Vertical	Pass
3395.750	-40.84	15.58	-13.0	-27.84	125.00	Horizontal	Vertical	Pass
7966.500	-31.07	24.81	-13.0	-18.07	28.00	Horizontal	Vertical	Pass
12712.950	-39.17	16.40	-13.0	-26.17	273.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.412	-52.94	4.83	-13.0	-39.94	156.00	Vertical	Vertical	N/A
891.263	-55.64	4.31	-13.0	-42.64	37.00	Vertical	Vertical	N/A
2735.900	-50.73	1.23	-13.0	-37.73	42.00	Vertical	Vertical	Pass
3396.500	-41.17	15.58	-13.0	-28.17	265.00	Vertical	Vertical	Pass
7961.000	-31.11	25.06	-13.0	-18.11	104.00	Vertical	Vertical	Pass
12709.625	-39.16	16.44	-13.0	-26.16	112.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.315	-56.31	4.83	-13.0	-43.31	327.00	Vertical	Horizontal	N/A
892.621	-49.78	4.26	-13.0	-36.78	9.00	Vertical	Horizontal	N/A
2094.200	-53.46	-0.47	-13.0	-40.46	26.00	Vertical	Horizontal	Pass
3447.750	-40.96	15.33	-13.0	-27.96	255.00	Vertical	Horizontal	Pass
7195.500	-31.42	23.27	-13.0	-18.42	51.00	Vertical	Horizontal	Pass
12609.875	-39.60	15.30	-13.0	-26.60	360.00	Vertical	Horizontal	Pass


27.2 DC_5A_n78A BW10(LTE)+BW100(NR), QPSK, High Channel

RSE-H&H DC_5A_n78A BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.610	-57.52	5.05	-13.0	-44.52	185.00	Horizontal	Horizontal	N/A
888.790	-51.36	5.33	-13.0	-38.36	363.00	Horizontal	Horizontal	N/A
2616.100	-49.05	0.43	-13.0	-36.05	0.00	Horizontal	Horizontal	Pass
3451.500	-34.83	15.30	-13.0	-21.83	38.00	Horizontal	Horizontal	N/A
7960.750	-31.80	25.11	-13.0	-18.80	324.00	Horizontal	Horizontal	Pass
12516.062	-39.69	14.46	-13.0	-26.69	275.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n78A BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.562	-57.62	5.05	-13.0	-44.62	172.00	Horizontal	Vertical	N/A
889.420	-54.63	5.32	-13.0	-41.63	75.00	Horizontal	Vertical	N/A
2615.900	-47.37	0.46	-13.0	-34.37	178.00	Horizontal	Vertical	Pass
3451.750	-37.54	15.30	-13.0	-24.54	170.00	Horizontal	Vertical	N/A
7801.000	-31.32	25.31	-13.0	-18.32	202.00	Horizontal	Vertical	Pass
13412.550	-39.32	16.73	-13.0	-26.32	13.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n78A BW10(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.610	-57.97	5.05	-13.0	-44.97	166.00	Vertical	Vertical	N/A
889.274	-52.71	5.35	-13.0	-39.71	65.00	Vertical	Vertical	N/A
2120.800	-53.39	-1.00	-13.0	-40.39	360.00	Vertical	Vertical	Pass
3452.000	-36.73	15.30	-13.0	-23.73	343.00	Vertical	Vertical	N/A
7950.750	-31.06	24.24	-13.0	-18.06	141.00	Vertical	Vertical	Pass
13344.825	-39.60	16.34	-13.0	-26.60	200.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n78A BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.659	-61.72	5.05	-13.0	-48.72	333.00	Vertical	Horizontal	N/A
889.274	-52.12	5.35	-13.0	-39.12	98.00	Vertical	Horizontal	N/A
2216.500	-53.83	-1.57	-13.0	-40.83	53.00	Vertical	Horizontal	Pass
3451.500	-39.16	15.30	-13.0	-26.16	102.00	Vertical	Horizontal	N/A
7960.750	-30.93	25.11	-13.0	-17.93	70.00	Vertical	Horizontal	Pass
13384.988	-39.66	16.87	-13.0	-26.66	318.00	Vertical	Horizontal	Pass

28 DC_5A_n78A (3700-3800MHz)


28.1 DC_5A_n78A BW5(LTE)+BW20(NR), QPSK, High Channel

RSE-H&H DC_5A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.315	-55.37	4.83	-13.0	-42.37	108.00	Horizontal	Horizontal	N/A
890.681	-50.01	4.34	-13.0	-37.01	149.00	Horizontal	Horizontal	N/A
2007.100	-54.31	-1.47	-13.0	-41.31	214.00	Horizontal	Horizontal	Pass
4026.250	-40.58	14.88	-13.0	-27.58	83.00	Horizontal	Horizontal	Pass
6862.250	-31.94	22.46	-13.0	-18.94	62.00	Horizontal	Horizontal	Pass
12700.599	-39.24	16.53	-13.0	-26.24	183.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.364	-55.76	4.83	-13.0	-42.76	165.00	Horizontal	Vertical	N/A
891.069	-53.28	4.33	-13.0	-40.28	46.00	Horizontal	Vertical	N/A
2012.000	-53.69	-1.57	-13.0	-40.69	226.00	Horizontal	Vertical	Pass
3211.250	-41.98	12.84	-13.0	-28.98	349.00	Horizontal	Vertical	Pass
7820.250	-31.11	24.34	-13.0	-18.11	135.00	Horizontal	Vertical	Pass
12560.950	-39.15	14.76	-13.0	-26.15	344.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.364	-53.48	4.83	-13.0	-40.48	153.00	Vertical	Vertical	N/A
891.554	-52.92	4.29	-13.0	-39.92	341.00	Vertical	Vertical	N/A
2067.500	-53.24	-1.19	-13.0	-40.24	233.00	Vertical	Vertical	Pass
3760.750	-41.36	15.24	-13.0	-28.36	202.00	Vertical	Vertical	N/A
7142.250	-31.31	21.95	-13.0	-18.31	7.00	Vertical	Vertical	Pass
12665.925	-39.68	15.95	-13.0	-26.68	14.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.364	-56.16	4.83	-13.0	-43.16	337.00	Vertical	Horizontal	N/A
889.372	-51.25	4.35	-13.0	-38.25	245.00	Vertical	Horizontal	N/A
2094.300	-53.46	-0.46	-13.0	-40.46	172.00	Vertical	Horizontal	Pass
3697.000	-41.47	14.69	-13.0	-28.47	108.00	Vertical	Horizontal	Pass
7784.500	-31.28	24.31	-13.0	-18.28	108.00	Vertical	Horizontal	Pass
12684.213	-38.36	16.27	-13.0	-25.36	137.00	Vertical	Horizontal	Pass


28.2 DC_5A_n78A BW10(LTE)+BW100(NR), QPSK, High Channel

RSE-H&H DC_5A_n78A BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
892.427	-52.08	4.26	-13.0	-39.08	319.00	Horizontal	Horizontal	N/A
2126.700	-53.49	-0.88	-13.0	-40.49	98.00	Horizontal	Horizontal	Pass
3897.750	-39.57	15.58	-13.0	-26.57	0.00	Horizontal	Horizontal	Pass
7799.750	-31.70	24.76	-13.0	-18.70	42.00	Horizontal	Horizontal	Pass
12694.662	-39.39	16.45	-13.0	-26.39	360.00	Horizontal	Horizontal	Pass
18278.552	-42.79	12.86	-13.0	-29.79	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n78A BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
821.908	-59.93	4.09	-13.0	-46.93	141.00	Horizontal	Vertical	Pass
889.226	-50.48	4.35	-13.0	-37.48	43.00	Horizontal	Vertical	N/A
2519.600	-51.81	0.58	-13.0	-38.81	133.00	Horizontal	Vertical	Pass
3897.750	-38.15	15.58	-13.0	-25.15	360.00	Horizontal	Vertical	Pass
6672.750	-31.91	22.61	-13.0	-18.91	28.00	Horizontal	Vertical	Pass
12681.838	-39.27	16.22	-13.0	-26.27	18.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n78A BW10(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
888.886	-53.02	4.38	-13.0	-40.02	81.00	Vertical	Vertical	N/A
1343.000	-56.05	-3.78	-13.0	-43.05	308.00	Vertical	Vertical	Pass
2103.800	-53.50	-0.01	-13.0	-40.50	359.00	Vertical	Vertical	Pass
3897.750	-40.80	15.58	-13.0	-27.80	93.00	Vertical	Vertical	Pass
7963.000	-31.28	24.31	-13.0	-18.28	278.00	Vertical	Vertical	Pass
12697.513	-39.20	16.50	-13.0	-26.20	131.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n78A BW10(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
891.602	-49.50	4.29	-13.0	-36.50	137.00	Vertical	Horizontal	N/A
1351.500	-56.50	-3.77	-13.0	-43.50	239.00	Vertical	Horizontal	Pass
1971.700	-54.30	-1.74	-13.0	-41.30	309.00	Vertical	Horizontal	Pass
3790.000	-41.14	15.01	-13.0	-28.14	40.00	Vertical	Horizontal	N/A
7811.250	-31.22	24.54	-13.0	-18.22	158.00	Vertical	Horizontal	Pass
12689.438	-39.40	16.36	-13.0	-26.40	251.00	Vertical	Horizontal	Pass

29 DC_7A_n5A


29.1 DC_7A_n5A BW5(LTE)+BW5(NR), QPSK, High Channel

RSE-H&H DC_7A_n5A BW5(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.631	-61.57	5.03	-25.0	-36.57	165.00	Horizontal	Horizontal	N/A
890.826	-34.75	5.27	-25.0	-9.75	77.00	Horizontal	Horizontal	N/A
2571.100	-41.89	10.46	-25.0	-16.89	353.00	Horizontal	Horizontal	N/A
2687.400	-27.31	8.76	-25.0	-2.31	128.00	Horizontal	Horizontal	N/A
7818.250	-39.45	16.33	-25.0	-14.45	311.00	Horizontal	Horizontal	Pass
13798.688	-38.82	16.92	-25.0	-13.82	132.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW5(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.680	-53.43	5.03	-25.0	-28.43	19.00	Horizontal	Vertical	N/A
890.099	-37.85	5.19	-25.0	-12.85	309.00	Horizontal	Vertical	N/A
2570.500	-41.33	10.46	-25.0	-16.33	122.00	Horizontal	Vertical	N/A
2689.400	-27.61	8.49	-25.0	-2.61	128.00	Horizontal	Vertical	N/A
7885.250	-39.58	15.20	-25.0	-14.58	53.00	Horizontal	Vertical	Pass
13365.300	-39.94	16.68	-25.0	-14.94	95.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW5(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.631	-59.87	5.03	-25.0	-34.87	58.00	Vertical	Vertical	N/A
890.050	-46.58	5.18	-25.0	-21.58	294.00	Vertical	Vertical	N/A
2578.600	-37.37	10.57	-25.0	-12.37	291.00	Vertical	Vertical	Pass
2687.200	-40.51	8.79	-25.0	-15.51	37.00	Vertical	Vertical	N/A
5843.000	-39.06	12.46	-25.0	-14.06	193.00	Vertical	Vertical	Pass
13365.826	-39.51	16.69	-25.0	-14.51	193.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW5(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.998	-63.63	5.07	-25.0	-38.63	45.00	Vertical	Horizontal	N/A
893.300	-38.33	5.31	-25.0	-13.33	319.00	Vertical	Horizontal	N/A
2518.200	-42.89	10.33	-25.0	-17.89	174.00	Vertical	Horizontal	N/A
2688.400	-40.48	8.57	-25.0	-15.48	50.00	Vertical	Horizontal	N/A
7808.250	-39.97	16.05	-25.0	-14.97	181.00	Vertical	Horizontal	Pass
12462.387	-39.29	14.38	-25.0	-14.29	276.00	Vertical	Horizontal	Pass


29.2 DC_7A_n5A BW20(LTE)+BW20(NR), QPSK, High Channel

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.571	-49.66	4.65	-25.0	-24.66	129.00	Horizontal	Horizontal	N/A
890.536	-42.38	5.23	-25.0	-17.38	73.00	Horizontal	Horizontal	N/A
2551.700	-40.50	10.19	-25.0	-15.50	104.00	Horizontal	Horizontal	N/A
2678.900	-32.08	9.18	-25.0	-7.08	128.00	Horizontal	Horizontal	N/A
7810.000	-39.82	16.27	-25.0	-14.82	257.00	Horizontal	Horizontal	Pass
13397.588	-39.31	16.99	-25.0	-14.31	278.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.522	-53.41	4.65	-25.0	-28.41	13.00	Horizontal	Vertical	N/A
880.496	-42.38	4.87	-25.0	-17.38	302.00	Horizontal	Vertical	N/A
2552.300	-43.24	10.20	-25.0	-18.24	107.00	Horizontal	Vertical	N/A
2678.700	-30.33	9.21	-25.0	-5.33	120.00	Horizontal	Vertical	N/A
7874.750	-39.58	15.03	-25.0	-14.58	119.00	Horizontal	Vertical	Pass
13401.263	-39.59	16.98	-25.0	-14.59	360.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.522	-51.06	4.65	-25.0	-26.06	65.00	Vertical	Vertical	N/A
892.476	-45.59	5.28	-25.0	-20.59	295.00	Vertical	Vertical	N/A
2551.800	-41.19	10.19	-25.0	-16.19	233.00	Vertical	Vertical	N/A
2672.200	-41.80	9.09	-25.0	-16.80	308.00	Vertical	Vertical	N/A
7779.250	-40.55	15.32	-25.0	-15.55	136.00	Vertical	Vertical	Pass
13393.388	-39.83	16.95	-25.0	-14.83	211.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.571	-53.75	4.65	-25.0	-28.75	28.00	Vertical	Horizontal	N/A
875.500	-43.94	4.83	-25.0	-18.94	296.00	Vertical	Horizontal	N/A
2497.500	-42.00	10.41	-25.0	-17.00	144.00	Vertical	Horizontal	Pass
2682.800	-43.51	9.15	-25.0	-18.51	52.00	Vertical	Horizontal	N/A
6691.750	-39.33	14.86	-25.0	-14.33	131.00	Vertical	Horizontal	Pass
13413.599	-39.81	16.71	-25.0	-14.81	360.00	Vertical	Horizontal	Pass

30 DC_7A_n78A (3450-3550MHz)


30.1 DC_7A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.465	-75.39	-19.46	-25.0	-50.39	265.00	Horizontal	Horizontal	Pass
2622.800	-34.99	9.22	-25.0	-9.99	132.00	Horizontal	Horizontal	N/A
3451.500	-30.84	15.30	-25.0	-5.84	148.00	Horizontal	Horizontal	N/A
4402.000	-28.68	15.28	-25.0	-3.68	148.00	Horizontal	Horizontal	Pass
7952.000	-31.01	24.24	-25.0	-6.01	128.00	Horizontal	Horizontal	Pass
10353.625	-38.50	9.15	-25.0	-13.50	47.00	Horizontal	Horizontal	Pass


RSE-H&V DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2623.200	-34.40	9.31	-25.0	-9.40	116.00	Horizontal	Vertical	N/A
3451.750	-35.04	15.30	-25.0	-10.04	198.00	Horizontal	Vertical	N/A
4402.250	-23.14	15.25	-25.0	1.86	135.00	Horizontal	Vertical	N/A
4402.250*	-28.238	15.25	-25.0	-3.238	135.00	Horizontal	Vertical	Pass
7799.250	-31.05	25.36	-25.0	-6.05	218.00	Horizontal	Vertical	Pass
10001.887	-33.51	10.87	-25.0	-8.51	198.00	Horizontal	Vertical	Pass
10353.625	-35.91	9.15	-25.0	-10.91	222.00	Horizontal	Vertical	Pass


Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

RSE-V&V DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
3451.500	-35.87	15.30	-25.0	-10.87	9.00	Vertical	Vertical	N/A
4402.500	-29.18	15.29	-25.0	-4.18	28.00	Vertical	Vertical	Pass
10002.362	-36.56	10.90	-25.0	-11.56	257.00	Vertical	Vertical	Pass
10353.863	-32.49	9.15	-25.0	-7.49	225.00	Vertical	Vertical	Pass
13387.088	-38.38	16.89	-25.0	-13.38	273.00	Vertical	Vertical	Pass
19752.301	-42.99	12.94	-25.0	-17.99	345.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.881	-69.16	-21.22	-25.0	-44.16	250.00	Vertical	Horizontal	Pass
2624.300	-41.67	9.38	-25.0	-16.67	269.00	Vertical	Horizontal	N/A
3451.750	-39.34	15.30	-25.0	-14.34	54.00	Vertical	Horizontal	N/A
4402.250	-31.68	15.25	-25.0	-6.68	54.00	Vertical	Horizontal	Pass
7826.750	-31.28	24.12	-25.0	-6.28	186.00	Vertical	Horizontal	Pass
10353.625	-35.29	9.15	-25.0	-10.29	69.00	Vertical	Horizontal	Pass

30.2 DC_7A_n78A BW20(LTE)+BW100(NR), QPSK, High Channel


RSE-H&H DC_7A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2552.000	-42.59	9.25	-25.0	-17.59	99.00	Horizontal	Horizontal	N/A
2684.600	-29.93	10.14	-25.0	-4.93	125.00	Horizontal	Horizontal	N/A
3451.750	-31.86	15.30	-25.0	-6.86	360.00	Horizontal	Horizontal	N/A
4351.500	-25.06	15.33	-25.0	-0.06	146.00	Horizontal	Horizontal	N/A
4351.500*	-30.788	15.33	-25.0	-5.788	146.00	Horizontal	Horizontal	Pass
7961.000	-30.99	25.06	-25.0	-5.99	360.00	Horizontal	Horizontal	Pass
13369.763	-39.81	16.73	-25.0	-14.81	166.00	Horizontal	Horizontal	Pass

Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.


RSE-H&V DC_7A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
183.212	-77.39	-17.39	-25.0	-52.39	258.00	Horizontal	Vertical	Pass
2672.800	-36.57	10.02	-25.0	-11.57	144.00	Horizontal	Vertical	N/A
3451.750	-34.24	15.30	-25.0	-9.24	157.00	Horizontal	Vertical	N/A
4351.250	-26.25	15.32	-25.0	-1.25	125.00	Horizontal	Vertical	N/A
4351.250*	-31.055	15.32	-25.0	-6.055	125.00	Horizontal	Vertical	Pass
6711.500	-31.50	23.92	-25.0	-6.50	251.00	Horizontal	Vertical	Pass
13385.250	-39.72	16.87	-25.0	-14.72	45.00	Horizontal	Vertical	Pass


Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

RSE-V&V DC_7A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2486.600	-37.91	9.47	-25.0	-12.91	0.00	Vertical	Vertical	Pass
2581.700	-38.36	9.63	-25.0	-13.36	14.00	Vertical	Vertical	N/A
3451.500	-35.75	15.30	-25.0	-10.75	335.00	Vertical	Vertical	N/A
4351.500	-29.46	15.33	-25.0	-4.46	137.00	Vertical	Vertical	Pass
7779.750	-31.23	23.76	-25.0	-6.23	284.00	Vertical	Vertical	Pass
10353.625	-39.72	9.15	-25.0	-14.72	220.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.393	-73.25	-16.11	-25.0	-48.25	193.00	Vertical	Horizontal	Pass
2672.500	-41.43	10.06	-25.0	-16.43	125.00	Vertical	Horizontal	N/A
3451.750	-34.92	15.30	-25.0	-9.92	131.00	Vertical	Horizontal	N/A
4351.500	-26.70	15.33	-25.0	-1.70	45.00	Vertical	Horizontal	N/A
4351.500*	-34.013	15.33	-25.0	-9.013	45.00	Vertical	Horizontal	Pass
7295.500	-31.41	23.04	-25.0	-6.41	0.00	Vertical	Horizontal	Pass
13404.412	-39.81	16.91	-25.0	-14.81	228.00	Vertical	Horizontal	Pass

Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

31 DC_7A_n78A (3700-3800MHz)


31.1 DC_7A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_7A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.768	-73.49	-16.04	-25.0	-48.49	266.00	Horizontal	Horizontal	Pass
2624.000	-32.28	9.37	-25.0	-7.28	123.00	Horizontal	Horizontal	N/A
2965.000	-40.25	14.95	-25.0	-15.25	151.00	Horizontal	Horizontal	Pass
3701.750	-40.49	14.74	-25.0	-15.49	109.00	Horizontal	Horizontal	N/A
7944.250	-31.34	23.80	-25.0	-6.34	246.00	Horizontal	Horizontal	Pass
13384.724	-39.31	16.87	-25.0	-14.31	27.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2497.200	-43.77	9.54	-25.0	-18.77	238.00	Horizontal	Vertical	Pass
2624.500	-33.06	9.38	-25.0	-8.06	303.00	Horizontal	Vertical	N/A
3701.500	-40.55	14.74	-25.0	-15.55	129.00	Horizontal	Vertical	N/A
4902.250	-30.22	17.58	-25.0	-5.22	145.00	Horizontal	Vertical	Pass
10001.887	-33.84	10.87	-25.0	-8.84	116.00	Horizontal	Vertical	Pass
13393.651	-39.15	16.95	-25.0	-14.15	158.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2501.100	-42.15	9.56	-25.0	-17.15	205.00	Vertical	Vertical	N/A
4902.250	-35.53	17.58	-25.0	-10.53	138.00	Vertical	Vertical	Pass
7963.000	-31.64	24.31	-25.0	-6.64	138.00	Vertical	Vertical	Pass
10001.887	-35.36	10.87	-25.0	-10.36	218.00	Vertical	Vertical	Pass
11103.651	-39.57	9.76	-25.0	-14.57	170.00	Vertical	Vertical	Pass
17797.876	-42.24	13.07	-25.0	-17.24	70.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.026	-68.72	-21.26	-25.0	-43.72	269.00	Vertical	Horizontal	Pass
2625.200	-42.98	9.40	-25.0	-17.98	121.00	Vertical	Horizontal	N/A
4420.000	-39.16	16.20	-25.0	-14.16	12.00	Vertical	Horizontal	Pass
7912.500	-31.48	23.35	-25.0	-6.48	330.00	Vertical	Horizontal	Pass
13356.900	-38.78	16.60	-25.0	-13.78	302.00	Vertical	Horizontal	Pass
17962.725	-42.40	13.77	-25.0	-17.40	0.00	Vertical	Horizontal	Pass


31.2 DC_7A_n78A BW20(LTE)+BW100(NR), QPSK, High Channel

RSE-H&H DC_7A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2552.400	-42.44	9.26	-25.0	-17.44	329.00	Horizontal	Horizontal	N/A
2677.500	-39.01	10.14	-25.0	-14.01	126.00	Horizontal	Horizontal	N/A
4004.000	-40.23	15.27	-25.0	-15.23	0.00	Horizontal	Horizontal	Pass
6708.250	-32.20	23.69	-25.0	-7.20	0.00	Horizontal	Horizontal	Pass
11932.763	-40.01	13.99	-25.0	-15.01	243.00	Horizontal	Horizontal	Pass
17950.124	-42.79	14.09	-25.0	-17.79	34.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
791.305	-70.80	-1.30	-25.0	-45.80	63.00	Horizontal	Vertical	Pass
2678.600	-39.17	10.06	-25.0	-14.17	196.00	Horizontal	Vertical	N/A
4128.500	-40.68	15.08	-25.0	-15.68	315.00	Horizontal	Vertical	Pass
7953.000	-31.42	23.78	-25.0	-6.42	1.00	Horizontal	Vertical	Pass
12642.650	-40.22	14.26	-25.0	-15.22	34.00	Horizontal	Vertical	Pass
17927.025	-41.67	13.54	-25.0	-16.67	237.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.411	-73.27	-16.91	-25.0	-48.27	191.00	Vertical	Vertical	Pass
2971.900	-39.72	15.51	-25.0	-14.72	293.00	Vertical	Vertical	Pass
3733.500	-40.72	15.12	-25.0	-15.72	117.00	Vertical	Vertical	N/A
6704.250	-31.43	23.46	-25.0	-6.43	360.00	Vertical	Vertical	Pass
13827.037	-39.38	16.38	-25.0	-14.38	169.00	Vertical	Vertical	Pass
17924.661	-42.32	13.48	-25.0	-17.32	183.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.511	-71.52	-21.26	-25.0	-46.52	291.00	Vertical	Horizontal	Pass
2946.900	-39.35	13.77	-25.0	-14.35	240.00	Vertical	Horizontal	Pass
3759.750	-41.38	15.24	-25.0	-16.38	332.00	Vertical	Horizontal	N/A
6644.000	-31.13	23.27	-25.0	-6.13	332.00	Vertical	Horizontal	Pass
13407.563	-39.03	16.84	-25.0	-14.03	69.00	Vertical	Horizontal	Pass
19679.850	-42.56	12.94	-25.0	-17.56	129.00	Vertical	Horizontal	Pass

32 DC_41A_n78A (3450-3550MHz)


32.1 DC_41A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_41A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.514	-78.49	-15.72	-25.0	-53.49	254.00	Horizontal	Horizontal	Pass
2485.500	-25.78	9.46	-25.0	-0.78	0.00	Horizontal	Horizontal	N/A
2594.100	-40.13	9.56	-25.0	-15.13	348.00	Horizontal	Horizontal	N/A
3451.750	-31.65	15.30	-25.0	-6.65	333.00	Horizontal	Horizontal	N/A
6650.000	-31.71	23.22	-25.0	-6.71	177.00	Horizontal	Horizontal	Pass
13795.800	-39.58	16.73	-25.0	-14.58	16.00	Horizontal	Horizontal	Pass

RSE-H&V DC_41A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
196.258	-78.71	-15.90	-25.0	-53.71	78.00	Horizontal	Vertical	Pass
2489.700	-27.06	9.49	-25.0	-2.06	360.00	Horizontal	Vertical	N/A
2595.100	-42.40	9.46	-25.0	-17.40	116.00	Horizontal	Vertical	N/A
3451.250	-36.01	15.31	-25.0	-11.01	193.00	Horizontal	Vertical	N/A
7053.750	-31.62	23.01	-25.0	-6.62	278.00	Horizontal	Vertical	Pass
12666.875	-40.14	14.45	-25.0	-15.14	187.00	Horizontal	Vertical	Pass

RSE-V&V DC_41A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.718	-73.83	-18.91	-25.0	-48.83	131.00	Vertical	Vertical	Pass
2488.700	-25.98	9.48	-25.0	-0.98	82.00	Vertical	Vertical	N/A
2588.400	-40.11	9.74	-25.0	-15.11	107.00	Vertical	Vertical	N/A
3451.500	-35.76	15.30	-25.0	-10.76	0.00	Vertical	Vertical	N/A
7198.500	-31.25	23.38	-25.0	-6.25	228.00	Vertical	Vertical	Pass
10353.863	-37.42	9.15	-25.0	-12.42	222.00	Vertical	Vertical	Pass


RSE-V&H DC_41A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.525	-72.82	-19.05	-25.0	-47.82	138.00	Vertical	Horizontal	Pass
2485.500	-31.32	9.46	-25.0	-6.32	37.00	Vertical	Horizontal	N/A
3451.750	-39.51	15.30	-25.0	-14.51	105.00	Vertical	Horizontal	N/A
6718.500	-31.52	23.76	-25.0	-6.52	247.00	Vertical	Horizontal	Pass
11967.200	-39.75	13.94	-25.0	-14.75	75.00	Vertical	Horizontal	Pass
17958.001	-41.35	13.89	-25.0	-16.35	250.00	Vertical	Horizontal	Pass


32.2 DC_41A_n78A BW20(LTE)+BW100(NR), QPSK, Low Channel

RSE-H&H DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
275.604	-76.46	-13.96	-25.0	-51.46	182.00	Horizontal	Horizontal	Pass
2487.200	-29.78	9.47	-25.0	-4.78	325.00	Horizontal	Horizontal	N/A
3451.750	-30.38	15.30	-25.0	-5.38	351.00	Horizontal	Horizontal	N/A
7880.500	-31.21	24.19	-25.0	-6.21	330.00	Horizontal	Horizontal	Pass
13374.750	-39.24	16.77	-25.0	-14.24	309.00	Horizontal	Horizontal	Pass
17800.499	-41.18	13.19	-25.0	-16.18	196.00	Horizontal	Horizontal	Pass

RSE-H&V DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
196.404	-78.41	-15.91	-25.0	-53.41	262.00	Horizontal	Vertical	Pass
2486.300	-28.44	9.46	-25.0	-3.44	43.00	Horizontal	Vertical	N/A
3451.750	-32.17	15.30	-25.0	-7.17	170.00	Horizontal	Vertical	N/A
6672.000	-31.52	22.63	-25.0	-6.52	256.00	Horizontal	Vertical	Pass
13802.362	-38.94	16.95	-25.0	-13.94	360.00	Horizontal	Vertical	Pass
17790.261	-42.56	12.60	-25.0	-17.56	122.00	Horizontal	Vertical	Pass

RSE-V&V DC_41A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.428	-73.82	-19.12	-25.0	-48.82	208.00	Vertical	Vertical	Pass
2491.200	-28.41	9.50	-25.0	-3.41	117.00	Vertical	Vertical	N/A
3451.750	-35.55	15.30	-25.0	-10.55	360.00	Vertical	Vertical	N/A
7890.250	-31.11	24.02	-25.0	-6.11	308.00	Vertical	Vertical	Pass
11916.375	-40.44	13.96	-25.0	-15.44	312.00	Vertical	Vertical	Pass
17958.787	-42.76	13.87	-25.0	-17.76	20.00	Vertical	Vertical	Pass

RSE-V&H DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.095	-73.53	-18.16	-25.0	-48.53	331.00	Vertical	Horizontal	Pass
2490.400	-37.21	9.49	-25.0	-12.21	285.00	Vertical	Horizontal	N/A
3451.500	-37.79	15.30	-25.0	-12.79	49.00	Vertical	Horizontal	N/A
4226.000	-40.23	14.88	-25.0	-15.23	27.00	Vertical	Horizontal	Pass
7785.250	-31.30	24.30	-25.0	-6.30	0.00	Vertical	Horizontal	Pass
13371.600	-39.55	16.74	-25.0	-14.55	0.00	Vertical	Horizontal	Pass

33 DC_41A_n78A (3700-3800MHz)


33.1 DC_41A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_41A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.514	-78.15	-15.72	-25.0	-53.15	73.00	Horizontal	Horizontal	Pass
2489.600	-26.88	9.49	-25.0	-1.88	0.00	Horizontal	Horizontal	N/A
3693.250	-40.31	14.66	-25.0	-15.31	76.00	Horizontal	Horizontal	Pass
6940.250	-31.66	22.12	-25.0	-6.66	203.00	Horizontal	Horizontal	Pass
13797.112	-38.93	16.82	-25.0	-13.93	274.00	Horizontal	Horizontal	Pass
19729.349	-42.69	12.94	-25.0	-17.69	357.00	Horizontal	Horizontal	Pass

RSE-H&V DC_41A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2492.600	-32.06	9.51	-25.0	-7.06	337.00	Horizontal	Vertical	N/A
2587.300	-39.87	9.70	-25.0	-14.87	112.00	Horizontal	Vertical	N/A
3701.500	-40.07	14.74	-25.0	-15.07	147.00	Horizontal	Vertical	N/A
7286.750	-31.68	23.19	-25.0	-6.68	127.00	Horizontal	Vertical	Pass
13390.763	-39.05	16.92	-25.0	-14.05	217.00	Horizontal	Vertical	Pass
17986.613	-42.42	13.18	-25.0	-17.42	186.00	Horizontal	Vertical	Pass

RSE-V&V DC_41A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.621	-73.54	-18.98	-25.0	-48.54	68.00	Vertical	Vertical	Pass
2489.600	-25.30	9.49	-25.0	-0.30	105.00	Vertical	Vertical	N/A
2583.600	-41.46	9.66	-25.0	-16.46	96.00	Vertical	Vertical	N/A
3733.250	-40.79	15.12	-25.0	-15.79	196.00	Vertical	Vertical	N/A
6689.500	-31.46	22.83	-25.0	-6.46	112.00	Vertical	Vertical	Pass
12508.225	-39.76	14.59	-25.0	-14.76	60.00	Vertical	Vertical	Pass


RSE-V&H DC_41A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.155	-73.60	-18.66	-25.0	-48.60	196.00	Vertical	Horizontal	Pass
2486.300	-36.74	9.46	-25.0	-11.74	251.00	Vertical	Horizontal	N/A
3665.250	-41.24	14.42	-25.0	-16.24	0.00	Vertical	Horizontal	Pass
6724.000	-31.88	24.10	-25.0	-6.88	132.00	Vertical	Horizontal	Pass
13398.375	-39.55	16.99	-25.0	-14.55	226.00	Vertical	Horizontal	Pass
17946.712	-42.50	14.01	-25.0	-17.50	240.00	Vertical	Horizontal	Pass


33.2 DC_41A_n78A BW20(LTE)+BW100(NR), QPSK, Low Channel

RSE-H&H DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2487.600	-20.77	9.47	-25.0	4.23	360.00	Horizontal	Horizontal	N/A
2585.300	-38.32	9.68	-25.0	-13.32	360.00	Horizontal	Horizontal	N/A
3897.500	-37.41	15.59	-25.0	-12.41	106.00	Horizontal	Horizontal	Pass
6719.500	-31.00	24.13	-25.0	-6.00	138.00	Horizontal	Horizontal	Pass
12516.062	-39.52	14.46	-25.0	-14.52	30.00	Horizontal	Horizontal	Pass
17969.025	-42.33	13.62	-25.0	-17.33	50.00	Horizontal	Horizontal	Pass

RSE-H&V DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2490.300	-25.13	9.49	-25.0	-0.13	109.00	Horizontal	Vertical	N/A
2586.000	-36.87	9.69	-25.0	-11.87	277.00	Horizontal	Vertical	N/A
3701.750	-38.97	14.74	-25.0	-13.97	125.00	Horizontal	Vertical	N/A
6864.750	-31.67	22.47	-25.0	-6.67	0.00	Horizontal	Vertical	Pass
13394.175	-39.31	16.96	-25.0	-14.31	337.00	Horizontal	Vertical	Pass
17951.699	-41.70	14.05	-25.0	-16.70	47.00	Horizontal	Vertical	Pass

RSE-V&V DC_41A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.203	-73.80	-18.65	-25.0	-48.80	162.00	Vertical	Vertical	Pass
2485.300	-31.24	9.33	-25.0	-6.24	147.00	Vertical	Vertical	N/A
3897.500	-40.34	15.59	-25.0	-15.34	53.00	Vertical	Vertical	Pass
7799.500	-31.42	24.77	-25.0	-6.42	169.00	Vertical	Vertical	Pass
12493.500	-39.11	14.66	-25.0	-14.11	173.00	Vertical	Vertical	Pass
17890.537	-42.40	12.69	-25.0	-17.40	172.00	Vertical	Vertical	Pass

RSE-V&H DC_41A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.331	-73.41	-19.20	-25.0	-48.41	123.00	Vertical	Horizontal	Pass
2489.300	-31.08	9.49	-25.0	-6.08	14.00	Vertical	Horizontal	N/A
3733.500	-41.21	15.12	-25.0	-16.21	103.00	Vertical	Horizontal	N/A
6627.750	-31.46	23.07	-25.0	-6.46	150.00	Vertical	Horizontal	Pass
13379.474	-39.48	16.82	-25.0	-14.48	273.00	Vertical	Horizontal	Pass
17800.761	-41.63	13.18	-25.0	-16.63	126.00	Vertical	Horizontal	Pass