


18.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.92	-25	Pass	2985
30	1000	0.1	RMS	906.376	-60.96	-25	Pass	9699
1000	2560	1	RMS	2560	-43.71	-25	Pass	1560
2560	2630	1	RMS	2603.575	12.79	60	Pass	401
2630	3000	1	RMS	2630	-37.78	-25	Pass	401
3000	6500	1	RMS	6201.915	-64.21	-25	Pass	3500
6500	27000	1	RMS	25207.565	-48.89	-25	Pass	20500



19. n41 30kHz


19.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.8	-25	Pass	2985
30	1000	0.1	RMS	895.361	-61.3	-25	Pass	9699
1000	2486	1	RMS	2486	-48.37	-25	Pass	1486
2486	2700	1	RMS	2508.47	15.7	60	Pass	401
2700	3000	1	RMS	2872.5	-48.61	-25	Pass	401
3000	6500	1	RMS	6225.922	-64.29	-25	Pass	3500
6500	27000	1	RMS	25196.562	-48.89	-25	Pass	20500




19.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.6	-25	Pass	2985
30	1000	0.1	RMS	891.356	-61.4	-25	Pass	9699
1000	2486	1	RMS	2486	-43.91	-25	Pass	1486
2486	2700	1	RMS	2509.005	16.06	60	Pass	401
2700	3000	1	RMS	2868.75	-48.63	-25	Pass	401
3000	6500	1	RMS	6205.916	-64.22	-25	Pass	3500
6500	27000	1	RMS	25784.705	-49.45	-25	Pass	20500




**19.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.51	-71.31	-25	Pass	2985
30	1000	0.1	RMS	894.059	-60.8	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.38	-25	Pass	1486
2486	2700	1	RMS	2590.325	15.76	60	Pass	401
2700	3000	1	RMS	2868.75	-48.55	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.21	-25	Pass	3500
6500	27000	1	RMS	25203.564	-49.05	-25	Pass	20500




19.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.85	-25	Pass	2985
30	1000	0.1	RMS	901.369	-61.09	-25	Pass	9699
1000	2486	1	RMS	2479.996	-50.56	-25	Pass	1486
2486	2700	1	RMS	2596.21	15.75	60	Pass	401
2700	3000	1	RMS	2867.25	-48.59	-25	Pass	401
3000	6500	1	RMS	6200.915	-64.21	-25	Pass	3500
6500	27000	1	RMS	25908.735	-49.27	-25	Pass	20500




19.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.41	-25	Pass	2985
30	1000	0.1	RMS	949.433	-60.77	-25	Pass	9699
1000	2486	1	RMS	2486	-50.52	-25	Pass	1486
2486	2700	1	RMS	2678.6	15.18	60	Pass	401
2700	3000	1	RMS	2700	-45.63	-25	Pass	401
3000	6500	1	RMS	6256.931	-64.08	-25	Pass	3500
6500	27000	1	RMS	25481.631	-48.87	-25	Pass	20500




**19.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.02	-25	Pass	2985
30	1000	0.1	RMS	994.793	-61.14	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.55	-25	Pass	1486
2486	2700	1	RMS	2682.88	15.17	60	Pass	401
2700	3000	1	RMS	2700	-40.33	-25	Pass	401
3000	6500	1	RMS	6209.917	-64.19	-25	Pass	3500
6500	27000	1	RMS	25492.634	-49.33	-25	Pass	20500




19.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.63	-25	Pass	2985
30	1000	0.1	RMS	796.494	-61.23	-25	Pass	9699
1000	2486	1	RMS	2486	-43.99	-25	Pass	1486
2486	2700	1	RMS	2518.635	10.74	60	Pass	401
2700	3000	1	RMS	2868	-48.65	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.05	-25	Pass	3500
6500	27000	1	RMS	25206.564	-49.34	-25	Pass	20500




19.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.11	-25	Pass	2985
30	1000	0.1	RMS	909.38	-61.21	-25	Pass	9699
1000	2486	1	RMS	2486	-40	-25	Pass	1486
2486	2700	1	RMS	2532.01	10.89	60	Pass	401
2700	3000	1	RMS	2868.75	-48.56	-25	Pass	401
3000	6500	1	RMS	6211.918	-64.05	-25	Pass	3500
6500	27000	1	RMS	25498.635	-49.11	-25	Pass	20500




**19.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.55	-70.22	-25	Pass	2985
30	1000	0.1	RMS	720.784	-61.14	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.32	-25	Pass	1486
2486	2700	1	RMS	2604.77	10.79	60	Pass	401
2700	3000	1	RMS	2874	-48.63	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.1	-25	Pass	3500
6500	27000	1	RMS	25537.645	-48.9	-25	Pass	20500




19.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.39	-70.27	-25	Pass	2985
30	1000	0.1	RMS	890.355	-61.01	-25	Pass	9699
1000	2486	1	RMS	2486	-49.95	-25	Pass	1486
2486	2700	1	RMS	2599.42	10.68	60	Pass	401
2700	3000	1	RMS	2865.75	-48.58	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.22	-25	Pass	3500
6500	27000	1	RMS	25206.564	-48.95	-25	Pass	20500




19.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.06	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.66	-25	Pass	2985
30	1000	0.1	RMS	888.853	-60.88	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.48	-25	Pass	1486
2486	2700	1	RMS	2671.645	10.4	60	Pass	401
2700	3000	1	RMS	2702.25	-37.58	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.04	-25	Pass	3500
6500	27000	1	RMS	25175.557	-48.97	-25	Pass	20500




19.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.86	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.16	-25	Pass	2985
30	1000	0.1	RMS	768.29	-60.95	-25	Pass	9699
1000	2486	1	RMS	2486	-50.49	-25	Pass	1486
2486	2700	1	RMS	2666.83	10.23	60	Pass	401
2700	3000	1	RMS	2702.25	-34	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.2	-25	Pass	3500
6500	27000	1	RMS	25207.565	-49.05	-25	Pass	20500




19.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.63	-25	Pass	2985
30	1000	0.1	RMS	951.536	-61.07	-25	Pass	9699
1000	2486	1	RMS	2483.999	-42.07	-25	Pass	1486
2486	2700	1	RMS	2529.87	8.45	60	Pass	401
2700	3000	1	RMS	2879.25	-48.64	-25	Pass	401
3000	6500	1	RMS	6211.918	-64.09	-25	Pass	3500
6500	27000	1	RMS	25179.558	-49.23	-25	Pass	20500




19.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.86	-25	Pass	2985
30	1000	0.1	RMS	968.959	-61.32	-25	Pass	9699
1000	2486	1	RMS	2484.999	-39.59	-25	Pass	1486
2486	2700	1	RMS	2532.01	8.46	60	Pass	401
2700	3000	1	RMS	2868	-48.61	-25	Pass	401
3000	6500	1	RMS	6202.915	-64.18	-25	Pass	3500
6500	27000	1	RMS	25199.563	-48.93	-25	Pass	20500




**19.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.43	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.02	-25	Pass	2985
30	1000	0.1	RMS	930.007	-60.84	-25	Pass	9699
1000	2486	1	RMS	2486	-48.3	-25	Pass	1486
2486	2700	1	RMS	2608.515	8.4	60	Pass	401
2700	3000	1	RMS	2701.5	-47.67	-25	Pass	401
3000	6500	1	RMS	6195.913	-64.15	-25	Pass	3500
6500	27000	1	RMS	25194.561	-49.18	-25	Pass	20500




**19.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.34	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70	-25	Pass	2985
30	1000	0.1	RMS	824.597	-61.37	-25	Pass	9699
1000	2486	1	RMS	2486	-48.01	-25	Pass	1486
2486	2700	1	RMS	2614.935	8.32	60	Pass	401
2700	3000	1	RMS	2701.5	-44.09	-25	Pass	401
3000	6500	1	RMS	6032.867	-64.13	-25	Pass	3500
6500	27000	1	RMS	25184.559	-49.23	-25	Pass	20500




**19.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.47	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.98	-25	Pass	2985
30	1000	0.1	RMS	882.845	-60.65	-25	Pass	9699
1000	2486	1	RMS	2486	-50.46	-25	Pass	1486
2486	2700	1	RMS	2616.54	8.33	60	Pass	401
2700	3000	1	RMS	2700	-34.23	-25	Pass	401
3000	6500	1	RMS	6199.914	-64.2	-25	Pass	3500
6500	27000	1	RMS	25204.564	-49.04	-25	Pass	20500



**19.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.56	-25	Pass	2985
30	1000	0.1	RMS	904.173	-60.91	-25	Pass	9699
1000	2486	1	RMS	2484.999	-49.28	-25	Pass	1486
2486	2700	1	RMS	2626.17	8.46	60	Pass	401
2700	3000	1	RMS	2700	-31.57	-25	Pass	401
3000	6500	1	RMS	6226.922	-64.1	-25	Pass	3500
6500	27000	1	RMS	25494.634	-49.22	-25	Pass	20500



20. n77 30kHz(3450-3550MHz)


20.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	Pass	2985
30	1000	0.1	RMS	872.03	-61.49	-13	Pass	9699
1000	3000	1	RMS	2868.934	-48.29	-13	Pass	2000
3000	3440	1	RMS	3440	-39.06	-13	Pass	440
3440	3560	1	RMS	3456.5	15.79	60	Pass	401
3560	6500	1	RMS	3686.043	-60.31	-13	Pass	2940
6500	26500	1	RMS	25503.724	-48.08	-13	Pass	20000




20.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.43	-13	Pass	2985
30	1000	0.1	RMS	734.486	-61.63	-13	Pass	9699
1000	3000	1	RMS	2866.933	-48.31	-13	Pass	2000
3000	3440	1	RMS	3440	-36.93	-13	Pass	440
3440	3560	1	RMS	3463.1	15.86	60	Pass	401
3560	6500	1	RMS	3686.043	-60.27	-13	Pass	2940
6500	26500	1	RMS	25520.729	-48.82	-13	Pass	20000




**20.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.12	-13	Pass	2985
30	1000	0.1	RMS	728.085	-61.72	-13	Pass	9699
1000	3000	1	RMS	2867.934	-48.21	-13	Pass	2000
3000	3440	1	RMS	3001.002	-45.26	-13	Pass	440
3440	3560	1	RMS	3496.4	15.57	60	Pass	401
3560	6500	1	RMS	3686.043	-60.5	-13	Pass	2940
6500	26500	1	RMS	25203.641	-48.52	-13	Pass	20000




**20.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.8	-13	Pass	401
0.15	30	0.01	RMS	0.34	-69.52	-13	Pass	2985
30	1000	0.1	RMS	899.567	-61.09	-13	Pass	9699
1000	3000	1	RMS	2877.939	-48.33	-13	Pass	2000
3000	3440	1	RMS	3000	-45.1	-13	Pass	440
3440	3560	1	RMS	3503	15.61	60	Pass	401
3560	6500	1	RMS	3686.043	-60.58	-13	Pass	2940
6500	26500	1	RMS	25490.721	-48.59	-13	Pass	20000




**20.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.55	-13	Pass	2985
30	1000	0.1	RMS	908.178	-61.43	-13	Pass	9699
1000	3000	1	RMS	2862.931	-48.32	-13	Pass	2000
3000	3440	1	RMS	3003.007	-45.22	-13	Pass	440
3440	3560	1	RMS	3537.2	15.75	60	Pass	401
3560	6500	1	RMS	3560	-43.14	-13	Pass	2940
6500	26500	1	RMS	25201.641	-48.85	-13	Pass	20000




**20.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.45	-70.28	-13	Pass	2985
30	1000	0.1	RMS	905.675	-61.42	-13	Pass	9699
1000	3000	1	RMS	2873.937	-48.29	-13	Pass	2000
3000	3440	1	RMS	3001.002	-45.16	-13	Pass	440
3440	3560	1	RMS	3536.6	15.71	60	Pass	401
3560	6500	1	RMS	3561	-38.46	-13	Pass	2940
6500	26500	1	RMS	25182.636	-48.82	-13	Pass	20000




**20.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.94	-13	Pass	2985
30	1000	0.1	RMS	913.786	-61.27	-13	Pass	9699
1000	3000	1	RMS	2879.94	-48.4	-13	Pass	2000
3000	3440	1	RMS	3440	-34.09	-13	Pass	440
3440	3560	1	RMS	3470.6	11.6	60	Pass	401
3560	6500	1	RMS	3686.043	-59.74	-13	Pass	2940
6500	26500	1	RMS	25507.726	-48.68	-13	Pass	20000




20.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.28	-13	Pass	2985
30	1000	0.1	RMS	925.201	-61.72	-13	Pass	9699
1000	3000	1	RMS	2870.935	-48.27	-13	Pass	2000
3000	3440	1	RMS	3440	-29.26	-13	Pass	440
3440	3560	1	RMS	3472.1	11.7	60	Pass	401
3560	6500	1	RMS	3560	-57.16	-13	Pass	2940
6500	26500	1	RMS	25194.639	-48.64	-13	Pass	20000




**20.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.4	-13	Pass	2985
30	1000	0.1	RMS	934.413	-61.21	-13	Pass	9699
1000	3000	1	RMS	2865.933	-48.23	-13	Pass	2000
3000	3440	1	RMS	3000	-45.1	-13	Pass	440
3440	3560	1	RMS	3491	11.61	60	Pass	401
3560	6500	1	RMS	3560	-55.71	-13	Pass	2940
6500	26500	1	RMS	25182.636	-48.78	-13	Pass	20000




20.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.47	-13	Pass	2985
30	1000	0.1	RMS	881.042	-61.08	-13	Pass	9699
1000	3000	1	RMS	2865.933	-48.22	-13	Pass	2000
3000	3440	1	RMS	3440	-44.16	-13	Pass	440
3440	3560	1	RMS	3497.3	11.64	60	Pass	401
3560	6500	1	RMS	3560	-48.01	-13	Pass	2940
6500	26500	1	RMS	25168.632	-48.6	-13	Pass	20000




20.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.64	-13	Pass	2985
30	1000	0.1	RMS	857.11	-61.6	-13	Pass	9699
1000	3000	1	RMS	2892.946	-48.38	-13	Pass	2000
3000	3440	1	RMS	3000	-45.12	-13	Pass	440
3440	3560	1	RMS	3516.2	11.48	60	Pass	401
3560	6500	1	RMS	3560	-39.07	-13	Pass	2940
6500	26500	1	RMS	25499.723	-48.75	-13	Pass	20000




20.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.12	-13	Pass	2985
30	1000	0.1	RMS	876.837	-61.47	-13	Pass	9699
1000	3000	1	RMS	2876.938	-48.24	-13	Pass	2000
3000	3440	1	RMS	3000	-45.17	-13	Pass	440
3440	3560	1	RMS	3522.2	11.65	60	Pass	401
3560	6500	1	RMS	3560	-33.63	-13	Pass	2940
6500	26500	1	RMS	25508.726	-48.69	-13	Pass	20000




**20.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.4	-69.09	-13	Pass	2985
30	1000	0.1	RMS	744.087	-61.39	-13	Pass	9699
1000	3000	1	RMS	2868.934	-48.32	-13	Pass	2000
3000	3440	1	RMS	3437.995	-32.1	-13	Pass	440
3440	3560	1	RMS	3476.9	8.42	60	Pass	401
3560	6500	1	RMS	3562.001	-32.71	-13	Pass	2940
6500	26500	1	RMS	25849.82	-48.6	-13	Pass	20000



20.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.21	-13	Pass	2985
30	1000	0.1	RMS	809.595	-61.47	-13	Pass	9699
1000	3000	1	RMS	2865.933	-48.25	-13	Pass	2000
3000	3440	1	RMS	3437.995	-29.08	-13	Pass	440
3440	3560	1	RMS	3486.2	8.36	60	Pass	401
3560	6500	1	RMS	3560	-29.49	-13	Pass	2940
6500	26500	1	RMS	25212.644	-48.18	-13	Pass	20000



21. n77 30kHz(3700-3980MHz)


21.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.32	-69.24	-13	Pass	2985
30	1000	0.1	RMS	906.176	-60.59	-13	Pass	9699
1000	3000	1	RMS	2879.94	-47.94	-13	Pass	2000
3000	3690	1	RMS	3690	-40.25	-13	Pass	690
3690	3990	1	RMS	3707.25	15.61	60	Pass	401
3990	6500	1	RMS	4096.042	-60.94	-13	Pass	2510
6500	26500	1	RMS	25492.721	-48.64	-13	Pass	20000




**21.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.32	-13	Pass	2985
30	1000	0.1	RMS	759.789	-60.84	-13	Pass	9699
1000	3000	1	RMS	2869.935	-47.97	-13	Pass	2000
3000	3690	1	RMS	3690	-35.2	-13	Pass	690
3690	3990	1	RMS	3713.25	15.67	60	Pass	401
3990	6500	1	RMS	4147.063	-61.38	-13	Pass	2510
6500	26500	1	RMS	25843.819	-48.66	-13	Pass	20000




**21.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.4	-13	Pass	2985
30	1000	0.1	RMS	869.427	-61.2	-13	Pass	9699
1000	3000	1	RMS	2869.935	-47.94	-13	Pass	2000
3000	3690	1	RMS	3000	-44.81	-13	Pass	690
3690	3990	1	RMS	3837	15.36	60	Pass	401
3990	6500	1	RMS	4147.063	-60.31	-13	Pass	2510
6500	26500	1	RMS	25189.638	-48.58	-13	Pass	20000




**21.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.32	-69.99	-13	Pass	2985
30	1000	0.1	RMS	940.721	-61.26	-13	Pass	9699
1000	3000	1	RMS	2862.931	-48.01	-13	Pass	2000
3000	3690	1	RMS	3000	-44.66	-13	Pass	690
3690	3990	1	RMS	3843	15.19	60	Pass	401
3990	6500	1	RMS	4147.063	-59.23	-13	Pass	2510
6500	26500	1	RMS	25485.72	-48.2	-13	Pass	20000




**21.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.11	-13	Pass	401
0.15	30	0.01	RMS	0.33	-68.31	-13	Pass	2985
30	1000	0.1	RMS	762.689	-60.79	-13	Pass	9699
1000	3000	1	RMS	2869.935	-48.08	-13	Pass	2000
3000	3690	1	RMS	3002.003	-44.89	-13	Pass	690
3690	3990	1	RMS	3968.25	15.59	60	Pass	401
3990	6500	1	RMS	3990	-38.99	-13	Pass	2510
6500	26500	1	RMS	25165.631	-48.53	-13	Pass	20000




**21.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.39	-13	Pass	2985
30	1000	0.1	RMS	497.157	-60.88	-13	Pass	9699
1000	3000	1	RMS	2871.936	-47.95	-13	Pass	2000
3000	3690	1	RMS	3001.001	-44.82	-13	Pass	690
3690	3990	1	RMS	3971.25	15.41	60	Pass	401
3990	6500	1	RMS	3991	-34.42	-13	Pass	2510
6500	26500	1	RMS	25500.724	-48.49	-13	Pass	20000




**21.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.21	-13	Pass	2985
30	1000	0.1	RMS	850.802	-61.08	-13	Pass	9699
1000	3000	1	RMS	2875.938	-48.04	-13	Pass	2000
3000	3690	1	RMS	3690	-31.31	-13	Pass	690
3690	3990	1	RMS	3716.25	11.28	60	Pass	401
3990	6500	1	RMS	4147.063	-61.32	-13	Pass	2510
6500	26500	1	RMS	25187.637	-48.5	-13	Pass	20000




21.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.34	-13	Pass	401
0.15	30	0.01	RMS	0.33	-69.5	-13	Pass	2985
30	1000	0.1	RMS	893.559	-60.81	-13	Pass	9699
1000	3000	1	RMS	2870.935	-47.94	-13	Pass	2000
3000	3690	1	RMS	3690	-27.03	-13	Pass	690
3690	3990	1	RMS	3722.25	11.42	60	Pass	401
3990	6500	1	RMS	4301.124	-60.86	-13	Pass	2510
6500	26500	1	RMS	25824.813	-48.7	-13	Pass	20000




**21.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.27	-68.88	-13	Pass	2985
30	1000	0.1	RMS	982.677	-60.61	-13	Pass	9699
1000	3000	1	RMS	2878.939	-47.76	-13	Pass	2000
3000	3690	1	RMS	3000	-44.94	-13	Pass	690
3690	3990	1	RMS	3831	11.31	60	Pass	401
3990	6500	1	RMS	4096.042	-59.76	-13	Pass	2510
6500	26500	1	RMS	25198.64	-48.56	-13	Pass	20000




21.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.78	-13	Pass	2985
30	1000	0.1	RMS	999.399	-60.89	-13	Pass	9699
1000	3000	1	RMS	2867.934	-47.99	-13	Pass	2000
3000	3690	1	RMS	3000	-44.82	-13	Pass	690
3690	3990	1	RMS	3837	11.22	60	Pass	401
3990	6500	1	RMS	4096.042	-59.28	-13	Pass	2510
6500	26500	1	RMS	25200.641	-48.52	-13	Pass	20000




21.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.98	-13	Pass	2985
30	1000	0.1	RMS	756.389	-60.99	-13	Pass	9699
1000	3000	1	RMS	2868.934	-47.78	-13	Pass	2000
3000	3690	1	RMS	3002.003	-44.81	-13	Pass	690
3690	3990	1	RMS	3951	10.76	60	Pass	401
3990	6500	1	RMS	3996.002	-37.59	-13	Pass	2510
6500	26500	1	RMS	25193.639	-48.51	-13	Pass	20000




21.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.71	-13	Pass	2985
30	1000	0.1	RMS	903.372	-60.7	-13	Pass	9699
1000	3000	1	RMS	2874.937	-47.9	-13	Pass	2000
3000	3690	1	RMS	3001.001	-44.81	-13	Pass	690
3690	3990	1	RMS	3952.5	10.97	60	Pass	401
3990	6500	1	RMS	3990	-32.09	-13	Pass	2510
6500	26500	1	RMS	25162.63	-48.36	-13	Pass	20000




**21.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.33	-13	Pass	2985
30	1000	0.1	RMS	732.686	-60.87	-13	Pass	9699
1000	3000	1	RMS	2866.933	-48.07	-13	Pass	2000
3000	3690	1	RMS	3690	-30.35	-13	Pass	690
3690	3990	1	RMS	3727.5	7.98	60	Pass	401
3990	6500	1	RMS	4301.124	-60.95	-13	Pass	2510
6500	26500	1	RMS	25202.641	-48.5	-13	Pass	20000




21.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.69	-70.52	-13	Pass	2985
30	1000	0.1	RMS	726.885	-61.2	-13	Pass	9699
1000	3000	1	RMS	2868.934	-48.06	-13	Pass	2000
3000	3690	1	RMS	3682.99	-27.91	-13	Pass	690
3690	3990	1	RMS	3735.75	7.9	60	Pass	401
3990	6500	1	RMS	4147.063	-60.95	-13	Pass	2510
6500	26500	1	RMS	25468.715	-48.54	-13	Pass	20000




**21.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.83	-13	Pass	2985
30	1000	0.1	RMS	741.987	-61.06	-13	Pass	9699
1000	3000	1	RMS	2873.937	-48.02	-13	Pass	2000
3000	3690	1	RMS	3690	-43.79	-13	Pass	690
3690	3990	1	RMS	3824.25	7.97	60	Pass	401
3990	6500	1	RMS	3990	-52.29	-13	Pass	2510
6500	26500	1	RMS	25208.643	-48.33	-13	Pass	20000




**21.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.83	-13	Pass	2985
30	1000	0.1	RMS	888.853	-61.16	-13	Pass	9699
1000	3000	1	RMS	2867.934	-47.94	-13	Pass	2000
3000	3690	1	RMS	3690	-41.52	-13	Pass	690
3690	3990	1	RMS	3825.75	7.95	60	Pass	401
3990	6500	1	RMS	3990	-48.05	-13	Pass	2510
6500	26500	1	RMS	25498.723	-48.72	-13	Pass	20000




**21.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.47	-13	Pass	2985
30	1000	0.1	RMS	939.82	-60.49	-13	Pass	9699
1000	3000	1	RMS	2866.933	-47.78	-13	Pass	2000
3000	3690	1	RMS	3002.003	-44.86	-13	Pass	690
3690	3990	1	RMS	3948	8.18	60	Pass	401
3990	6500	1	RMS	3990	-28.72	-13	Pass	2510
6500	26500	1	RMS	25850.82	-48.3	-13	Pass	20000



**21.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.52	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.73	-13	Pass	2985
30	1000	0.1	RMS	918.392	-61.22	-13	Pass	9699
1000	3000	1	RMS	2866.933	-48.03	-13	Pass	2000
3000	3690	1	RMS	3000	-44.84	-13	Pass	690
3690	3990	1	RMS	3943.5	8.15	60	Pass	401
3990	6500	1	RMS	3990	-25.78	-13	Pass	2510
6500	26500	1	RMS	25550.737	-47.93	-13	Pass	20000



22. n78 30kHz(3450-3550MHz)


**22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-13	Pass	401
0.15	30	0.01	RMS	0.31	-69.75	-13	Pass	2985
30	1000	0.1	RMS	903.472	-60.45	-13	Pass	9699
1000	3000	1	RMS	2868.934	-48.13	-13	Pass	2000
3000	3440	1	RMS	3440	-38.68	-13	Pass	440
3440	3560	1	RMS	3457.1	16.61	60	Pass	401
3560	6500	1	RMS	3610.017	-56.66	-13	Pass	2940
6500	26500	1	RMS	25196.64	-48.25	-13	Pass	20000




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.29	-13	Pass	2985
30	1000	0.1	RMS	801.494	-60.98	-13	Pass	9699
1000	3000	1	RMS	2868.934	-48.16	-13	Pass	2000
3000	3440	1	RMS	3440	-33.81	-13	Pass	440
3440	3560	1	RMS	3463.1	16.72	60	Pass	401
3560	6500	1	RMS	3610.017	-56.87	-13	Pass	2940
6500	26500	1	RMS	25502.724	-48.23	-13	Pass	20000




**22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.51	-13	Pass	2985
30	1000	0.1	RMS	932.01	-60.66	-13	Pass	9699
1000	3000	1	RMS	2875.938	-48.07	-13	Pass	2000
3000	3440	1	RMS	3001.002	-44.99	-13	Pass	440
3440	3560	1	RMS	3498.5	16.33	60	Pass	401
3560	6500	1	RMS	3610.017	-57.08	-13	Pass	2940
6500	26500	1	RMS	25518.729	-48.66	-13	Pass	20000




**22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.73	-13	Pass	2985
30	1000	0.1	RMS	927.203	-61.21	-13	Pass	9699
1000	3000	1	RMS	2869.935	-48.04	-13	Pass	2000
3000	3440	1	RMS	3001.002	-44.96	-13	Pass	440
3440	3560	1	RMS	3498.8	16.39	60	Pass	401
3560	6500	1	RMS	3610.017	-57.29	-13	Pass	2940
6500	26500	1	RMS	25494.722	-48.38	-13	Pass	20000




**22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-13	Pass	401
0.15	30	0.01	RMS	0.34	-69.41	-13	Pass	2985
30	1000	0.1	RMS	994.292	-60.73	-13	Pass	9699
1000	3000	1	RMS	2876.938	-48.1	-13	Pass	2000
3000	3440	1	RMS	3000	-44.93	-13	Pass	440
3440	3560	1	RMS	3541.1	16.46	60	Pass	401
3560	6500	1	RMS	3560	-36.97	-13	Pass	2940
6500	26500	1	RMS	25181.635	-48.85	-13	Pass	20000




**22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.09	-13	Pass	2985
30	1000	0.1	RMS	712.583	-60.35	-13	Pass	9699
1000	3000	1	RMS	2866.933	-48.16	-13	Pass	2000
3000	3440	1	RMS	3000	-44.89	-13	Pass	440
3440	3560	1	RMS	3539	16.43	60	Pass	401
3560	6500	1	RMS	3560	-32.73	-13	Pass	2940
6500	26500	1	RMS	25513.727	-48.22	-13	Pass	20000




22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.53	-13	Pass	2985
30	1000	0.1	RMS	782.292	-61.19	-13	Pass	9699
1000	3000	1	RMS	2861.931	-48.01	-13	Pass	2000
3000	3440	1	RMS	3440	-29.41	-13	Pass	440
3440	3560	1	RMS	3470.6	12.58	60	Pass	401
3560	6500	1	RMS	3610.017	-56.58	-13	Pass	2940
6500	26500	1	RMS	25201.641	-48.55	-13	Pass	20000




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.29	-69.23	-13	Pass	2985
30	1000	0.1	RMS	757.889	-60.98	-13	Pass	9699
1000	3000	1	RMS	2871.936	-48.11	-13	Pass	2000
3000	3440	1	RMS	3440	-26.31	-13	Pass	440
3440	3560	1	RMS	3472.4	12.53	60	Pass	401
3560	6500	1	RMS	3561	-53.09	-13	Pass	2940
6500	26500	1	RMS	25201.641	-48.54	-13	Pass	20000




**22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.67	-69.68	-13	Pass	2985
30	1000	0.1	RMS	880.642	-60.87	-13	Pass	9699
1000	3000	1	RMS	2882.941	-48.15	-13	Pass	2000
3000	3440	1	RMS	3440	-44.83	-13	Pass	440
3440	3560	1	RMS	3491.3	12.12	60	Pass	401
3560	6500	1	RMS	3560	-49.63	-13	Pass	2940
6500	26500	1	RMS	25185.637	-48.48	-13	Pass	20000




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.76	-13	Pass	2985
30	1000	0.1	RMS	973.064	-61.04	-13	Pass	9699
1000	3000	1	RMS	2875.938	-48.2	-13	Pass	2000
3000	3440	1	RMS	3440	-41.02	-13	Pass	440
3440	3560	1	RMS	3497.3	12.32	60	Pass	401
3560	6500	1	RMS	3560	-43.39	-13	Pass	2940
6500	26500	1	RMS	25205.642	-48.59	-13	Pass	20000




22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.48	-69.29	-13	Pass	2985
30	1000	0.1	RMS	609.871	-61.24	-13	Pass	9699
1000	3000	1	RMS	2856.928	-48.17	-13	Pass	2000
3000	3440	1	RMS	3002.005	-44.88	-13	Pass	440
3440	3560	1	RMS	3516.2	12.14	60	Pass	401
3560	6500	1	RMS	3560	-35.24	-13	Pass	2940
6500	26500	1	RMS	25496.723	-48.29	-13	Pass	20000




22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.89	-13	Pass	2985
30	1000	0.1	RMS	982.577	-61.49	-13	Pass	9699
1000	3000	1	RMS	2865.933	-48.12	-13	Pass	2000
3000	3440	1	RMS	3000	-44.96	-13	Pass	440
3440	3560	1	RMS	3522.2	12.39	60	Pass	401
3560	6500	1	RMS	3560	-32.16	-13	Pass	2940
6500	26500	1	RMS	25488.72	-48.67	-13	Pass	20000




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.65	-13	Pass	2985
30	1000	0.1	RMS	898.866	-60.88	-13	Pass	9699
1000	3000	1	RMS	2868.934	-48.01	-13	Pass	2000
3000	3440	1	RMS	3436.993	-28.99	-13	Pass	440
3440	3560	1	RMS	3483.5	8.96	60	Pass	401
3560	6500	1	RMS	3560	-27.71	-13	Pass	2940
6500	26500	1	RMS	25207.643	-48.61	-13	Pass	20000



22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.92	-13	Pass	401
0.15	30	0.01	RMS	0.4	-70.46	-13	Pass	2985
30	1000	0.1	RMS	922.497	-60.83	-13	Pass	9699
1000	3000	1	RMS	2871.936	-48.2	-13	Pass	2000
3000	3440	1	RMS	3437.995	-25.86	-13	Pass	440
3440	3560	1	RMS	3485.9	9.03	60	Pass	401
3560	6500	1	RMS	3560	-25.38	-13	Pass	2940
6500	26500	1	RMS	25480.718	-48.65	-13	Pass	20000



23. n78 30kHz(3700-3800MHz)


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.97	-13	Pass	2985
30	1000	0.1	RMS	765.39	-61.15	-13	Pass	9699
1000	3000	1	RMS	2873.937	-48.03	-13	Pass	2000
3000	3690	1	RMS	3688.999	-37.72	-13	Pass	690
3690	3810	1	RMS	3711	15.99	60	Pass	401
3810	6500	1	RMS	4070.097	-59.82	-13	Pass	2690
6500	26500	1	RMS	25506.725	-48.6	-13	Pass	20000




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.28	-68.19	-13	Pass	2985
30	1000	0.1	RMS	742.387	-60.96	-13	Pass	9699
1000	3000	1	RMS	2872.936	-48.11	-13	Pass	2000
3000	3690	1	RMS	3690	-32	-13	Pass	690
3690	3810	1	RMS	3706.8	15.89	60	Pass	401
3810	6500	1	RMS	4070.097	-59.93	-13	Pass	2690
6500	26500	1	RMS	25492.721	-48.88	-13	Pass	20000




**23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.9	-13	Pass	2985
30	1000	0.1	RMS	920.595	-61.2	-13	Pass	9699
1000	3000	1	RMS	2884.942	-48.07	-13	Pass	2000
3000	3690	1	RMS	3004.006	-45.02	-13	Pass	690
3690	3810	1	RMS	3748.5	15.98	60	Pass	401
3810	6500	1	RMS	4056.091	-59.11	-13	Pass	2690
6500	26500	1	RMS	25184.636	-48.38	-13	Pass	20000




**23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.27	-69.66	-13	Pass	2985
30	1000	0.1	RMS	996.495	-60.64	-13	Pass	9699
1000	3000	1	RMS	2876.938	-48.1	-13	Pass	2000
3000	3690	1	RMS	3002.003	-45.01	-13	Pass	690
3690	3810	1	RMS	3749.1	15.87	60	Pass	401
3810	6500	1	RMS	4070.097	-60.1	-13	Pass	2690
6500	26500	1	RMS	25504.725	-48.87	-13	Pass	20000




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.02	-13	Pass	2985
30	1000	0.1	RMS	988.685	-61.18	-13	Pass	9699
1000	3000	1	RMS	2885.943	-48.08	-13	Pass	2000
3000	3690	1	RMS	3000	-44.91	-13	Pass	690
3690	3810	1	RMS	3788.4	16.07	60	Pass	401
3810	6500	1	RMS	3810	-39.81	-13	Pass	2690
6500	26500	1	RMS	25194.639	-48.86	-13	Pass	20000




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.58	-13	Pass	2985
30	1000	0.1	RMS	977.47	-60.92	-13	Pass	9699
1000	3000	1	RMS	2875.938	-48.04	-13	Pass	2000
3000	3690	1	RMS	3005.007	-44.97	-13	Pass	690
3690	3810	1	RMS	3792.9	16.07	60	Pass	401
3810	6500	1	RMS	3810	-33.35	-13	Pass	2690
6500	26500	1	RMS	25193.639	-47.6	-13	Pass	20000




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.39	-13	Pass	2985
30	1000	0.1	RMS	896.663	-60.94	-13	Pass	9699
1000	3000	1	RMS	2864.932	-47.98	-13	Pass	2000
3000	3690	1	RMS	3690	-28.6	-13	Pass	690
3690	3810	1	RMS	3720.6	11.73	60	Pass	401
3810	6500	1	RMS	3812.001	-59.04	-13	Pass	2690
6500	26500	1	RMS	25524.73	-48.51	-13	Pass	20000




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.55	-13	Pass	2985
30	1000	0.1	RMS	914.787	-60.93	-13	Pass	9699
1000	3000	1	RMS	2864.932	-48.18	-13	Pass	2000
3000	3690	1	RMS	3690	-26.61	-13	Pass	690
3690	3810	1	RMS	3722.4	12.07	60	Pass	401
3810	6500	1	RMS	3813.001	-53.86	-13	Pass	2690
6500	26500	1	RMS	25850.82	-48.53	-13	Pass	20000




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.28	-13	Pass	2985
30	1000	0.1	RMS	911.883	-61.15	-13	Pass	9699
1000	3000	1	RMS	2875.938	-48	-13	Pass	2000
3000	3690	1	RMS	3685.994	-43.41	-13	Pass	690
3690	3810	1	RMS	3745.8	11.86	60	Pass	401
3810	6500	1	RMS	3813.001	-51.1	-13	Pass	2690
6500	26500	1	RMS	25173.633	-48.3	-13	Pass	20000




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.11	-13	Pass	2985
30	1000	0.1	RMS	970.361	-60.64	-13	Pass	9699
1000	3000	1	RMS	2871.936	-48.11	-13	Pass	2000
3000	3690	1	RMS	3677.983	-41.88	-13	Pass	690
3690	3810	1	RMS	3747.3	12.01	60	Pass	401
3810	6500	1	RMS	3819.003	-47.1	-13	Pass	2690
6500	26500	1	RMS	25825.814	-48.81	-13	Pass	20000




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.33	-13	Pass	2985
30	1000	0.1	RMS	928.405	-61.17	-13	Pass	9699
1000	3000	1	RMS	2870.935	-48.16	-13	Pass	2000
3000	3690	1	RMS	3000	-44.88	-13	Pass	690
3690	3810	1	RMS	3770.1	11.86	60	Pass	401
3810	6500	1	RMS	3816.002	-38.2	-13	Pass	2690
6500	26500	1	RMS	25162.63	-48.54	-13	Pass	20000




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.43	-13	Pass	401
0.15	30	0.01	RMS	0.58	-69.05	-13	Pass	2985
30	1000	0.1	RMS	878.439	-61.07	-13	Pass	9699
1000	3000	1	RMS	2880.94	-48	-13	Pass	2000
3000	3690	1	RMS	3683.991	-44.04	-13	Pass	690
3690	3810	1	RMS	3772.2	12.03	60	Pass	401
3810	6500	1	RMS	3810	-36.45	-13	Pass	2690
6500	26500	1	RMS	25190.638	-48.57	-13	Pass	20000



23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.29	-70.46	-13	Pass	2985
30	1000	0.1	RMS	895.762	-61.19	-13	Pass	9699
1000	3000	1	RMS	2861.931	-48.14	-13	Pass	2000
3000	3690	1	RMS	3690	-24.08	-13	Pass	690
3690	3810	1	RMS	3733.8	8.69	60	Pass	401
3810	6500	1	RMS	3811	-27.16	-13	Pass	2690
6500	26500	1	RMS	25454.711	-48.69	-13	Pass	20000



23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.77	-13	Pass	2985
30	1000	0.1	RMS	524.66	-60.83	-13	Pass	9699
1000	3000	1	RMS	2866.933	-48.19	-13	Pass	2000
3000	3690	1	RMS	3690	-23.23	-13	Pass	690
3690	3810	1	RMS	3736.2	8.59	60	Pass	401
3810	6500	1	RMS	3810	-25.49	-13	Pass	2690
6500	26500	1	RMS	25210.643	-48.63	-13	Pass	20000

