



16.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.57	30	Pass	601
849	850	0.15	RMS	849	-14.47	-13	Pass	601
850	874	0.1	RMS	850.04	-49.31	-13	Pass	601




16.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.033	3.57	30	Pass	601
849	850	0.15	RMS	849.568	-32.3	-13	Pass	601
850	874	0.1	RMS	850	-34.56	-13	Pass	601




16.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-47.66	-13	Pass	601
823	824	0.2	RMS	824	-16.75	-13	Pass	6
824	844	0.1	RMS	824.533	21.8	30	Pass	601




16.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.96	-35.11	-13	Pass	601
823	824	0.2	RMS	824	-28.75	-13	Pass	601
824	844	0.1	RMS	838.5	3.17	30	Pass	601




16.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.96	-49.63	-13	Pass	601
823	824	0.2	RMS	824	-18.11	-13	Pass	6
824	844	0.1	RMS	824.533	21.08	30	Pass	601




16.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.44	-33.51	-13	Pass	601
823	824	0.2	RMS	823.992	-28.91	-13	Pass	601
824	844	0.1	RMS	837.5	2.04	30	Pass	601




16.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	21.55	30	Pass	601
849	850	0.2	RMS	849	-18.44	-13	Pass	6
850	874	0.1	RMS	850	-47.93	-13	Pass	601




16.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	838.867	3.14	30	Pass	601
849	850	0.2	RMS	849.098	-33.88	-13	Pass	601
850	874	0.1	RMS	850.48	-39.96	-13	Pass	601




16.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	20.49	30	Pass	601
849	850	0.2	RMS	849	-17.4	-13	Pass	6
850	874	0.1	RMS	850.08	-49.3	-13	Pass	601



16.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	839.767	2.25	30	Pass	601
849	850	0.2	RMS	849.043	-32.22	-13	Pass	601
850	874	0.1	RMS	850.56	-36.24	-13	Pass	601



17. n7 15kHz


17.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.937	-46.05	-25	Pass	601
2494	2496	1	RMS	2495.957	-43.34	-13	Pass	601
2496	2499	1	RMS	2499	-31.49	-10	Pass	4
2499	2500	0.051	RMS	2500	-13.29	-10	Pass	601
2500	2520	1	RMS	2500.333	24.49	30	Pass	601




17.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-34.8	-25	Pass	601
2494	2496	1	RMS	2496	-26.31	-13	Pass	601
2496	2499	1	RMS	2498	-20.36	-10	Pass	4
2499	2500	0.1	RMS	2500	-22.26	-10	Pass	601
2500	2520	1	RMS	2501.7	18.32	30	Pass	601




17.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.652	-46.04	-25	Pass	601
2494	2496	1	RMS	2495.933	-42.36	-13	Pass	601
2496	2499	1	RMS	2499	-32.05	-10	Pass	4
2499	2500	0.051	RMS	2500	-14.01	-10	Pass	601
2500	2520	1	RMS	2500.4	24.03	30	Pass	601




17.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-35.07	-25	Pass	601
2494	2496	1	RMS	2495.99	-24.87	-13	Pass	601
2496	2499	1	RMS	2499	-16.12	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-21.52	-10	Pass	601
2500	2520	1	RMS	2503.867	17.77	30	Pass	601




17.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.633	25.02	30	Pass	601
2570	2571	0.051	RMS	2570	-14.98	-10	Pass	601
2571	2575	1	RMS	2571	-30.98	-10	Pass	5
2575	2576	1	RMS	2575.02	-43.33	-13	Pass	601
2576	2595	1	RMS	2576.032	-45.28	-25	Pass	601




17.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.467	18.84	30	Pass	601
2570	2571	0.1	RMS	2570	-19.97	-10	Pass	601
2571	2575	1	RMS	2572	-18.3	-10	Pass	5
2575	2576	1	RMS	2575.027	-32.47	-13	Pass	601
2576	2595	1	RMS	2576	-33.45	-25	Pass	601




17.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.667	24.64	30	Pass	601
2570	2571	0.051	RMS	2570	-15.18	-10	Pass	601
2571	2575	1	RMS	2571	-31.83	-10	Pass	5
2575	2576	1	RMS	2575.01	-44.95	-13	Pass	601
2576	2595	1	RMS	2576	-46.08	-25	Pass	601




17.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.9	18.27	30	Pass	601
2570	2571	0.1	RMS	2570.007	-19.49	-10	Pass	601
2571	2575	1	RMS	2571	-13.78	-10	Pass	5
2575	2576	1	RMS	2575.02	-29.16	-13	Pass	601
2576	2595	1	RMS	2576	-32.72	-25	Pass	601




17.9. Band Edge for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-47.93	-25	Pass	601
2485	2496	1	RMS	2496	-42.96	-13	Pass	601
2496	2499	1	RMS	2499	-32.21	-10	Pass	4
2499	2500	0.051	RMS	2500	-18.89	-10	Pass	601
2500	2520	1	RMS	2500.433	24.53	30	Pass	601




17.10. Band Edge for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2482.05	-41.7	-25	Pass	601
2485	2496	1	RMS	2493.268	-25.12	-13	Pass	601
2496	2499	1	RMS	2499	-23.51	-10	Pass	4
2499	2500	0.3	RMS	2500	-19.96	-10	Pass	601
2500	2520	1	RMS	2512.8	13.76	30	Pass	601




17.11. Band Edge for SA(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.983	-47.93	-25	Pass	601
2485	2496	1	RMS	2495.89	-41.85	-13	Pass	601
2496	2499	1	RMS	2499	-32.73	-10	Pass	4
2499	2500	0.051	RMS	2500	-19.36	-10	Pass	601
2500	2520	1	RMS	2500.467	23.99	30	Pass	601




17.12. Band Edge for SA(NTNV)(Subtest:4, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-38.07	-25	Pass	601
2485	2496	1	RMS	2495.982	-22.36	-13	Pass	601
2496	2499	1	RMS	2499	-20.68	-10	Pass	4
2499	2500	0.3	RMS	2500	-20.37	-10	Pass	601
2500	2520	1	RMS	2512.933	13.31	30	Pass	601




17.13. Band Edge for SA(NTNV)(Subtest:5, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.533	24.91	30	Pass	601
2570	2571	0.051	RMS	2570	-20.59	-10	Pass	601
2571	2575	1	RMS	2571	-32.06	-10	Pass	5
2575	2585	1	RMS	2575.083	-43.73	-13	Pass	601
2585	2595	1	RMS	2585.3	-47.36	-25	Pass	601




17.14. Band Edge for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2565.533	14.17	30	Pass	601
2570	2571	0.3	RMS	2570.002	-25.89	-10	Pass	601
2571	2575	1	RMS	2571	-22.66	-10	Pass	5
2575	2585	1	RMS	2576.25	-23.02	-13	Pass	601
2585	2595	1	RMS	2587.083	-40.21	-25	Pass	601




17.15. Band Edge for SA(NTNV)(Subtest:7, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.433	24.39	30	Pass	601
2570	2571	0.051	RMS	2570.002	-20.9	-10	Pass	601
2571	2575	1	RMS	2571	-33.06	-10	Pass	5
2575	2585	1	RMS	2575.05	-45.09	-13	Pass	601
2585	2595	1	RMS	2585.233	-47.4	-25	Pass	601




17.16. Band Edge for SA(NTNV)(Subtest:8, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.967	13.67	30	Pass	601
2570	2571	0.3	RMS	2570.575	-22.63	-10	Pass	601
2571	2575	1	RMS	2571	-18.35	-10	Pass	5
2575	2585	1	RMS	2575	-20.61	-13	Pass	601
2585	2595	1	RMS	2585.017	-37.53	-25	Pass	601




17.17. Band Edge for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.992	-48.07	-25	Pass	601
2480	2496	1	RMS	2495.787	-42.93	-13	Pass	601
2496	2499	1	RMS	2499	-32.95	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.57	-10	Pass	601
2500	2520	1	RMS	2500.533	24.49	30	Pass	601




17.18. Band Edge for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.008	-42.98	-25	Pass	601
2480	2496	1	RMS	2491.147	-25.52	-13	Pass	601
2496	2499	1	RMS	2499	-23.73	-10	Pass	4
2499	2500	0.39	RMS	2500	-17.59	-10	Pass	601
2500	2520	1	RMS	2514.3	12.47	30	Pass	601




17.19. Band Edge for SA(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.733	-48.14	-25	Pass	601
2480	2496	1	RMS	2495.947	-42.59	-13	Pass	601
2496	2499	1	RMS	2499	-33.54	-10	Pass	4
2499	2500	0.051	RMS	2499.997	-23.41	-10	Pass	601
2500	2520	1	RMS	2500.533	23.98	30	Pass	601




17.20. Band Edge for SA(NTNV)(Subtest:4, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.992	-40.34	-25	Pass	601
2480	2496	1	RMS	2496	-23.26	-13	Pass	601
2496	2499	1	RMS	2499	-21.89	-10	Pass	4
2499	2500	0.39	RMS	2500	-18.12	-10	Pass	601
2500	2520	1	RMS	2515.067	12.06	30	Pass	601




17.21. Band Edge for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.433	24.94	30	Pass	601
2570	2571	0.051	RMS	2570	-24.59	-10	Pass	601
2571	2575	1	RMS	2571	-32.72	-10	Pass	5
2575	2590	1	RMS	2575.025	-43.77	-13	Pass	601
2590	2595	1	RMS	2593.05	-47.45	-25	Pass	601




17.22. Band Edge for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2564.3	12.71	30	Pass	601
2570	2571	0.39	RMS	2570.003	-25.67	-10	Pass	601
2571	2575	1	RMS	2571	-23.68	-10	Pass	5
2575	2590	1	RMS	2577.975	-24.26	-13	Pass	601
2590	2595	1	RMS	2590.125	-41.16	-25	Pass	601




17.23. Band Edge for SA(NTNV)(Subtest:7, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.433	24.36	30	Pass	601
2570	2571	0.051	RMS	2570.002	-24.66	-10	Pass	601
2571	2575	1	RMS	2571	-33.69	-10	Pass	5
2575	2590	1	RMS	2575.05	-44.62	-13	Pass	601
2590	2595	1	RMS	2590.183	-47.46	-25	Pass	601



17.24. Band Edge for SA(NTNV)(Subtest:8, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2565.133	12.28	30	Pass	601
2570	2571	0.39	RMS	2570.127	-23.19	-10	Pass	601
2571	2575	1	RMS	2572	-20.51	-10	Pass	5
2575	2590	1	RMS	2575	-22.11	-13	Pass	601
2590	2595	1	RMS	2590.008	-39.02	-25	Pass	601



18. n38 30kHz_PC3


18.1. Band Edge for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2534.333	-47.3	-25	Pass	601
2550	2565	1	RMS	2561.925	-45.19	-13	Pass	601
2565	2569	1	RMS	2569	-22.87	-10	Pass	601
2569	2570	0.39	RMS	2570	-12.32	-10	Pass	601
2570	2610	1	RMS	2571	24.22	30	Pass	601




18.2. Band Edge for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2548.333	-43.99	-25	Pass	601
2550	2565	1	RMS	2561.225	-33.96	-13	Pass	601
2565	2569	1	RMS	2568.98	-29.67	-10	Pass	601
2569	2570	0.39	RMS	2569.99	-28.6	-10	Pass	601
2570	2610	1	RMS	2585.533	12.39	30	Pass	601




18.3. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2534.292	-47.33	-25	Pass	601
2550	2565	1	RMS	2562.025	-45.74	-13	Pass	601
2565	2569	1	RMS	2569	-23.87	-10	Pass	601
2569	2570	0.39	RMS	2569.992	-13.2	-10	Pass	601
2570	2610	1	RMS	2571	23.72	30	Pass	601




18.4. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.917	-41.32	-25	Pass	601
2550	2565	1	RMS	2564.975	-30.38	-13	Pass	601
2565	2569	1	RMS	2568.72	-27.94	-10	Pass	601
2569	2570	0.39	RMS	2569.997	-28.37	-10	Pass	601
2570	2610	1	RMS	2586.4	11.96	30	Pass	601




18.5. Band Edge for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	24.09	30	Pass	601
2620	2621	0.4	RMS	2620	-16.61	-10	Pass	4
2621	2625	1	RMS	2621	-26.21	-10	Pass	601
2625	2640	1	RMS	2625.15	-45.6	-13	Pass	601
2640	2665	1	RMS	2650.417	-46.33	-25	Pass	601




18.6. Band Edge for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2615.333	12.24	30	Pass	601
2620	2621	0.4	RMS	2620	-33.37	-10	Pass	4
2621	2625	1	RMS	2621.067	-31.29	-10	Pass	601
2625	2640	1	RMS	2625.025	-35.5	-13	Pass	601
2640	2665	1	RMS	2641.333	-41.22	-25	Pass	601




18.7. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	23.59	30	Pass	601
2620	2621	0.4	RMS	2620	-14.67	-10	Pass	4
2621	2625	1	RMS	2621	-23.87	-10	Pass	601
2625	2640	1	RMS	2625	-45.54	-13	Pass	601
2640	2665	1	RMS	2642.583	-46.26	-25	Pass	601




18.8. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2614.533	11.67	30	Pass	601
2620	2621	0.4	RMS	2620	-32.87	-10	Pass	4
2621	2625	1	RMS	2621.027	-30.08	-10	Pass	601
2625	2640	1	RMS	2625.025	-33.01	-13	Pass	601
2640	2665	1	RMS	2640.167	-39.5	-25	Pass	601




18.9. Band Edge for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2534.375	-47.23	-25	Pass	601
2540	2565	1	RMS	2564.917	-45.93	-13	Pass	601
2565	2569	1	RMS	2569	-27.54	-10	Pass	601
2569	2570	0.51	RMS	2570	-13.87	-10	Pass	601
2570	2610	1	RMS	2571.133	24.26	30	Pass	601




18.10. Band Edge for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2534.55	-45.34	-25	Pass	601
2540	2565	1	RMS	2556.875	-37.13	-13	Pass	601
2565	2569	1	RMS	2568.953	-32.31	-10	Pass	601
2569	2570	0.62	RMS	2569.993	-26.98	-10	Pass	601
2570	2610	1	RMS	2595.6	10.69	30	Pass	601




18.11. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2534.525	-47.32	-25	Pass	601
2540	2565	1	RMS	2565	-46.22	-13	Pass	601
2565	2569	1	RMS	2569	-28.87	-10	Pass	601
2569	2570	0.51	RMS	2570	-15.35	-10	Pass	601
2570	2610	1	RMS	2571.133	23.81	30	Pass	601




18.12. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.925	-41.75	-25	Pass	601
2540	2565	1	RMS	2564.708	-32.53	-13	Pass	601
2565	2569	1	RMS	2568.987	-31.23	-10	Pass	601
2569	2570	0.62	RMS	2569.997	-28.31	-10	Pass	601
2570	2610	1	RMS	2596.733	10.32	30	Pass	601




18.13. Band Edge for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	24.1	30	Pass	601
2620	2621	0.5	RMS	2620	-19.79	-10	Pass	3
2621	2625	1	RMS	2621	-31.04	-10	Pass	601
2625	2650	1	RMS	2625.375	-45.71	-13	Pass	601
2650	2665	1	RMS	2652.125	-46.3	-25	Pass	601




18.14. Band Edge for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2615.533	10.7	30	Pass	601
2620	2621	0.6	RMS	2620	-37.35	-10	Pass	3
2621	2625	1	RMS	2621.013	-35.62	-10	Pass	601
2625	2650	1	RMS	2625.125	-37.14	-13	Pass	601
2650	2665	1	RMS	2654.6	-42.41	-25	Pass	601




18.15. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	23.5	30	Pass	601
2620	2621	0.6	RMS	2620	-15.69	-10	Pass	3
2621	2625	1	RMS	2621	-28.56	-10	Pass	601
2625	2650	1	RMS	2625.083	-45.75	-13	Pass	601
2650	2665	1	RMS	2652.05	-46.25	-25	Pass	601




18.16. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2616.6	10.26	30	Pass	601
2620	2621	0.6	RMS	2620	-35.34	-10	Pass	3
2621	2625	1	RMS	2621.013	-33.28	-10	Pass	601
2625	2650	1	RMS	2625.042	-34.32	-13	Pass	601
2650	2665	1	RMS	2650.575	-40.54	-25	Pass	601




18.17. Band Edge for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2527.6	-47.51	-25	Pass	601
2530	2565	1	RMS	2552.108	-45.91	-13	Pass	601
2565	2569	1	RMS	2569	-27.02	-10	Pass	601
2569	2570	0.51	RMS	2569.995	-12.95	-10	Pass	601
2570	2610	1	RMS	2571	24.22	30	Pass	601




18.18. Band Edge for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2526.667	-44.7	-25	Pass	601
2530	2565	1	RMS	2564.65	-37.52	-13	Pass	601
2565	2569	1	RMS	2569	-34.31	-10	Pass	601
2569	2570	0.82	RMS	2570	-17.28	-10	Pass	601
2570	2610	1	RMS	2599.067	9.36	30	Pass	601




18.19. Band Edge for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.408	-47.48	-25	Pass	601
2530	2565	1	RMS	2551.992	-46.3	-13	Pass	601
2565	2569	1	RMS	2569	-27.55	-10	Pass	601
2569	2570	0.51	RMS	2570	-14.05	-10	Pass	601
2570	2610	1	RMS	2571.133	23.75	30	Pass	601




18.20. Band Edge for SA(NTNV)(Subtest:4, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.525	-42.54	-25	Pass	601
2530	2565	1	RMS	2564.417	-34.43	-13	Pass	601
2565	2569	1	RMS	2568.98	-33.45	-10	Pass	601
2569	2570	0.82	RMS	2569.998	-17.9	-10	Pass	601
2570	2610	1	RMS	2599.6	8.89	30	Pass	601




18.21. Band Edge for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	24.06	30	Pass	601
2620	2621	0.5	RMS	2620	-15.85	-10	Pass	3
2621	2625	1	RMS	2621	-27.35	-10	Pass	601
2625	2660	1	RMS	2625.467	-45.58	-13	Pass	601
2660	2665	1	RMS	2664.25	-46.43	-25	Pass	601




18.22. Band Edge for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2607.867	9.27	30	Pass	601
2620	2621	0.8	RMS	2620	-38.77	-10	Pass	3
2621	2625	1	RMS	2624.86	-37.85	-10	Pass	601
2625	2660	1	RMS	2652.067	-37.06	-13	Pass	601
2660	2665	1	RMS	2664.675	-42.25	-25	Pass	601




18.23. Band Edge for SA(NTNV)(Subtest:7, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	23.62	30	Pass	601
2620	2621	0.8	RMS	2620	-11.74	-10	Pass	3
2621	2625	1	RMS	2621.007	-27.87	-10	Pass	601
2625	2660	1	RMS	2625.117	-45.73	-13	Pass	601
2660	2665	1	RMS	2661.983	-46.4	-25	Pass	601



18.24. Band Edge for SA(NTNV)(Subtest:8, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2609.8	8.91	30	Pass	601
2620	2621	0.8	RMS	2620	-36.65	-10	Pass	3
2621	2625	1	RMS	2624.1	-35.24	-10	Pass	601
2625	2660	1	RMS	2651.95	-34.91	-13	Pass	601
2660	2665	1	RMS	2660.008	-40.73	-25	Pass	601



19. n41 30kHz


19.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.185	-45.96	-25	Pass	601
2490	2495	1	RMS	2495	-23.9	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-23.43	-13	Pass	601
2496	2596	1	RMS	2497	24.02	30	Pass	601




19.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-40.54	-25	Pass	100
2490	2495	1	RMS	2495	-34.1	-13	Pass	601
2495	2496	0.4	RMS	2496	-29.54	-13	Pass	4
2496	2596	1	RMS	2511.5	12.4	30	Pass	601




19.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-46.44	-25	Pass	601
2490	2495	1	RMS	2495	-24.35	-13	Pass	601
2495	2496	0.051	RMS	2496	-24.31	-13	Pass	601
2496	2596	1	RMS	2497	23.64	30	Pass	601




19.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-37.37	-25	Pass	100
2490	2495	1	RMS	2494.433	-33.29	-13	Pass	601
2495	2496	0.4	RMS	2496	-29.84	-13	Pass	4
2496	2596	1	RMS	2510.333	11.83	30	Pass	601




19.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.82	30	Pass	601
2690	2691	0.1	RMS	2690.003	-22.85	-13	Pass	601
2691	2695	1	RMS	2691	-26.42	-13	Pass	601
2695	2710	1	RMS	2695.375	-45.8	-13	Pass	601
2710	2795	1	RMS	2769.783	-46.72	-25	Pass	601




19.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673.333	12.01	30	Pass	601
2690	2691	0.4	RMS	2690	-34.58	-13	Pass	4
2691	2695	1	RMS	2691.067	-31.89	-13	Pass	601
2695	2710	1	RMS	2697.225	-35.44	-13	Pass	601
2710	2715	1	RMS	2711.15	-43	-25	Pass	601
2715	2795	1	RMS	2715.267	-44.35	-25	Pass	601




19.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.43	30	Pass	601
2690	2691	0.1	RMS	2690.002	-20.89	-13	Pass	601
2691	2695	1	RMS	2691.007	-24.77	-13	Pass	601
2695	2710	1	RMS	2695.15	-46	-13	Pass	601
2710	2795	1	RMS	2780.975	-46.77	-25	Pass	601




19.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.833	11.63	30	Pass	601
2690	2691	0.4	RMS	2690	-33.42	-13	Pass	4
2691	2695	1	RMS	2691.027	-30.81	-13	Pass	601
2695	2710	1	RMS	2695.025	-34.85	-13	Pass	601
2710	2715	1	RMS	2710.142	-40.93	-25	Pass	601
2715	2795	1	RMS	2715	-43.53	-25	Pass	601




19.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.74	-25	Pass	601
2490	2495	1	RMS	2495	-24.22	-13	Pass	601
2495	2496	0.051	RMS	2496	-24.07	-13	Pass	601
2496	2596	1	RMS	2497	23.95	30	Pass	601




19.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-41.25	-25	Pass	601
2490	2495	1	RMS	2494.958	-36.89	-13	Pass	601
2495	2496	1.2	RMS	2496	-26.81	-13	Pass	2
2496	2596	1	RMS	2542.333	7.43	30	Pass	601




19.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-47.01	-25	Pass	601
2490	2495	1	RMS	2495	-25.27	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-25.26	-13	Pass	601
2496	2596	1	RMS	2497	23.53	30	Pass	601




19.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.515	-39.03	-25	Pass	601
2490	2495	1	RMS	2494.992	-37.26	-13	Pass	601
2495	2496	1.2	RMS	2496	-27.8	-13	Pass	2
2496	2596	1	RMS	2546	7.05	30	Pass	601




19.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.75	30	Pass	601
2690	2691	0.1	RMS	2690.003	-24.3	-13	Pass	601
2691	2695	1	RMS	2691	-28.23	-13	Pass	601
2695	2750	1	RMS	2695.183	-45.55	-13	Pass	601
2750	2795	1	RMS	2773.025	-46.72	-25	Pass	601




19.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673.5	7.27	30	Pass	601
2690	2691	1.2	RMS	2690	-23.8	-13	Pass	2
2691	2695	1	RMS	2691.013	-37.78	-13	Pass	601
2695	2750	1	RMS	2697.475	-38.94	-13	Pass	601
2750	2755	1	RMS	2754.942	-46.79	-25	Pass	601
2755	2795	1	RMS	2766.067	-46.79	-25	Pass	601




19.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.31	30	Pass	601
2690	2691	0.1	RMS	2690	-22.72	-13	Pass	601
2691	2695	1	RMS	2691	-26.25	-13	Pass	601
2695	2750	1	RMS	2695	-45.71	-13	Pass	601
2750	2795	1	RMS	2776.7	-46.74	-25	Pass	601




19.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2680.333	6.72	30	Pass	601
2690	2691	1.2	RMS	2690	-25.91	-13	Pass	2
2691	2695	1	RMS	2691.887	-36.13	-13	Pass	601
2695	2750	1	RMS	2705.908	-37.7	-13	Pass	601
2750	2755	1	RMS	2754.883	-46.91	-25	Pass	601
2755	2795	1	RMS	2793.067	-46.72	-25	Pass	601




19.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.72	-25	Pass	601
2490	2495	1	RMS	2495	-25.29	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-25.17	-13	Pass	601
2496	2596	1	RMS	2497	23.94	30	Pass	601




19.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-35.35	-25	Pass	601
2490	2495	1	RMS	2490.508	-34.83	-13	Pass	601
2495	2496	1	RMS	2496	-31.03	-13	Pass	2
2496	2596	1	RMS	2584.833	5.31	30	Pass	601




19.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.75	-25	Pass	601
2490	2495	1	RMS	2495	-25.56	-13	Pass	601
2495	2496	0.051	RMS	2496	-25.36	-13	Pass	601
2496	2596	1	RMS	2497	23.46	30	Pass	601




19.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-37.01	-25	Pass	100
2490	2495	1	RMS	2490.508	-35.65	-13	Pass	601
2495	2496	1	RMS	2496	-31.23	-13	Pass	2
2496	2596	1	RMS	2581	4.98	30	Pass	601



19.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.65	30	Pass	601
2690	2691	0.1	RMS	2690	-24.61	-13	Pass	601
2691	2695	1	RMS	2691	-28.32	-13	Pass	601
2695	2790	1	RMS	2695.633	-45.39	-13	Pass	601
2790	2795	1	RMS	2791.233	-46.76	-25	Pass	601




19.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2613	4.7	30	Pass	601
2690	2691	2	RMS	2690	-33.19	-13	Pass	2
2691	2695	1	RMS	2693.967	-35.88	-13	Pass	601
2695	2790	1	RMS	2697.85	-36.25	-13	Pass	601
2790	2795	1	RMS	2792.025	-46.77	-25	Pass	601




19.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	23.11	30	Pass	601
2690	2691	0.1	RMS	2690	-22.8	-13	Pass	601
2691	2695	1	RMS	2691	-26.37	-13	Pass	601
2695	2790	1	RMS	2695.317	-45.31	-13	Pass	601
2790	2795	1	RMS	2790.008	-46.84	-25	Pass	601



19.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2600	4.47	30	Pass	601
2690	2691	2	RMS	2690	-33.39	-13	Pass	2
2691	2695	1	RMS	2691.307	-35.95	-13	Pass	601
2695	2790	1	RMS	2697.85	-36.2	-13	Pass	601
2790	2795	1	RMS	2790.35	-46.81	-25	Pass	601



20. n77 30kHz(3450-3550MHz)


20.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.92	-13	Pass	601
3445	3449	0.51	RMS	3448.913	-35.61	-13	Pass	601
3449	3450	0.01	RMS	3449.992	-32.01	-13	Pass	601
3450	3550	1	RMS	3451	23.01	30	Pass	601




20.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.833	-23.42	-13	Pass	601
3445	3449	0.51	RMS	3448.98	-24.96	-13	Pass	601
3449	3450	0.2	RMS	3449.995	-26.78	-13	Pass	601
3450	3550	1	RMS	3463.167	14.25	30	Pass	601




20.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-44	-13	Pass	601
3445	3449	0.51	RMS	3449	-33.89	-13	Pass	601
3449	3450	0.01	RMS	3449.993	-30.9	-13	Pass	601
3450	3550	1	RMS	3451	23.14	30	Pass	601




20.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.333	-20.79	-13	Pass	601
3445	3449	0.51	RMS	3448.9	-21.95	-13	Pass	601
3449	3450	0.2	RMS	3449.987	-24.9	-13	Pass	601
3450	3550	1	RMS	3460	13.82	30	Pass	601




20.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	23.08	30	Pass	601
3550	3551	0.01	RMS	3550.003	-32.31	-13	Pass	601
3551	3555	0.51	RMS	3551.027	-35.98	-13	Pass	601
3555	3655	1	RMS	3555	-44.49	-13	Pass	601




20.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3543	14.33	30	Pass	601
3550	3551	0.2	RMS	3550.067	-25.5	-13	Pass	601
3551	3555	0.51	RMS	3552.62	-23.72	-13	Pass	601
3555	3655	1	RMS	3558.167	-21.93	-13	Pass	601




20.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	23.1	30	Pass	601
3550	3551	0.01	RMS	3550.003	-32.08	-13	Pass	601
3551	3555	0.51	RMS	3551.053	-35.37	-13	Pass	601
3555	3655	1	RMS	3555	-44.56	-13	Pass	601




20.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3540	13.94	30	Pass	601
3550	3551	0.2	RMS	3550.043	-23.23	-13	Pass	601
3551	3555	0.51	RMS	3551.093	-20.19	-13	Pass	601
3555	3655	1	RMS	3555	-19.07	-13	Pass	601



20.9. Band Edge for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3403.667	-43.64	-13	Pass	601
3445	3449	0.51	RMS	3449	-37.5	-13	Pass	601
3449	3450	0.01	RMS	3450	-39.27	-13	Pass	601
3450	3550	1	RMS	3451.167	22.38	30	Pass	601




20.10. Band Edge for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-24.34	-13	Pass	601
3445	3449	0.51	RMS	3447.68	-25.79	-13	Pass	601
3449	3450	0.51	RMS	3449.515	-25.98	-13	Pass	601
3450	3550	1	RMS	3484.333	9.54	30	Pass	601




20.11. Band Edge for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3403.667	-43.5	-13	Pass	601
3445	3449	0.51	RMS	3449	-37.8	-13	Pass	601
3449	3450	0.01	RMS	3450	-40.35	-13	Pass	601
3450	3550	1	RMS	3451.167	22.36	30	Pass	601




20.12. Band Edge for SA(NTNV)(Subtest:4, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-23.22	-13	Pass	601
3445	3449	0.51	RMS	3447.68	-25.52	-13	Pass	601
3449	3450	0.51	RMS	3449.077	-25.74	-13	Pass	601
3450	3550	1	RMS	3462	9.25	30	Pass	601



20.13. Band Edge for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	22.48	30	Pass	601
3550	3551	0.01	RMS	3550.017	-40.15	-13	Pass	601
3551	3555	0.51	RMS	3551	-38.14	-13	Pass	601
3555	3655	1	RMS	3555.333	-45.93	-13	Pass	601




20.14. Band Edge for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3534.333	9.7	30	Pass	601
3550	3551	0.51	RMS	3550.582	-23.08	-13	Pass	601
3551	3555	0.51	RMS	3552.813	-23.9	-13	Pass	601
3555	3655	1	RMS	3555	-22.55	-13	Pass	601



20.15. Band Edge for SA(NTNV)(Subtest:7, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	22.52	30	Pass	601
3550	3551	0.01	RMS	3550.015	-39.1	-13	Pass	601
3551	3555	0.51	RMS	3551	-36.03	-13	Pass	601
3555	3655	1	RMS	3555	-45.66	-13	Pass	601




20.16. Band Edge for SA(NTNV)(Subtest:8, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3511.833	9.41	30	Pass	601
3550	3551	0.51	RMS	3550.685	-23.02	-13	Pass	601
3551	3555	0.51	RMS	3552.56	-23.11	-13	Pass	601
3555	3655	1	RMS	3555	-21.31	-13	Pass	601




20.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.9	-13	Pass	601
3445	3449	0.51	RMS	3448.953	-35.94	-13	Pass	601
3449	3450	0.01	RMS	3449.988	-32.45	-13	Pass	601
3450	3550	1	RMS	3451	22.69	30	Pass	601




20.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.5	-25.43	-13	Pass	601
3445	3449	0.51	RMS	3445.527	-27.05	-13	Pass	601
3449	3450	1	RMS	3450	-24.77	-13	Pass	2
3450	3550	1	RMS	3517.833	6.99	30	Pass	601




20.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-43.94	-13	Pass	601
3445	3449	0.51	RMS	3448.94	-35.44	-13	Pass	601
3449	3450	0.01	RMS	3449.993	-32.76	-13	Pass	601
3450	3550	1	RMS	3451	22.63	30	Pass	601




20.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.5	-24.89	-13	Pass	601
3445	3449	0.51	RMS	3445.66	-27.18	-13	Pass	601
3449	3450	1	RMS	3450	-24.7	-13	Pass	2
3450	3550	1	RMS	3513.833	6.38	30	Pass	601



20.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	22.63	30	Pass	601
3550	3551	0.01	RMS	3550.003	-34.19	-13	Pass	601
3551	3555	0.51	RMS	3551	-35.95	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.61	-13	Pass	601




20.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3517.833	6.9	30	Pass	601
3550	3551	1	RMS	3550.982	-25.33	-13	Pass	601
3551	3555	0.51	RMS	3552.207	-27.75	-13	Pass	601
3555	3655	1	RMS	3558	-25.21	-13	Pass	601



20.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	22.71	30	Pass	601
3550	3551	0.01	RMS	3550.023	-33.86	-13	Pass	601
3551	3555	0.51	RMS	3551.02	-35.99	-13	Pass	601
3555	3655	1	RMS	3555.333	-44.65	-13	Pass	601



20.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3513.667	6.35	30	Pass	601
3550	3551	1	RMS	3551	-24.69	-13	Pass	601
3551	3555	0.51	RMS	3551.247	-27.43	-13	Pass	601
3555	3655	1	RMS	3557.667	-24.31	-13	Pass	601



21. n77 30kHz(3700-3980MHz)


21.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.54	-13	Pass	601
3695	3699	0.51	RMS	3698.973	-35.18	-13	Pass	601
3699	3700	0.01	RMS	3699.977	-31.31	-13	Pass	601
3700	3800	1	RMS	3701	23.43	30	Pass	601




21.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3691.333	-19.78	-13	Pass	601
3695	3699	0.51	RMS	3699	-20.76	-13	Pass	601
3699	3700	0.2	RMS	3699.987	-22.36	-13	Pass	601
3700	3800	1	RMS	3713.167	14.71	30	Pass	601




21.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.43	-13	Pass	601
3695	3699	0.51	RMS	3698.94	-34.68	-13	Pass	601
3699	3700	0.01	RMS	3699.992	-31.04	-13	Pass	601
3700	3800	1	RMS	3701	23.57	30	Pass	601




21.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-17.16	-13	Pass	601
3695	3699	0.51	RMS	3698.933	-18.32	-13	Pass	601
3699	3700	0.2	RMS	3699.977	-21.36	-13	Pass	601
3700	3800	1	RMS	3710	14.21	30	Pass	601



21.5. Band Edge for SA(NTNV)(Subtest:5, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.57	30	Pass	601
3980	3981	0.01	RMS	3980	-31.69	-13	Pass	601
3981	3985	0.51	RMS	3981.007	-34.26	-13	Pass	601
3985	4085	1	RMS	3985	-43.61	-13	Pass	601




21.6. Band Edge for SA(NTNV)(Subtest:6, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3973	14.84	30	Pass	601
3980	3981	0.2	RMS	3980.01	-18.13	-13	Pass	601
3981	3985	0.51	RMS	3981.307	-16.92	-13	Pass	601
3985	4085	1	RMS	3988.333	-14.96	-13	Pass	601




21.7. Band Edge for SA(NTNV)(Subtest:7, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.63	30	Pass	601
3980	3981	0.01	RMS	3980.025	-32.26	-13	Pass	601
3981	3985	0.51	RMS	3981.007	-34.68	-13	Pass	601
3985	4085	1	RMS	3985	-43.88	-13	Pass	601




21.8. Band Edge for SA(NTNV)(Subtest:8, Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3970	14.43	30	Pass	601
3980	3981	0.2	RMS	3980.018	-17.17	-13	Pass	601
3981	3985	0.51	RMS	3981.093	-13.99	-13	Pass	601
3985	4085	1	RMS	3985	-13.71	-13	Pass	101



21.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3653.5	-45.43	-13	Pass	601
3695	3699	0.51	RMS	3698.987	-36.81	-13	Pass	601
3699	3700	0.01	RMS	3699.993	-38.42	-13	Pass	601
3700	3800	1	RMS	3701.167	23.09	30	Pass	601




21.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.167	-17.5	-13	Pass	601
3695	3699	0.51	RMS	3695.76	-19.56	-13	Pass	601
3699	3700	0.51	RMS	3699.51	-19.64	-13	Pass	601
3700	3800	1	RMS	3728.833	10.31	30	Pass	601



21.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3653.667	-43.67	-13	Pass	601
3695	3699	0.51	RMS	3699	-36.7	-13	Pass	601
3699	3700	0.01	RMS	3699.997	-38.1	-13	Pass	601
3700	3800	1	RMS	3701.167	23.23	30	Pass	601




21.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.167	-16.47	-13	Pass	601
3695	3699	0.51	RMS	3695.5	-19.22	-13	Pass	601
3699	3700	0.51	RMS	3699.433	-19.56	-13	Pass	601
3700	3800	1	RMS	3719.5	10.12	30	Pass	601




21.13. Band Edge for SA(NTNV)(Subtest:5, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.667	23.11	30	Pass	601
3980	3981	0.01	RMS	3980.01	-40.75	-13	Pass	601
3981	3985	0.51	RMS	3981.033	-37.11	-13	Pass	601
3985	4085	1	RMS	3985	-44.77	-13	Pass	601




21.14. Band Edge for SA(NTNV)(Subtest:6, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3959.333	10.35	30	Pass	601
3980	3981	0.51	RMS	3980.51	-16.49	-13	Pass	601
3981	3985	0.51	RMS	3982.4	-16.35	-13	Pass	601
3985	4085	1	RMS	3985.5	-14.17	-13	Pass	601




21.15. Band Edge for SA(NTNV)(Subtest:7, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3978.667	23.18	30	Pass	601
3980	3981	0.01	RMS	3980.003	-38.37	-13	Pass	601
3981	3985	0.51	RMS	3981.013	-34.78	-13	Pass	601
3985	4085	1	RMS	3985	-44.81	-13	Pass	601




21.16. Band Edge for SA(NTNV)(Subtest:8, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3949.667	9.33	30	Pass	601
3980	3981	0.51	RMS	3980.95	-18.77	-13	Pass	601
3981	3985	0.51	RMS	3984.927	-17.85	-13	Pass	601
3985	4085	1	RMS	3985.167	-15.4	-13	Pass	601




21.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3609.667	-49.1	-13	Pass	601
3695	3699	0.51	RMS	3698.987	-35.33	-13	Pass	601
3699	3700	0.01	RMS	3699.977	-32.79	-13	Pass	601
3700	3800	1	RMS	3701	23.26	30	Pass	601




21.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-22.38	-13	Pass	601
3695	3699	0.51	RMS	3698.607	-24.64	-13	Pass	601
3699	3700	1	RMS	3700	-22.46	-13	Pass	2
3700	3800	1	RMS	3722.667	7.27	30	Pass	601




21.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.333	-44.47	-13	Pass	601
3695	3699	0.51	RMS	3699	-34.43	-13	Pass	601
3699	3700	0.01	RMS	3699.985	-32.32	-13	Pass	601
3700	3800	1	RMS	3701	23.3	30	Pass	601




21.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-21.98	-13	Pass	601
3695	3699	0.51	RMS	3698.547	-24.61	-13	Pass	601
3699	3700	1	RMS	3700	-22.13	-13	Pass	2
3700	3800	1	RMS	3710	6.88	30	Pass	601




21.21. Band Edge for SA(NTNV)(Subtest:5, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.05	30	Pass	601
3980	3981	0.01	RMS	3980.013	-32.61	-13	Pass	601
3981	3985	0.51	RMS	3981.007	-34.62	-13	Pass	601
3985	4085	1	RMS	3985.167	-44.09	-13	Pass	601




21.22. Band Edge for SA(NTNV)(Subtest:6, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3947.833	7.25	30	Pass	601
3980	3981	1	RMS	3980.19	-18.6	-13	Pass	601
3981	3985	0.51	RMS	3983.58	-21.3	-13	Pass	601
3985	4085	1	RMS	3985	-19.63	-13	Pass	601




21.23. Band Edge for SA(NTNV)(Subtest:7, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.1	30	Pass	601
3980	3981	0.01	RMS	3980.002	-34.09	-13	Pass	601
3981	3985	0.51	RMS	3981.047	-35.1	-13	Pass	601
3985	4085	1	RMS	3985.167	-44.02	-13	Pass	601



21.24. Band Edge for SA(NTNV)(Subtest:8, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3964.833	6.84	30	Pass	601
3980	3981	1	RMS	3980.967	-18.25	-13	Pass	601
3981	3985	0.51	RMS	3981.287	-20.93	-13	Pass	601
3985	4085	1	RMS	3985	-18.71	-13	Pass	601



22. n78 30kHz(3450-3550MHz)


22.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-44.03	-13	Pass	601
3445	3449	0.51	RMS	3448.98	-36.25	-13	Pass	601
3449	3450	0.01	RMS	3449.992	-31.78	-13	Pass	601
3450	3550	1	RMS	3451	22.99	30	Pass	601




22.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-27.14	-13	Pass	601
3445	3449	0.51	RMS	3448.947	-27.88	-13	Pass	601
3449	3450	0.2	RMS	3450	-28.25	-13	Pass	601
3450	3550	1	RMS	3463.167	14.17	30	Pass	601




22.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.88	-13	Pass	601
3445	3449	0.51	RMS	3448.947	-35.15	-13	Pass	601
3449	3450	0.01	RMS	3449.992	-30.73	-13	Pass	601
3450	3550	1	RMS	3451	23.1	30	Pass	601




22.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-22.97	-13	Pass	601
3445	3449	0.51	RMS	3448.993	-24.39	-13	Pass	601
3449	3450	0.2	RMS	3449.985	-26.76	-13	Pass	601
3450	3550	1	RMS	3459.833	13.8	30	Pass	601




22.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	22.99	30	Pass	601
3550	3551	0.01	RMS	3550.002	-32.22	-13	Pass	601
3551	3555	0.51	RMS	3551.007	-36.23	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.66	-13	Pass	601




22.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3543	14.33	30	Pass	601
3550	3551	0.2	RMS	3550.092	-28.11	-13	Pass	601
3551	3555	0.51	RMS	3552.72	-25.34	-13	Pass	601
3555	3655	1	RMS	3558	-23.7	-13	Pass	601



22.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	23.03	30	Pass	601
3550	3551	0.01	RMS	3550.002	-32.18	-13	Pass	601
3551	3555	0.51	RMS	3551.02	-35.9	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.83	-13	Pass	601




22.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3540	13.83	30	Pass	601
3550	3551	0.2	RMS	3550.068	-24.87	-13	Pass	601
3551	3555	0.51	RMS	3551.153	-21.74	-13	Pass	601
3555	3655	1	RMS	3555	-20.05	-13	Pass	601



22.9. Band Edge for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-44.16	-13	Pass	601
3445	3449	0.51	RMS	3448.987	-37.29	-13	Pass	601
3449	3450	0.01	RMS	3449.998	-39.42	-13	Pass	601
3450	3550	1	RMS	3451.167	22.81	30	Pass	601




22.10. Band Edge for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.167	-23.49	-13	Pass	601
3445	3449	0.51	RMS	3447.58	-27.19	-13	Pass	601
3449	3450	0.51	RMS	3449.988	-28	-13	Pass	601
3450	3550	1	RMS	3479.5	10.02	30	Pass	601




22.11. Band Edge for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-44.09	-13	Pass	601
3445	3449	0.51	RMS	3449	-37.83	-13	Pass	601
3449	3450	0.01	RMS	3450	-40.28	-13	Pass	601
3450	3550	1	RMS	3451.167	22.88	30	Pass	601




22.12. Band Edge for SA(NTNV)(Subtest:4, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3443.667	-24.29	-13	Pass	601
3445	3449	0.51	RMS	3447.853	-27.36	-13	Pass	601
3449	3450	0.51	RMS	3449.958	-26.87	-13	Pass	601
3450	3550	1	RMS	3469.833	9.71	30	Pass	601



22.13. Band Edge for SA(NTNV)(Subtest:5, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	22.82	30	Pass	601
3550	3551	0.01	RMS	3550.017	-39.46	-13	Pass	601
3551	3555	0.51	RMS	3551.007	-38.19	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.98	-13	Pass	601




22.14. Band Edge for SA(NTNV)(Subtest:6, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3534.333	10.13	30	Pass	601
3550	3551	0.51	RMS	3550.525	-24.57	-13	Pass	601
3551	3555	0.51	RMS	3554.927	-24.53	-13	Pass	601
3555	3655	1	RMS	3555	-21.81	-13	Pass	601



22.15. Band Edge for SA(NTNV)(Subtest:7, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.667	22.73	30	Pass	601
3550	3551	0.01	RMS	3550.02	-39.56	-13	Pass	601
3551	3555	0.51	RMS	3551.007	-36.64	-13	Pass	601
3555	3655	1	RMS	3555	-44.92	-13	Pass	601




22.16. Band Edge for SA(NTNV)(Subtest:8, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3519.5	9.77	30	Pass	601
3550	3551	0.51	RMS	3550.63	-24.84	-13	Pass	601
3551	3555	0.51	RMS	3554.767	-24.76	-13	Pass	601
3555	3655	1	RMS	3555	-21.69	-13	Pass	601




22.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.667	-43.88	-13	Pass	601
3445	3449	0.51	RMS	3448.973	-36.47	-13	Pass	601
3449	3450	0.01	RMS	3449.985	-32.41	-13	Pass	601
3450	3550	1	RMS	3451	22.65	30	Pass	601




22.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.5	-26.77	-13	Pass	601
3445	3449	0.51	RMS	3445.44	-29.16	-13	Pass	601
3449	3450	1	RMS	3450	-26.72	-13	Pass	2
3450	3550	1	RMS	3517.833	6.96	30	Pass	601




22.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.79	-13	Pass	601
3445	3449	0.51	RMS	3449	-35.03	-13	Pass	601
3449	3450	0.01	RMS	3449.995	-31.54	-13	Pass	601
3450	3550	1	RMS	3451	22.71	30	Pass	601




22.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3441.5	-26.71	-13	Pass	601
3445	3449	0.51	RMS	3445.34	-29.52	-13	Pass	601
3449	3450	1	RMS	3450	-25.96	-13	Pass	2
3450	3550	1	RMS	3513.833	6.35	30	Pass	601




22.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	22.63	30	Pass	601
3550	3551	0.01	RMS	3550.002	-33.86	-13	Pass	601
3551	3555	0.51	RMS	3551.02	-37.14	-13	Pass	601
3555	3655	1	RMS	3555	-44.6	-13	Pass	601




22.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3517.833	7.01	30	Pass	601
3550	3551	1	RMS	3550.822	-26.67	-13	Pass	601
3551	3555	0.51	RMS	3553.52	-28.86	-13	Pass	601
3555	3655	1	RMS	3557.167	-25.83	-13	Pass	601




22.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	22.67	30	Pass	601
3550	3551	0.01	RMS	3550.023	-32.53	-13	Pass	601
3551	3555	0.51	RMS	3551.02	-36.38	-13	Pass	601
3555	3655	1	RMS	3555.167	-44.47	-13	Pass	601



22.24. Band Edge for SA(NTNV)(Subtest:8, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3513.667	6.35	30	Pass	601
3550	3551	1	RMS	3550.782	-25.63	-13	Pass	601
3551	3555	0.51	RMS	3551.467	-28.29	-13	Pass	601
3555	3655	1	RMS	3557.5	-25.39	-13	Pass	601



23. n78 30kHz(3700-3800MHz)


23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.51	-13	Pass	601
3695	3699	0.51	RMS	3699	-35.88	-13	Pass	601
3699	3700	0.01	RMS	3699.977	-30.93	-13	Pass	601
3700	3800	1	RMS	3701	23.48	30	Pass	601




23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3691.167	-21.63	-13	Pass	601
3695	3699	0.51	RMS	3698.987	-21.81	-13	Pass	601
3699	3700	0.2	RMS	3699.995	-22.91	-13	Pass	601
3700	3800	1	RMS	3713	14.67	30	Pass	601




23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.36	-13	Pass	601
3695	3699	0.51	RMS	3699	-35.13	-13	Pass	601
3699	3700	0.01	RMS	3699.987	-31.18	-13	Pass	601
3700	3800	1	RMS	3701	23.64	30	Pass	601




23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-18.47	-13	Pass	601
3695	3699	0.51	RMS	3699	-18.98	-13	Pass	601
3699	3700	0.2	RMS	3699.835	-21.84	-13	Pass	601
3700	3800	1	RMS	3710	14.2	30	Pass	601




23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	23.08	30	Pass	601
3800	3801	0.01	RMS	3800.023	-32.11	-13	Pass	601
3801	3805	0.51	RMS	3801	-35.6	-13	Pass	601
3805	3905	1	RMS	3805	-44.56	-13	Pass	601




23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3793.167	14.32	30	Pass	601
3800	3801	0.2	RMS	3800.013	-22.93	-13	Pass	601
3801	3805	0.51	RMS	3802.46	-21.68	-13	Pass	601
3805	3905	1	RMS	3808.333	-20.22	-13	Pass	601




23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	23.03	30	Pass	601
3800	3801	0.01	RMS	3800.017	-31.92	-13	Pass	601
3801	3805	0.51	RMS	3801.007	-36.01	-13	Pass	601
3805	3905	1	RMS	3805	-44.24	-13	Pass	601




23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3790	13.76	30	Pass	601
3800	3801	0.2	RMS	3800.052	-21.39	-13	Pass	601
3801	3805	0.51	RMS	3801.153	-18.48	-13	Pass	601
3805	3905	1	RMS	3805.5	-18.21	-13	Pass	601



23.9. Band Edge for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.333	-44.84	-13	Pass	601
3695	3699	0.51	RMS	3699	-36.73	-13	Pass	601
3699	3700	0.01	RMS	3699.993	-38.33	-13	Pass	601
3700	3800	1	RMS	3701.167	23.27	30	Pass	601




23.10. Band Edge for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.167	-18.4	-13	Pass	601
3695	3699	0.51	RMS	3695.76	-21.8	-13	Pass	601
3699	3700	0.51	RMS	3699.405	-22.15	-13	Pass	601
3700	3800	1	RMS	3729.167	10.46	30	Pass	601




23.11. Band Edge for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.67	-13	Pass	601
3695	3699	0.51	RMS	3698.987	-37.36	-13	Pass	601
3699	3700	0.01	RMS	3699.993	-38.3	-13	Pass	601
3700	3800	1	RMS	3701.167	23.29	30	Pass	601




23.12. Band Edge for SA(NTNV)(Subtest:4, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3693.167	-18.44	-13	Pass	601
3695	3699	0.51	RMS	3695.307	-21.38	-13	Pass	601
3699	3700	0.51	RMS	3699.435	-21.67	-13	Pass	601
3700	3800	1	RMS	3712	10.21	30	Pass	601



23.13. Band Edge for SA(NTNV)(Subtest:5, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.667	22.75	30	Pass	601
3800	3801	0.01	RMS	3800.005	-39.93	-13	Pass	601
3801	3805	0.51	RMS	3801.007	-38.67	-13	Pass	601
3805	3905	1	RMS	3805.333	-44.83	-13	Pass	601




23.14. Band Edge for SA(NTNV)(Subtest:6, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3764	10.12	30	Pass	601
3800	3801	0.51	RMS	3800.582	-22.67	-13	Pass	601
3801	3805	0.51	RMS	3804.767	-21.4	-13	Pass	601
3805	3905	1	RMS	3805	-19.02	-13	Pass	601




23.15. Band Edge for SA(NTNV)(Subtest:7, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3798.667	22.8	30	Pass	601
3800	3801	0.01	RMS	3800.005	-38.42	-13	Pass	601
3801	3805	0.51	RMS	3801	-35.85	-13	Pass	601
3805	3905	1	RMS	3805	-44.7	-13	Pass	601




23.16. Band Edge for SA(NTNV)(Subtest:8, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3761.833	9.89	30	Pass	601
3800	3801	0.51	RMS	3800.942	-22.09	-13	Pass	601
3801	3805	0.51	RMS	3804.767	-21.76	-13	Pass	601
3805	3905	1	RMS	3805.167	-19.16	-13	Pass	601




23.17. Band Edge for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.38	-13	Pass	601
3695	3699	0.51	RMS	3698.953	-36.03	-13	Pass	601
3699	3700	0.01	RMS	3699.982	-32.88	-13	Pass	601
3700	3800	1	RMS	3701	23.17	30	Pass	601




23.18. Band Edge for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-22.05	-13	Pass	601
3695	3699	0.51	RMS	3698.607	-24.26	-13	Pass	601
3699	3700	1	RMS	3700	-21.73	-13	Pass	2
3700	3800	1	RMS	3722.833	7.4	30	Pass	601




23.19. Band Edge for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.833	-44.35	-13	Pass	601
3695	3699	0.51	RMS	3699	-35.08	-13	Pass	601
3699	3700	0.01	RMS	3699.987	-32.48	-13	Pass	601
3700	3800	1	RMS	3701	23.19	30	Pass	601




23.20. Band Edge for SA(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3694.667	-21.15	-13	Pass	601
3695	3699	0.51	RMS	3695.053	-23.81	-13	Pass	601
3699	3700	1	RMS	3700	-21.23	-13	Pass	2
3700	3800	1	RMS	3710	7.09	30	Pass	601




23.21. Band Edge for SA(NTNV)(Subtest:5, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	22.64	30	Pass	601
3800	3801	0.01	RMS	3800.023	-33.69	-13	Pass	601
3801	3805	0.51	RMS	3801.007	-36.28	-13	Pass	601
3805	3905	1	RMS	3805	-44.57	-13	Pass	601




23.22. Band Edge for SA(NTNV)(Subtest:6, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3722.667	7.29	30	Pass	601
3800	3801	1	RMS	3800.39	-21.94	-13	Pass	601
3801	3805	0.51	RMS	3802.24	-24.89	-13	Pass	601
3805	3905	1	RMS	3807.167	-23.71	-13	Pass	601




23.23. Band Edge for SA(NTNV)(Subtest:7, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3799	22.78	30	Pass	601
3800	3801	0.01	RMS	3800.013	-32.72	-13	Pass	601
3801	3805	0.51	RMS	3801.027	-35.6	-13	Pass	601
3805	3905	1	RMS	3805.167	-44.46	-13	Pass	601



23.24. Band Edge for SA(NTNV)(Subtest:8, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3700	3800	1	RMS	3710	7.03	30	Pass	601
3800	3801	1	RMS	3800.917	-21.61	-13	Pass	601
3801	3805	0.51	RMS	3801.187	-24.25	-13	Pass	601
3805	3905	1	RMS	3805	-22.1	-13	Pass	601



END