


A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-53.01	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.4	-13	Pass	2985
30	500	0.1	Peak	267.951	-43.56	-13	Pass	4700
500	1000	0.1	Peak	824.165	31.94	-13	N/A	5000
1000	10000	1	Peak	7016.734	-23.34	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.3	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.54	-13	Pass	2985
30	500	0.1	Peak	476.095	-43.9	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.26	-13	N/A	5000
1000	10000	1	Peak	7115.747	-23.11	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.84	-13	Pass	2985
30	500	0.1	Peak	456.291	-44.05	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.15	-13	N/A	5000
1000	10000	1	Peak	7072.741	-23.05	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.33	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.31	-13	Pass	2985
30	1000	0.1	Peak	885.748	-49.63	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.96	-13	N/A	2000
3000	20000	1	Peak	19742.582	-44.46	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.6	-13	Pass	401
0.15	30	0.01	Peak	0.71	-61.1	-13	Pass	2985
30	1000	0.1	Peak	731.786	-49.85	-13	Pass	9699
1000	3000	1	Peak	1879.44	26.11	-13	N/A	2000
3000	20000	1	Peak	19348.996	-44.69	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.74	-13	Pass	401
0.15	30	0.01	Peak	0.18	-61.95	-13	Pass	2985
30	1000	0.1	Peak	851.403	-50.21	-13	Pass	9699
1000	3000	1	Peak	1910.455	28.81	-13	N/A	2000
3000	20000	1	Peak	19757.607	-45.04	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.04	-13	Pass	401
0.15	30	0.01	Peak	0.53	-53.73	-13	Pass	2985
30	500	0.1	Peak	379.374	-44.55	-13	Pass	4700
500	1000	0.1	Peak	824.265	26.89	-13	N/A	5000
1000	10000	1	Peak	7279.767	-22.82	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-58.21	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.61	-13	Pass	2985
30	500	0.1	Peak	444.788	-44.03	-13	Pass	4700
500	1000	0.1	Peak	836.667	26.68	-13	N/A	5000
1000	10000	1	Peak	7216.759	-22.65	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.77	-13	Pass	401
0.15	30	0.01	Peak	0.16	-55.77	-13	Pass	2985
30	500	0.1	Peak	403.279	-44.51	-13	Pass	4700
500	1000	0.1	Peak	848.87	27.75	-13	N/A	5000
1000	10000	1	Peak	7220.759	-21.77	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.63	-13	Pass	401
0.15	30	0.01	Peak	0.23	-61.07	-13	Pass	2985
30	1000	0.1	Peak	843.999	-49.44	-13	Pass	9699
1000	3000	1	Peak	1850.425	27.67	-13	N/A	2000
3000	20000	1	Peak	19946.914	-19.69	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.79	-13	Pass	401
0.15	30	0.01	Peak	0.97	-61.11	-13	Pass	2985
30	1000	0.1	Peak	784.892	-49.62	-13	Pass	9699
1000	3000	1	Peak	1879.44	27.05	-13	N/A	2000
3000	20000	1	Peak	19402.029	-20.06	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.91	-13	Pass	401
0.15	30	0.01	Peak	0.31	-59.84	-13	Pass	2985
30	1000	0.1	Peak	459.552	-49.92	-13	Pass	9699
1000	3000	1	Peak	1909.455	27.56	-13	N/A	2000
3000	20000	1	Peak	19885.815	-19.95	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.38	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.17	-13	Pass	2985
30	1000	0.1	Peak	905.575	-53.94	-13	Pass	9699
1000	3000	1	Peak	1853.427	24.14	-13	N/A	2000
3000	20000	1	Peak	19707.525	-23.65	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.55	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.99	-13	Pass	2985
30	1000	0.1	Peak	863.519	-54.08	-13	Pass	9699
1000	3000	1	Peak	1881.441	24.22	-13	N/A	2000
3000	20000	1	Peak	19691.499	-23.45	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.75	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.99	-13	Pass	2985
30	1000	0.1	Peak	819.196	-53.96	-13	Pass	9699
1000	3000	1	Peak	1908.454	24.19	-13	N/A	2000
3000	20000	1	Peak	19517.216	-23.63	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.21	-13	Pass	401
0.15	30	0.01	Peak	0.36	-65.14	-13	Pass	2985
30	1000	0.1	Peak	863.219	-53.94	-13	Pass	9699
1000	3000	1	Peak	1713.357	24.41	-13	N/A	2000
3000	20000	1	Peak	19729.561	-23.92	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.12	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.76	-13	Pass	2985
30	1000	0.1	Peak	830.098	-53.71	-13	Pass	9699
1000	3000	1	Peak	1733.367	24.27	-13	N/A	2000
3000	20000	1	Peak	18703.917	-24.2	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.01	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.93	-13	Pass	2985
30	1000	0.1	Peak	786.992	-54.05	-13	Pass	9699
1000	3000	1	Peak	1751.376	24.35	-13	N/A	2000
3000	20000	1	Peak	19429.073	-23.52	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.89	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.22	-13	Pass	2985
30	500	0.1	Peak	367.272	-54.47	-13	Pass	4700
500	1000	0.1	Peak	827.866	18.09	-13	N/A	5000
1000	10000	1	Peak	7211.758	-32.46	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.99	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.3	-13	Pass	2985
30	500	0.1	Peak	468.793	-54.21	-13	Pass	4700
500	1000	0.1	Peak	835.567	19.6	-13	N/A	5000
1000	10000	1	Peak	7208.758	-32.65	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.17	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.58	-13	Pass	2985
30	500	0.1	Peak	371.173	-54.81	-13	Pass	4700
500	1000	0.1	Peak	847.269	18.37	-13	N/A	5000
1000	10000	1	Peak	7579.803	-32.32	-13	Pass	9000



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2985
30	1000	0.1	RMS	852.504	-64.62	-13	Pass	9699
1000	1840	1	RMS	1840	-52.45	-13	Pass	840
1840	1920	1	RMS	1850.2	23.41	60	Pass	401
1920	3000	1	RMS	2948.953	-49.93	-13	Pass	1080
3000	12000	1	RMS	11787.737	-43.45	-13	Pass	9000
12000	20000	1	RMS	19402.925	-35.54	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	1000	0.1	RMS	826.197	-64.88	-13	Pass	9699
1000	1840	1	RMS	1840	-52.6	-13	Pass	840
1840	1920	1	RMS	1850.2	22.44	60	Pass	401
1920	3000	1	RMS	2946.951	-49.99	-13	Pass	1080
3000	12000	1	RMS	11794.746	-43.52	-13	Pass	9000
12000	20000	1	RMS	19892.987	-35.62	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.88	-13	Pass	9699
1000	1840	1	RMS	1840	-53.54	-13	Pass	840
1840	1920	1	RMS	1879.4	23.34	60	Pass	401
1920	3000	1	RMS	2945.95	-49.96	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.52	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.63	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	841.099	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-53.46	-13	Pass	840
1840	1920	1	RMS	1879.4	22.64	60	Pass	401
1920	3000	1	RMS	2942.947	-50.01	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.57	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.56	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	1000	0.1	RMS	852.304	-64.83	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.45	-13	Pass	840
1840	1920	1	RMS	1908.8	23.38	60	Pass	401
1920	3000	1	RMS	2945.95	-49.95	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.54	-13	Pass	9000
12000	20000	1	RMS	19874.984	-35.65	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.9	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.5	-13	Pass	840
1840	1920	1	RMS	1908.8	22.71	60	Pass	401
1920	3000	1	RMS	2945.95	-49.94	-13	Pass	1080
3000	12000	1	RMS	11793.745	-43.49	-13	Pass	9000
12000	20000	1	RMS	19913.989	-35.59	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	846.1	-64.79	-13	Pass	9699
1000	1840	1	RMS	1840	-52.35	-13	Pass	840
1840	1920	1	RMS	1850.2	23.55	60	Pass	401
1920	3000	1	RMS	2947.952	-49.98	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.53	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.69	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	1000	0.1	RMS	838.499	-64.84	-13	Pass	9699
1000	1840	1	RMS	1840	-52.56	-13	Pass	840
1840	1920	1	RMS	1850.2	22.65	60	Pass	401
1920	3000	1	RMS	2944.949	-49.96	-13	Pass	1080
3000	12000	1	RMS	11785.735	-43.53	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.61	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2985
30	1000	0.1	RMS	824.197	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-53.47	-13	Pass	840
1840	1920	1	RMS	1878.6	23.53	60	Pass	401
1920	3000	1	RMS	2945.95	-49.91	-13	Pass	1080
3000	12000	1	RMS	11786.736	-43.51	-13	Pass	9000
12000	20000	1	RMS	19882.985	-35.63	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2985
30	1000	0.1	RMS	873.833	-64.98	-13	Pass	9699
1000	1840	1	RMS	1840	-53.47	-13	Pass	840
1840	1920	1	RMS	1878.6	23.17	60	Pass	401
1920	3000	1	RMS	2943.948	-49.98	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.48	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.66	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	1000	0.1	RMS	831.398	-64.96	-13	Pass	9699
1000	1840	1	RMS	1840	-53.46	-13	Pass	840
1840	1920	1	RMS	1907.2	23.76	60	Pass	401
1920	3000	1	RMS	2946.951	-49.97	-13	Pass	1080
3000	12000	1	RMS	11993.993	-43.55	-13	Pass	9000
12000	20000	1	RMS	19887.986	-35.67	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	838.299	-64.89	-13	Pass	9699
1000	1840	1	RMS	1833.993	-53.46	-13	Pass	840
1840	1920	1	RMS	1907.2	22.85	60	Pass	401
1920	3000	1	RMS	2947.952	-49.97	-13	Pass	1080
3000	12000	1	RMS	12000	-43.47	-13	Pass	9000
12000	20000	1	RMS	19408.926	-35.65	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2985
30	1000	0.1	RMS	822.597	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-52.13	-13	Pass	840
1840	1920	1	RMS	1850.2	23.54	60	Pass	401
1920	3000	1	RMS	2953.957	-49.95	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.53	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.56	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2985
30	1000	0.1	RMS	858.612	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-52.46	-13	Pass	840
1840	1920	1	RMS	1850.2	22.58	60	Pass	401
1920	3000	1	RMS	2947.952	-49.95	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.53	-13	Pass	9000
12000	20000	1	RMS	19895.987	-35.61	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	830.698	-64.72	-13	Pass	9699
1000	1840	1	RMS	1840	-53.53	-13	Pass	840
1840	1920	1	RMS	1877.8	23.48	60	Pass	401
1920	3000	1	RMS	2950.955	-49.93	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.49	-13	Pass	9000
12000	20000	1	RMS	19404.926	-35.67	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2985
30	1000	0.1	RMS	863.118	-64.83	-13	Pass	9699
1000	1840	1	RMS	1840	-53.51	-13	Pass	840
1840	1920	1	RMS	1877.8	22.79	60	Pass	401
1920	3000	1	RMS	2942.947	-49.94	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.45	-13	Pass	9000
12000	20000	1	RMS	19900.988	-35.68	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	995.194	-64.91	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.48	-13	Pass	840
1840	1920	1	RMS	1905.2	23.56	60	Pass	401
1920	3000	1	RMS	2950.955	-49.97	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.48	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.64	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	843.399	-64.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.45	-13	Pass	840
1840	1920	1	RMS	1905.2	22.86	60	Pass	401
1920	3000	1	RMS	2946.951	-49.96	-13	Pass	1080
3000	12000	1	RMS	11786.736	-43.53	-13	Pass	9000
12000	20000	1	RMS	19408.926	-35.66	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	833.898	-64.96	-13	Pass	9699
1000	1840	1	RMS	1840	-52.05	-13	Pass	840
1840	1920	1	RMS	1850.4	23.4	60	Pass	401
1920	3000	1	RMS	2949.954	-49.97	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.45	-13	Pass	9000
12000	20000	1	RMS	19883.985	-35.65	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.63	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.84	-13	Pass	9699
1000	1840	1	RMS	1840	-52.24	-13	Pass	840
1840	1920	1	RMS	1850.6	22.78	60	Pass	401
1920	3000	1	RMS	2943.948	-49.96	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.5	-13	Pass	9000
12000	20000	1	RMS	19402.925	-35.64	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	841.899	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-53.48	-13	Pass	840
1840	1920	1	RMS	1875.4	23.53	60	Pass	401
1920	3000	1	RMS	2945.95	-49.96	-13	Pass	1080
3000	12000	1	RMS	12000	-43.48	-13	Pass	9000
12000	20000	1	RMS	19908.989	-35.63	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	Pass	2985
30	1000	0.1	RMS	829.998	-64.79	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.51	-13	Pass	840
1840	1920	1	RMS	1875.6	22.63	60	Pass	401
1920	3000	1	RMS	2948.953	-49.97	-13	Pass	1080
3000	12000	1	RMS	11792.743	-43.53	-13	Pass	9000
12000	20000	1	RMS	19406.926	-35.61	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	837.099	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.48	-13	Pass	840
1840	1920	1	RMS	1900.4	23.63	60	Pass	401
1920	3000	1	RMS	2942.947	-49.99	-13	Pass	1080
3000	12000	1	RMS	11791.742	-43.52	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.61	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.69	-13	Pass	2985
30	1000	0.1	RMS	866.122	-64.78	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.5	-13	Pass	840
1840	1920	1	RMS	1900.4	22.77	60	Pass	401
1920	3000	1	RMS	2949.954	-49.96	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.55	-13	Pass	9000
12000	20000	1	RMS	19910.989	-35.64	-13	Pass	8000




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-52.13	-13	Pass	840
1840	1920	1	RMS	1850.8	23.3	60	Pass	401
1920	3000	1	RMS	2951.956	-49.98	-13	Pass	1080
3000	12000	1	RMS	11791.742	-43.51	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.65	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	843.499	-64.82	-13	Pass	9699
1000	1840	1	RMS	1840	-52.47	-13	Pass	840
1840	1920	1	RMS	1850.8	22.46	60	Pass	401
1920	3000	1	RMS	2943.948	-49.95	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.52	-13	Pass	9000
12000	20000	1	RMS	19883.985	-35.63	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	1000	0.1	RMS	841.499	-64.93	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.47	-13	Pass	840
1840	1920	1	RMS	1873.2	23.41	60	Pass	401
1920	3000	1	RMS	2944.949	-49.91	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.47	-13	Pass	9000
12000	20000	1	RMS	19395.924	-35.67	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.1	-13	Pass	2985
30	1000	0.1	RMS	832.698	-64.91	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.49	-13	Pass	840
1840	1920	1	RMS	1873.2	22.71	60	Pass	401
1920	3000	1	RMS	2944.949	-49.94	-13	Pass	1080
3000	12000	1	RMS	11783.732	-43.54	-13	Pass	9000
12000	20000	1	RMS	19892.987	-35.64	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-13	Pass	2985
30	1000	0.1	RMS	848.6	-64.77	-13	Pass	9699
1000	1840	1	RMS	1834.994	-53.51	-13	Pass	840
1840	1920	1	RMS	1895.8	23.37	60	Pass	401
1920	3000	1	RMS	2943.948	-49.96	-13	Pass	1080
3000	12000	1	RMS	11786.736	-43.54	-13	Pass	9000
12000	20000	1	RMS	19901.988	-35.66	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	850.101	-64.95	-13	Pass	9699
1000	1840	1	RMS	1840	-53.48	-13	Pass	840
1840	1920	1	RMS	1895.8	22.61	60	Pass	401
1920	3000	1	RMS	2943.948	-49.92	-13	Pass	1080
3000	12000	1	RMS	11791.742	-43.6	-13	Pass	9000
12000	20000	1	RMS	19406.926	-35.7	-13	Pass	8000




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	Pass	2985
30	1000	0.1	RMS	851.803	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-50.1	-13	Pass	840
1840	1920	1	RMS	1851	23.47	60	Pass	401
1920	3000	1	RMS	2944.949	-49.95	-13	Pass	1080
3000	12000	1	RMS	11798.751	-43.54	-13	Pass	9000
12000	20000	1	RMS	19394.924	-35.64	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	1000	0.1	RMS	839.899	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-50.57	-13	Pass	840
1840	1920	1	RMS	1851	22.55	60	Pass	401
1920	3000	1	RMS	2946.951	-49.98	-13	Pass	1080
3000	12000	1	RMS	11793.745	-43.48	-13	Pass	9000
12000	20000	1	RMS	19393.924	-35.64	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2985
30	1000	0.1	RMS	840.399	-64.77	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.51	-13	Pass	840
1840	1920	1	RMS	1871	23.47	60	Pass	401
1920	3000	1	RMS	2950.955	-49.95	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.53	-13	Pass	9000
12000	20000	1	RMS	19397.925	-35.58	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	Pass	2985
30	1000	0.1	RMS	835.698	-64.86	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.47	-13	Pass	840
1840	1920	1	RMS	1871	22.65	60	Pass	401
1920	3000	1	RMS	2955.959	-49.95	-13	Pass	1080
3000	12000	1	RMS	11794.746	-43.57	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.67	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	Pass	2985
30	1000	0.1	RMS	840.799	-64.69	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.5	-13	Pass	840
1840	1920	1	RMS	1891	23.43	60	Pass	401
1920	3000	1	RMS	2948.953	-49.98	-13	Pass	1080
3000	12000	1	RMS	11800.753	-43.59	-13	Pass	9000
12000	20000	1	RMS	19413.927	-35.67	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	844.099	-64.83	-13	Pass	9699
1000	1840	1	RMS	1840	-53.54	-13	Pass	840
1840	1920	1	RMS	1891	22.55	60	Pass	401
1920	3000	1	RMS	2944.949	-50.01	-13	Pass	1080
3000	12000	1	RMS	11794.746	-43.52	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.64	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	Pass	2985
30	1000	0.1	RMS	849.4	-64.72	-13	Pass	9699
1000	1700	1	RMS	1700	-52.13	-13	Pass	700
1700	1765	1	RMS	1710.238	23.59	60	Pass	401
1765	3000	1	RMS	2943.955	-49.95	-13	Pass	1235
3000	12000	1	RMS	11798.751	-43.48	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.6	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	1000	0.1	RMS	846.8	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-51.95	-13	Pass	700
1700	1765	1	RMS	1710.238	22.62	60	Pass	401
1765	3000	1	RMS	2948.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	11788.739	-43.48	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.59	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2985
30	1000	0.1	RMS	855.909	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-53.78	-13	Pass	700
1700	1765	1	RMS	1731.85	23.75	60	Pass	401
1765	3000	1	RMS	2945.956	-49.97	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.51	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.62	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	825.097	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-53.86	-13	Pass	700
1700	1765	1	RMS	1732.013	22.8	60	Pass	401
1765	3000	1	RMS	2943.955	-49.97	-13	Pass	1235
3000	12000	1	RMS	11794.746	-43.55	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.62	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.86	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.83	-13	Pass	700
1700	1765	1	RMS	1753.788	23.87	60	Pass	401
1765	3000	1	RMS	2949.959	-49.97	-13	Pass	1235
3000	12000	1	RMS	11794.746	-43.5	-13	Pass	9000
12000	20000	1	RMS	19402.925	-35.57	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	Pass	2985
30	1000	0.1	RMS	851.203	-64.85	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.78	-13	Pass	700
1700	1765	1	RMS	1753.788	22.82	60	Pass	401
1765	3000	1	RMS	2946.957	-49.98	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.48	-13	Pass	9000
12000	20000	1	RMS	19409.926	-35.62	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-52.01	-13	Pass	700
1700	1765	1	RMS	1710.238	23.84	60	Pass	401
1765	3000	1	RMS	2948.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.52	-13	Pass	9000
12000	20000	1	RMS	19407.926	-35.63	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2985
30	1000	0.1	RMS	855.809	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-52.26	-13	Pass	700
1700	1765	1	RMS	1710.075	23.09	60	Pass	401
1765	3000	1	RMS	2944.955	-49.96	-13	Pass	1235
3000	12000	1	RMS	11799.752	-43.56	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.62	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-53.79	-13	Pass	700
1700	1765	1	RMS	1731.2	23.8	60	Pass	401
1765	3000	1	RMS	2952.962	-49.95	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.49	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.65	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	1000	0.1	RMS	829.898	-64.81	-13	Pass	9699
1000	1700	1	RMS	1700	-53.72	-13	Pass	700
1700	1765	1	RMS	1731.2	22.89	60	Pass	401
1765	3000	1	RMS	2947.958	-49.95	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.49	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.7	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2985
30	1000	0.1	RMS	813.796	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-53.85	-13	Pass	700
1700	1765	1	RMS	1752.163	23.88	60	Pass	401
1765	3000	1	RMS	2946.957	-49.91	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.45	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.66	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	1000	0.1	RMS	838.599	-64.9	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.83	-13	Pass	700
1700	1765	1	RMS	1752.163	23.06	60	Pass	401
1765	3000	1	RMS	2947.958	-49.95	-13	Pass	1235
3000	12000	1	RMS	11786.736	-43.5	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.64	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2985
30	1000	0.1	RMS	858.813	-64.92	-13	Pass	9699
1000	1700	1	RMS	1700	-51.96	-13	Pass	700
1700	1765	1	RMS	1710.238	23.77	60	Pass	401
1765	3000	1	RMS	2947.958	-49.97	-13	Pass	1235
3000	12000	1	RMS	12000	-43.56	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.59	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	844.199	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-52.16	-13	Pass	700
1700	1765	1	RMS	1710.238	22.89	60	Pass	401
1765	3000	1	RMS	2949.959	-49.98	-13	Pass	1235
3000	12000	1	RMS	11800.753	-43.5	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.66	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.76	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.8	-13	Pass	700
1700	1765	1	RMS	1730.225	23.84	60	Pass	401
1765	3000	1	RMS	2945.956	-49.98	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.51	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.63	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2985
30	1000	0.1	RMS	850.502	-64.92	-13	Pass	9699
1000	1700	1	RMS	1700	-53.77	-13	Pass	700
1700	1765	1	RMS	1730.225	22.96	60	Pass	401
1765	3000	1	RMS	2947.958	-49.97	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.54	-13	Pass	9000
12000	20000	1	RMS	19885.986	-35.59	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2985
30	1000	0.1	RMS	855.408	-64.92	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.82	-13	Pass	700
1700	1765	1	RMS	1750.213	23.94	60	Pass	401
1765	3000	1	RMS	2950.96	-49.99	-13	Pass	1235
3000	12000	1	RMS	11793.745	-43.51	-13	Pass	9000
12000	20000	1	RMS	19904.988	-35.62	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	858.312	-64.78	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.87	-13	Pass	700
1700	1765	1	RMS	1750.375	23.07	60	Pass	401
1765	3000	1	RMS	2946.957	-49.95	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.52	-13	Pass	9000
12000	20000	1	RMS	19410.926	-35.64	-13	Pass	8000




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	840.999	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-51.64	-13	Pass	700
1700	1765	1	RMS	1710.563	23.86	60	Pass	401
1765	3000	1	RMS	2946.957	-49.99	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.5	-13	Pass	9000
12000	20000	1	RMS	19907.988	-35.67	-13	Pass	8000




9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	843.699	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-51.79	-13	Pass	700
1700	1765	1	RMS	1710.4	23.06	60	Pass	401
1765	3000	1	RMS	2943.955	-49.97	-13	Pass	1235
3000	12000	1	RMS	11787.737	-43.55	-13	Pass	9000
12000	20000	1	RMS	19903.988	-35.64	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	1000	0.1	RMS	840.499	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-53.76	-13	Pass	700
1700	1765	1	RMS	1727.95	23.71	60	Pass	401
1765	3000	1	RMS	2948.959	-49.97	-13	Pass	1235
3000	12000	1	RMS	11787.737	-43.55	-13	Pass	9000
12000	20000	1	RMS	19921.99	-35.61	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	1000	0.1	RMS	852.705	-64.83	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.86	-13	Pass	700
1700	1765	1	RMS	1727.95	22.94	60	Pass	401
1765	3000	1	RMS	2943.955	-49.96	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.55	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.61	-13	Pass	8000




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	1000	0.1	RMS	836.698	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-53.81	-13	Pass	700
1700	1765	1	RMS	1745.5	23.96	60	Pass	401
1765	3000	1	RMS	2950.96	-49.91	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.48	-13	Pass	9000
12000	20000	1	RMS	19904.988	-35.65	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	Pass	2985
30	1000	0.1	RMS	838.699	-64.93	-13	Pass	9699
1000	1700	1	RMS	1700	-53.81	-13	Pass	700
1700	1765	1	RMS	1745.5	22.86	60	Pass	401
1765	3000	1	RMS	2945.956	-49.94	-13	Pass	1235
3000	12000	1	RMS	11790.741	-43.49	-13	Pass	9000
12000	20000	1	RMS	19900.988	-35.66	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2985
30	1000	0.1	RMS	832.098	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-51.74	-13	Pass	700
1700	1765	1	RMS	1710.725	23.67	60	Pass	401
1765	3000	1	RMS	2947.958	-50.02	-13	Pass	1235
3000	12000	1	RMS	11787.737	-43.49	-13	Pass	9000
12000	20000	1	RMS	19414.927	-35.67	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2985
30	1000	0.1	RMS	842.799	-64.89	-13	Pass	9699
1000	1700	1	RMS	1700	-51.98	-13	Pass	700
1700	1765	1	RMS	1710.725	23.18	60	Pass	401
1765	3000	1	RMS	2950.96	-49.95	-13	Pass	1235
3000	12000	1	RMS	11787.737	-43.48	-13	Pass	9000
12000	20000	1	RMS	19889.986	-35.61	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2985
30	1000	0.1	RMS	849.701	-64.9	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.79	-13	Pass	700
1700	1765	1	RMS	1725.838	23.73	60	Pass	401
1765	3000	1	RMS	2945.956	-49.94	-13	Pass	1235
3000	12000	1	RMS	11785.735	-43.44	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.6	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	1000	0.1	RMS	868.225	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-53.8	-13	Pass	700
1700	1765	1	RMS	1725.838	22.79	60	Pass	401
1765	3000	1	RMS	2946.957	-49.96	-13	Pass	1235
3000	12000	1	RMS	11796.748	-43.56	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.54	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-13	Pass	2985
30	1000	0.1	RMS	817.996	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-53.85	-13	Pass	700
1700	1765	1	RMS	1740.788	23.86	60	Pass	401
1765	3000	1	RMS	2943.955	-49.97	-13	Pass	1235
3000	12000	1	RMS	11794.746	-43.48	-13	Pass	9000
12000	20000	1	RMS	19898.987	-35.6	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	842.099	-64.74	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.85	-13	Pass	700
1700	1765	1	RMS	1740.788	23.06	60	Pass	401
1765	3000	1	RMS	2948.959	-49.94	-13	Pass	1235
3000	12000	1	RMS	11793.745	-43.53	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.5	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2985
30	1000	0.1	RMS	843.499	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-51.06	-13	Pass	700
1700	1765	1	RMS	1711.05	23.58	60	Pass	401
1765	3000	1	RMS	2945.956	-49.98	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.55	-13	Pass	9000
12000	20000	1	RMS	19392.924	-35.63	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	1000	0.1	RMS	841.999	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-51.42	-13	Pass	700
1700	1765	1	RMS	1711.05	22.89	60	Pass	401
1765	3000	1	RMS	2942.954	-49.98	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.57	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.61	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2985
30	1000	0.1	RMS	831.198	-64.89	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.76	-13	Pass	700
1700	1765	1	RMS	1723.563	23.72	60	Pass	401
1765	3000	1	RMS	2949.959	-50.01	-13	Pass	1235
3000	12000	1	RMS	12000	-43.49	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.52	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.83	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.8	-13	Pass	700
1700	1765	1	RMS	1723.563	22.83	60	Pass	401
1765	3000	1	RMS	2947.958	-49.96	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.54	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.65	-13	Pass	8000




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	Pass	2985
30	1000	0.1	RMS	840.799	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-53.85	-13	Pass	700
1700	1765	1	RMS	1736.075	23.77	60	Pass	401
1765	3000	1	RMS	2949.959	-49.97	-13	Pass	1235
3000	12000	1	RMS	11790.741	-43.56	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.69	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	Pass	2985
30	1000	0.1	RMS	850.101	-64.87	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.84	-13	Pass	700
1700	1765	1	RMS	1735.913	22.88	60	Pass	401
1765	3000	1	RMS	2950.96	-49.99	-13	Pass	1235
3000	12000	1	RMS	11793.745	-43.53	-13	Pass	9000
12000	20000	1	RMS	19394.924	-35.65	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.28	-13	Pass	7840
814	860	0.1	RMS	824.222	20.72	60	Pass	460
860	1000	0.1	RMS	861.201	-65.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.12	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.14	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.81	-13	Pass	7840
814	860	0.1	RMS	824.222	19.67	60	Pass	460
860	1000	0.1	RMS	865.104	-65.04	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.84	-13	Pass	2000
3000	10000	1	RMS	7208.601	-44.12	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	Pass	2985
30	814	0.1	RMS	802.198	-65.09	-13	Pass	7840
814	860	0.1	RMS	836.048	20.89	60	Pass	460
860	1000	0.1	RMS	860.2	-64.96	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.7	-13	Pass	2000
3000	10000	1	RMS	7207.601	-44.09	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.83	-13	Pass	2985
30	814	0.1	RMS	809.199	-65.06	-13	Pass	7840
814	860	0.1	RMS	836.048	20.28	60	Pass	460
860	1000	0.1	RMS	875.611	-65.04	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.44	-13	Pass	2000
3000	10000	1	RMS	7202.6	-44.02	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.67	-13	Pass	2985
30	814	0.1	RMS	813.5	-65.15	-13	Pass	7840
814	860	0.1	RMS	847.874	20.77	60	Pass	460
860	1000	0.1	RMS	881.916	-64.99	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.98	-13	Pass	2000
3000	10000	1	RMS	7201.6	-44.11	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	Pass	2985
30	814	0.1	RMS	813.8	-65.07	-13	Pass	7840
814	860	0.1	RMS	847.874	20.1	60	Pass	460
860	1000	0.1	RMS	880.715	-65	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.85	-13	Pass	2000
3000	10000	1	RMS	7214.602	-44.14	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.82	-13	Pass	7840
814	860	0.1	RMS	824.222	21.1	60	Pass	460
860	1000	0.1	RMS	860.901	-64.89	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.78	-13	Pass	2000
3000	10000	1	RMS	7200.6	-44.07	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.76	-13	Pass	7840
814	860	0.1	RMS	824.222	20.09	60	Pass	460
860	1000	0.1	RMS	861.501	-65	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.86	-13	Pass	2000
3000	10000	1	RMS	7203.601	-44.09	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	814	0.1	RMS	812.3	-65.08	-13	Pass	7840
814	860	0.1	RMS	835.246	21.17	60	Pass	460
860	1000	0.1	RMS	863.503	-64.95	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.74	-13	Pass	2000
3000	10000	1	RMS	7208.601	-44.14	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	Pass	2985
30	814	0.1	RMS	814	-65.11	-13	Pass	7840
814	860	0.1	RMS	835.246	20.14	60	Pass	460
860	1000	0.1	RMS	861.301	-64.89	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.76	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.12	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	814	0.1	RMS	727.989	-65.12	-13	Pass	7840
814	860	0.1	RMS	846.27	20.87	60	Pass	460
860	1000	0.1	RMS	865.304	-64.99	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.32	-13	Pass	2000
3000	10000	1	RMS	7201.6	-44.15	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.01	-13	Pass	2985
30	814	0.1	RMS	732.89	-65.15	-13	Pass	7840
814	860	0.1	RMS	846.27	20.04	60	Pass	460
860	1000	0.1	RMS	865.504	-64.96	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.11	-13	Pass	2000
3000	10000	1	RMS	7204.601	-44.04	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.9	-13	Pass	7840
814	860	0.1	RMS	824.322	21.29	60	Pass	460
860	1000	0.1	RMS	864.803	-65.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.71	-13	Pass	2000
3000	10000	1	RMS	7202.6	-44.14	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.04	-13	Pass	7840
814	860	0.1	RMS	824.322	20.46	60	Pass	460
860	1000	0.1	RMS	860.901	-65.05	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.46	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.1	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	Pass	2985
30	814	0.1	RMS	801.798	-65.04	-13	Pass	7840
814	860	0.1	RMS	834.344	21.38	60	Pass	460
860	1000	0.1	RMS	862.402	-64.83	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.33	-13	Pass	2000
3000	10000	1	RMS	7203.601	-44.09	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	814	0.1	RMS	812.2	-65.1	-13	Pass	7840
814	860	0.1	RMS	834.344	20.74	60	Pass	460
860	1000	0.1	RMS	864.103	-65.02	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.14	-13	Pass	2000
3000	10000	1	RMS	7210.602	-44.1	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.65	-13	Pass	2985
30	814	0.1	RMS	812.8	-65.23	-13	Pass	7840
814	860	0.1	RMS	844.366	21.29	60	Pass	460
860	1000	0.1	RMS	860.2	-65.08	-13	Pass	1400
1000	3000	1	RMS	1688.344	-45.82	-13	Pass	2000
3000	10000	1	RMS	7210.602	-44.14	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	Pass	2985
30	814	0.1	RMS	810.1	-65.11	-13	Pass	7840
814	860	0.1	RMS	844.366	20.58	60	Pass	460
860	1000	0.1	RMS	861.501	-65	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.87	-13	Pass	2000
3000	10000	1	RMS	7206.601	-44.15	-13	Pass	7000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.59	-13	Pass	7840
814	860	0.1	RMS	824.623	20.61	60	Pass	460
860	1000	0.1	RMS	868.806	-64.96	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.97	-13	Pass	2000
3000	10000	1	RMS	7200.6	-44.1	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.06	-13	Pass	7840
814	860	0.1	RMS	824.623	19.82	60	Pass	460
860	1000	0.1	RMS	870.007	-65.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.94	-13	Pass	2000
3000	10000	1	RMS	7205.601	-44.11	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.33	-72.55	-13	Pass	2985
30	814	0.1	RMS	802.299	-65.06	-13	Pass	7840
814	860	0.1	RMS	832.139	20.35	60	Pass	460
860	1000	0.1	RMS	880.315	-64.89	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.75	-13	Pass	2000
3000	10000	1	RMS	7207.601	-44.09	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	Pass	2985
30	814	0.1	RMS	811.4	-65.04	-13	Pass	7840
814	860	0.1	RMS	832.039	19.55	60	Pass	460
860	1000	0.1	RMS	860.6	-65.05	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.59	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.15	-13	Pass	7000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.18	-13	Pass	2985
30	814	0.1	RMS	806.499	-65.21	-13	Pass	7840
814	860	0.1	RMS	839.556	20.66	60	Pass	460
860	1000	0.1	RMS	878.613	-64.99	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.98	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.15	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	Pass	2985
30	814	0.1	RMS	812	-65.06	-13	Pass	7840
814	860	0.1	RMS	839.556	19.76	60	Pass	460
860	1000	0.1	RMS	863.402	-65.1	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.67	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.14	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-25	Pass	2985
30	1000	0.1	RMS	843.099	-64.85	-25	Pass	9699
1000	2480	1	RMS	2480	-51.78	-25	Pass	1480
2480	2590	1	RMS	2500.075	23.94	60	Pass	401
2590	3000	1	RMS	2943.863	-49.99	-25	Pass	410
3000	12000	1	RMS	11788.739	-53.59	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.69	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.04	-25	Pass	2985
30	1000	0.1	RMS	832.898	-64.9	-25	Pass	9699
1000	2480	1	RMS	2480	-51.82	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.08	60	Pass	401
2590	3000	1	RMS	2948.875	-50	-25	Pass	410
3000	12000	1	RMS	11800.753	-53.56	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.69	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-25	Pass	2985
30	1000	0.1	RMS	572.166	-62.16	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.9	-25	Pass	1480
2480	2590	1	RMS	2532.8	24.3	60	Pass	401
2590	3000	1	RMS	2947.873	-50	-25	Pass	410
3000	12000	1	RMS	11994.994	-53.6	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.7	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.05	-25	Pass	2985
30	1000	0.1	RMS	572.166	-62.85	-25	Pass	9699
1000	2480	1	RMS	2480	-51.94	-25	Pass	1480
2480	2590	1	RMS	2532.8	23.56	60	Pass	401
2590	3000	1	RMS	2951.883	-50.05	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.58	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.7	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-25	Pass	2985
30	1000	0.1	RMS	604.67	-60.09	-25	Pass	9699
1000	2480	1	RMS	2480	-51.86	-25	Pass	1480
2480	2590	1	RMS	2565.25	24.41	60	Pass	401
2590	3000	1	RMS	2947.873	-50.02	-25	Pass	410
3000	12000	1	RMS	11813.77	-53.59	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.56	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-25	Pass	2985
30	1000	0.1	RMS	604.67	-61.06	-25	Pass	9699
1000	2480	1	RMS	2480	-51.9	-25	Pass	1480
2480	2590	1	RMS	2565.25	23.55	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11797.75	-53.59	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.73	-25	Pass	14000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.5	-25	Pass	2985
30	1000	0.1	RMS	853.406	-64.87	-25	Pass	9699
1000	2480	1	RMS	2480	-51.62	-25	Pass	1480
2480	2590	1	RMS	2500.35	24.09	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11786.736	-53.53	-25	Pass	9000
12000	26000	1	RMS	25981.997	-39.66	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.4	-25	Pass	2985
30	1000	0.1	RMS	838.699	-64.96	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.73	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.32	60	Pass	401
2590	3000	1	RMS	2955.892	-50.01	-25	Pass	410
3000	12000	1	RMS	11796.748	-53.52	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.7	-25	Pass	14000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-25	Pass	2985
30	1000	0.1	RMS	569.866	-62.91	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.88	-25	Pass	1480
2480	2590	1	RMS	2530.325	24.14	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11806.761	-53.6	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.68	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-25	Pass	2985
30	1000	0.1	RMS	569.866	-63.33	-25	Pass	9699
1000	2480	1	RMS	2480	-51.84	-25	Pass	1480
2480	2590	1	RMS	2530.6	23.21	60	Pass	401
2590	3000	1	RMS	2948.875	-49.96	-25	Pass	410
3000	12000	1	RMS	11791.742	-53.63	-25	Pass	9000
12000	26000	1	RMS	25978.996	-39.58	-25	Pass	14000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-25	Pass	2985
30	1000	0.1	RMS	599.87	-59.7	-25	Pass	9699
1000	2480	1	RMS	2480	-51.81	-25	Pass	1480
2480	2590	1	RMS	2560.575	24.29	60	Pass	401
2590	3000	1	RMS	2949.878	-50.02	-25	Pass	410
3000	12000	1	RMS	11795.747	-53.55	-25	Pass	9000
12000	26000	1	RMS	25981.997	-39.72	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-25	Pass	2985
30	1000	0.1	RMS	599.87	-60.3	-25	Pass	9699
1000	2480	1	RMS	2480	-51.91	-25	Pass	1480
2480	2590	1	RMS	2560.3	23.37	60	Pass	401
2590	3000	1	RMS	2944.866	-49.99	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.58	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.64	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-25	Pass	2985
30	1000	0.1	RMS	852.404	-64.89	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.69	-25	Pass	1480
2480	2590	1	RMS	2500.625	23.84	60	Pass	401
2590	3000	1	RMS	2949.878	-50	-25	Pass	410
3000	12000	1	RMS	11808.763	-53.57	-25	Pass	9000
12000	26000	1	RMS	25983.997	-39.66	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-74.11	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-25	Pass	2985
30	1000	0.1	RMS	842.199	-64.97	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.71	-25	Pass	1480
2480	2590	1	RMS	2500.625	23.3	60	Pass	401
2590	3000	1	RMS	2948.875	-50.02	-25	Pass	410
3000	12000	1	RMS	11820.778	-53.51	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.72	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	Pass	2985
30	1000	0.1	RMS	567.666	-63.73	-25	Pass	9699
1000	2480	1	RMS	2480	-51.79	-25	Pass	1480
2480	2590	1	RMS	2528.125	24.09	60	Pass	401
2590	3000	1	RMS	2949.878	-49.98	-25	Pass	410
3000	12000	1	RMS	11786.736	-53.57	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.61	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-25	Pass	2985
30	1000	0.1	RMS	567.666	-64.16	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.91	-25	Pass	1480
2480	2590	1	RMS	2528.125	23.19	60	Pass	401
2590	3000	1	RMS	2946.87	-49.99	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.53	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.66	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.86	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.74	-25	Pass	2985
30	1000	0.1	RMS	595.169	-59.68	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.74	-25	Pass	1480
2480	2590	1	RMS	2555.625	24.33	60	Pass	401
2590	3000	1	RMS	2950.88	-49.98	-25	Pass	410
3000	12000	1	RMS	11781.73	-53.58	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.67	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.4	-25	Pass	2985
30	1000	0.1	RMS	595.169	-60.28	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.78	-25	Pass	1480
2480	2590	1	RMS	2555.625	23.44	60	Pass	401
2590	3000	1	RMS	2948.875	-50.01	-25	Pass	410
3000	12000	1	RMS	11798.751	-53.57	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.61	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-25	Pass	2985
30	1000	0.1	RMS	821.097	-64.88	-25	Pass	9699
1000	2480	1	RMS	2480	-51.72	-25	Pass	1480
2480	2590	1	RMS	2500.9	24.02	60	Pass	401
2590	3000	1	RMS	2951.883	-49.99	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.57	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.63	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-25	Pass	2985
30	1000	0.1	RMS	823.397	-64.91	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.69	-25	Pass	1480
2480	2590	1	RMS	2500.9	23.37	60	Pass	401
2590	3000	1	RMS	2947.873	-49.98	-25	Pass	410
3000	12000	1	RMS	11797.75	-53.58	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.54	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-25	Pass	2985
30	1000	0.1	RMS	565.365	-64.5	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.85	-25	Pass	1480
2480	2590	1	RMS	2525.925	24.15	60	Pass	401
2590	3000	1	RMS	2949.878	-49.96	-25	Pass	410
3000	12000	1	RMS	11788.739	-53.5	-25	Pass	9000
12000	26000	1	RMS	25980.997	-39.57	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-25	Pass	2985
30	1000	0.1	RMS	842.199	-64.73	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.83	-25	Pass	1480
2480	2590	1	RMS	2525.925	23.18	60	Pass	401
2590	3000	1	RMS	2951.883	-49.94	-25	Pass	410
3000	12000	1	RMS	11796.748	-53.54	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.66	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.51	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.23	-25	Pass	2985
30	1000	0.1	RMS	590.368	-59.69	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.81	-25	Pass	1480
2480	2590	1	RMS	2550.95	24.15	60	Pass	401
2590	3000	1	RMS	2951.883	-50.02	-25	Pass	410
3000	12000	1	RMS	11795.747	-53.56	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.68	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-25	Pass	2985
30	1000	0.1	RMS	590.368	-60.68	-25	Pass	9699
1000	2480	1	RMS	2473.996	-51.84	-25	Pass	1480
2480	2590	1	RMS	2550.95	23.24	60	Pass	401
2590	3000	1	RMS	2948.875	-50.02	-25	Pass	410
3000	12000	1	RMS	11798.751	-53.58	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.63	-25	Pass	14000



12. LTE_Band66


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	Pass	2985
30	1000	0.1	RMS	850.301	-64.7	-13	Pass	9699
1000	1700	1	RMS	1700	-51.53	-13	Pass	700
1700	1790	1	RMS	1710.125	23.95	60	Pass	401
1790	3000	1	RMS	2946.956	-49.81	-13	Pass	1210
3000	12000	1	RMS	11789.74	-43.34	-13	Pass	9000
12000	20000	1	RMS	19929.991	-35.67	-13	Pass	8000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	Pass	2985
30	1000	0.1	RMS	848.8	-64.72	-13	Pass	9699
1000	1700	1	RMS	1700	-51.92	-13	Pass	700
1700	1790	1	RMS	1710.125	23.21	60	Pass	401
1790	3000	1	RMS	2947.957	-49.91	-13	Pass	1210
3000	12000	1	RMS	11801.755	-43.48	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.57	-13	Pass	8000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2985
30	1000	0.1	RMS	842.499	-64.82	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.73	-13	Pass	700
1700	1790	1	RMS	1744.325	23.96	60	Pass	401
1790	3000	1	RMS	2950.959	-49.9	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.39	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.6	-13	Pass	8000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2985
30	1000	0.1	RMS	831.198	-64.81	-13	Pass	9699
1000	1700	1	RMS	1700	-53.77	-13	Pass	700
1700	1790	1	RMS	1744.325	23.32	60	Pass	401
1790	3000	1	RMS	2943.954	-49.91	-13	Pass	1210
3000	12000	1	RMS	11792.743	-43.43	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.48	-13	Pass	8000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	1000	0.1	RMS	847.8	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-53.68	-13	Pass	700
1700	1790	1	RMS	1778.75	24.19	60	Pass	401
1790	3000	1	RMS	2945.955	-49.93	-13	Pass	1210
3000	12000	1	RMS	12000	-43.51	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.65	-13	Pass	8000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	1000	0.1	RMS	856.309	-64.7	-13	Pass	9699
1000	1700	1	RMS	1700	-53.71	-13	Pass	700
1700	1790	1	RMS	1778.75	23.52	60	Pass	401
1790	3000	1	RMS	2946.956	-49.93	-13	Pass	1210
3000	12000	1	RMS	11796.748	-43.47	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.58	-13	Pass	8000




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	1000	0.1	RMS	848.7	-64.77	-13	Pass	9699
1000	1700	1	RMS	1700	-51.47	-13	Pass	700
1700	1790	1	RMS	1710.125	24.11	60	Pass	401
1790	3000	1	RMS	2946.956	-49.87	-13	Pass	1210
3000	12000	1	RMS	11790.741	-43.44	-13	Pass	9000
12000	20000	1	RMS	19409.926	-35.6	-13	Pass	8000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2985
30	1000	0.1	RMS	844.999	-64.73	-13	Pass	9699
1000	1700	1	RMS	1700	-51.78	-13	Pass	700
1700	1790	1	RMS	1710.125	23.45	60	Pass	401
1790	3000	1	RMS	2946.956	-49.88	-13	Pass	1210
3000	12000	1	RMS	11792.743	-43.41	-13	Pass	9000
12000	20000	1	RMS	19418.927	-35.64	-13	Pass	8000




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	835.898	-64.83	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.76	-13	Pass	700
1700	1790	1	RMS	1743.65	24.25	60	Pass	401
1790	3000	1	RMS	2952.961	-49.89	-13	Pass	1210
3000	12000	1	RMS	11788.739	-43.47	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.54	-13	Pass	8000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	1000	0.1	RMS	838.899	-64.84	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.76	-13	Pass	700
1700	1790	1	RMS	1743.65	23.43	60	Pass	401
1790	3000	1	RMS	2943.954	-49.94	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.46	-13	Pass	9000
12000	20000	1	RMS	19882.985	-35.62	-13	Pass	8000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	Pass	2985
30	1000	0.1	RMS	835.998	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-53.67	-13	Pass	700
1700	1790	1	RMS	1777.175	24.37	60	Pass	401
1790	3000	1	RMS	2946.956	-49.94	-13	Pass	1210
3000	12000	1	RMS	11789.74	-43.45	-13	Pass	9000
12000	20000	1	RMS	19393.924	-35.67	-13	Pass	8000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2985
30	1000	0.1	RMS	834.498	-64.82	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.73	-13	Pass	700
1700	1790	1	RMS	1777.175	23.69	60	Pass	401
1790	3000	1	RMS	2947.957	-49.9	-13	Pass	1210
3000	12000	1	RMS	11789.74	-43.49	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.58	-13	Pass	8000




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.62	-13	Pass	2985
30	1000	0.1	RMS	835.498	-64.8	-13	Pass	9699
1000	1700	1	RMS	1700	-51.33	-13	Pass	700
1700	1790	1	RMS	1710.125	24.02	60	Pass	401
1790	3000	1	RMS	2947.957	-49.9	-13	Pass	1210
3000	12000	1	RMS	11784.734	-43.49	-13	Pass	9000
12000	20000	1	RMS	19408.926	-35.62	-13	Pass	8000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2985
30	1000	0.1	RMS	847.4	-64.77	-13	Pass	9699
1000	1700	1	RMS	1700	-51.75	-13	Pass	700
1700	1790	1	RMS	1710.125	23.08	60	Pass	401
1790	3000	1	RMS	2948.958	-49.81	-13	Pass	1210
3000	12000	1	RMS	11790.741	-43.37	-13	Pass	9000
12000	20000	1	RMS	19393.924	-35.67	-13	Pass	8000




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2985
30	1000	0.1	RMS	838.199	-64.6	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.71	-13	Pass	700
1700	1790	1	RMS	1742.75	24.16	60	Pass	401
1790	3000	1	RMS	2943.954	-49.89	-13	Pass	1210
3000	12000	1	RMS	11793.745	-43.48	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.57	-13	Pass	8000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2985
30	1000	0.1	RMS	841.499	-64.77	-13	Pass	9699
1000	1700	1	RMS	1700	-53.72	-13	Pass	700
1700	1790	1	RMS	1742.75	23.33	60	Pass	401
1790	3000	1	RMS	2944.955	-49.9	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.48	-13	Pass	9000
12000	20000	1	RMS	19918.99	-35.63	-13	Pass	8000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	833.698	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.72	-13	Pass	700
1700	1790	1	RMS	1775.15	24.24	60	Pass	401
1790	3000	1	RMS	2947.957	-49.88	-13	Pass	1210
3000	12000	1	RMS	11795.747	-43.46	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.6	-13	Pass	8000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	Pass	2985
30	1000	0.1	RMS	836.398	-64.78	-13	Pass	9699
1000	1700	1	RMS	1700	-53.72	-13	Pass	700
1700	1790	1	RMS	1775.15	23.58	60	Pass	401
1790	3000	1	RMS	2946.956	-49.88	-13	Pass	1210
3000	12000	1	RMS	11789.74	-43.44	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.56	-13	Pass	8000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	829.298	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-50.99	-13	Pass	700
1700	1790	1	RMS	1710.575	24.04	60	Pass	401
1790	3000	1	RMS	2948.958	-49.93	-13	Pass	1210
3000	12000	1	RMS	11788.739	-43.43	-13	Pass	9000
12000	20000	1	RMS	19391.924	-35.65	-13	Pass	8000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2985
30	1000	0.1	RMS	828.597	-64.79	-13	Pass	9699
1000	1700	1	RMS	1700	-51.2	-13	Pass	700
1700	1790	1	RMS	1710.575	23.49	60	Pass	401
1790	3000	1	RMS	2949.959	-49.87	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.46	-13	Pass	9000
12000	20000	1	RMS	19405.926	-35.61	-13	Pass	8000




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.8	-13	Pass	9699
1000	1700	1	RMS	1700	-53.75	-13	Pass	700
1700	1790	1	RMS	1740.5	24.08	60	Pass	401
1790	3000	1	RMS	2942.953	-49.9	-13	Pass	1210
3000	12000	1	RMS	11789.74	-43.37	-13	Pass	9000
12000	20000	1	RMS	19394.924	-35.64	-13	Pass	8000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	Pass	2985
30	1000	0.1	RMS	821.797	-64.85	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.72	-13	Pass	700
1700	1790	1	RMS	1740.5	23.36	60	Pass	401
1790	3000	1	RMS	2953.962	-49.91	-13	Pass	1210
3000	12000	1	RMS	11795.747	-43.41	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.61	-13	Pass	8000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-13	Pass	2985
30	1000	0.1	RMS	856.91	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.76	-13	Pass	700
1700	1790	1	RMS	1770.425	24.24	60	Pass	401
1790	3000	1	RMS	2946.956	-49.85	-13	Pass	1210
3000	12000	1	RMS	11788.739	-43.45	-13	Pass	9000
12000	20000	1	RMS	19409.926	-35.52	-13	Pass	8000




**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2985
30	1000	0.1	RMS	838.899	-64.88	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.76	-13	Pass	700
1700	1790	1	RMS	1770.425	23.93	60	Pass	401
1790	3000	1	RMS	2944.955	-49.88	-13	Pass	1210
3000	12000	1	RMS	11787.737	-43.46	-13	Pass	9000
12000	20000	1	RMS	19410.926	-35.64	-13	Pass	8000




**12.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	857.811	-64.73	-13	Pass	9699
1000	1700	1	RMS	1700	-51.06	-13	Pass	700
1700	1790	1	RMS	1710.8	24.08	60	Pass	401
1790	3000	1	RMS	2947.957	-49.92	-13	Pass	1210
3000	12000	1	RMS	11793.745	-43.36	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.64	-13	Pass	8000




**12.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.17	-13	Pass	2985
30	1000	0.1	RMS	833.598	-64.81	-13	Pass	9699
1000	1700	1	RMS	1700	-51.43	-13	Pass	700
1700	1790	1	RMS	1710.8	23.34	60	Pass	401
1790	3000	1	RMS	2947.957	-49.83	-13	Pass	1210
3000	12000	1	RMS	11786.736	-43.41	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.66	-13	Pass	8000




12.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	1000	0.1	RMS	844.199	-64.84	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.69	-13	Pass	700
1700	1790	1	RMS	1738.25	24.16	60	Pass	401
1790	3000	1	RMS	2946.956	-49.88	-13	Pass	1210
3000	12000	1	RMS	11792.743	-43.45	-13	Pass	9000
12000	20000	1	RMS	19903.988	-35.56	-13	Pass	8000




**12.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2985
30	1000	0.1	RMS	835.698	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-53.75	-13	Pass	700
1700	1790	1	RMS	1738.25	23.22	60	Pass	401
1790	3000	1	RMS	2941.952	-49.91	-13	Pass	1210
3000	12000	1	RMS	11788.739	-43.41	-13	Pass	9000
12000	20000	1	RMS	19402.925	-35.59	-13	Pass	8000




12.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2985
30	1000	0.1	RMS	851.203	-64.78	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.73	-13	Pass	700
1700	1790	1	RMS	1765.7	24.29	60	Pass	401
1790	3000	1	RMS	2946.956	-49.88	-13	Pass	1210
3000	12000	1	RMS	11789.74	-43.42	-13	Pass	9000
12000	20000	1	RMS	19902.988	-35.6	-13	Pass	8000




**12.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	Pass	2985
30	1000	0.1	RMS	832.398	-64.75	-13	Pass	9699
1000	1700	1	RMS	1700	-53.76	-13	Pass	700
1700	1790	1	RMS	1765.7	23.42	60	Pass	401
1790	3000	1	RMS	2949.959	-49.9	-13	Pass	1210
3000	12000	1	RMS	11789.74	-43.38	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.57	-13	Pass	8000




12.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	Pass	2985
30	1000	0.1	RMS	846	-64.64	-13	Pass	9699
1000	1700	1	RMS	1700	-49.18	-13	Pass	700
1700	1790	1	RMS	1711.025	24.02	60	Pass	401
1790	3000	1	RMS	2949.959	-49.85	-13	Pass	1210
3000	12000	1	RMS	11794.746	-43.49	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.66	-13	Pass	8000




**12.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	Pass	2985
30	1000	0.1	RMS	832.598	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-50.4	-13	Pass	700
1700	1790	1	RMS	1711.025	23.23	60	Pass	401
1790	3000	1	RMS	2945.955	-49.89	-13	Pass	1210
3000	12000	1	RMS	11989.988	-43.43	-13	Pass	9000
12000	20000	1	RMS	19398.925	-35.62	-13	Pass	8000




12.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	Pass	2985
30	1000	0.1	RMS	852.805	-64.79	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.69	-13	Pass	700
1700	1790	1	RMS	1736	24.14	60	Pass	401
1790	3000	1	RMS	2947.957	-49.84	-13	Pass	1210
3000	12000	1	RMS	11793.745	-43.45	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.56	-13	Pass	8000




**12.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2985
30	1000	0.1	RMS	844.999	-64.72	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.71	-13	Pass	700
1700	1790	1	RMS	1736	23.16	60	Pass	401
1790	3000	1	RMS	2948.958	-49.91	-13	Pass	1210
3000	12000	1	RMS	11792.743	-43.42	-13	Pass	9000
12000	20000	1	RMS	19401.925	-35.57	-13	Pass	8000




12.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2985
30	1000	0.1	RMS	831.598	-64.67	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.69	-13	Pass	700
1700	1790	1	RMS	1760.975	24.18	60	Pass	401
1790	3000	1	RMS	2950.959	-49.88	-13	Pass	1210
3000	12000	1	RMS	11791.742	-43.33	-13	Pass	9000
12000	20000	1	RMS	19399.925	-35.59	-13	Pass	8000



**12.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	1000	0.1	RMS	838.899	-64.73	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.75	-13	Pass	700
1700	1790	1	RMS	1760.975	23.34	60	Pass	401
1790	3000	1	RMS	2953.962	-49.91	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.45	-13	Pass	9000
12000	20000	1	RMS	19400.925	-35.57	-13	Pass	8000



13. LTE_Band38


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-25	Pass	2985
30	1000	0.1	RMS	609.571	-59.6	-25	Pass	9699
1000	2550	1	RMS	2547.999	-46.97	-25	Pass	1550
2550	2640	1	RMS	2570.25	24.1	60	Pass	401
2640	3000	1	RMS	2948.7	-46.97	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.55	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.52	-25	Pass	14500




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.82	-25	Pass	2985
30	1000	0.1	RMS	609.671	-59.24	-25	Pass	9699
1000	2550	1	RMS	2547.999	-46.7	-25	Pass	1550
2550	2640	1	RMS	2570.025	23.07	60	Pass	401
2640	3000	1	RMS	2945.1	-46.93	-25	Pass	401
3000	12000	1	RMS	11792.743	-50.56	-25	Pass	9000
12000	26500	1	RMS	26003.921	-36.59	-25	Pass	14500




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.75	-25	Pass	2985
30	1000	0.1	RMS	848.3	-61.82	-25	Pass	9699
1000	2550	1	RMS	2533.99	-48.32	-25	Pass	1550
2550	2640	1	RMS	2592.525	23.3	60	Pass	401
2640	3000	1	RMS	2950.5	-46.93	-25	Pass	401
3000	12000	1	RMS	11790.741	-50.44	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.59	-25	Pass	14500




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-25	Pass	2985
30	1000	0.1	RMS	632.174	-61.94	-25	Pass	9699
1000	2550	1	RMS	2550	-48.29	-25	Pass	1550
2550	2640	1	RMS	2592.525	22.36	60	Pass	401
2640	3000	1	RMS	2945.1	-46.93	-25	Pass	401
3000	12000	1	RMS	11789.74	-50.5	-25	Pass	9000
12000	26500	1	RMS	26008.922	-36.57	-25	Pass	14500




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.87	-25	Pass	2985
30	1000	0.1	RMS	872.331	-61.77	-25	Pass	9699
1000	2550	1	RMS	2533.99	-48.57	-25	Pass	1550
2550	2640	1	RMS	2615.025	23.46	60	Pass	401
2640	3000	1	RMS	2944.2	-46.94	-25	Pass	401
3000	12000	1	RMS	11799.752	-50.56	-25	Pass	9000
12000	26500	1	RMS	25997.92	-36.55	-25	Pass	14500




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.29	-25	Pass	2985
30	1000	0.1	RMS	848.2	-61.84	-25	Pass	9699
1000	2550	1	RMS	2533.99	-48.58	-25	Pass	1550
2550	2640	1	RMS	2615.25	22.96	60	Pass	401
2640	3000	1	RMS	2949.6	-46.96	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.49	-25	Pass	9000
12000	26500	1	RMS	25996.92	-36.6	-25	Pass	14500




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.42	-25	Pass	2985
30	1000	0.1	RMS	609.871	-61.29	-25	Pass	9699
1000	2550	1	RMS	2550	-46.23	-25	Pass	1550
2550	2640	1	RMS	2570.25	23.23	60	Pass	401
2640	3000	1	RMS	2949.6	-46.95	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.51	-25	Pass	9000
12000	26500	1	RMS	25995.92	-36.57	-25	Pass	14500




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.19	-25	Pass	2985
30	1000	0.1	RMS	609.971	-60.78	-25	Pass	9699
1000	2550	1	RMS	2547.999	-45.96	-25	Pass	1550
2550	2640	1	RMS	2570.475	22.38	60	Pass	401
2640	3000	1	RMS	2946.9	-46.94	-25	Pass	401
3000	12000	1	RMS	11794.746	-50.47	-25	Pass	9000
12000	26500	1	RMS	25999.921	-36.55	-25	Pass	14500




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.7	-25	Pass	2985
30	1000	0.1	RMS	629.873	-61.67	-25	Pass	9699
1000	2550	1	RMS	2546.998	-47.94	-25	Pass	1550
2550	2640	1	RMS	2590.5	23.75	60	Pass	401
2640	3000	1	RMS	2949.6	-46.97	-25	Pass	401
3000	12000	1	RMS	11814.771	-50.51	-25	Pass	9000
12000	26500	1	RMS	26004.922	-36.59	-25	Pass	14500




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.08	-25	Pass	2985
30	1000	0.1	RMS	850.502	-61.7	-25	Pass	9699
1000	2550	1	RMS	2548.999	-48.55	-25	Pass	1550
2550	2640	1	RMS	2590.5	22.58	60	Pass	401
2640	3000	1	RMS	2946	-46.95	-25	Pass	401
3000	12000	1	RMS	11790.741	-50.45	-25	Pass	9000
12000	26500	1	RMS	26006.922	-36.57	-25	Pass	14500




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.47	-25	Pass	2985
30	1000	0.1	RMS	842.999	-61.86	-25	Pass	9699
1000	2550	1	RMS	2533.99	-48.36	-25	Pass	1550
2550	2640	1	RMS	2610.3	22.94	60	Pass	401
2640	3000	1	RMS	2944.2	-46.94	-25	Pass	401
3000	12000	1	RMS	11791.742	-50.53	-25	Pass	9000
12000	26500	1	RMS	26017.924	-36.55	-25	Pass	14500




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.25	-25	Pass	2985
30	1000	0.1	RMS	832.298	-61.81	-25	Pass	9699
1000	2550	1	RMS	2533.99	-48.43	-25	Pass	1550
2550	2640	1	RMS	2610.3	22.75	60	Pass	401
2640	3000	1	RMS	2950.5	-46.98	-25	Pass	401
3000	12000	1	RMS	11793.745	-50.56	-25	Pass	9000
12000	26500	1	RMS	25999.921	-36.53	-25	Pass	14500




13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.67	-25	Pass	2985
30	1000	0.1	RMS	610.071	-60.3	-25	Pass	9699
1000	2550	1	RMS	2548.999	-45.41	-25	Pass	1550
2550	2640	1	RMS	2570.7	23.35	60	Pass	401
2640	3000	1	RMS	2945.1	-46.94	-25	Pass	401
3000	12000	1	RMS	11796.748	-50.55	-25	Pass	9000
12000	26500	1	RMS	26010.922	-36.53	-25	Pass	14500




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.93	-25	Pass	2985
30	1000	0.1	RMS	610.071	-60.53	-25	Pass	9699
1000	2550	1	RMS	2547.999	-44.74	-25	Pass	1550
2550	2640	1	RMS	2570.7	22.44	60	Pass	401
2640	3000	1	RMS	2949.6	-46.93	-25	Pass	401
3000	12000	1	RMS	11813.77	-50.54	-25	Pass	9000
12000	26500	1	RMS	25999.921	-36.53	-25	Pass	14500




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.17	-25	Pass	2985
30	1000	0.1	RMS	821.497	-61.91	-25	Pass	9699
1000	2550	1	RMS	2548.999	-47.66	-25	Pass	1550
2550	2640	1	RMS	2588.25	23.78	60	Pass	401
2640	3000	1	RMS	2944.2	-46.95	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.5	-25	Pass	9000
12000	26500	1	RMS	26005.922	-36.58	-25	Pass	14500




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-25	Pass	2985
30	1000	0.1	RMS	856.41	-61.75	-25	Pass	9699
1000	2550	1	RMS	2535.991	-48.38	-25	Pass	1550
2550	2640	1	RMS	2588.25	22.87	60	Pass	401
2640	3000	1	RMS	2945.1	-46.93	-25	Pass	401
3000	12000	1	RMS	11803.757	-50.53	-25	Pass	9000
12000	26500	1	RMS	26004.922	-36.58	-25	Pass	14500




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.2	-25	Pass	2985
30	1000	0.1	RMS	836.898	-61.72	-25	Pass	9699
1000	2550	1	RMS	2534.99	-48.39	-25	Pass	1550
2550	2640	1	RMS	2605.575	23.12	60	Pass	401
2640	3000	1	RMS	2944.2	-46.94	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.56	-25	Pass	9000
12000	26500	1	RMS	25989.919	-36.47	-25	Pass	14500




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-25	Pass	2985
30	1000	0.1	RMS	850.402	-61.68	-25	Pass	9699
1000	2550	1	RMS	2544.997	-48.35	-25	Pass	1550
2550	2640	1	RMS	2605.575	22.49	60	Pass	401
2640	3000	1	RMS	2946	-46.95	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.54	-25	Pass	9000
12000	26500	1	RMS	26001.921	-36.62	-25	Pass	14500




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.18	-25	Pass	2985
30	1000	0.1	RMS	610.371	-59.73	-25	Pass	9699
1000	2550	1	RMS	2550	-44.53	-25	Pass	1550
2550	2640	1	RMS	2570.925	23.79	60	Pass	401
2640	3000	1	RMS	2952.3	-46.93	-25	Pass	401
3000	12000	1	RMS	11787.737	-50.54	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.54	-25	Pass	14500




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.34	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.03	-25	Pass	2985
30	1000	0.1	RMS	610.371	-59.44	-25	Pass	9699
1000	2550	1	RMS	2548.999	-45.4	-25	Pass	1550
2550	2640	1	RMS	2571.15	22.9	60	Pass	401
2640	3000	1	RMS	2946	-46.96	-25	Pass	401
3000	12000	1	RMS	11799.752	-50.48	-25	Pass	9000
12000	26500	1	RMS	25997.92	-36.56	-25	Pass	14500




**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.89	-25	Pass	2985
30	1000	0.1	RMS	855.709	-61.76	-25	Pass	9699
1000	2550	1	RMS	2542.995	-47.97	-25	Pass	1550
2550	2640	1	RMS	2586	23.73	60	Pass	401
2640	3000	1	RMS	2950.5	-46.97	-25	Pass	401
3000	12000	1	RMS	11794.746	-50.53	-25	Pass	9000
12000	26500	1	RMS	26002.921	-36.48	-25	Pass	14500




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.94	-25	Pass	2985
30	1000	0.1	RMS	625.373	-61.77	-25	Pass	9699
1000	2550	1	RMS	2532.989	-48.09	-25	Pass	1550
2550	2640	1	RMS	2586	23.07	60	Pass	401
2640	3000	1	RMS	2945.1	-46.95	-25	Pass	401
3000	12000	1	RMS	11791.742	-50.47	-25	Pass	9000
12000	26500	1	RMS	26003.921	-36.55	-25	Pass	14500




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.63	-25	Pass	2985
30	1000	0.1	RMS	835.498	-61.85	-25	Pass	9699
1000	2550	1	RMS	2550	-48.32	-25	Pass	1550
2550	2640	1	RMS	2600.85	23.68	60	Pass	401
2640	3000	1	RMS	2947.8	-46.96	-25	Pass	401
3000	12000	1	RMS	11794.746	-50.52	-25	Pass	9000
12000	26500	1	RMS	26019.924	-36.53	-25	Pass	14500



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.59	-25	Pass	2985
30	1000	0.1	RMS	839.599	-61.85	-25	Pass	9699
1000	2550	1	RMS	2547.999	-48.38	-25	Pass	1550
2550	2640	1	RMS	2601.075	22.45	60	Pass	401
2640	3000	1	RMS	2951.4	-46.96	-25	Pass	401
3000	12000	1	RMS	11791.742	-50.49	-25	Pass	9000
12000	26500	1	RMS	26017.924	-36.56	-25	Pass	14500



14. LTE_Band41 full


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.41	-25	Pass	2985
30	1000	0.1	RMS	839.999	-61.88	-25	Pass	9699
1000	2476	1	RMS	2476	-48.92	-25	Pass	1476
2476	2710	1	RMS	2495.89	22.24	60	Pass	401
2710	3000	1	RMS	2947.075	-47	-25	Pass	401
3000	12000	1	RMS	11790.741	-50.5	-25	Pass	9000
12000	27000	1	RMS	26003.854	-36.53	-25	Pass	15000




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.99	-25	Pass	2985
30	1000	0.1	RMS	841.199	-61.84	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.96	-25	Pass	1476
2476	2710	1	RMS	2495.89	22.42	60	Pass	401
2710	3000	1	RMS	2949.975	-47.03	-25	Pass	401
3000	12000	1	RMS	11804.758	-50.6	-25	Pass	9000
12000	27000	1	RMS	26009.855	-36.52	-25	Pass	15000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-25	Pass	2985
30	1000	0.1	RMS	841.099	-61.78	-25	Pass	9699
1000	2476	1	RMS	2464.993	-48.96	-25	Pass	1476
2476	2710	1	RMS	2590.66	23.38	60	Pass	401
2710	3000	1	RMS	2949.25	-47	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.57	-25	Pass	9000
12000	27000	1	RMS	26004.854	-36.59	-25	Pass	15000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.53	-25	Pass	2985
30	1000	0.1	RMS	840.499	-61.91	-25	Pass	9699
1000	2476	1	RMS	2470.997	-48.95	-25	Pass	1476
2476	2710	1	RMS	2590.66	21.43	60	Pass	401
2710	3000	1	RMS	2948.525	-47	-25	Pass	401
3000	12000	1	RMS	11789.74	-50.51	-25	Pass	9000
12000	27000	1	RMS	26018.856	-36.63	-25	Pass	15000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-25	Pass	2985
30	1000	0.1	RMS	724.585	-59.27	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.93	-25	Pass	1476
2476	2710	1	RMS	2684.845	22.96	60	Pass	401
2710	3000	1	RMS	2946.35	-46.97	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.53	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.52	-25	Pass	15000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-25	Pass	2985
30	1000	0.1	RMS	724.685	-60.23	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.97	-25	Pass	1476
2476	2710	1	RMS	2685.43	21.19	60	Pass	401
2710	3000	1	RMS	2943.45	-47	-25	Pass	401
3000	12000	1	RMS	11998.999	-50.54	-25	Pass	9000
12000	27000	1	RMS	26001.853	-36.53	-25	Pass	15000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.86	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.47	-25	Pass	2985
30	1000	0.1	RMS	858.512	-61.88	-25	Pass	9699
1000	2476	1	RMS	2476	-48.95	-25	Pass	1476
2476	2710	1	RMS	2496.475	23.25	60	Pass	401
2710	3000	1	RMS	2943.45	-46.98	-25	Pass	401
3000	12000	1	RMS	11805.76	-50.58	-25	Pass	9000
12000	27000	1	RMS	26005.854	-36.5	-25	Pass	15000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.88	-25	Pass	2985
30	1000	0.1	RMS	849.3	-61.83	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.97	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.2	60	Pass	401
2710	3000	1	RMS	2944.9	-46.99	-25	Pass	401
3000	12000	1	RMS	11995.995	-50.56	-25	Pass	9000
12000	27000	1	RMS	26001.853	-36.56	-25	Pass	15000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.4	-25	Pass	2985
30	1000	0.1	RMS	627.873	-61.26	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.95	-25	Pass	1476
2476	2710	1	RMS	2588.32	23.6	60	Pass	401
2710	3000	1	RMS	2949.975	-47.03	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.59	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.51	-25	Pass	15000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.38	-25	Pass	2985
30	1000	0.1	RMS	627.873	-61.93	-25	Pass	9699
1000	2476	1	RMS	2476	-48.97	-25	Pass	1476
2476	2710	1	RMS	2588.32	21.46	60	Pass	401
2710	3000	1	RMS	2949.25	-46.97	-25	Pass	401
3000	12000	1	RMS	11991.99	-50.58	-25	Pass	9000
12000	27000	1	RMS	26001.853	-36.51	-25	Pass	15000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-25	Pass	2985
30	1000	0.1	RMS	719.884	-60.67	-25	Pass	9699
1000	2476	1	RMS	2472.998	-48.9	-25	Pass	1476
2476	2710	1	RMS	2680.165	21.74	60	Pass	401
2710	3000	1	RMS	2949.975	-47	-25	Pass	401
3000	12000	1	RMS	11786.736	-50.52	-25	Pass	9000
12000	27000	1	RMS	26024.857	-36.47	-25	Pass	15000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.17	-25	Pass	2985
30	1000	0.1	RMS	719.984	-61.84	-25	Pass	9699
1000	2476	1	RMS	2476	-48.95	-25	Pass	1476
2476	2710	1	RMS	2680.165	21.08	60	Pass	401
2710	3000	1	RMS	2944.9	-47.02	-25	Pass	401
3000	12000	1	RMS	11790.741	-50.55	-25	Pass	9000
12000	27000	1	RMS	26003.854	-36.47	-25	Pass	15000




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.94	-25	Pass	2985
30	1000	0.1	RMS	838.099	-61.73	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.97	-25	Pass	1476
2476	2710	1	RMS	2496.475	22.7	60	Pass	401
2710	3000	1	RMS	2949.25	-46.97	-25	Pass	401
3000	12000	1	RMS	11795.747	-50.57	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.55	-25	Pass	15000




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-25	Pass	2985
30	1000	0.1	RMS	859.914	-61.95	-25	Pass	9699
1000	2476	1	RMS	2468.995	-48.98	-25	Pass	1476
2476	2710	1	RMS	2496.475	22.09	60	Pass	401
2710	3000	1	RMS	2952.15	-46.99	-25	Pass	401
3000	12000	1	RMS	11993.993	-50.56	-25	Pass	9000
12000	27000	1	RMS	26007.854	-36.61	-25	Pass	15000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70	-25	Pass	2985
30	1000	0.1	RMS	836.798	-61.87	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.87	-25	Pass	1476
2476	2710	1	RMS	2585.98	23.32	60	Pass	401
2710	3000	1	RMS	2949.975	-46.98	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.56	-25	Pass	9000
12000	27000	1	RMS	26006.854	-36.49	-25	Pass	15000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-25	Pass	2985
30	1000	0.1	RMS	625.673	-61.67	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.01	-25	Pass	1476
2476	2710	1	RMS	2585.98	22.43	60	Pass	401
2710	3000	1	RMS	2949.25	-47.02	-25	Pass	401
3000	12000	1	RMS	11797.75	-50.54	-25	Pass	9000
12000	27000	1	RMS	26004.854	-36.55	-25	Pass	15000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.27	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.38	-25	Pass	2985
30	1000	0.1	RMS	715.084	-61.56	-25	Pass	9699
1000	2476	1	RMS	2470.997	-48.97	-25	Pass	1476
2476	2710	1	RMS	2675.485	21.7	60	Pass	401
2710	3000	1	RMS	2944.9	-46.98	-25	Pass	401
3000	12000	1	RMS	11789.74	-50.55	-25	Pass	9000
12000	27000	1	RMS	26008.854	-36.57	-25	Pass	15000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.89	-25	Pass	2985
30	1000	0.1	RMS	715.084	-61.61	-25	Pass	9699
1000	2476	1	RMS	2476	-48.98	-25	Pass	1476
2476	2710	1	RMS	2675.485	21.06	60	Pass	401
2710	3000	1	RMS	2944.175	-47	-25	Pass	401
3000	12000	1	RMS	11792.743	-50.55	-25	Pass	9000
12000	27000	1	RMS	26025.857	-36.5	-25	Pass	15000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.77	-25	Pass	2985
30	1000	0.1	RMS	847.6	-61.82	-25	Pass	9699
1000	2476	1	RMS	2471.997	-48.86	-25	Pass	1476
2476	2710	1	RMS	2497.06	22.7	60	Pass	401
2710	3000	1	RMS	2942	-47.01	-25	Pass	401
3000	12000	1	RMS	11812.768	-50.55	-25	Pass	9000
12000	27000	1	RMS	26003.854	-36.47	-25	Pass	15000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.36	-25	Pass	2985
30	1000	0.1	RMS	976.469	-61.73	-25	Pass	9699
1000	2476	1	RMS	2476	-48.91	-25	Pass	1476
2476	2710	1	RMS	2497.06	21.43	60	Pass	401
2710	3000	1	RMS	2944.9	-46.99	-25	Pass	401
3000	12000	1	RMS	11824.783	-50.54	-25	Pass	9000
12000	27000	1	RMS	26011.855	-36.62	-25	Pass	15000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.04	-25	Pass	2985
30	1000	0.1	RMS	851.904	-61.83	-25	Pass	9699
1000	2476	1	RMS	2471.997	-48.99	-25	Pass	1476
2476	2710	1	RMS	2583.64	23.22	60	Pass	401
2710	3000	1	RMS	2947.075	-47	-25	Pass	401
3000	12000	1	RMS	11805.76	-50.52	-25	Pass	9000
12000	27000	1	RMS	25986.851	-36.53	-25	Pass	15000




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.13	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.47	-25	Pass	2985
30	1000	0.1	RMS	851.904	-61.9	-25	Pass	9699
1000	2476	1	RMS	2468.995	-48.94	-25	Pass	1476
2476	2710	1	RMS	2583.64	22.16	60	Pass	401
2710	3000	1	RMS	2945.625	-46.99	-25	Pass	401
3000	12000	1	RMS	11793.745	-50.51	-25	Pass	9000
12000	27000	1	RMS	26015.855	-36.55	-25	Pass	15000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.17	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.63	-25	Pass	2985
30	1000	0.1	RMS	710.383	-61.52	-25	Pass	9699
1000	2476	1	RMS	2476	-48.97	-25	Pass	1476
2476	2710	1	RMS	2670.805	23.29	60	Pass	401
2710	3000	1	RMS	2944.175	-47.01	-25	Pass	401
3000	12000	1	RMS	11817.774	-50.57	-25	Pass	9000
12000	27000	1	RMS	26005.854	-36.55	-25	Pass	15000



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.16	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.08	-25	Pass	2985
30	1000	0.1	RMS	820.096	-61.88	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.98	-25	Pass	1476
2476	2710	1	RMS	2670.805	22.04	60	Pass	401
2710	3000	1	RMS	2945.625	-46.95	-25	Pass	401
3000	12000	1	RMS	11811.767	-50.53	-25	Pass	9000
12000	27000	1	RMS	25989.852	-36.54	-25	Pass	15000



15. CA_7C


15.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.21	-25	Pass	2985
30	1000	0.1	RMS	840.199	-64.9	-25	Pass	9699
1000	2475	1	RMS	2472.999	-39.7	-25	Pass	1475
2475	2735	1	RMS	2528.3	12.82	60	Pass	401
2735	3000	1	RMS	2951.638	-49.98	-25	Pass	401
3000	12000	1	RMS	12000	-53.62	-25	Pass	9000
12000	26000	1	RMS	26000	-39.65	-25	Pass	14000




**15.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.1	-25	Pass	2985
30	1000	0.1	RMS	844.299	-64.82	-25	Pass	9699
1000	2475	1	RMS	2475	-41.34	-25	Pass	1475
2475	2735	1	RMS	2525.7	11.09	60	Pass	401
2735	3000	1	RMS	2952.963	-49.99	-25	Pass	401
3000	12000	1	RMS	11814.771	-53.59	-25	Pass	9000
12000	26000	1	RMS	26000	-39.7	-25	Pass	14000




**15.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.13	-25	Pass	2985
30	1000	0.1	RMS	831.998	-64.84	-25	Pass	9699
1000	2475	1	RMS	2472.999	-40.06	-25	Pass	1475
2475	2735	1	RMS	2528.3	12.9	60	Pass	401
2735	3000	1	RMS	2951.638	-50	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.56	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.61	-25	Pass	14000




**15.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.36	-25	Pass	2985
30	1000	0.1	RMS	853.706	-64.87	-25	Pass	9699
1000	2475	1	RMS	2475	-43.98	-25	Pass	1475
2475	2735	1	RMS	2527	10.05	60	Pass	401
2735	3000	1	RMS	2946.338	-49.94	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.56	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.68	-25	Pass	14000




**15.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.93	-25	Pass	2985
30	1000	0.1	RMS	837.499	-64.83	-25	Pass	9699
1000	2475	1	RMS	2465.994	-51.93	-25	Pass	1475
2475	2735	1	RMS	2548.45	12.96	60	Pass	401
2735	3000	1	RMS	2946.338	-49.99	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.54	-25	Pass	9000
12000	26000	1	RMS	25998	-39.61	-25	Pass	14000




**15.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.4	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.01	-25	Pass	2985
30	1000	0.1	RMS	840.099	-64.7	-25	Pass	9699
1000	2475	1	RMS	2475	-48.69	-25	Pass	1475
2475	2735	1	RMS	2545.85	10.98	60	Pass	401
2735	3000	1	RMS	2947.663	-50.02	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.56	-25	Pass	9000
12000	26000	1	RMS	26000	-39.63	-25	Pass	14000




**15.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.16	-25	Pass	2985
30	1000	0.1	RMS	838.499	-64.79	-25	Pass	9699
1000	2475	1	RMS	2473.999	-51.98	-25	Pass	1475
2475	2735	1	RMS	2548.45	12.97	60	Pass	401
2735	3000	1	RMS	2949.65	-50	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.56	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.62	-25	Pass	14000




**15.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.37	-25	Pass	2985
30	1000	0.1	RMS	843.999	-64.82	-25	Pass	9699
1000	2475	1	RMS	2475	-50.03	-25	Pass	1475
2475	2735	1	RMS	2543.25	9.98	60	Pass	401
2735	3000	1	RMS	2949.65	-49.97	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.6	-25	Pass	9000
12000	26000	1	RMS	25999	-39.55	-25	Pass	14000




**15.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-74.13	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.87	-25	Pass	2985
30	1000	0.1	RMS	874.033	-64.9	-25	Pass	9699
1000	2475	1	RMS	2475	-51.93	-25	Pass	1475
2475	2735	1	RMS	2568.6	13.23	60	Pass	401
2735	3000	1	RMS	2947	-50	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.6	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.63	-25	Pass	14000




**15.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.86	-25	Pass	401
0.15	30	0.01	RMS	0.23	-73.03	-25	Pass	2985
30	1000	0.1	RMS	850.802	-64.85	-25	Pass	9699
1000	2475	1	RMS	2475	-50.21	-25	Pass	1475
2475	2735	1	RMS	2565.35	11.09	60	Pass	401
2735	3000	1	RMS	2945.013	-49.98	-25	Pass	401
3000	12000	1	RMS	11785.735	-53.59	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.6	-25	Pass	14000




15.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.5	-25	Pass	401
0.15	30	0.01	RMS	0.31	-72.99	-25	Pass	2985
30	1000	0.1	RMS	836.498	-64.97	-25	Pass	9699
1000	2475	1	RMS	2463.993	-52	-25	Pass	1475
2475	2735	1	RMS	2568.6	13.29	60	Pass	401
2735	3000	1	RMS	2945.675	-49.99	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.57	-25	Pass	9000
12000	26000	1	RMS	26000	-39.61	-25	Pass	14000




**15.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.31	-73.46	-25	Pass	2985
30	1000	0.1	RMS	866.323	-64.9	-25	Pass	9699
1000	2475	1	RMS	2475	-51.09	-25	Pass	1475
2475	2735	1	RMS	2565.35	10.08	60	Pass	401
2735	3000	1	RMS	2946.338	-49.93	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.54	-25	Pass	9000
12000	26000	1	RMS	25998	-39.59	-25	Pass	14000




**15.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.25	-73.24	-25	Pass	2985
30	1000	0.1	RMS	867.925	-64.79	-25	Pass	9699
1000	2475	1	RMS	2475	-51.97	-25	Pass	1475
2475	2735	1	RMS	2501	12.61	60	Pass	401
2735	3000	1	RMS	2947	-50.01	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.45	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.55	-25	Pass	14000




**15.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.83	-25	Pass	2985
30	1000	0.1	RMS	846	-64.92	-25	Pass	9699
1000	2475	1	RMS	2475	-37.78	-25	Pass	1475
2475	2735	1	RMS	2532.85	8.2	60	Pass	401
2735	3000	1	RMS	2944.35	-50.02	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.56	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.65	-25	Pass	14000




**15.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-25	Pass	2985
30	1000	0.1	RMS	845.8	-64.83	-25	Pass	9699
1000	2475	1	RMS	2475	-52.03	-25	Pass	1475
2475	2735	1	RMS	2501	12.57	60	Pass	401
2735	3000	1	RMS	2944.35	-49.97	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.52	-25	Pass	9000
12000	26000	1	RMS	25998	-39.65	-25	Pass	14000




**15.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-74.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.85	-25	Pass	2985
30	1000	0.1	RMS	837.799	-64.87	-25	Pass	9699
1000	2475	1	RMS	2475	-41.64	-25	Pass	1475
2475	2735	1	RMS	2532.85	7.22	60	Pass	401
2735	3000	1	RMS	2945.013	-49.97	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.49	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.63	-25	Pass	14000




**15.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-25	Pass	2985
30	1000	0.1	RMS	853.205	-64.76	-25	Pass	9699
1000	2475	1	RMS	2468.996	-52.01	-25	Pass	1475
2475	2735	1	RMS	2515.95	13	60	Pass	401
2735	3000	1	RMS	2951.638	-49.99	-25	Pass	401
3000	12000	1	RMS	11806.761	-53.51	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.63	-25	Pass	14000




**15.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-73.74	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.81	-25	Pass	2985
30	1000	0.1	RMS	845.5	-64.9	-25	Pass	9699
1000	2475	1	RMS	2475	-44.64	-25	Pass	1475
2475	2735	1	RMS	2542.6	8.12	60	Pass	401
2735	3000	1	RMS	2947	-49.96	-25	Pass	401
3000	12000	1	RMS	11808.763	-53.52	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.64	-25	Pass	14000




**15.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.24	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.67	-25	Pass	2985
30	1000	0.1	RMS	839.199	-64.81	-25	Pass	9699
1000	2475	1	RMS	2475	-51.96	-25	Pass	1475
2475	2735	1	RMS	2515.95	13.22	60	Pass	401
2735	3000	1	RMS	2945.013	-50.01	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.51	-25	Pass	9000
12000	26000	1	RMS	25998	-39.62	-25	Pass	14000




**15.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.91	-25	Pass	2985
30	1000	0.1	RMS	830.098	-64.87	-25	Pass	9699
1000	2475	1	RMS	2475	-46.95	-25	Pass	1475
2475	2735	1	RMS	2539.35	7.06	60	Pass	401
2735	3000	1	RMS	2945.013	-50	-25	Pass	401
3000	12000	1	RMS	11809.765	-53.58	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.73	-25	Pass	14000




**15.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.03	-25	Pass	2985
30	1000	0.1	RMS	855.608	-64.84	-25	Pass	9699
1000	2475	1	RMS	2472.999	-52.01	-25	Pass	1475
2475	2735	1	RMS	2568.6	13.3	60	Pass	401
2735	3000	1	RMS	2945.675	-49.99	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.57	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.63	-25	Pass	14000




**15.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-74.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.54	-25	Pass	2985
30	1000	0.1	RMS	832.698	-64.92	-25	Pass	9699
1000	2475	1	RMS	2475	-46.99	-25	Pass	1475
2475	2735	1	RMS	2536.1	8.25	60	Pass	401
2735	3000	1	RMS	2954.288	-49.98	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.56	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.66	-25	Pass	14000




**15.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-25	Pass	2985
30	1000	0.1	RMS	871.63	-64.9	-25	Pass	9699
1000	2475	1	RMS	2468.996	-51.96	-25	Pass	1475
2475	2735	1	RMS	2568.6	13.35	60	Pass	401
2735	3000	1	RMS	2944.35	-50.01	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.54	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.71	-25	Pass	14000



**15.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.23	-25	Pass	2985
30	1000	0.1	RMS	847.7	-64.88	-25	Pass	9699
1000	2475	1	RMS	2475	-49.06	-25	Pass	1475
2475	2735	1	RMS	2536.1	7.27	60	Pass	401
2735	3000	1	RMS	2951.638	-49.99	-25	Pass	401
3000	12000	1	RMS	11786.736	-53.53	-25	Pass	9000
12000	26000	1	RMS	26000	-39.62	-25	Pass	14000



16. CA_38C


16.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.26	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.59	-25	Pass	2985
30	1000	0.1	RMS	840.399	-60.92	-25	Pass	9699
1000	2525	1	RMS	2513.993	-34.83	-25	Pass	1525
2525	2665	1	RMS	2570.5	13.9	60	Pass	401
2665	3000	1	RMS	2683.425	-40.63	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.49	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.47	-25	Pass	14500




**16.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.92	-25	Pass	2985
30	1000	0.1	RMS	837.899	-60.83	-25	Pass	9699
1000	2525	1	RMS	2523.999	-40.48	-25	Pass	1525
2525	2665	1	RMS	2576.8	9.8	60	Pass	401
2665	3000	1	RMS	2665	-45.57	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.51	-25	Pass	9000
12000	26500	1	RMS	25996.92	-39.51	-25	Pass	14500




**16.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.48	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.32	-25	Pass	2985
30	1000	0.1	RMS	840.999	-60.85	-25	Pass	9699
1000	2525	1	RMS	2513.993	-32.04	-25	Pass	1525
2525	2665	1	RMS	2570.5	13.87	60	Pass	401
2665	3000	1	RMS	2683.425	-41.75	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.53	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.4	-25	Pass	14500




**16.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	Pass	2985
30	1000	0.1	RMS	855.709	-60.84	-25	Pass	9699
1000	2525	1	RMS	2525	-41.95	-25	Pass	1525
2525	2665	1	RMS	2575.05	8.64	60	Pass	401
2665	3000	1	RMS	2947.238	-45.99	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.43	-25	Pass	9000
12000	26500	1	RMS	26029.925	-39.53	-25	Pass	14500




**16.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.42	-25	Pass	2985
30	1000	0.1	RMS	845.9	-60.87	-25	Pass	9699
1000	2525	1	RMS	2523.999	-31.54	-25	Pass	1525
2525	2665	1	RMS	2609	13.84	60	Pass	401
2665	3000	1	RMS	2665.838	-35.04	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.56	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.45	-25	Pass	14500




**16.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.31	-25	Pass	2985
30	1000	0.1	RMS	847.7	-60.63	-25	Pass	9699
1000	2525	1	RMS	2525	-42.78	-25	Pass	1525
2525	2665	1	RMS	2607.6	9.9	60	Pass	401
2665	3000	1	RMS	2665	-43.88	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.55	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.49	-25	Pass	14500




**16.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.98	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.72	-25	Pass	2985
30	1000	0.1	RMS	833.398	-60.73	-25	Pass	9699
1000	2525	1	RMS	2523.999	-34.87	-25	Pass	1525
2525	2665	1	RMS	2580.65	13.47	60	Pass	401
2665	3000	1	RMS	2665.838	-36.05	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.45	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39.46	-25	Pass	14500




**16.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.43	-25	Pass	2985
30	1000	0.1	RMS	848.4	-60.77	-25	Pass	9699
1000	2525	1	RMS	2522.999	-44.57	-25	Pass	1525
2525	2665	1	RMS	2585.2	8.8	60	Pass	401
2665	3000	1	RMS	2665	-45.06	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.45	-25	Pass	9000
12000	26500	1	RMS	26012.923	-39.49	-25	Pass	14500




**16.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.7	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.67	-25	Pass	2985
30	1000	0.1	RMS	850.402	-60.77	-25	Pass	9699
1000	2525	1	RMS	2504.987	-43.2	-25	Pass	1525
2525	2665	1	RMS	2590.8	13.43	60	Pass	401
2665	3000	1	RMS	2675.05	-34.65	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.53	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.49	-25	Pass	14500




**16.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.76	-25	Pass	2985
30	1000	0.1	RMS	838.099	-60.81	-25	Pass	9699
1000	2525	1	RMS	2525	-45.1	-25	Pass	1525
2525	2665	1	RMS	2595	9.82	60	Pass	401
2665	3000	1	RMS	2665.838	-40.66	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.53	-25	Pass	9000
12000	26500	1	RMS	26005.922	-39.5	-25	Pass	14500




**16.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.65	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.63	-25	Pass	2985
30	1000	0.1	RMS	845.3	-60.96	-25	Pass	9699
1000	2525	1	RMS	2505.988	-39.13	-25	Pass	1525
2525	2665	1	RMS	2619.15	13.79	60	Pass	401
2665	3000	1	RMS	2675.05	-34.27	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.44	-25	Pass	9000
12000	26500	1	RMS	25992.92	-39.35	-25	Pass	14500




**16.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.36	-25	Pass	2985
30	1000	0.1	RMS	845.9	-60.9	-25	Pass	9699
1000	2525	1	RMS	2525	-45.99	-25	Pass	1525
2525	2665	1	RMS	2617.4	8.74	60	Pass	401
2665	3000	1	RMS	2665	-42.29	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.51	-25	Pass	9000
12000	26500	1	RMS	25984.918	-39.51	-25	Pass	14500




**16.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.21	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.07	-25	Pass	2985
30	1000	0.1	RMS	841.899	-60.78	-25	Pass	9699
1000	2525	1	RMS	2495.981	-33.01	-25	Pass	1525
2525	2665	1	RMS	2608.3	13.1	60	Pass	401
2665	3000	1	RMS	2683.425	-35.05	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.47	-25	Pass	9000
12000	26500	1	RMS	26004.922	-39.37	-25	Pass	14500




**16.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.1	-25	Pass	2985
30	1000	0.1	RMS	844.099	-60.84	-25	Pass	9699
1000	2525	1	RMS	2523.999	-39.31	-25	Pass	1525
2525	2665	1	RMS	2578.9	8.59	60	Pass	401
2665	3000	1	RMS	2665	-39.55	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.52	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.51	-25	Pass	14500




**16.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-25	Pass	2985
30	1000	0.1	RMS	830.398	-60.86	-25	Pass	9699
1000	2525	1	RMS	2495.981	-33.29	-25	Pass	1525
2525	2665	1	RMS	2570.85	14.25	60	Pass	401
2665	3000	1	RMS	2683.425	-35.14	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.45	-25	Pass	9000
12000	26500	1	RMS	25997.92	-39.43	-25	Pass	14500




**16.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.34	-25	Pass	2985
30	1000	0.1	RMS	826.897	-60.93	-25	Pass	9699
1000	2525	1	RMS	2525	-40.52	-25	Pass	1525
2525	2665	1	RMS	2582.75	7.57	60	Pass	401
2665	3000	1	RMS	2665	-41.66	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.49	-25	Pass	9000
12000	26500	1	RMS	25996.92	-39.47	-25	Pass	14500




**16.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-69.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.38	-25	Pass	2985
30	1000	0.1	RMS	834.598	-60.94	-25	Pass	9699
1000	2525	1	RMS	2500.984	-32.59	-25	Pass	1525
2525	2665	1	RMS	2576.1	13.86	60	Pass	401
2665	3000	1	RMS	2688.45	-34.69	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.48	-25	Pass	9000
12000	26500	1	RMS	25994.92	-39.47	-25	Pass	14500




**16.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.54	-25	Pass	401
0.15	30	0.01	RMS	0.3	-69.28	-25	Pass	2985
30	1000	0.1	RMS	852.805	-60.95	-25	Pass	9699
1000	2525	1	RMS	2523.999	-40.42	-25	Pass	1525
2525	2665	1	RMS	2581.35	8.58	60	Pass	401
2665	3000	1	RMS	2665.838	-38.3	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.55	-25	Pass	9000
12000	26500	1	RMS	26011.923	-39.52	-25	Pass	14500




**16.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.79	-25	Pass	2985
30	1000	0.1	RMS	836.898	-60.76	-25	Pass	9699
1000	2525	1	RMS	2499.984	-38.93	-25	Pass	1525
2525	2665	1	RMS	2576.1	13.71	60	Pass	401
2665	3000	1	RMS	2688.45	-35.9	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.53	-25	Pass	9000
12000	26500	1	RMS	25990.919	-39.5	-25	Pass	14500




**16.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.46	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.22	-25	Pass	2985
30	1000	0.1	RMS	832.398	-60.8	-25	Pass	9699
1000	2525	1	RMS	2523.999	-41.69	-25	Pass	1525
2525	2665	1	RMS	2583.45	7.64	60	Pass	401
2665	3000	1	RMS	2665.838	-40.56	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.5	-25	Pass	9000
12000	26500	1	RMS	26022.924	-39.5	-25	Pass	14500




**16.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.06	-25	Pass	2985
30	1000	0.1	RMS	829.998	-60.82	-25	Pass	9699
1000	2525	1	RMS	2505.988	-32.2	-25	Pass	1525
2525	2665	1	RMS	2581	13.45	60	Pass	401
2665	3000	1	RMS	2693.475	-35.95	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.49	-25	Pass	9000
12000	26500	1	RMS	26006.922	-39.51	-25	Pass	14500




**16.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.44	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.56	-25	Pass	2985
30	1000	0.1	RMS	863.519	-60.91	-25	Pass	9699
1000	2525	1	RMS	2525	-41.19	-25	Pass	1525
2525	2665	1	RMS	2585.9	8.15	60	Pass	401
2665	3000	1	RMS	2665	-36.64	-25	Pass	401
3000	12000	1	RMS	11989.988	-53.46	-25	Pass	9000
12000	26500	1	RMS	26011.923	-39.52	-25	Pass	14500




**16.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.76	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.19	-25	Pass	2985
30	1000	0.1	RMS	849.901	-60.8	-25	Pass	9699
1000	2525	1	RMS	2505.988	-34.24	-25	Pass	1525
2525	2665	1	RMS	2581	13.17	60	Pass	401
2665	3000	1	RMS	2693.475	-35.43	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.57	-25	Pass	9000
12000	26500	1	RMS	25994.92	-39.53	-25	Pass	14500



**16.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.46	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.93	-25	Pass	2985
30	1000	0.1	RMS	836.898	-60.8	-25	Pass	9699
1000	2525	1	RMS	2525	-43.08	-25	Pass	1525
2525	2665	1	RMS	2585.9	7.76	60	Pass	401
2665	3000	1	RMS	2665.838	-38.84	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.5	-25	Pass	9000
12000	26500	1	RMS	26013.923	-39.5	-25	Pass	14500



17. n5 15kHz


17.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-13	Pass	2985
30	814	0.1	RMS	737.29	-64.05	-13	Pass	7840
814	859	0.1	RMS	826.327	12.28	60	Pass	450
859	1000	0.1	RMS	893.524	-63.68	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.66	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.14	-13	Pass	7000




17.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.08	-13	Pass	2985
30	814	0.1	RMS	813.8	-63.87	-13	Pass	7840
814	859	0.1	RMS	825.526	11.75	60	Pass	450
859	1000	0.1	RMS	893.725	-63.69	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.67	-13	Pass	2000
3000	10000	1	RMS	8412.773	-60.08	-13	Pass	7000




17.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.93	-13	Pass	2985
30	814	0.1	RMS	752.692	-63.99	-13	Pass	7840
814	859	0.1	RMS	836.35	11.99	60	Pass	450
859	1000	0.1	RMS	892.424	-63.61	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.64	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.13	-13	Pass	7000




17.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.61	-13	Pass	2985
30	814	0.1	RMS	751.092	-64.09	-13	Pass	7840
814	859	0.1	RMS	835.448	11.49	60	Pass	450
859	1000	0.1	RMS	902.031	-63.63	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.66	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.14	-13	Pass	7000




17.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	Pass	2985
30	814	0.1	RMS	737.89	-63.97	-13	Pass	7840
814	859	0.1	RMS	846.372	12.03	60	Pass	450
859	1000	0.1	RMS	893.725	-63.61	-13	Pass	1410
1000	3000	1	RMS	2866.933	-48.7	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.16	-13	Pass	7000




17.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.71	-13	Pass	2985
30	814	0.1	RMS	737.49	-63.95	-13	Pass	7840
814	859	0.1	RMS	845.47	11.37	60	Pass	450
859	1000	0.1	RMS	859.1	-63.46	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.69	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.17	-13	Pass	7000




**17.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.89	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.32	-13	Pass	7840
814	859	0.1	RMS	829.334	7.11	60	Pass	450
859	1000	0.1	RMS	884.218	-63.74	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.66	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.13	-13	Pass	7000




17.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.98	-13	Pass	2985
30	814	0.1	RMS	813.8	-59.76	-13	Pass	7840
814	859	0.1	RMS	831.94	6.65	60	Pass	450
859	1000	0.1	RMS	859.4	-63.71	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.7	-13	Pass	2000
3000	10000	1	RMS	8421.775	-60.15	-13	Pass	7000




**17.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.7	-13	Pass	2985
30	814	0.1	RMS	813.8	-63.31	-13	Pass	7840
814	859	0.1	RMS	837.853	7.05	60	Pass	450
859	1000	0.1	RMS	859	-63.47	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.67	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.16	-13	Pass	7000




17.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.94	-13	Pass	2985
30	814	0.1	RMS	813.8	-61.85	-13	Pass	7840
814	859	0.1	RMS	836.951	6.92	60	Pass	450
859	1000	0.1	RMS	859	-62.18	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.69	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.13	-13	Pass	7000




**17.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.87	-13	Pass	2985
30	814	0.1	RMS	750.692	-64.02	-13	Pass	7840
814	859	0.1	RMS	838.053	7.07	60	Pass	450
859	1000	0.1	RMS	859	-62.4	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.64	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.17	-13	Pass	7000




**17.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.52	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.73	-13	Pass	7840
814	859	0.1	RMS	841.962	6.95	60	Pass	450
859	1000	0.1	RMS	859	-60.04	-13	Pass	1410
1000	3000	1	RMS	2870.935	-48.69	-13	Pass	2000
3000	10000	1	RMS	8395.771	-60.1	-13	Pass	7000




17.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2985
30	814	0.1	RMS	814	-60.68	-13	Pass	7840
814	859	0.1	RMS	835.047	5.73	60	Pass	450
859	1000	0.1	RMS	859.4	-62.92	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.68	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.11	-13	Pass	7000




17.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.33	-13	Pass	2985
30	814	0.1	RMS	814	-57.09	-13	Pass	7840
814	859	0.1	RMS	836.65	5.24	60	Pass	450
859	1000	0.1	RMS	859	-61.17	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.7	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.14	-13	Pass	7000




**17.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.68	-13	Pass	2985
30	814	0.1	RMS	813.7	-61.56	-13	Pass	7840
814	859	0.1	RMS	837.552	5.93	60	Pass	450
859	1000	0.1	RMS	859	-62.01	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.68	-13	Pass	2000
3000	10000	1	RMS	8397.771	-60.14	-13	Pass	7000




17.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2985
30	814	0.1	RMS	813.6	-58.89	-13	Pass	7840
814	859	0.1	RMS	839.156	5.44	60	Pass	450
859	1000	0.1	RMS	859	-59.89	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.68	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.09	-13	Pass	7000




**17.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.63	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.73	-13	Pass	7840
814	859	0.1	RMS	840.058	5.8	60	Pass	450
859	1000	0.1	RMS	859.4	-61.48	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.67	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.1	-13	Pass	7000



17.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.35	-13	Pass	2985
30	814	0.1	RMS	813.9	-58.87	-13	Pass	7840
814	859	0.1	RMS	838.354	5.49	60	Pass	450
859	1000	0.1	RMS	859	-58.21	-13	Pass	1410
1000	3000	1	RMS	2867.934	-48.68	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.11	-13	Pass	7000



18. n7 15kHz


18.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.48	-25	Pass	2985
30	1000	0.1	RMS	894.059	-63.63	-25	Pass	9699
1000	2490	1	RMS	2490	-49.41	-25	Pass	1490
2490	2580	1	RMS	2502.15	22	60	Pass	401
2580	3000	1	RMS	2869.69	-48.69	-25	Pass	420
3000	6500	1	RMS	6221.921	-64.39	-25	Pass	3500
6500	26000	1	RMS	25200.743	-50.03	-25	Pass	19500




18.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.42	-25	Pass	2985
30	1000	0.1	RMS	881.443	-63.63	-25	Pass	9699
1000	2490	1	RMS	2490	-48.87	-25	Pass	1490
2490	2580	1	RMS	2502.15	21.9	60	Pass	401
2580	3000	1	RMS	2869.69	-48.71	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.35	-25	Pass	3500
6500	26000	1	RMS	25492.837	-49.99	-25	Pass	19500




18.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-25	Pass	2985
30	1000	0.1	RMS	873.332	-63.6	-25	Pass	9699
1000	2490	1	RMS	2490	-50.53	-25	Pass	1490
2490	2580	1	RMS	2534.55	21.98	60	Pass	401
2580	3000	1	RMS	2871.695	-48.68	-25	Pass	420
3000	6500	1	RMS	6214.919	-64.42	-25	Pass	3500
6500	26000	1	RMS	25192.741	-50.06	-25	Pass	19500




18.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.54	-25	Pass	2985
30	1000	0.1	RMS	896.062	-63.59	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.56	-25	Pass	1490
2490	2580	1	RMS	2534.775	21.92	60	Pass	401
2580	3000	1	RMS	2868.687	-48.71	-25	Pass	420
3000	6500	1	RMS	6206.916	-64.42	-25	Pass	3500
6500	26000	1	RMS	25201.744	-49.97	-25	Pass	19500




18.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-25	Pass	2985
30	1000	0.1	RMS	885.548	-63.65	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.52	-25	Pass	1490
2490	2580	1	RMS	2567.175	22.31	60	Pass	401
2580	3000	1	RMS	2868.687	-48.66	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.45	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50	-25	Pass	19500




18.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.62	-25	Pass	2985
30	1000	0.1	RMS	896.463	-63.63	-25	Pass	9699
1000	2490	1	RMS	2490	-50.54	-25	Pass	1490
2490	2580	1	RMS	2567.175	22.12	60	Pass	401
2580	3000	1	RMS	2868.687	-48.72	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25200.743	-49.93	-25	Pass	19500




**18.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.06	-25	Pass	2985
30	1000	0.1	RMS	889.554	-63.35	-25	Pass	9699
1000	2490	1	RMS	2490	-46.81	-25	Pass	1490
2490	2580	1	RMS	2505.075	17.18	60	Pass	401
2580	3000	1	RMS	2868.687	-48.69	-25	Pass	420
3000	6500	1	RMS	6215.919	-64.45	-25	Pass	3500
6500	26000	1	RMS	25200.743	-49.94	-25	Pass	19500




18.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.52	-25	Pass	2985
30	1000	0.1	RMS	893.859	-63.7	-25	Pass	9699
1000	2490	1	RMS	2490	-43.15	-25	Pass	1490
2490	2580	1	RMS	2507.775	17.41	60	Pass	401
2580	3000	1	RMS	2870.692	-48.69	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.45	-25	Pass	3500
6500	26000	1	RMS	25200.743	-49.99	-25	Pass	19500




**18.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-25	Pass	2985
30	1000	0.1	RMS	904.874	-63.66	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.47	-25	Pass	1490
2490	2580	1	RMS	2532.525	17.37	60	Pass	401
2580	3000	1	RMS	2867.685	-48.7	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.41	-25	Pass	3500
6500	26000	1	RMS	25196.742	-49.89	-25	Pass	19500




18.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.32	-25	Pass	2985
30	1000	0.1	RMS	896.963	-63.64	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.42	-25	Pass	1490
2490	2580	1	RMS	2535.45	17.48	60	Pass	401
2580	3000	1	RMS	2875.704	-48.69	-25	Pass	420
3000	6500	1	RMS	6215.919	-64.45	-25	Pass	3500
6500	26000	1	RMS	25194.742	-50.08	-25	Pass	19500




**18.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-25	Pass	2985
30	1000	0.1	RMS	892.758	-63.64	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.5	-25	Pass	1490
2490	2580	1	RMS	2561.325	17.36	60	Pass	401
2580	3000	1	RMS	2580	-47.37	-25	Pass	420
3000	6500	1	RMS	6201.915	-64.43	-25	Pass	3500
6500	26000	1	RMS	25501.84	-50.04	-25	Pass	19500




18.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-25	Pass	2985
30	1000	0.1	RMS	887.651	-63.51	-25	Pass	9699
1000	2490	1	RMS	2481.995	-50.55	-25	Pass	1490
2490	2580	1	RMS	2562.9	17.46	60	Pass	401
2580	3000	1	RMS	2580	-43.04	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.41	-25	Pass	3500
6500	26000	1	RMS	25191.741	-50.05	-25	Pass	19500




18.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.73	-25	Pass	401
0.15	30	0.01	RMS	0.31	-71.92	-25	Pass	2985
30	1000	0.1	RMS	892.157	-63.63	-25	Pass	9699
1000	2490	1	RMS	2490	-42.82	-25	Pass	1490
2490	2580	1	RMS	2512.05	15.93	60	Pass	401
2580	3000	1	RMS	2868.687	-48.67	-25	Pass	420
3000	6500	1	RMS	6220.92	-64.37	-25	Pass	3500
6500	26000	1	RMS	25195.742	-49.96	-25	Pass	19500




18.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-25	Pass	2985
30	1000	0.1	RMS	900.668	-63.73	-25	Pass	9699
1000	2490	1	RMS	2490	-38.73	-25	Pass	1490
2490	2580	1	RMS	2512.725	15.88	60	Pass	401
2580	3000	1	RMS	2868.687	-48.68	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.37	-25	Pass	3500
6500	26000	1	RMS	25198.743	-49.86	-25	Pass	19500




**18.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-25	Pass	2985
30	1000	0.1	RMS	894.46	-63.66	-25	Pass	9699
1000	2490	1	RMS	2490	-50.43	-25	Pass	1490
2490	2580	1	RMS	2536.35	15.84	60	Pass	401
2580	3000	1	RMS	2867.685	-48.68	-25	Pass	420
3000	6500	1	RMS	6216.919	-64.42	-25	Pass	3500
6500	26000	1	RMS	25188.74	-49.94	-25	Pass	19500




18.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-25	Pass	2985
30	1000	0.1	RMS	907.878	-63.57	-25	Pass	9699
1000	2490	1	RMS	2490	-50	-25	Pass	1490
2490	2580	1	RMS	2534.55	15.83	60	Pass	401
2580	3000	1	RMS	2869.69	-48.65	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.39	-25	Pass	3500
6500	26000	1	RMS	25201.744	-50.04	-25	Pass	19500




18.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-25	Pass	2985
30	1000	0.1	RMS	890.555	-63.71	-25	Pass	9699
1000	2490	1	RMS	2490	-50.49	-25	Pass	1490
2490	2580	1	RMS	2561.775	15.89	60	Pass	401
2580	3000	1	RMS	2580	-44.22	-25	Pass	420
3000	6500	1	RMS	6204.916	-64.41	-25	Pass	3500
6500	26000	1	RMS	25198.743	-49.98	-25	Pass	19500



18.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.42	-25	Pass	2985
30	1000	0.1	RMS	882.144	-63.5	-25	Pass	9699
1000	2490	1	RMS	2490	-50.49	-25	Pass	1490
2490	2580	1	RMS	2559.525	15.94	60	Pass	401
2580	3000	1	RMS	2580	-38.31	-25	Pass	420
3000	6500	1	RMS	6219.92	-64.37	-25	Pass	3500
6500	26000	1	RMS	25198.743	-49.97	-25	Pass	19500



19. n38 30kHz_PC3


19.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.83	-25	Pass	2985
30	1000	0.1	RMS	893.258	-61.23	-25	Pass	9699
1000	2560	1	RMS	2560	-42.65	-25	Pass	1560
2560	2630	1	RMS	2578.55	15.68	60	Pass	401
2630	3000	1	RMS	2869.575	-48.62	-25	Pass	401
3000	6500	1	RMS	6221.921	-64.19	-25	Pass	3500
6500	27000	1	RMS	25470.628	-48.99	-25	Pass	20500




19.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.52	-25	Pass	2985
30	1000	0.1	RMS	925.802	-60.72	-25	Pass	9699
1000	2560	1	RMS	2560	-39.95	-25	Pass	1560
2560	2630	1	RMS	2583.1	15.77	60	Pass	401
2630	3000	1	RMS	2864.95	-48.65	-25	Pass	401
3000	6500	1	RMS	6204.916	-64.05	-25	Pass	3500
6500	27000	1	RMS	25485.632	-48.93	-25	Pass	20500




**19.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.71	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.41	-25	Pass	2985
30	1000	0.1	RMS	969.259	-61	-25	Pass	9699
1000	2560	1	RMS	2560	-49.91	-25	Pass	1560
2560	2630	1	RMS	2593.425	15.59	60	Pass	401
2630	3000	1	RMS	2868.65	-48.54	-25	Pass	401
3000	6500	1	RMS	6194.913	-64.19	-25	Pass	3500
6500	27000	1	RMS	25499.635	-49.23	-25	Pass	20500




19.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.75	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.33	-25	Pass	2985
30	1000	0.1	RMS	910.882	-61.15	-25	Pass	9699
1000	2560	1	RMS	2560	-48.12	-25	Pass	1560
2560	2630	1	RMS	2597.975	15.76	60	Pass	401
2630	3000	1	RMS	2630	-47.86	-25	Pass	401
3000	6500	1	RMS	6213.918	-64.09	-25	Pass	3500
6500	27000	1	RMS	25204.564	-48.84	-25	Pass	20500




**19.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.01	-25	Pass	2985
30	1000	0.1	RMS	753.388	-60.68	-25	Pass	9699
1000	2560	1	RMS	2509.968	-50.14	-25	Pass	1560
2560	2630	1	RMS	2608.65	15.62	60	Pass	401
2630	3000	1	RMS	2630	-44.69	-25	Pass	401
3000	6500	1	RMS	6199.914	-64.14	-25	Pass	3500
6500	27000	1	RMS	25470.628	-49.13	-25	Pass	20500




19.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.98	-25	Pass	401
0.15	30	0.01	RMS	0.53	-70.72	-25	Pass	2985
30	1000	0.1	RMS	783.592	-61.07	-25	Pass	9699
1000	2560	1	RMS	2533.983	-49.96	-25	Pass	1560
2560	2630	1	RMS	2613.025	15.79	60	Pass	401
2630	3000	1	RMS	2630	-40.14	-25	Pass	401
3000	6500	1	RMS	6221.921	-64.03	-25	Pass	3500
6500	27000	1	RMS	25166.555	-48.71	-25	Pass	20500




19.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.86	-25	Pass	2985
30	1000	0.1	RMS	962.55	-61.61	-25	Pass	9699
1000	2560	1	RMS	2558.999	-41.87	-25	Pass	1560
2560	2630	1	RMS	2586.425	14.03	60	Pass	401
2630	3000	1	RMS	2868.65	-48.76	-25	Pass	401
3000	6500	1	RMS	6212.918	-64.42	-25	Pass	3500
6500	27000	1	RMS	25191.561	-49.26	-25	Pass	20500




19.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.95	-25	Pass	2985
30	1000	0.1	RMS	894.961	-61.43	-25	Pass	9699
1000	2560	1	RMS	2560	-39.16	-25	Pass	1560
2560	2630	1	RMS	2586.075	14.13	60	Pass	401
2630	3000	1	RMS	2631.85	-48.24	-25	Pass	401
3000	6500	1	RMS	6213.918	-64.29	-25	Pass	3500
6500	27000	1	RMS	25513.639	-49.21	-25	Pass	20500




**19.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-25	Pass	401
0.15	30	0.01	RMS	0.38	-69.77	-25	Pass	2985
30	1000	0.1	RMS	915.288	-61.28	-25	Pass	9699
1000	2560	1	RMS	2560	-47.58	-25	Pass	1560
2560	2630	1	RMS	2590.625	14.19	60	Pass	401
2630	3000	1	RMS	2630	-48.39	-25	Pass	401
3000	6500	1	RMS	6206.916	-64.27	-25	Pass	3500
6500	27000	1	RMS	25817.713	-49.32	-25	Pass	20500




**19.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.22	-25	Pass	2985
30	1000	0.1	RMS	866.523	-61.14	-25	Pass	9699
1000	2560	1	RMS	2560	-44.88	-25	Pass	1560
2560	2630	1	RMS	2595.875	14.07	60	Pass	401
2630	3000	1	RMS	2630.925	-45.66	-25	Pass	401
3000	6500	1	RMS	6253.93	-64.48	-25	Pass	3500
6500	27000	1	RMS	25492.634	-49.38	-25	Pass	20500




19.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.41	-25	Pass	2985
30	1000	0.1	RMS	995.694	-61.39	-25	Pass	9699
1000	2560	1	RMS	2560	-50	-25	Pass	1560
2560	2630	1	RMS	2607.775	14.02	60	Pass	401
2630	3000	1	RMS	2630	-41.55	-25	Pass	401
3000	6500	1	RMS	6208.917	-64.56	-25	Pass	3500
6500	27000	1	RMS	25179.558	-48.86	-25	Pass	20500




19.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.15	-25	Pass	2985
30	1000	0.1	RMS	860.615	-61.51	-25	Pass	9699
1000	2560	1	RMS	2555.997	-48.42	-25	Pass	1560
2560	2630	1	RMS	2606.025	14.12	60	Pass	401
2630	3000	1	RMS	2630	-39.05	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.43	-25	Pass	3500
6500	27000	1	RMS	25856.722	-49.41	-25	Pass	20500




19.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.02	-25	Pass	2985
30	1000	0.1	RMS	985.681	-60.98	-25	Pass	9699
1000	2560	1	RMS	2560	-41.51	-25	Pass	1560
2560	2630	1	RMS	2594.65	12.89	60	Pass	401
2630	3000	1	RMS	2630.925	-45.31	-25	Pass	401
3000	6500	1	RMS	6212.918	-64.09	-25	Pass	3500
6500	27000	1	RMS	25508.638	-49.07	-25	Pass	20500




19.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.46	-25	Pass	2985
30	1000	0.1	RMS	883.846	-61.15	-25	Pass	9699
1000	2560	1	RMS	2560	-37.88	-25	Pass	1560
2560	2630	1	RMS	2589.225	12.93	60	Pass	401
2630	3000	1	RMS	2630	-41.3	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.09	-25	Pass	3500
6500	27000	1	RMS	25200.563	-49.13	-25	Pass	20500




19.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.95	-25	Pass	2985
30	1000	0.1	RMS	716.084	-61.47	-25	Pass	9699
1000	2560	1	RMS	2556.998	-43.53	-25	Pass	1560
2560	2630	1	RMS	2599.2	12.86	60	Pass	401
2630	3000	1	RMS	2630	-42.13	-25	Pass	401
3000	6500	1	RMS	6043.87	-64.2	-25	Pass	3500
6500	27000	1	RMS	25529.643	-49.14	-25	Pass	20500




19.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-25	Pass	2985
30	1000	0.1	RMS	892.357	-61.27	-25	Pass	9699
1000	2560	1	RMS	2560	-40.63	-25	Pass	1560
2560	2630	1	RMS	2594.3	12.91	60	Pass	401
2630	3000	1	RMS	2630	-38.48	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.91	-25	Pass	3500
6500	27000	1	RMS	25499.635	-49	-25	Pass	20500




19.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.24	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.89	-25	Pass	2985
30	1000	0.1	RMS	872.331	-60.41	-25	Pass	9699
1000	2560	1	RMS	2560	-45.29	-25	Pass	1560
2560	2630	1	RMS	2604.45	12.88	60	Pass	401
2630	3000	1	RMS	2630	-39.39	-25	Pass	401
3000	6500	1	RMS	6209.917	-64.07	-25	Pass	3500
6500	27000	1	RMS	25196.562	-49.27	-25	Pass	20500



19.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.92	-25	Pass	2985
30	1000	0.1	RMS	906.376	-60.96	-25	Pass	9699
1000	2560	1	RMS	2560	-43.71	-25	Pass	1560
2560	2630	1	RMS	2603.575	12.79	60	Pass	401
2630	3000	1	RMS	2630	-37.78	-25	Pass	401
3000	6500	1	RMS	6201.915	-64.21	-25	Pass	3500
6500	27000	1	RMS	25207.565	-48.89	-25	Pass	20500



20. n41 30kHz


20.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.8	-25	Pass	2985
30	1000	0.1	RMS	895.361	-61.3	-25	Pass	9699
1000	2486	1	RMS	2486	-48.37	-25	Pass	1486
2486	2700	1	RMS	2508.47	15.7	60	Pass	401
2700	3000	1	RMS	2872.5	-48.61	-25	Pass	401
3000	6500	1	RMS	6225.922	-64.29	-25	Pass	3500
6500	27000	1	RMS	25196.562	-48.89	-25	Pass	20500




20.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.6	-25	Pass	2985
30	1000	0.1	RMS	891.356	-61.4	-25	Pass	9699
1000	2486	1	RMS	2486	-43.91	-25	Pass	1486
2486	2700	1	RMS	2509.005	16.06	60	Pass	401
2700	3000	1	RMS	2868.75	-48.63	-25	Pass	401
3000	6500	1	RMS	6205.916	-64.22	-25	Pass	3500
6500	27000	1	RMS	25784.705	-49.45	-25	Pass	20500



**20.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.51	-71.31	-25	Pass	2985
30	1000	0.1	RMS	894.059	-60.8	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.38	-25	Pass	1486
2486	2700	1	RMS	2590.325	15.76	60	Pass	401
2700	3000	1	RMS	2868.75	-48.55	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.21	-25	Pass	3500
6500	27000	1	RMS	25203.564	-49.05	-25	Pass	20500



20.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.85	-25	Pass	2985
30	1000	0.1	RMS	901.369	-61.09	-25	Pass	9699
1000	2486	1	RMS	2479.996	-50.56	-25	Pass	1486
2486	2700	1	RMS	2596.21	15.75	60	Pass	401
2700	3000	1	RMS	2867.25	-48.59	-25	Pass	401
3000	6500	1	RMS	6200.915	-64.21	-25	Pass	3500
6500	27000	1	RMS	25908.735	-49.27	-25	Pass	20500

