

Test Band = DC_41A_n78A 3450M-3550M ANT5_ TM1

Test Channel = Low Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6810.18	48.39	-42.41	35.82	-53.46	-13.00	40.46	163	65	Horizontal
2	8252.7917	48.29	-40.26	37.78	-49.46	-13.00	36.46	265	160	Horizontal
3	10215.27	40.15	-36.64	38.74	-53.01	-13.00	40.01	241	239	Horizontal
4	12063.125	42.99	-35.19	38.66	-48.80	-13.00	35.80	142	3	Horizontal
5	13620.36	40.84	-34.51	39.97	-48.96	-13.00	35.96	285	172	Horizontal
6	17025.45	40.04	-31.93	38.71	-48.44	-13.00	35.44	263	253	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6810.18	48.34	-42.41	35.82	-53.51	-13.00	40.51	254	227	Vertical
2	8298.7917	49.12	-40.34	37.83	-48.65	-13.00	35.65	142	3	Vertical
3	10215.27	41.86	-36.64	38.74	-51.30	-13.00	38.30	263	253	Vertical
4	11908.8333	42.71	-34.96	38.69	-48.82	-13.00	35.82	266	132	Vertical
5	13620.36	41.86	-34.51	39.97	-47.94	-13.00	34.94	201	118	Vertical
6	17025.45	40.87	-31.93	38.71	-47.61	-13.00	34.61	188	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = DC_41A_n78A 3450M-3550M ANT5_TM1

Test Channel = Mid Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.18	46.31	-42.17	36.02	-55.10	-13.00	42.10	296	291	Horizontal
2	8746.3333	47.23	-39.11	38.32	-48.82	-13.00	35.82	265	159	Horizontal
3	10365.27	41.08	-36.63	38.90	-51.91	-13.00	38.91	201	239	Horizontal
4	13820.36	41.24	-35.13	40.09	-49.06	-13.00	36.06	142	185	Horizontal
5	15874.4167	43.48	-33.64	38.06	-47.36	-13.00	34.36	263	53	Horizontal
6	17275.45	38.03	-31.82	39.70	-49.35	-13.00	36.35	236	291	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.18	47.66	-42.17	36.02	-53.75	-13.00	40.75	263	25	Vertical
2	9195.7917	46.45	-38.24	38.58	-48.47	-13.00	35.47	296	359	Vertical
3	10365.27	41.52	-36.63	38.90	-51.47	-13.00	38.47	241	360	Vertical
4	13820.36	40.21	-35.13	40.09	-50.09	-13.00	37.09	175	3	Vertical
5	16357.4167	42.89	-32.51	38.15	-46.73	-13.00	33.73	203	186	Vertical
6	17275.45	39.16	-31.82	39.70	-48.22	-13.00	35.22	268	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = DC_41A_n78A 3450M-3550M ANT5_TM1

Test Channel = High Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7010.18	47.31	-42.41	36.21	-54.15	-13.00	41.15	269	360	Horizontal
2	9290.6667	48.20	-38.37	38.57	-46.86	-13.00	33.86	265	107	Horizontal
3	10515.27	40.88	-36.40	39.07	-51.71	-13.00	38.71	241	120	Horizontal
4	13032.9583	43.20	-34.79	39.62	-47.23	-13.00	34.23	178	357	Horizontal
5	14020.36	38.86	-35.19	40.18	-51.41	-13.00	38.41	255	224	Horizontal
6	17525.45	38.35	-31.88	40.70	-48.09	-13.00	35.09	263	267	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7010.18	46.22	-42.41	36.21	-55.24	-13.00	42.24	263	4	Vertical
2	9356.7917	47.40	-37.97	38.56	-47.27	-13.00	34.27	233	68	Vertical
3	10515.27	41.89	-36.40	39.07	-50.70	-13.00	37.70	254	94	Vertical
4	14020.36	38.67	-35.19	40.18	-51.60	-13.00	38.60	142	352	Vertical
5	16587.4167	42.51	-32.49	38.31	-46.93	-13.00	33.93	296	147	Vertical
6	17525.45	38.72	-31.88	40.70	-47.72	-13.00	34.72	263	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = DC_41A_n78A 3450M-3550M ANT6_ TM1

Test Channel = Low Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6810.18	47.60	-42.41	35.82	-54.25	-13.00	41.25	163	65	Horizontal
2	7763.0833	50.86	-41.03	37.03	-48.40	-13.00	35.40	265	158	Horizontal
3	10215.27	40.57	-36.64	38.74	-52.59	-13.00	39.59	241	251	Horizontal
4	11221.7083	43.91	-35.10	39.38	-47.07	-13.00	34.07	142	251	Horizontal
5	13620.36	41.11	-34.51	39.97	-48.69	-13.00	35.69	255	359	Horizontal
6	17025.45	40.75	-31.93	38.71	-47.73	-13.00	34.73	286	351	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6810.18	48.47	-42.41	35.82	-53.38	-13.00	40.38	263	50	Vertical
2	8758.7917	47.04	-39.07	38.33	-48.96	-13.00	35.96	266	200	Vertical
3	10215.27	40.35	-36.64	38.74	-52.81	-13.00	39.81	255	345	Vertical
4	13620.36	41.02	-34.51	39.97	-48.78	-13.00	35.78	142	239	Vertical
5	15269.7083	42.68	-33.78	38.85	-47.51	-13.00	34.51	201	105	Vertical
6	17025.45	40.14	-31.93	38.71	-48.34	-13.00	35.34	365	37	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = DC_41A_n78A 3450M-3550M ANT6_TM1

Test Channel = Mid Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.18	46.88	-42.17	36.02	-54.53	-13.00	41.53	263	66	Horizontal
2	8742.5	47.17	-39.12	38.32	-48.90	-13.00	35.90	254	145	Horizontal
3	10365.27	42.09	-36.63	38.90	-50.90	-13.00	37.90	174	295	Horizontal
4	11228.4167	43.21	-35.11	39.37	-47.79	-13.00	34.79	145	80	Horizontal
5	13820.36	40.37	-35.13	40.09	-49.93	-13.00	36.93	266	353	Horizontal
6	17275.45	39.72	-31.82	39.70	-47.66	-13.00	34.66	384	336	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.18	46.33	-42.17	36.02	-55.08	-13.00	42.08	263	3	Vertical
2	8739.625	47.14	-39.13	38.31	-48.94	-13.00	35.94	254	212	Vertical
3	10365.27	41.15	-36.63	38.90	-51.84	-13.00	38.84	142	240	Vertical
4	12757.9167	43.84	-35.14	39.36	-47.20	-13.00	34.20	296	240	Vertical
5	13820.36	39.92	-35.13	40.09	-50.38	-13.00	37.38	255	357	Vertical
6	17275.45	38.44	-31.82	39.70	-48.94	-13.00	35.94	201	26	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Test Band = DC_41A_n78A 3450M-3550M ANT6_TM1
Test Channel = High Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7010.18	47.18	-42.41	36.21	-54.28	-13.00	41.28	255	210	Horizontal
2	9288.75	48.77	-38.37	38.57	-46.29	-13.00	33.29	241	143	Horizontal
3	10515.27	40.80	-36.40	39.07	-51.79	-13.00	38.79	142	90	Horizontal
4	14020.36	38.87	-35.19	40.18	-51.40	-13.00	38.40	256	344	Horizontal
5	16216.5417	42.18	-32.14	38.05	-47.17	-13.00	34.17	263	25	Horizontal
6	17525.45	37.77	-31.88	40.70	-48.67	-13.00	35.67	293	117	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7010.18	46.17	-42.41	36.21	-55.29	-13.00	42.29	142	226	Vertical
2	8791.375	47.05	-38.98	38.37	-48.82	-13.00	35.82	265	14	Vertical
3	10515.27	40.52	-36.40	39.07	-52.07	-13.00	39.07	282	240	Vertical
4	14020.36	38.60	-35.19	40.18	-51.67	-13.00	38.67	365	360	Vertical
5	17017.7083	42.59	-31.85	38.67	-45.85	-13.00	32.85	255	307	Vertical
6	17525.45	37.84	-31.88	40.70	-48.60	-13.00	35.60	145	199	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

- AF = Antenna Factor(dB/m)
- Factor = Cable Factor(dB) - Preamplifier (dB)
- Level = Reading Level + AF + Factor -95.26
- Margin = Limit – Level



Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	VH	NT	9.700000	0.002771	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	VN	NT	8.700000	0.002486	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	VL	NT	8.100000	0.002314	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	VH	NT	17.000000	0.004857	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	VN	NT	10.500000	0.003000	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	VL	NT	9.800000	0.002800	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Frequency Error VS. Temperature

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-30	8.600000	0.002457	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-20	10.900000	0.003114	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-10	6.400000	0.001829	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	0	7.600000	0.002171	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	10	4.300000	0.001229	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	20	13.500000	0.003857	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	30	12.800000	0.003657	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	40	3.400000	0.000971	PASS
N78-3450-3550	30	100	DFT-PI2BPSK	M	Outer_Full	NV	50	9.100000	0.002600	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	-30	7.400000	0.002114	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	-20	4.100000	0.001171	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	-10	7.300000	0.002086	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	0	2.200000	0.000629	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	10	8.300000	0.002371	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	20	4.700000	0.001343	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	30	3.400000	0.000971	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	40	6.500000	0.001857	PASS
N78-3450-3550	30	100	CP-QPSK	M	Outer_Full	NV	50	6.700000	0.001914	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Pansheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com