







U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)





WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																															
ANT	802.11be EHT40 Full CH03 5965MHz																																																															
17+18	Horizontal	Fundamental																																																														
Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57909158 fax:+86-512-57909958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 25 Plane : Y IMEI : #36 Powersetting : 17 : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.68</td> <td>68.85</td> <td>-27.45</td> <td>88.30</td> <td>47.19</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>300</td> <td>42 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	68.85	-27.45	88.30	47.19	35.13	10.52	31.99	300	42 Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57909158 fax:+86-512-57909958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 25 Plane : Y IMEI : #36 Powersetting : 17 : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5950.00</td> <td>100.17</td> <td>11.87</td> <td>88.30</td> <td>86.45</td> <td>35.28</td> <td>10.53</td> <td>32.01</td> <td>300</td> <td>42 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5950.00	100.17	11.87	88.30	86.45	35.28	10.53	32.01	300	42 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5924.68	68.85	-27.45	88.30	47.19	35.13	10.52	31.99	300	42 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5950.00	100.17	11.87	88.30	86.45	35.28	10.53	32.01	300	42 Peak																																																						
Avg.	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57909158 fax:+86-512-57909958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 25 Plane : Y IMEI : #36 Powersetting : 17 : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>53.63</td> <td>-14.67</td> <td>68.30</td> <td>39.97</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>300</td> <td>42 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	53.63	-14.67	68.30	39.97	35.13	10.52	31.99	300	42 Average	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57909158 fax:+86-512-57909958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 25 Plane : Y IMEI : #36 Powersetting : 17 : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5950.00</td> <td>92.32</td> <td>24.02</td> <td>68.30</td> <td>78.60</td> <td>35.28</td> <td>10.53</td> <td>32.01</td> <td>300</td> <td>42 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5950.00	92.32	24.02	68.30	78.60	35.28	10.53	32.01	300	42 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5924.96	53.63	-14.67	68.30	39.97	35.13	10.52	31.99	300	42 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5950.00	92.32	24.02	68.30	78.60	35.28	10.53	32.01	300	42 Average																																																						



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																					
ANT	802.11be EHT40 Full H03 5965MHz																																																					
17+18	Vertical	Fundamental																																																				
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 25 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5928.34</td> <td>59.53</td> <td>-28.77</td> <td>88.30</td> <td>45.94</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>371</td> <td>14</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5928.34	59.53	-28.77	88.30	45.94	35.87	10.51	31.99	371	14	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 25 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>104.83</td> <td>16.53</td> <td>88.30</td> <td>91.02</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>371</td> <td>14</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5959.00	104.83	16.53	88.30	91.02	35.27	10.55	32.01	371	14	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5928.34	59.53	-28.77	88.30	45.94	35.87	10.51	31.99	371	14	Peak																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5959.00	104.83	16.53	88.30	91.02	35.27	10.55	32.01	371	14	Peak																																											
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 25 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5928.76</td> <td>52.51</td> <td>-15.79</td> <td>68.30</td> <td>38.92</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>371</td> <td>14</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5928.76	52.51	-15.79	68.30	38.92	35.87	10.51	31.99	371	14	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 25 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>95.50</td> <td>27.20</td> <td>68.30</td> <td>81.69</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>371</td> <td>14</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5959.00	95.50	27.20	68.30	81.69	35.27	10.55	32.01	371	14	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5928.76	52.51	-15.79	68.30	38.92	35.87	10.51	31.99	371	14	Average																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5959.00	95.50	27.20	68.30	81.69	35.27	10.55	32.01	371	14	Average																																											



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																									
ANT	802.11be EHT80 Full CH07 5985MHz																																																									
17+18	Horizontal	Fundamental																																																								
Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #36 Plane : Y IMEI : #F36 Powersetting : #16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5923.72</td> <td>57.89</td> <td>-38.41</td> <td>88.30</td> <td>44.23</td> <td>35.13</td> <td>10.52 31.99 300 46 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor	Factor		dBm	dBm	dBm	dB	dB	cm	deg	5923.72	57.89	-38.41	88.30	44.23	35.13	10.52 31.99 300 46 Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #36 Plane : Y IMEI : #F36 Powersetting : #16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>6084.00</td> <td>96.73</td> <td>8.43</td> <td>88.30</td> <td>82.80</td> <td>10.58</td> <td>32.05 300 46 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor	Factor		dBm	dBm	dBm	dB	dB	cm	deg	6084.00	96.73	8.43	88.30	82.80	10.58	32.05 300 46 Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Level	Line	Level	Loss	Factor	Factor																																																					
dBm	dBm	dBm	dB	dB	cm	deg																																																				
5923.72	57.89	-38.41	88.30	44.23	35.13	10.52 31.99 300 46 Peak																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Level	Line	Level	Loss	Factor	Factor																																																					
dBm	dBm	dBm	dB	dB	cm	deg																																																				
6084.00	96.73	8.43	88.30	82.80	10.58	32.05 300 46 Peak																																																				
Avg.	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #36 Plane : Y IMEI : #F36 Powersetting : #16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5922.60</td> <td>51.70</td> <td>-16.60</td> <td>68.30</td> <td>38.04</td> <td>35.13</td> <td>10.52 31.99 300 46 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor	Factor		dBm	dBm	dBm	dB	dB	cm	deg	5922.60	51.70	-16.60	68.30	38.04	35.13	10.52 31.99 300 46 Average	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #36 Plane : Y IMEI : #F36 Powersetting : #16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>5950.00</td> <td>87.99</td> <td>19.69</td> <td>68.30</td> <td>74.27</td> <td>35.20</td> <td>10.53 32.01 300 46 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor	Factor		dBm	dBm	dBm	dB	dB	cm	deg	5950.00	87.99	19.69	68.30	74.27	35.20	10.53 32.01 300 46 Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Level	Line	Level	Loss	Factor	Factor																																																					
dBm	dBm	dBm	dB	dB	cm	deg																																																				
5922.60	51.70	-16.60	68.30	38.04	35.13	10.52 31.99 300 46 Average																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Level	Line	Level	Loss	Factor	Factor																																																					
dBm	dBm	dBm	dB	dB	cm	deg																																																				
5950.00	87.99	19.69	68.30	74.27	35.20	10.53 32.01 300 46 Average																																																				







WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																					
ANT	802.11be EHT80 Full CH07 5985MHz																																																					
17+18	Vertical	Fundamental																																																				
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #36 Plane : Y IMET : Full-directivity Powersetting : #16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.68</td> <td>60.37</td> <td>-27.93</td> <td>88.30</td> <td>46.78</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>308</td> <td>14</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5916.68	60.37	-27.93	88.30	46.78	35.87	10.51	31.99	308	14	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #36 Plane : Y IMET : Full-directivity Powersetting : #16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>100.12</td> <td>11.82</td> <td>88.30</td> <td>86.26</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>308</td> <td>14</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5977.00	100.12	11.82	88.30	86.26	35.33	10.56	32.03	308	14	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5916.68	60.37	-27.93	88.30	46.78	35.87	10.51	31.99	308	14	Peak																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5977.00	100.12	11.82	88.30	86.26	35.33	10.56	32.03	308	14	Peak																																											
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #36 Plane : Y IMET : Full-directivity Powersetting : #16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.12</td> <td>53.58</td> <td>-14.72</td> <td>68.30</td> <td>39.99</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>308</td> <td>14</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5918.12	53.58	-14.72	68.30	39.99	35.87	10.51	31.99	308	14	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #36 Plane : Y IMET : Full-directivity Powersetting : #16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6022.00</td> <td>91.85</td> <td>23.55</td> <td>68.30</td> <td>77.90</td> <td>35.43</td> <td>10.59</td> <td>32.07</td> <td>308</td> <td>14</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	6022.00	91.85	23.55	68.30	77.90	35.43	10.59	32.07	308	14	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5918.12	53.58	-14.72	68.30	39.99	35.87	10.51	31.99	308	14	Average																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	6022.00	91.85	23.55	68.30	77.90	35.43	10.59	32.07	308	14	Average																																											



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT80 Puncturing 20M_② (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT80 Puncturing 20M_② CH07 5985MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 68 Plane : Y IMEI : #36 Powersetting : IO</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.64</td> <td>56.22</td> <td>-32.88</td> <td>88.30</td> <td>42.63</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>292</td> <td>41</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	5917.64	56.22	-32.88	88.30	42.63	35.87	10.51	31.99	292	41	Peak	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 68 Plane : Y IMEI : #36 Powersetting : IO</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5950.00</td> <td>95.41</td> <td>7.11</td> <td>88.30</td> <td>81.69</td> <td>35.28</td> <td>10.53</td> <td>32.01</td> <td>292</td> <td>41</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	5950.00	95.41	7.11	88.30	81.69	35.28	10.53	32.01	292	41	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	5917.64	56.22	-32.88	88.30	42.63	35.87	10.51	31.99	292	41	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	5950.00	95.41	7.11	88.30	81.69	35.28	10.53	32.01	292	41	Peak																																																									
Avg.	 <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 68 Plane : Y IMEI : #36 Powersetting : IO</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5904.36</td> <td>45.92</td> <td>-22.48</td> <td>68.30</td> <td>32.30</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>292</td> <td>41</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	5904.36	45.92	-22.48	68.30	32.30	35.00	10.49	31.97	292	41	Average	 <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 68 Plane : Y IMEI : #36 Powersetting : IO</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5950.00</td> <td>86.78</td> <td>18.48</td> <td>68.30</td> <td>73.06</td> <td>35.20</td> <td>10.53</td> <td>32.01</td> <td>292</td> <td>41</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	5950.00	86.78	18.48	68.30	73.06	35.20	10.53	32.01	292	41	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	5904.36	45.92	-22.48	68.30	32.30	35.00	10.49	31.97	292	41	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	5950.00	86.78	18.48	68.30	73.06	35.20	10.53	32.01	292	41	Average																																																									







WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																															
ANT	802.11be EHT80 Puncturing 20M_② CH07 5985MHz																																																															
17+18	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #68 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5888.68</td> <td>54.37</td> <td>-33.93</td> <td>88.30</td> <td>40.85</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>284</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5888.68	54.37	-33.93	88.30	40.85	35.00	10.49	31.97	284	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #68 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>96.13</td> <td>7.83</td> <td>88.30</td> <td>82.32</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>284</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5959.00	96.13	7.83	88.30	82.32	35.27	10.55	32.01	284	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5888.68	54.37	-33.93	88.30	40.85	35.00	10.49	31.97	284	0 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5959.00	96.13	7.83	88.30	82.32	35.27	10.55	32.01	284	0 Peak																																																						
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #68 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.44</td> <td>44.35</td> <td>-23.95</td> <td>68.30</td> <td>30.76</td> <td>35.07</td> <td>10.51</td> <td>31.99</td> <td>284</td> <td>0 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5918.44	44.35	-23.95	68.30	30.76	35.07	10.51	31.99	284	0 Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #68 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>87.04</td> <td>18.74</td> <td>68.30</td> <td>73.23</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>284</td> <td>0 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5959.00	87.04	18.74	68.30	73.23	35.27	10.55	32.01	284	0 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5918.44	44.35	-23.95	68.30	30.76	35.07	10.51	31.99	284	0 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5959.00	87.04	18.74	68.30	73.23	35.27	10.55	32.01	284	0 Average																																																						



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT80 Large RU 484+242_④ (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT80 Large RU 484+242_④ CH07 5985MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 80 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5906.92</td> <td>53.91</td> <td>-34.39</td> <td>88.30</td> <td>48.30</td> <td>35.87</td> <td>10.51</td> <td>31.97</td> <td>180</td> <td>292</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	5906.92	53.91	-34.39	88.30	48.30	35.87	10.51	31.97	180	292	Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 80 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>92.16</td> <td>3.86</td> <td>88.30</td> <td>78.30</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>180</td> <td>292</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	5977.00	92.16	3.86	88.30	78.30	35.33	10.56	32.03	180	292	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	dB	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	5906.92	53.91	-34.39	88.30	48.30	35.87	10.51	31.97	180	292	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	dB	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	5977.00	92.16	3.86	88.30	78.30	35.33	10.56	32.03	180	292	Peak																																																									
Avg.	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 80 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.68</td> <td>44.77</td> <td>-23.53</td> <td>68.30</td> <td>31.18</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>180</td> <td>292</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	5912.68	44.77	-23.53	68.30	31.18	35.87	10.51	31.99	180	292	Average	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 80 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>83.64</td> <td>15.34</td> <td>68.30</td> <td>69.78</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>180</td> <td>292</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	5977.00	83.64	15.34	68.30	69.78	35.33	10.56	32.03	180	292	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	dB	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	5912.68	44.77	-23.53	68.30	31.18	35.87	10.51	31.99	180	292	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	dB	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	5977.00	83.64	15.34	68.30	69.78	35.33	10.56	32.03	180	292	Average																																																									



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																					
ANT	802.11be EHT80 Large RU 484+242_④CH07 5985MHz																																																					
17+18	Vertical	Fundamental																																																				
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #0 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5870.44</td> <td>55.33</td> <td>-32.97</td> <td>88.30</td> <td>41.95</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>299</td> <td>4</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5870.44	55.33	-32.97	88.30	41.95	34.87	10.46	31.95	299	4	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #0 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>97.40</td> <td>9.10</td> <td>88.30</td> <td>83.59</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>299</td> <td>4</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5959.00	97.40	9.10	88.30	83.59	35.27	10.55	32.01	299	4	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5870.44	55.33	-32.97	88.30	41.95	34.87	10.46	31.95	299	4	Peak																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5959.00	97.40	9.10	88.30	83.59	35.27	10.55	32.01	299	4	Peak																																											
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #0 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.96</td> <td>46.30</td> <td>-22.00</td> <td>68.30</td> <td>32.71</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>299</td> <td>4</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5917.96	46.30	-22.00	68.30	32.71	35.87	10.51	31.99	299	4	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #0 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>88.93</td> <td>20.63</td> <td>68.30</td> <td>75.12</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>299</td> <td>4</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5959.00	88.93	20.63	68.30	75.12	35.27	10.55	32.01	299	4	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5917.96	46.30	-22.00	68.30	32.71	35.87	10.51	31.99	299	4	Average																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5959.00	88.93	20.63	68.30	75.12	35.27	10.55	32.01	299	4	Average																																											



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT160 Full CH15 6025MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 45 Plane : Y IMEI : #36 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.68</td> <td>56.43</td> <td>-31.87</td> <td>88.30</td> <td>42.91</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>294</td> <td>47</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg	1	5896.68	56.43	-31.87	88.30	42.91	35.00	10.49	31.97	294	47	Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 45 Plane : Y IMEI : #36 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5968.00</td> <td>93.75</td> <td>5.45</td> <td>88.30</td> <td>79.96</td> <td>35.27</td> <td>10.55</td> <td>32.03</td> <td>294</td> <td>47</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg	1	5968.00	93.75	5.45	88.30	79.96	35.27	10.55	32.03	294	47	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg																																																														
1	5896.68	56.43	-31.87	88.30	42.91	35.00	10.49	31.97	294	47	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg																																																														
1	5968.00	93.75	5.45	88.30	79.96	35.27	10.55	32.03	294	47	Peak																																																									
Avg.	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 45 Plane : Y IMEI : #36 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5893.00</td> <td>50.81</td> <td>-17.49</td> <td>68.30</td> <td>37.29</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>294</td> <td>47</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg	1	5893.00	50.81	-17.49	68.30	37.29	35.00	10.49	31.97	294	47	Average	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 45 Plane : Y IMEI : #36 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6084.00</td> <td>85.02</td> <td>16.72</td> <td>68.30</td> <td>71.09</td> <td>35.40</td> <td>10.58</td> <td>32.05</td> <td>294</td> <td>47</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg	1	6084.00	85.02	16.72	68.30	71.09	35.40	10.58	32.05	294	47	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg																																																														
1	5893.00	50.81	-17.49	68.30	37.29	35.00	10.49	31.97	294	47	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg																																																														
1	6084.00	85.02	16.72	68.30	71.09	35.40	10.58	32.05	294	47	Average																																																									



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT160 Full CH15 6025MHz																																																																			
17+18	Vertical	Fundamental																																																																		
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 45 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.16</td> <td>60.70</td> <td>-27.60</td> <td>88.30</td> <td>47.11</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>211</td> <td>14 Peak</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.16	60.70	-27.60	88.30	47.11	35.87	10.51	31.99	211	14 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 45 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6076.00</td> <td>98.37</td> <td>10.07</td> <td>88.30</td> <td>84.26</td> <td>35.57</td> <td>10.65</td> <td>32.11</td> <td>211</td> <td>14 Peak</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6076.00	98.37	10.07	88.30	84.26	35.57	10.65	32.11	211	14 Peak
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5917.16	60.70	-27.60	88.30	47.11	35.87	10.51	31.99	211	14 Peak																																																										
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1	6076.00	98.37	10.07	88.30	84.26	35.57	10.65	32.11	211	14 Peak																																																										
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 45 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5892.20</td> <td>54.87</td> <td>-13.43</td> <td>68.30</td> <td>41.35</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>211</td> <td>14 Average</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5892.20	54.87	-13.43	68.30	41.35	35.00	10.49	31.97	211	14 Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 45 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>88.73</td> <td>20.43</td> <td>68.30</td> <td>74.87</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>211</td> <td>14 Average</td> </tr> </tbody> </table>	1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5977.00	88.73	20.43	68.30	74.87	35.33	10.56	32.03	211	14 Average
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5892.20	54.87	-13.43	68.30	41.35	35.00	10.49	31.97	211	14 Average																																																										
1	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5977.00	88.73	20.43	68.30	74.87	35.33	10.56	32.03	211	14 Average																																																										



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT160 Puncturing 40M_2 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT160 Puncturing 40M_2 CH15 6025MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 70 Plane : Y IMEI : #36 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.24</td> <td>55.29</td> <td>-33.81</td> <td>88.30</td> <td>41.63</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>316</td> <td>44</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dB/m	dB	cm	deg	1	5923.24	55.29	-33.81	88.30	41.63	35.13	10.52	31.99	316	44	Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 70 Plane : Y IMEI : #36 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>93.38</td> <td>5.08</td> <td>88.30</td> <td>79.57</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>316</td> <td>44</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dB/m	dB	cm	deg	1	5959.00	93.38	5.08	88.30	79.57	35.27	10.55	32.01	316	44	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dB/m	dB	cm	deg																																																														
1	5923.24	55.29	-33.81	88.30	41.63	35.13	10.52	31.99	316	44	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dB/m	dB	cm	deg																																																														
1	5959.00	93.38	5.08	88.30	79.57	35.27	10.55	32.01	316	44	Peak																																																									
Avg.	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 70 Plane : Y IMEI : #36 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>45.76</td> <td>-22.54</td> <td>68.30</td> <td>32.10</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>316</td> <td>44</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dB/m	dB	cm	deg	1	5924.84	45.76	-22.54	68.30	32.10	35.13	10.52	31.99	316	44	Average	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 70 Plane : Y IMEI : #36 Powersetting : 13</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5968.00</td> <td>84.70</td> <td>16.40</td> <td>68.30</td> <td>70.91</td> <td>35.27</td> <td>10.55</td> <td>32.03</td> <td>316</td> <td>44</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dB/m	dB	cm	deg	1	5968.00	84.70	16.40	68.30	70.91	35.27	10.55	32.03	316	44	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dB/m	dB	cm	deg																																																														
1	5924.84	45.76	-22.54	68.30	32.10	35.13	10.52	31.99	316	44	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dB/m	dB	cm	deg																																																														
1	5968.00	84.70	16.40	68.30	70.91	35.27	10.55	32.03	316	44	Average																																																									



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																				
ANT	802.11be EHT160 Puncturing 40M_2 CH15 6025MHz																																																																				
17+18	Vertical	Fundamental																																																																			
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 70 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.76</td> <td>57.97</td> <td>-30.33</td> <td>88.30</td> <td>44.38</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>169</td> <td>9</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	5918.76	57.97	-30.33	88.30	44.38	35.87	10.51	31.99	169	9	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 70 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>99.77</td> <td>11.47</td> <td>88.30</td> <td>85.91</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>169</td> <td>9</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5977.00	99.77	11.47	88.30	85.91	35.33	10.56	32.03	169	9	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																														
1	5918.76	57.97	-30.33	88.30	44.38	35.87	10.51	31.99	169	9	Peak																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	5977.00	99.77	11.47	88.30	85.91	35.33	10.56	32.03	169	9	Peak																																																										
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 70 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.52</td> <td>48.00</td> <td>-20.30</td> <td>68.30</td> <td>34.41</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>169</td> <td>9</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5916.52	48.00	-20.30	68.30	34.41	35.87	10.51	31.99	169	9	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 70 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>89.12</td> <td>20.82</td> <td>68.30</td> <td>75.26</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>169</td> <td>9</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5977.00	89.12	20.82	68.30	75.26	35.33	10.56	32.03	169	9	Average	
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	5916.52	48.00	-20.30	68.30	34.41	35.87	10.51	31.99	169	9	Average																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	5977.00	89.12	20.82	68.30	75.26	35.33	10.56	32.03	169	9	Average																																																										



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT160 Puncturing 20M_ 8 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT160 Puncturing 20M_ 8 CH15 6025MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 72 Plane : Y Full-directivity IMEI : #36 Powersetting : 13.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5886.12</td> <td>58.88</td> <td>-29.42</td> <td>88.30</td> <td>45.45</td> <td>34.93</td> <td>10.47</td> <td>31.97</td> <td>300</td> <td>41</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5886.12	58.88	-29.42	88.30	45.45	34.93	10.47	31.97	300	41	Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 72 Plane : Y Full-directivity IMEI : #36 Powersetting : 13.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>96.79</td> <td>8.49</td> <td>88.30</td> <td>82.98</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>300</td> <td>41</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5959.00	96.79	8.49	88.30	82.98	35.27	10.55	32.01	300	41	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	5886.12	58.88	-29.42	88.30	45.45	34.93	10.47	31.97	300	41	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	5959.00	96.79	8.49	88.30	82.98	35.27	10.55	32.01	300	41	Peak																																																									
Avg.	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 72 Plane : Y Full-directivity IMEI : #36 Powersetting : 13.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5902.44</td> <td>47.09</td> <td>-21.21</td> <td>68.30</td> <td>33.57</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>300</td> <td>41</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5902.44	47.09	-21.21	68.30	33.57	35.00	10.49	31.97	300	41	Average	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 72 Plane : Y Full-directivity IMEI : #36 Powersetting : 13.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6031.00</td> <td>86.74</td> <td>18.44</td> <td>68.30</td> <td>72.73</td> <td>35.47</td> <td>10.61</td> <td>32.07</td> <td>300</td> <td>41</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6031.00	86.74	18.44	68.30	72.73	35.47	10.61	32.07	300	41	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	5902.44	47.09	-21.21	68.30	33.57	35.00	10.49	31.97	300	41	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	6031.00	86.74	18.44	68.30	72.73	35.47	10.61	32.07	300	41	Average																																																									



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																															
ANT	802.11be EHT160 Puncturing 20M_8 CH15 6025MHz																																																															
17+18	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 72 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.88</td> <td>58.00</td> <td>-30.30</td> <td>88.30</td> <td>44.34</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>309</td> <td>11 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.88	58.00	-30.30	88.30	44.34	35.13	10.52	31.99	309	11 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 72 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>96.88</td> <td>8.58</td> <td>88.30</td> <td>83.07</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>309</td> <td>11 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5959.00	96.88	8.58	88.30	83.07	35.27	10.55	32.01	309	11 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5923.88	58.00	-30.30	88.30	44.34	35.13	10.52	31.99	309	11 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5959.00	96.88	8.58	88.30	83.07	35.27	10.55	32.01	309	11 Peak																																																						
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 72 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.56</td> <td>48.91</td> <td>-19.39</td> <td>68.30</td> <td>35.25</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>309</td> <td>11 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	48.91	-19.39	68.30	35.25	35.13	10.52	31.99	309	11 Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 72 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5986.00</td> <td>87.84</td> <td>19.54</td> <td>68.30</td> <td>74.00</td> <td>35.33</td> <td>10.56</td> <td>32.05</td> <td>309</td> <td>11 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5986.00	87.84	19.54	68.30	74.00	35.33	10.56	32.05	309	11 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5923.56	48.91	-19.39	68.30	35.25	35.13	10.52	31.99	309	11 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5986.00	87.84	19.54	68.30	74.00	35.33	10.56	32.05	309	11 Average																																																						



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT160 Large RU 996+484_ ④ (Band Edge @ 3m)





WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																															
ANT	802.11be EHT160 Large RU 996+484_ ④ CH15 6025MHZ																																																															
17+18	Horizontal	Fundamental																																																														
Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #2 Plane : Y Powersetting : #36 Powersetting : #15 : 0.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.52</td> <td>56.75</td> <td>-31.55</td> <td>88.30</td> <td>43.16</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>180</td> <td>382</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5916.52	56.75	-31.55	88.30	43.16	35.87	10.51	31.99	180	382	Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #2 Plane : Y Powersetting : #36 Powersetting : #15 : 0.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5995.00</td> <td>93.65</td> <td>5.35</td> <td>88.30</td> <td>79.72</td> <td>35.48</td> <td>10.58</td> <td>32.05</td> <td>180</td> <td>382</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5995.00	93.65	5.35	88.30	79.72	35.48	10.58	32.05	180	382	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5916.52	56.75	-31.55	88.30	43.16	35.87	10.51	31.99	180	382	Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5995.00	93.65	5.35	88.30	79.72	35.48	10.58	32.05	180	382	Peak																																																					
Avg.	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #2 Plane : Y Powersetting : #36 Powersetting : #15 : 0.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.68</td> <td>47.04</td> <td>-21.26</td> <td>68.30</td> <td>33.45</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>180</td> <td>382</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5912.68	47.04	-21.26	68.30	33.45	35.87	10.51	31.99	180	382	Average	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #2 Plane : Y Powersetting : #36 Powersetting : #15 : 0.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6058.00</td> <td>85.24</td> <td>16.94</td> <td>68.30</td> <td>71.16</td> <td>35.53</td> <td>10.64</td> <td>32.09</td> <td>180</td> <td>382</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6058.00	85.24	16.94	68.30	71.16	35.53	10.64	32.09	180	382	Average
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5912.68	47.04	-21.26	68.30	33.45	35.87	10.51	31.99	180	382	Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	6058.00	85.24	16.94	68.30	71.16	35.53	10.64	32.09	180	382	Average																																																					



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT160 Large RU 996+484_ ④CH15 6025MHz																																																																			
17+18	Vertical	Fundamental																																																																		
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #2 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.24</td> <td>59.62</td> <td>-28.68</td> <td>88.30</td> <td>46.03</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>166</td> <td>368</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5915.24	59.62	-28.68	88.30	46.03	35.87	10.51	31.99	166	368	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #2 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5995.00</td> <td>97.61</td> <td>9.31</td> <td>88.30</td> <td>83.68</td> <td>35.40</td> <td>10.56</td> <td>32.05</td> <td>166</td> <td>368</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5995.00	97.61	9.31	88.30	83.68	35.40	10.56	32.05	166	368	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	5915.24	59.62	-28.68	88.30	46.03	35.87	10.51	31.99	166	368	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	5995.00	97.61	9.31	88.30	83.68	35.40	10.56	32.05	166	368	Peak																																																									
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #2 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.84</td> <td>50.68</td> <td>-17.62</td> <td>68.30</td> <td>37.09</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>166</td> <td>368</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5916.84	50.68	-17.62	68.30	37.09	35.87	10.51	31.99	166	368	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #2 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>89.34</td> <td>21.04</td> <td>68.30</td> <td>75.48</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>166</td> <td>368</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5977.00	89.34	21.04	68.30	75.48	35.33	10.56	32.03	166	368	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	5916.84	50.68	-17.62	68.30	37.09	35.87	10.51	31.99	166	368	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	5977.00	89.34	21.04	68.30	75.48	35.33	10.56	32.03	166	368	Average																																																									



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																									
ANT	802.11be EHT320 Full CH31 6105MHz																									
17+18	Horizontal	Fundamental																								
Peak	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 50 Plane : Y IMEI : #36 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5862.50</th> <th>56.51</th> <th>-31.79</th> <th>88.30</th> <th>43.13</th> <th>34.87</th> <th>10.46</th> <th>31.95</th> <th>313</th> <th>39</th> <th>Peak</th> </tr> </thead> </table>	1	5862.50	56.51	-31.79	88.30	43.13	34.87	10.46	31.95	313	39	Peak	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 50 Plane : Y IMEI : #36 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>6085.00</th> <th>90.73</th> <th>2.43</th> <th>88.30</th> <th>76.62</th> <th>35.57</th> <th>10.65</th> <th>32.11</th> <th>313</th> <th>39</th> <th>Peak</th> </tr> </thead> </table>	1	6085.00	90.73	2.43	88.30	76.62	35.57	10.65	32.11	313	39	Peak
1	5862.50	56.51	-31.79	88.30	43.13	34.87	10.46	31.95	313	39	Peak															
1	6085.00	90.73	2.43	88.30	76.62	35.57	10.65	32.11	313	39	Peak															
Avg.	 <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 50 Plane : Y IMEI : #36 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>5901.50</th> <th>46.78</th> <th>-21.52</th> <th>68.30</th> <th>33.26</th> <th>35.00</th> <th>10.49</th> <th>31.97</th> <th>313</th> <th>39</th> <th>Average</th> </tr> </thead> </table>	1	5901.50	46.78	-21.52	68.30	33.26	35.00	10.49	31.97	313	39	Average	 <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 50 Plane : Y IMEI : #36 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>1</th> <th>6130.00</th> <th>81.11</th> <th>12.81</th> <th>68.30</th> <th>67.04</th> <th>35.53</th> <th>10.69</th> <th>32.15</th> <th>313</th> <th>39</th> <th>Average</th> </tr> </thead> </table>	1	6130.00	81.11	12.81	68.30	67.04	35.53	10.69	32.15	313	39	Average
1	5901.50	46.78	-21.52	68.30	33.26	35.00	10.49	31.97	313	39	Average															
1	6130.00	81.11	12.81	68.30	67.04	35.53	10.69	32.15	313	39	Average															



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																					
ANT	802.11be EHT320 Full CH31 6105MHz																																																					
17+18	Vertical	Fundamental																																																				
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #50 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5859.50</td> <td>59.78</td> <td>-28.52</td> <td>88.30</td> <td>46.40</td> <td>34.87</td> <td>10.46</td> <td>31.95</td> <td>309</td> <td>4</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5859.50	59.78	-28.52	88.30	46.40	34.87	10.46	31.95	309	4	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #50 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>94.08</td> <td>5.78</td> <td>88.30</td> <td>80.22</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>309</td> <td>4</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5977.00	94.08	5.78	88.30	80.22	35.33	10.56	32.03	309	4	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5859.50	59.78	-28.52	88.30	46.40	34.87	10.46	31.95	309	4	Peak																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5977.00	94.08	5.78	88.30	80.22	35.33	10.56	32.03	309	4	Peak																																											
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #50 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.50</td> <td>49.65</td> <td>-18.65</td> <td>68.30</td> <td>36.06</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>309</td> <td>4</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5917.50	49.65	-18.65	68.30	36.06	35.87	10.51	31.99	309	4	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #50 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6084.00</td> <td>85.58</td> <td>17.28</td> <td>68.30</td> <td>71.65</td> <td>35.48</td> <td>10.58</td> <td>32.05</td> <td>309</td> <td>4</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	6084.00	85.58	17.28	68.30	71.65	35.48	10.58	32.05	309	4	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5917.50	49.65	-18.65	68.30	36.06	35.87	10.51	31.99	309	4	Average																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	6084.00	85.58	17.28	68.30	71.65	35.48	10.58	32.05	309	4	Average																																											



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT320 Puncturing 80M+40M_③ (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																							
ANT	802.11be EHT320 Puncturing 80M+40M_③ CH31 6105MHz																																																																							
17+18	Horizontal	Fundamental																																																																						
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 74 Plane : Y IMEI : #36 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5804.00</td> <td>54.32</td> <td>-33.98</td> <td>88.30</td> <td>41.21</td> <td>34.67</td> <td>10.41</td> <td>31.97</td> <td>294</td> <td>43</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	5804.00	54.32	-33.98	88.30	41.21	34.67	10.41	31.97	294	43	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 74 Plane : Y IMEI : #36 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6084.00</td> <td>87.59</td> <td>-0.71</td> <td>88.30</td> <td>73.66</td> <td>35.48</td> <td>10.58</td> <td>32.05</td> <td>294</td> <td>43</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	6084.00	87.59	-0.71	88.30	73.66	35.48	10.58	32.05	294	43	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																	
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																	
1	5804.00	54.32	-33.98	88.30	41.21	34.67	10.41	31.97	294	43	Peak																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																	
1	6084.00	87.59	-0.71	88.30	73.66	35.48	10.58	32.05	294	43	Peak																																																													
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 74 Plane : Y IMEI : #36 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.00</td> <td>43.87</td> <td>-24.43</td> <td>68.30</td> <td>30.21</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>294</td> <td>43</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	5924.00	43.87	-24.43	68.30	30.21	35.13	10.52	31.99	294	43	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 74 Plane : Y IMEI : #36 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6084.00</td> <td>78.79</td> <td>10.49</td> <td>68.30</td> <td>64.86</td> <td>35.48</td> <td>10.58</td> <td>32.05</td> <td>294</td> <td>43</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	6084.00	78.79	10.49	68.30	64.86	35.48	10.58	32.05	294	43	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																	
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																	
1	5924.00	43.87	-24.43	68.30	30.21	35.13	10.52	31.99	294	43	Average																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																	
1	6084.00	78.79	10.49	68.30	64.86	35.48	10.58	32.05	294	43	Average																																																													



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																					
ANT	802.11be EHT320 Puncturing 80M+40M_③ CH15 6025MHz																																																					
17+18	Vertical	Fundamental																																																				
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 74 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.00</td> <td>54.48</td> <td>-33.82</td> <td>88.30</td> <td>48.89</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>169</td> <td>8</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5912.00	54.48	-33.82	88.30	48.89	35.87	10.51	31.99	169	8	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 74 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>92.38</td> <td>4.08</td> <td>88.30</td> <td>78.52</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>169</td> <td>8</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5977.00	92.38	4.08	88.30	78.52	35.33	10.56	32.03	169	8	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5912.00	54.48	-33.82	88.30	48.89	35.87	10.51	31.99	169	8	Peak																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5977.00	92.38	4.08	88.30	78.52	35.33	10.56	32.03	169	8	Peak																																											
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 74 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.00</td> <td>44.92</td> <td>-23.38</td> <td>68.30</td> <td>31.33</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>169</td> <td>8</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5917.00	44.92	-23.38	68.30	31.33	35.87	10.51	31.99	169	8	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 74 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5995.00</td> <td>82.34</td> <td>14.04</td> <td>68.30</td> <td>68.41</td> <td>35.48</td> <td>10.58</td> <td>32.05</td> <td>169</td> <td>8</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	5995.00	82.34	14.04	68.30	68.41	35.48	10.58	32.05	169	8	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5917.00	44.92	-23.38	68.30	31.33	35.87	10.51	31.99	169	8	Average																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	5995.00	82.34	14.04	68.30	68.41	35.48	10.58	32.05	169	8	Average																																											







U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT320 Puncturing 80M_② (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT320 Puncturing 80M_② CH31 6105MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989958 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 76 Plane : Y IMEI : #36 Powersetting : 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5899.50</td> <td>55.03</td> <td>-33.27</td> <td>88.30</td> <td>41.51</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>297</td> <td>48</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	1	5899.50	55.03	-33.27	88.30	41.51	35.00	10.49	31.97	297	48	Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989958 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 76 Plane : Y IMEI : #36 Powersetting : 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5986.00</td> <td>87.74</td> <td>-0.56</td> <td>88.30</td> <td>73.90</td> <td>35.33</td> <td>10.56</td> <td>32.05</td> <td>297</td> <td>48</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	1	5986.00	87.74	-0.56	88.30	73.90	35.33	10.56	32.05	297	48	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1	5899.50	55.03	-33.27	88.30	41.51	35.00	10.49	31.97	297	48	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1	5986.00	87.74	-0.56	88.30	73.90	35.33	10.56	32.05	297	48	Peak																																																									
Avg.	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989958 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 76 Plane : Y IMEI : #36 Powersetting : 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5903.50</td> <td>44.63</td> <td>-23.67</td> <td>68.30</td> <td>31.11</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>297</td> <td>48</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	1	5903.50	44.63	-23.67	68.30	31.11	35.00	10.49	31.97	297	48	Average	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989958 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 76 Plane : Y IMEI : #36 Powersetting : 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5986.00</td> <td>79.27</td> <td>10.97</td> <td>68.30</td> <td>65.43</td> <td>35.33</td> <td>10.56</td> <td>32.05</td> <td>297</td> <td>48</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg	1	5986.00	79.27	10.97	68.30	65.43	35.33	10.56	32.05	297	48	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1	5903.50	44.63	-23.67	68.30	31.11	35.00	10.49	31.97	297	48	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1	5986.00	79.27	10.97	68.30	65.43	35.33	10.56	32.05	297	48	Average																																																									







WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																				
ANT	802.11be EHT320 Puncturing 80M_ ② CH15 6025MHz																																																																				
17+18	Vertical	Fundamental																																																																			
Peak	 <p style="font-size: small;">No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 5 117 Level (dBuV/m)</p> <p style="font-size: x-small;">Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 76 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.00</td> <td>55.35</td> <td>-32.95</td> <td>88.30</td> <td>41.76</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>191</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	5915.00	55.35	-32.95	88.30	41.76	35.87	10.51	31.99	191	0	Peak	 <p style="font-size: small;">No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 7 117 Level (dBuV/m)</p> <p style="font-size: x-small;">Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 76 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5959.00</td> <td>90.82</td> <td>2.52</td> <td>88.30</td> <td>77.01</td> <td>35.27</td> <td>10.55</td> <td>32.01</td> <td>191</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5959.00	90.82	2.52	88.30	77.01	35.27	10.55	32.01	191	0	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																														
1	5915.00	55.35	-32.95	88.30	41.76	35.87	10.51	31.99	191	0	Peak																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	5959.00	90.82	2.52	88.30	77.01	35.27	10.55	32.01	191	0	Peak																																																										
Avg.	 <p style="font-size: small;">No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 6 117 Level (dBuV/m)</p> <p style="font-size: x-small;">Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 76 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.50</td> <td>46.30</td> <td>-22.00</td> <td>68.30</td> <td>32.71</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>191</td> <td>0</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5917.50	46.30	-22.00	68.30	32.71	35.87	10.51	31.99	191	0	Average	 <p style="font-size: small;">No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p style="font-size: x-small;">Data: 8 117 Level (dBuV/m)</p> <p style="font-size: x-small;">Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 76 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1" style="font-size: x-small; width: 100%;"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>82.69</td> <td>14.39</td> <td>68.30</td> <td>68.76</td> <td>35.48</td> <td>10.58</td> <td>32.05</td> <td>191</td> <td>0</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5955.00	82.69	14.39	68.30	68.76	35.48	10.58	32.05	191	0	Average	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	5917.50	46.30	-22.00	68.30	32.71	35.87	10.51	31.99	191	0	Average																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	5955.00	82.69	14.39	68.30	68.76	35.48	10.58	32.05	191	0	Average																																																										



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT320 Puncturing 40M_ 8 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT320 Puncturing 40M_ 8 CH31 6105MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 78 Plane : Y Full-directivity IMEI : #36 Powersetting : 115</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5883.50</td> <td>55.96</td> <td>-32.34</td> <td>88.30</td> <td>42.53</td> <td>34.93</td> <td>10.47</td> <td>31.97</td> <td>304</td> <td>36</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm deg	1	5883.50	55.96	-32.34	88.30	42.53	34.93	10.47	31.97	304	36	Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 78 Plane : Y Full-directivity IMEI : #36 Powersetting : 115</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6085.00</td> <td>88.64</td> <td>0.34</td> <td>88.30</td> <td>74.53</td> <td>35.57</td> <td>10.65</td> <td>32.11</td> <td>304</td> <td>36</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm deg	1	6085.00	88.64	0.34	88.30	74.53	35.57	10.65	32.11	304	36	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm deg																																																														
1	5883.50	55.96	-32.34	88.30	42.53	34.93	10.47	31.97	304	36	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm deg																																																														
1	6085.00	88.64	0.34	88.30	74.53	35.57	10.65	32.11	304	36	Peak																																																									
Avg.	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 78 Plane : Y Full-directivity IMEI : #36 Powersetting : 115</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.00</td> <td>45.88</td> <td>-22.42</td> <td>68.30</td> <td>32.22</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>304</td> <td>36</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm deg	1	5924.00	45.88	-22.42	68.30	32.22	35.13	10.52	31.99	304	36	Average	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 78 Plane : Y Full-directivity IMEI : #36 Powersetting : 115</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6049.00</td> <td>88.39</td> <td>12.09</td> <td>68.30</td> <td>66.36</td> <td>35.50</td> <td>10.62</td> <td>32.09</td> <td>304</td> <td>36</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm deg	1	6049.00	88.39	12.09	68.30	66.36	35.50	10.62	32.09	304	36	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm deg																																																														
1	5924.00	45.88	-22.42	68.30	32.22	35.13	10.52	31.99	304	36	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm deg																																																														
1	6049.00	88.39	12.09	68.30	66.36	35.50	10.62	32.09	304	36	Average																																																									



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																													
ANT	802.11be EHT320 Puncturing 40M_8 CH15 6025MHz																																																													
17+18	Vertical	Fundamental																																																												
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 78 Plane : Y IMEI : #36 Powersetting : #115 : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5895.50</td> <td>57.44</td> <td>-38.86</td> <td>88.30</td> <td>43.92</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>309 357 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5895.50	57.44	-38.86	88.30	43.92	35.00	10.49	31.97	309 357 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 78 Plane : Y IMEI : #36 Powersetting : #115 : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6022.00</td> <td>93.99</td> <td>5.69</td> <td>88.30</td> <td>80.04</td> <td>35.43</td> <td>10.59</td> <td>32.07</td> <td>309 357 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6022.00	93.99	5.69	88.30	80.04	35.43	10.59	32.07	309 357 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5895.50	57.44	-38.86	88.30	43.92	35.00	10.49	31.97	309 357 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	6022.00	93.99	5.69	88.30	80.04	35.43	10.59	32.07	309 357 Peak																																																					
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 78 Plane : Y IMEI : #36 Powersetting : #115 : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5876.50</td> <td>47.89</td> <td>-20.41</td> <td>68.30</td> <td>34.44</td> <td>34.93</td> <td>10.47</td> <td>31.95</td> <td>309 357 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5876.50	47.89	-20.41	68.30	34.44	34.93	10.47	31.95	309 357 Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 78 Plane : Y IMEI : #36 Powersetting : #115 : 5.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6004.00</td> <td>84.36</td> <td>16.06</td> <td>68.30</td> <td>70.43</td> <td>35.48</td> <td>10.58</td> <td>32.05</td> <td>309 357 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6004.00	84.36	16.06	68.30	70.43	35.48	10.58	32.05	309 357 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5876.50	47.89	-20.41	68.30	34.44	34.93	10.47	31.95	309 357 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	6004.00	84.36	16.06	68.30	70.43	35.48	10.58	32.05	309 357 Average																																																					



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT320 Large RU 996*3_4 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																															
ANT	802.11be EHT320 Large RU 996*3_4 CH31 6105MHz																																																															
17+18	Horizontal	Fundamental																																																														
Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #5 Plane : Y Powersetting : Full-directivity IMEI : #36 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.50</td> <td>55.47</td> <td>-32.83</td> <td>88.30</td> <td>41.81</td> <td>35.13</td> <td>10.52</td> <td>31.99</td> <td>273</td> <td>38 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.50	55.47	-32.83	88.30	41.81	35.13	10.52	31.99	273	38 Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #5 Plane : Y Powersetting : Full-directivity IMEI : #36 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6040.00</td> <td>89.92</td> <td>1.62</td> <td>88.30</td> <td>75.93</td> <td>35.47</td> <td>10.61</td> <td>32.09</td> <td>273</td> <td>38 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6040.00	89.92	1.62	88.30	75.93	35.47	10.61	32.09	273	38 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5922.50	55.47	-32.83	88.30	41.81	35.13	10.52	31.99	273	38 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	6040.00	89.92	1.62	88.30	75.93	35.47	10.61	32.09	273	38 Peak																																																						
Avg.	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #5 Plane : Y Powersetting : Full-directivity IMEI : #36 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5900.50</td> <td>46.98</td> <td>-21.32</td> <td>68.30</td> <td>33.46</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>273</td> <td>38 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5900.50	46.98	-21.32	68.30	33.46	35.00	10.49	31.97	273	38 Average	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #5 Plane : Y Powersetting : Full-directivity IMEI : #36 Powersetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6049.00</td> <td>81.70</td> <td>13.40</td> <td>68.30</td> <td>67.67</td> <td>35.50</td> <td>10.62</td> <td>32.09</td> <td>273</td> <td>38 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6049.00	81.70	13.40	68.30	67.67	35.50	10.62	32.09	273	38 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5900.50	46.98	-21.32	68.30	33.46	35.00	10.49	31.97	273	38 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	6049.00	81.70	13.40	68.30	67.67	35.50	10.62	32.09	273	38 Average																																																						



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT320 Large RU 996*3_4 CH15 6025MHz																																																																			
17+18	Vertical	Fundamental																																																																		
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #5 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.50</td> <td>56.57</td> <td>-31.73</td> <td>88.30</td> <td>42.98</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>314</td> <td>15</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5915.50	56.57	-31.73	88.30	42.98	35.87	10.51	31.99	314	15	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #5 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6022.00</td> <td>92.89</td> <td>4.59</td> <td>88.30</td> <td>78.94</td> <td>35.43</td> <td>10.59</td> <td>32.07</td> <td>314</td> <td>15</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6022.00	92.89	4.59	88.30	78.94	35.43	10.59	32.07	314	15	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	5915.50	56.57	-31.73	88.30	42.98	35.87	10.51	31.99	314	15	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	6022.00	92.89	4.59	88.30	78.94	35.43	10.59	32.07	314	15	Peak																																																									
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #5 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.50</td> <td>48.37</td> <td>-19.93</td> <td>68.30</td> <td>34.78</td> <td>35.87</td> <td>10.51</td> <td>31.99</td> <td>314</td> <td>15</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5917.50	48.37	-19.93	68.30	34.78	35.87	10.51	31.99	314	15	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #5 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6022.00</td> <td>84.12</td> <td>15.82</td> <td>68.30</td> <td>70.17</td> <td>35.43</td> <td>10.59</td> <td>32.07</td> <td>314</td> <td>15</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6022.00	84.12	15.82	68.30	70.17	35.43	10.59	32.07	314	15	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	5917.50	48.37	-19.93	68.30	34.78	35.87	10.51	31.99	314	15	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	6022.00	84.12	15.82	68.30	70.17	35.43	10.59	32.07	314	15	Average																																																									



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11be EHT320 Large RU 996*3+484_8 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT320 Large RU 996*3+484_8 CH31 6105MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 86 Plane : Y IMEI : #F36 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5888.00</td> <td>54.80</td> <td>-33.50</td> <td>88.30</td> <td>41.28</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>113</td> <td>296</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	1	5888.00	54.80	-33.50	88.30	41.28	35.00	10.49	31.97	113	296	Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 86 Plane : Y IMEI : #F36 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6013.00</td> <td>88.40</td> <td>0.18</td> <td>88.30</td> <td>74.45</td> <td>35.43</td> <td>10.59</td> <td>32.07</td> <td>113</td> <td>296</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	1	6013.00	88.40	0.18	88.30	74.45	35.43	10.59	32.07	113	296	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB																																																														
1	5888.00	54.80	-33.50	88.30	41.28	35.00	10.49	31.97	113	296	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB																																																														
1	6013.00	88.40	0.18	88.30	74.45	35.43	10.59	32.07	113	296	Peak																																																									
Avg.	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 86 Plane : Y IMEI : #F36 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5897.00</td> <td>45.81</td> <td>-22.49</td> <td>68.30</td> <td>32.29</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>113</td> <td>296</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	1	5897.00	45.81	-22.49	68.30	32.29	35.00	10.49	31.97	113	296	Average	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 86 Plane : Y IMEI : #F36 Powersetting : 10</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6103.00</td> <td>88.11</td> <td>11.81</td> <td>68.30</td> <td>65.98</td> <td>35.60</td> <td>10.66</td> <td>32.13</td> <td>113</td> <td>296</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	1	6103.00	88.11	11.81	68.30	65.98	35.60	10.66	32.13	113	296	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB																																																														
1	5897.00	45.81	-22.49	68.30	32.29	35.00	10.49	31.97	113	296	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB																																																														
1	6103.00	88.11	11.81	68.30	65.98	35.60	10.66	32.13	113	296	Average																																																									



WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																				
ANT	802.11be EHT320 Large RU 996*3+484_8 CH15 6025MHz																																																																				
17+18	Vertical	Fundamental																																																																			
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #6 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.00</td> <td>57.17</td> <td>-31.13</td> <td>88.30</td> <td>43.65</td> <td>35.00</td> <td>10.49</td> <td>31.97</td> <td>199</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	5896.00	57.17	-31.13	88.30	43.65	35.00	10.49	31.97	199	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #6 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6103.00</td> <td>92.11</td> <td>3.81</td> <td>88.30</td> <td>77.98</td> <td>35.60</td> <td>10.66</td> <td>32.13</td> <td>199</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	1	6103.00	92.11	3.81	88.30	77.98	35.60	10.66	32.13	199	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																														
1	5896.00	57.17	-31.13	88.30	43.65	35.00	10.49	31.97	199	0	Peak																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB																																																															
1	6103.00	92.11	3.81	88.30	77.98	35.60	10.66	32.13	199	0	Peak																																																										
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #6 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.00</td> <td>48.81</td> <td>-19.49</td> <td>68.30</td> <td>35.22</td> <td>35.07</td> <td>10.51</td> <td>31.99</td> <td>199</td> <td>0</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	5915.00	48.81	-19.49	68.30	35.22	35.07	10.51	31.99	199	0	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #6 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5977.00</td> <td>83.93</td> <td>15.63</td> <td>68.30</td> <td>70.07</td> <td>35.33</td> <td>10.56</td> <td>32.03</td> <td>199</td> <td>0</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	1	5977.00	83.93	15.63	68.30	70.07	35.33	10.56	32.03	199	0	Average	
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	5915.00	48.81	-19.49	68.30	35.22	35.07	10.51	31.99	199	0	Average																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB																																																															
1	5977.00	83.93	15.63	68.30	70.07	35.33	10.56	32.03	199	0	Average																																																										



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11a CH01 5955MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 1 Plane : Y Full-directivity IMEI : #36 PowerSetting : 18 :-12.75</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11912.00</td> <td>43.97</td> <td>-38.83</td> <td>74.00</td> <td>51.44</td> <td>38.71</td> <td>15.21</td> <td>61.39</td> <td>300 @ Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	11912.00	43.97	-38.83	74.00	51.44	38.71	15.21	61.39	300 @ Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 1 Plane : Y Full-directivity IMEI : #36 PowerSetting : 18 :-12.75</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11912.00</td> <td>44.76</td> <td>-29.24</td> <td>74.00</td> <td>52.23</td> <td>38.71</td> <td>15.21</td> <td>61.39</td> <td>100 @ Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	11912.00	44.76	-29.24	74.00	52.23	38.71	15.21	61.39	100 @ Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	11912.00	43.97	-38.83	74.00	51.44	38.71	15.21	61.39	300 @ Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	11912.00	44.76	-29.24	74.00	52.23	38.71	15.21	61.39	100 @ Peak																																																					



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																											
ANT	802.11a CH45 6175 MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 12 Plane : Y IMET : Full-directivity Powersetting : #56 IMET : #18 Powersetting : #18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12352.00</td> <td>46.53</td> <td>-27.47</td> <td>74.00</td> <td>53.47</td> <td>38.94</td> <td>15.55</td> <td>61.43</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12352.00	46.53	-27.47	74.00	53.47	38.94	15.55	61.43	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y IMET : Full-directivity Powersetting : #56 IMET : #18 Powersetting : #18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12352.00</td> <td>44.94</td> <td>-29.06</td> <td>74.00</td> <td>51.88</td> <td>38.94</td> <td>15.55</td> <td>61.43</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12352.00	44.94	-29.06	74.00	51.88	38.94	15.55	61.43	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	12352.00	46.53	-27.47	74.00	53.47	38.94	15.55	61.43	300	0	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	12352.00	44.94	-29.06	74.00	51.88	38.94	15.55	61.43	100	0	Peak																																																																	



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																											
ANT	802.11a CH93 6415 MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : S Plane : Y IMET : Full-directivity Powersetting : #56 IMET : 18 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12832.00</td> <td>45.20</td> <td>-43.10</td> <td>88.30</td> <td>51.52</td> <td>39.27</td> <td>15.92</td> <td>61.51</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12832.00	45.20	-43.10	88.30	51.52	39.27	15.92	61.51	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : S Plane : Y IMET : Full-directivity Powersetting : #56 IMET : 18 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12832.00</td> <td>45.20</td> <td>-43.10</td> <td>88.30</td> <td>51.52</td> <td>39.27</td> <td>15.92</td> <td>61.51</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12832.00	45.20	-43.10	88.30	51.52	39.27	15.92	61.51	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	12832.00	45.20	-43.10	88.30	51.52	39.27	15.92	61.51	300	0	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	12832.00	45.20	-43.10	88.30	51.52	39.27	15.92	61.51	100	0	Peak																																																																	



**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)**

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11be EHT20 Full CH01 5955MHz																																																																			
17+18	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 13 Plane : 1Y Plane : Full-directivity IMEI : #36 Powersetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11912.00</td> <td>44.20</td> <td>-29.80</td> <td>74.00</td> <td>51.67</td> <td>38.71</td> <td>15.21</td> <td>61.39</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	11912.00	44.20	-29.80	74.00	51.67	38.71	15.21	61.39	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 13 Plane : 1Y Plane : Full-directivity IMEI : #36 Powersetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11912.00</td> <td>44.98</td> <td>-29.82</td> <td>74.00</td> <td>52.45</td> <td>38.71</td> <td>15.21</td> <td>61.39</td> <td>180</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	11912.00	44.98	-29.82	74.00	52.45	38.71	15.21	61.39	180	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	11912.00	44.20	-29.80	74.00	51.67	38.71	15.21	61.39	300	0	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	11912.00	44.98	-29.82	74.00	52.45	38.71	15.21	61.39	180	0	Peak																																																									



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																									
ANT	802.11be EHT20 Full CH45 6175MHz																																																																									
17+18	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 14 Plane : Y IMEI : Full-directivity Powersetting : #56 :-12.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12352.00</td> <td>43.33</td> <td>-38.67</td> <td>74.00</td> <td>50.27</td> <td>38.94</td> <td>15.55</td> <td>61.43</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	1	12352.00	43.33	-38.67	74.00	50.27	38.94	15.55	61.43	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 14 Plane : Y IMEI : Full-directivity Powersetting : #56 :-12.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12352.00</td> <td>44.17</td> <td>-29.83</td> <td>74.00</td> <td>51.11</td> <td>38.94</td> <td>15.55</td> <td>61.43</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	1	12352.00	44.17	-29.83	74.00	51.11	38.94	15.55	61.43	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg																																																																			
1	12352.00	43.33	-38.67	74.00	50.27	38.94	15.55	61.43	300	0	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg																																																																			
1	12352.00	44.17	-29.83	74.00	51.11	38.94	15.55	61.43	100	0	Peak																																																															



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																													
ANT	802.11be EHT20 Full CH93 6415MHz																																																																													
17+18	Horizontal	Vertical																																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : IS Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12832.00</td> <td>44.57</td> <td>-43.73</td> <td>88.30</td> <td>58.89</td> <td>39.27</td> <td>15.92</td> <td>61.51</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	12832.00	44.57	-43.73	88.30	58.89	39.27	15.92	61.51	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : IS Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12832.00</td> <td>44.33</td> <td>-43.97</td> <td>88.30</td> <td>58.65</td> <td>39.27</td> <td>15.92</td> <td>61.51</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	12832.00	44.33	-43.97	88.30	58.65	39.27	15.92	61.51	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	12832.00	44.57	-43.73	88.30	58.89	39.27	15.92	61.51	300	0	Peak																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	12832.00	44.33	-43.97	88.30	58.65	39.27	15.92	61.51	100	0	Peak																																																																			



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT20 Single 52/37 (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																													
ANT	802.11be EHT20 Single 52/37 CH01 5955MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak	<p>Site : 03C#06-KS Condition : WIFI 4E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 64 Plane : Y Antenna : Full-directivity IMEI : #36 Powersetting : -15 : 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11912.00</td> <td>44.28</td> <td>-29.72</td> <td>74.00</td> <td>51.75</td> <td>38.71</td> <td>15.21</td> <td>61.39</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	11912.00	44.28	-29.72	74.00	51.75	38.71	15.21	61.39	300	0	Peak	<p>Site : 03C#06-KS Condition : WIFI 4E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 64 Plane : Y Antenna : Full-directivity IMEI : #36 Powersetting : -15 : 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11912.00</td> <td>44.24</td> <td>-29.76</td> <td>74.00</td> <td>51.71</td> <td>38.71</td> <td>15.21</td> <td>61.39</td> <td>180</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	11912.00	44.24	-29.76	74.00	51.71	38.71	15.21	61.39	180	0	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	11912.00	44.28	-29.72	74.00	51.75	38.71	15.21	61.39	300	0	Peak																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	11912.00	44.24	-29.76	74.00	51.71	38.71	15.21	61.39	180	0	Peak																																																			



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11be EHT40 Full CH03 5965MHz																																																																			
17+18	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 25 Plane : 19 : Full-directivity IMEI : #36 Powersetting : 17 : -8.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11928.00</td> <td>44.48</td> <td>-29.52</td> <td>74.00</td> <td>51.92</td> <td>38.73</td> <td>15.22</td> <td>61.39</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	11928.00	44.48	-29.52	74.00	51.92	38.73	15.22	61.39	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652 - VERTICAL Project : (FR)292001 Mode : 25 Plane : 19 : Full-directivity IMEI : #36 Powersetting : 17 : -8.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11928.00</td> <td>44.58</td> <td>-29.42</td> <td>74.00</td> <td>52.02</td> <td>38.73</td> <td>15.22</td> <td>61.39</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	11928.00	44.58	-29.42	74.00	52.02	38.73	15.22	61.39	100	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	11928.00	44.48	-29.52	74.00	51.92	38.73	15.22	61.39	300	0	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	11928.00	44.58	-29.42	74.00	52.02	38.73	15.22	61.39	100	0	Peak																																																									



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																											
ANT	802.11be EHT40 Full CH43 6165MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 26 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : I7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12328.00</td> <td>43.30</td> <td>-30.70</td> <td>74.00</td> <td>50.28</td> <td>38.93</td> <td>15.52</td> <td>61.43</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12328.00	43.30	-30.70	74.00	50.28	38.93	15.52	61.43	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 26 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : I7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12328.00</td> <td>44.00</td> <td>-30.00</td> <td>74.00</td> <td>50.98</td> <td>38.93</td> <td>15.52</td> <td>61.43</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	12328.00	44.00	-30.00	74.00	50.98	38.93	15.52	61.43	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	12328.00	43.30	-30.70	74.00	50.28	38.93	15.52	61.43	300	0	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	12328.00	44.00	-30.00	74.00	50.98	38.93	15.52	61.43	100	0	Peak																																																																	





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																									
ANT	802.11be EHT40 Full CH91 6405MHz																																																																									
17+18	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : Z7 Plane : Y IMEI : Full-directivity Powersetting : #56 Powersetting : I7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12888.00</td> <td>45.06</td> <td>-43.24</td> <td>88.30</td> <td>51.42</td> <td>39.25</td> <td>15.90</td> <td>61.51</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	12888.00	45.06	-43.24	88.30	51.42	39.25	15.90	61.51	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : Z7 Plane : Y IMEI : Full-directivity Powersetting : #56 Powersetting : I7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12888.00</td> <td>45.51</td> <td>-42.79</td> <td>88.30</td> <td>51.87</td> <td>39.25</td> <td>15.90</td> <td>61.51</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	12888.00	45.51	-42.79	88.30	51.87	39.25	15.90	61.51	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	12888.00	45.06	-43.24	88.30	51.42	39.25	15.90	61.51	300	0	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	12888.00	45.51	-42.79	88.30	51.87	39.25	15.90	61.51	100	0	Peak																																																															



**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)**

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																							
ANT	802.11be EHT80 Full CH07 5985MHz																																																							
17+18	Horizontal	Vertical																																																						
Peak Avg.	<p>Site : 03C#06-KS Condition : WIFI 4E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 36 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 16 PowerSetting : 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11968.00</td> <td>45.27</td> <td>-28.73</td> <td>74.00</td> <td>52.63</td> <td>38.77</td> <td>15.25</td> <td>61.38</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 11968.00	45.27	-28.73	74.00	52.63	38.77	15.25	61.38	300 0 Peak	<p>Site : 03C#06-KS Condition : WIFI 4E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 36 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 16 PowerSetting : 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11968.00</td> <td>44.93</td> <td>-29.07</td> <td>74.00</td> <td>52.29</td> <td>38.77</td> <td>15.25</td> <td>61.38</td> <td>180 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 11968.00	44.93	-29.07	74.00	52.29	38.77	15.25	61.38	180 0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 11968.00	45.27	-28.73	74.00	52.63	38.77	15.25	61.38	300 0 Peak																																																
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 11968.00	44.93	-29.07	74.00	52.29	38.77	15.25	61.38	180 0 Peak																																																



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11be EHT80 Full CH39 6145MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 37 Plane : Y IMEI : Full-directivity Powersetting : #56 Powersetting : -4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBu/m</th> <th>dB</th> <th>dBu/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12288.00</td> <td>45.33</td> <td>-28.67</td> <td>74.00</td> <td>52.34</td> <td>38.92</td> <td>15.49</td> <td>61.42</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBu/m	dB	dBu/m	dBuV	dB/m	dB	dB	cm	deg	1 12288.00	45.33	-28.67	74.00	52.34	38.92	15.49	61.42	300	0 Peak	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 37 Plane : Y IMEI : Full-directivity Powersetting : #56 Powersetting : -4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBu/m</th> <th>dB</th> <th>dBu/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12288.00</td> <td>45.15</td> <td>-28.85</td> <td>74.00</td> <td>52.16</td> <td>38.92</td> <td>15.49</td> <td>61.42</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBu/m	dB	dBu/m	dBuV	dB/m	dB	dB	cm	deg	1 12288.00	45.15	-28.85	74.00	52.16	38.92	15.49	61.42	100	0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBu/m	dB	dBu/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12288.00	45.33	-28.67	74.00	52.34	38.92	15.49	61.42	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBu/m	dB	dBu/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12288.00	45.15	-28.85	74.00	52.16	38.92	15.49	61.42	100	0 Peak																																																					





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																													
ANT	802.11be EHT80 Full CH87 6385MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : S8 Plane : Y : Full-directivity IMET : #56 Powersetting : I6 : -4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12768.00</td> <td>45.66</td> <td>-42.70</td> <td>88.30</td> <td>52.03</td> <td>39.21</td> <td>15.86</td> <td>61.50</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 12768.00	45.66	-42.70	88.30	52.03	39.21	15.86	61.50	300	0 Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : S8 Plane : Y : Full-directivity IMET : #56 Powersetting : I6 : -4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12768.00</td> <td>44.56</td> <td>-43.74</td> <td>88.30</td> <td>50.99</td> <td>39.21</td> <td>15.86</td> <td>61.50</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 12768.00	44.56	-43.74	88.30	50.99	39.21	15.86	61.50	100	0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12768.00	45.66	-42.70	88.30	52.03	39.21	15.86	61.50	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12768.00	44.56	-43.74	88.30	50.99	39.21	15.86	61.50	100	0 Peak																																																					



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
17+18	Horizontal	Vertical
Peak Avg.		



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																													
ANT	802.11be EHT160 Full CH47 6185MHz																																																																													
17+18	Horizontal	Vertical																																																																												
Peak Avg.	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 46 Plane : Y : Full-directivity IMET : #56 Powersetting : 15 : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12368.00</td> <td>45.51</td> <td>-28.49</td> <td>74.00</td> <td>52.43</td> <td>38.95</td> <td>15.56</td> <td>61.43</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	12368.00	45.51	-28.49	74.00	52.43	38.95	15.56	61.43	300	0	Peak	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 46 Plane : Y : Full-directivity IMET : #56 Powersetting : 15 : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12368.00</td> <td>44.07</td> <td>-29.93</td> <td>74.00</td> <td>50.99</td> <td>38.95</td> <td>15.56</td> <td>61.43</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	12368.00	44.07	-29.93	74.00	50.99	38.95	15.56	61.43	100	0	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	12368.00	45.51	-28.49	74.00	52.43	38.95	15.56	61.43	300	0	Peak																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	12368.00	44.07	-29.93	74.00	50.99	38.95	15.56	61.43	100	0	Peak																																																																			



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																									
ANT	802.11be EHT160 Full CH79 6345MHz																																																																									
17+18	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 47 Plane : Y : Full-directivity IMET : #56 Powersetting : 15 : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12688.00</td> <td>44.46</td> <td>-29.19</td> <td>74.00</td> <td>51.34</td> <td>39.16</td> <td>15.81</td> <td>61.49</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	12688.00	44.46	-29.19	74.00	51.34	39.16	15.81	61.49	300	0	Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 47 Plane : Y : Full-directivity IMET : #56 Powersetting : 15 : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12688.00</td> <td>44.46</td> <td>-29.54</td> <td>74.00</td> <td>50.98</td> <td>39.16</td> <td>15.81</td> <td>61.49</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	12688.00	44.46	-29.54	74.00	50.98	39.16	15.81	61.49	100	0	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	12688.00	44.46	-29.19	74.00	51.34	39.16	15.81	61.49	300	0	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	12688.00	44.46	-29.54	74.00	50.98	39.16	15.81	61.49	100	0	Peak																																																															



**U-NII 5 - 5925-6425MHzMHz
WIFI 802.11be EHT320 Full (Harmonic @ 3m)**

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																																									
ANT	802.11be EHT320 Full CH31 6105MHz																																																																																									
17+18	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 50 Plane : 19 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>Powersetting</th> </tr> </thead> <tbody> <tr> <td>: 03CH06-KS</td> <td>: WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL</td> <td>: (FR)292001</td> <td>: 50</td> <td>: 19</td> <td>: Full-directivity</td> <td>: #36</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12288.00</td> <td>44.00</td> <td>-29.92</td> <td>74.00</td> <td>51.17</td> <td>38.88</td> <td>15.43</td> <td>61.40</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	Plane	IMEI	Powersetting	: 03CH06-KS	: WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL	: (FR)292001	: 50	: 19	: Full-directivity	: #36	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 12288.00	44.00	-29.92	74.00	51.17	38.88	15.43	61.40	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 50 Plane : 19 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>Powersetting</th> </tr> </thead> <tbody> <tr> <td>: 03CH06-KS</td> <td>: WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL</td> <td>: (FR)292001</td> <td>: 50</td> <td>: 19</td> <td>: Full-directivity</td> <td>: #36</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12288.00</td> <td>44.03</td> <td>-29.97</td> <td>74.00</td> <td>51.12</td> <td>38.88</td> <td>15.43</td> <td>61.40</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	Plane	IMEI	Powersetting	: 03CH06-KS	: WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL	: (FR)292001	: 50	: 19	: Full-directivity	: #36	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 12288.00	44.03	-29.97	74.00	51.12	38.88	15.43	61.40	100	0 Peak
	Site	Condition	Project	Mode	Plane	IMEI	Powersetting																																																																																			
: 03CH06-KS	: WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL	: (FR)292001	: 50	: 19	: Full-directivity	: #36																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 12288.00	44.00	-29.92	74.00	51.17	38.88	15.43	61.40	300	0 Peak																																																																																	
Site	Condition	Project	Mode	Plane	IMEI	Powersetting																																																																																				
: 03CH06-KS	: WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL	: (FR)292001	: 50	: 19	: Full-directivity	: #36																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 12288.00	44.03	-29.97	74.00	51.12	38.88	15.43	61.40	100	0 Peak																																																																																	



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																													
ANT	802.11be EHT320 Full CH63 6265MHz																																																																													
17+18	Horizontal	Vertical																																																																												
Peak Avg.	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : S1 Plane : Y Full-directivity IMEI : #536 PowerSetting : I2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12528.00</td> <td>45.32</td> <td>-28.68</td> <td>74.00</td> <td>52.07</td> <td>39.03</td> <td>15.68</td> <td>61.46</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : S1 Plane : Y Full-directivity IMEI : #536 PowerSetting : I2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12528.00</td> <td>45.16</td> <td>-28.84</td> <td>74.00</td> <td>51.91</td> <td>39.03</td> <td>15.68</td> <td>61.46</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table> </div> </div>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	12528.00	45.32	-28.68	74.00	52.07	39.03	15.68	61.46	300	0	Peak	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	12528.00	45.16	-28.84	74.00	51.91	39.03	15.68	61.46	100	0	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	12528.00	45.32	-28.68	74.00	52.07	39.03	15.68	61.46	300	0	Peak																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	12528.00	45.16	-28.84	74.00	51.91	39.03	15.68	61.46	100	0	Peak																																																																			



UNII-5-6 5925-6425MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI	U-NII 5-6 - 5925-6425MHzMHz Harmonic @ 3m																																																																								
ANT	802.11be EHT320 Full CH95 6425MHz																																																																								
17+18	Horizontal	Vertical																																																																							
Peak Avg.																																																																									
	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>RoadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12848.00</td> <td>44.85</td> <td>-43.45</td> <td>88.30</td> <td>51.16</td> <td>39.28</td> <td>15.93</td> <td>61.52</td> <td>300</td> <td>0</td> <td>Peak</td> <td></td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	RoadAntenna	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1 12848.00	44.85	-43.45	88.30	51.16	39.28	15.93	61.52	300	0	Peak		<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>RoadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12848.00</td> <td>44.97</td> <td>-43.33</td> <td>88.30</td> <td>51.28</td> <td>39.28</td> <td>15.93</td> <td>61.52</td> <td>100</td> <td>0</td> <td>Peak</td> <td></td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	RoadAntenna	Cable	Preamp	Loss	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg		1 12848.00	44.97	-43.33	88.30	51.28	39.28	15.93	61.52	100	0	Peak
Freq	Level	Over	Limit	Line	RoadAntenna	Cable	Preamp	Loss	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 12848.00	44.85	-43.45	88.30	51.16	39.28	15.93	61.52	300	0	Peak																																																															
Freq	Level	Over	Limit	Line	RoadAntenna	Cable	Preamp	Loss	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 12848.00	44.97	-43.33	88.30	51.28	39.28	15.93	61.52	100	0	Peak																																																															



U-NII 6 - 6425-6525MHzMHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																													
ANT	802.11a CH97 6435MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 4 Plane : Y IMEI : Full-directivity PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12872.00</td> <td>44.82</td> <td>-43.48</td> <td>88.30</td> <td>51.11</td> <td>39.29</td> <td>15.94</td> <td>61.52</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	12872.00	44.82	-43.48	88.30	51.11	39.29	15.94	61.52	300 0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 4 Plane : Y IMEI : Full-directivity PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12872.00</td> <td>44.35</td> <td>-43.95</td> <td>88.30</td> <td>50.64</td> <td>39.29</td> <td>15.94</td> <td>61.52</td> <td>100 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	12872.00	44.35	-43.95	88.30	50.64	39.29	15.94	61.52	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12872.00	44.82	-43.48	88.30	51.11	39.29	15.94	61.52	300 0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	12872.00	44.35	-43.95	88.30	50.64	39.29	15.94	61.52	100 0 Peak																																																					







WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																	
ANT	802.11a CH105 6475MHz																																																																	
17+18	Horizontal	Vertical																																																																
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : IS Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12952.00</td> <td>44.48</td> <td>-43.82</td> <td>88.30</td> <td>58.64</td> <td>39.36</td> <td>16.01 61.53 300 0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	1	12952.00	44.48	-43.82	88.30	58.64	39.36	16.01 61.53 300 0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : IS Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12952.00</td> <td>44.49</td> <td>-43.81</td> <td>88.30</td> <td>58.65</td> <td>39.36</td> <td>16.01 61.53 100 0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	1	12952.00	44.49	-43.81	88.30	58.65	39.36	16.01 61.53 100 0 Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
Freq	Level	Limit	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg																																																											
1	12952.00	44.48	-43.82	88.30	58.64	39.36	16.01 61.53 300 0 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg																																																											
1	12952.00	44.49	-43.81	88.30	58.65	39.36	16.01 61.53 100 0 Peak																																																											



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																											
ANT	802.11a CH113 6515MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 16 Plane : Y IMEI : Full-directivity Powersetting : #26 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13832.00</td> <td>44.92</td> <td>-43.38</td> <td>88.30</td> <td>51.04</td> <td>39.37</td> <td>16.07</td> <td>61.56</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13832.00	44.92	-43.38	88.30	51.04	39.37	16.07	61.56	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 16 Plane : Y IMEI : Full-directivity Powersetting : #26 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13832.00</td> <td>45.07</td> <td>-43.23</td> <td>88.30</td> <td>51.19</td> <td>39.37</td> <td>16.07</td> <td>61.56</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13832.00	45.07	-43.23	88.30	51.19	39.37	16.07	61.56	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	13832.00	44.92	-43.38	88.30	51.04	39.37	16.07	61.56	300	0	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	13832.00	45.07	-43.23	88.30	51.19	39.37	16.07	61.56	100	0	Peak																																																																	



**U-NII 6 - 6425-6525MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)**

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																							
ANT	802.11be EHT20 Full CH97 6435MHz																																																							
17+18	Horizontal	Vertical																																																						
Peak Avg.	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 16 Plane : 1Y Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12872.00</td> <td>44.50</td> <td>-43.80</td> <td>88.30</td> <td>50.79</td> <td>39.29</td> <td>15.94</td> <td>61.52</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 12872.00	44.50	-43.80	88.30	50.79	39.29	15.94	61.52	300 0 Peak	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 16 Plane : 1Y Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12872.00</td> <td>44.78</td> <td>-43.52</td> <td>88.30</td> <td>51.07</td> <td>39.29</td> <td>15.94</td> <td>61.52</td> <td>180 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 12872.00	44.78	-43.52	88.30	51.07	39.29	15.94	61.52	180 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 12872.00	44.50	-43.80	88.30	50.79	39.29	15.94	61.52	300 0 Peak																																																
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 12872.00	44.78	-43.52	88.30	51.07	39.29	15.94	61.52	180 0 Peak																																																
	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 16 Plane : 1Y Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12872.00</td> <td>44.50</td> <td>-43.80</td> <td>88.30</td> <td>50.79</td> <td>39.29</td> <td>15.94</td> <td>61.52</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 12872.00	44.50	-43.80	88.30	50.79	39.29	15.94	61.52	300 0 Peak	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 16 Plane : 1Y Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12872.00</td> <td>44.78</td> <td>-43.52</td> <td>88.30</td> <td>51.07</td> <td>39.29</td> <td>15.94</td> <td>61.52</td> <td>180 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 12872.00	44.78	-43.52	88.30	51.07	39.29	15.94	61.52	180 0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 12872.00	44.50	-43.80	88.30	50.79	39.29	15.94	61.52	300 0 Peak																																																
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 12872.00	44.78	-43.52	88.30	51.07	39.29	15.94	61.52	180 0 Peak																																																



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																	
ANT	802.11be EHT20 Full CH105 6475MHz																																																																	
17+18	Horizontal	Vertical																																																																
Peak Avg.	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 17 Plane : Y IMEI : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12952.00</td> <td>44.73</td> <td>-43.57</td> <td>88.30</td> <td>58.89</td> <td>39.36</td> <td>16.01 61.53 300 0 Peak</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 17 Plane : Y IMEI : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12952.00</td> <td>44.46</td> <td>-43.84</td> <td>88.30</td> <td>58.62</td> <td>39.36</td> <td>16.01 61.53 100 0 Peak</td> </tr> </tbody> </table> </div> </div>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	12952.00	44.73	-43.57	88.30	58.89	39.36	16.01 61.53 300 0 Peak	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	12952.00	44.46	-43.84	88.30	58.62	39.36	16.01 61.53 100 0 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																											
1	12952.00	44.73	-43.57	88.30	58.89	39.36	16.01 61.53 300 0 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																											
1	12952.00	44.46	-43.84	88.30	58.62	39.36	16.01 61.53 100 0 Peak																																																											



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																											
ANT	802.11be EHT20 Full CH113 6515MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57980158 fax: +86-512-57980958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : IS Plane : Y IMET : Full-directivity Powersetting : #56</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13832.00</td> <td>44.75</td> <td>-43.55</td> <td>88.30</td> <td>58.87</td> <td>39.37</td> <td>16.07</td> <td>61.56</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13832.00	44.75	-43.55	88.30	58.87	39.37	16.07	61.56	300	0	Peak	<p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57980158 fax: +86-512-57980958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : IS Plane : Y IMET : Full-directivity Powersetting : #56</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13832.00</td> <td>45.10</td> <td>-43.20</td> <td>88.30</td> <td>51.22</td> <td>39.37</td> <td>16.07</td> <td>61.56</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13832.00	45.10	-43.20	88.30	51.22	39.37	16.07	61.56	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	13832.00	44.75	-43.55	88.30	58.87	39.37	16.07	61.56	300	0	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	13832.00	45.10	-43.20	88.30	51.22	39.37	16.07	61.56	100	0	Peak																																																																	



**U-NII 6 - 6425-6525MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)**

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																													
ANT	802.11be EHT40 Full CH99 6445 MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 28 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 17 PowerSetting : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12888.00</td> <td>44.89</td> <td>-43.41</td> <td>88.30</td> <td>51.14</td> <td>39.31</td> <td>15.96</td> <td>61.52</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 12888.00	44.89	-43.41	88.30	51.14	39.31	15.96	61.52	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 28 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 17 PowerSetting : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12888.00</td> <td>45.14</td> <td>-43.16</td> <td>88.30</td> <td>51.39</td> <td>39.31</td> <td>15.96</td> <td>61.52</td> <td>180</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 12888.00	45.14	-43.16	88.30	51.39	39.31	15.96	61.52	180	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12888.00	44.89	-43.41	88.30	51.14	39.31	15.96	61.52	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12888.00	45.14	-43.16	88.30	51.39	39.31	15.96	61.52	180	0 Peak																																																					



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																											
ANT	802.11be EHT40 Full CH107 6485 MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 29 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : I7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12968.00</td> <td>45.45</td> <td>-42.85</td> <td>88.30</td> <td>51.60</td> <td>39.37</td> <td>16.02</td> <td>61.54</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	12968.00	45.45	-42.85	88.30	51.60	39.37	16.02	61.54	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 29 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : I7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12968.00</td> <td>45.13</td> <td>-43.17</td> <td>88.30</td> <td>51.28</td> <td>39.37</td> <td>16.02</td> <td>61.54</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	12968.00	45.13	-43.17	88.30	51.28	39.37	16.02	61.54	100	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	12968.00	45.45	-42.85	88.30	51.60	39.37	16.02	61.54	300	0	Peak																																																																	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																						
Freq	Level	Limit	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	12968.00	45.13	-43.17	88.30	51.28	39.37	16.02	61.54	100	0	Peak																																																																	



U-NII 6 - 6425-6525MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																			
ANT	802.11be EHT80 Full CH103 6465MHz																																																																			
17+18	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 39 Plane : 19 : Full-directivity IMEI : #36 Powersetting : 16 : -4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12928.00</td> <td>44.87</td> <td>-43.43</td> <td>88.30</td> <td>51.05</td> <td>39.35</td> <td>16.00</td> <td>61.53</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	12928.00	44.87	-43.43	88.30	51.05	39.35	16.00	61.53	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 39 Plane : 19 : Full-directivity IMEI : #36 Powersetting : 16 : -4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12928.00</td> <td>45.31</td> <td>-42.99</td> <td>88.30</td> <td>51.49</td> <td>39.35</td> <td>16.00</td> <td>61.53</td> <td>180</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	12928.00	45.31	-42.99	88.30	51.49	39.35	16.00	61.53	180	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	12928.00	44.87	-43.43	88.30	51.05	39.35	16.00	61.53	300	0	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	12928.00	45.31	-42.99	88.30	51.49	39.35	16.00	61.53	180	0	Peak																																																									



UNII-6-7 - 6425-6875 MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	UNII-6-7 - 6425-6875 MHz Harmonic @ 3m																																																											
ANT	802.11be EHT40 Full CH115 6525MHz																																																											
17+18	Horizontal	Vertical																																																										
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : IS9 Plane : Y IMEI : Full-directivity PowerSetting : 17 Power : -8.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13048.00</td> <td>44.82</td> <td>-44.28</td> <td>88.30</td> <td>50.17</td> <td>39.35</td> <td>16.87</td> <td>61.57</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg	1	13048.00	44.82	-44.28	88.30	50.17	39.35	16.87	61.57	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : IS9 Plane : Y IMEI : Full-directivity PowerSetting : 17 Power : -8.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13048.00</td> <td>44.86</td> <td>-43.44</td> <td>88.30</td> <td>51.01</td> <td>39.35</td> <td>16.87</td> <td>61.57</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg	1	13048.00	44.86	-43.44	88.30	51.01	39.35	16.87	61.57	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg																																																				
1	13048.00	44.82	-44.28	88.30	50.17	39.35	16.87	61.57	300	0	Peak																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg																																																				
1	13048.00	44.86	-43.44	88.30	51.01	39.35	16.87	61.57	100	0	Peak																																																	



UNII-6-7 - 6425-6875 MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	UNII-6-7 - 6425-6875 MHz Harmonic @ 3m																																																													
ANT	802.11be EHT80 Full CH119 6545MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 60 Plane : Y Plane : Full-directivity IMEI : #36 PowerSetting : 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13088.00</td> <td>44.72</td> <td>-43.58</td> <td>88.30</td> <td>58.90</td> <td>39.31</td> <td>16.09</td> <td>61.58</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13088.00	44.72	-43.58	88.30	58.90	39.31	16.09	61.58	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 60 Plane : Y Plane : Full-directivity IMEI : #36 PowerSetting : 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13088.00</td> <td>45.06</td> <td>-43.24</td> <td>88.30</td> <td>51.24</td> <td>39.31</td> <td>16.09</td> <td>61.58</td> <td>180</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13088.00	45.06	-43.24	88.30	51.24	39.31	16.09	61.58	180	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13088.00	44.72	-43.58	88.30	58.90	39.31	16.09	61.58	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13088.00	45.06	-43.24	88.30	51.24	39.31	16.09	61.58	180	0 Peak																																																					



UNII-6-7 - 6425-6875 MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	UNII-6-7 - 6425-6875 MHz Harmonic @ 3m																																																													
ANT	802.11be EHT160 Full CH111 6505MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 61 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13008.00</td> <td>45.21</td> <td>-43.09</td> <td>88.30</td> <td>51.30</td> <td>39.40</td> <td>16.05</td> <td>61.54</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13008.00	45.21	-43.09	88.30	51.30	39.40	16.05	61.54	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 61 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13008.00</td> <td>45.70</td> <td>-42.68</td> <td>88.30</td> <td>51.79</td> <td>39.40</td> <td>16.05</td> <td>61.54</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13008.00	45.70	-42.68	88.30	51.79	39.40	16.05	61.54	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13008.00	45.21	-43.09	88.30	51.30	39.40	16.05	61.54	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13008.00	45.70	-42.68	88.30	51.79	39.40	16.05	61.54	100	0 Peak																																																					
	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 61 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13008.00</td> <td>45.21</td> <td>-43.09</td> <td>88.30</td> <td>51.30</td> <td>39.40</td> <td>16.05</td> <td>61.54</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13008.00	45.21	-43.09	88.30	51.30	39.40	16.05	61.54	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 61 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13008.00</td> <td>45.70</td> <td>-42.68</td> <td>88.30</td> <td>51.79</td> <td>39.40</td> <td>16.05</td> <td>61.54</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13008.00	45.70	-42.68	88.30	51.79	39.40	16.05	61.54	100	0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13008.00	45.21	-43.09	88.30	51.30	39.40	16.05	61.54	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13008.00	45.70	-42.68	88.30	51.79	39.40	16.05	61.54	100	0 Peak																																																					



UNII-6-7 - 6425-6875 MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI	UNII-6-7 - 6425-6875 MHz Harmonic @ 3m																																																													
ANT	802.11be EHT320 Full CH127 6585MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 63 Plane : 19 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13168.00</td> <td>43.85</td> <td>-44.45</td> <td>88.30</td> <td>50.11</td> <td>39.23</td> <td>16.13</td> <td>61.62</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13168.00	43.85	-44.45	88.30	50.11	39.23	16.13	61.62	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 63 Plane : 19 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13168.00</td> <td>44.01</td> <td>-44.29</td> <td>88.30</td> <td>50.27</td> <td>39.23</td> <td>16.13</td> <td>61.62</td> <td>180</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13168.00	44.01	-44.29	88.30	50.27	39.23	16.13	61.62	180	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13168.00	43.85	-44.45	88.30	50.11	39.23	16.13	61.62	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13168.00	44.01	-44.29	88.30	50.27	39.23	16.13	61.62	180	0 Peak																																																					



U-NII 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																															
ANT	802.11a CH117 6535MHz																																																															
17+18	Horizontal	Vertical																																																														
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 7 Plane : Y IMET : Full-directivity PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13672.00</td> <td>44.97</td> <td>-43.33</td> <td>88.30</td> <td>51.14</td> <td>39.33</td> <td>16.00</td> <td>61.58</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	13672.00	44.97	-43.33	88.30	51.14	39.33	16.00	61.58	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 7 Plane : Y IMET : Full-directivity PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13672.00</td> <td>44.92</td> <td>-43.38</td> <td>88.30</td> <td>51.09</td> <td>39.33</td> <td>16.00</td> <td>61.58</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	13672.00	44.92	-43.38	88.30	51.09	39.33	16.00	61.58	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	13672.00	44.97	-43.33	88.30	51.14	39.33	16.00	61.58	300	0 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	13672.00	44.92	-43.38	88.30	51.09	39.33	16.00	61.58	100	0 Peak																																																						



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																			
ANT	802.11a CH149 6695MHz																																																																			
17+18	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : IS Plane : Y IMEI : Full-directivity Powersetting : #26 Powersetting : IS</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13392.00</td> <td>44.29</td> <td>-29.71</td> <td>74.00</td> <td>50.79</td> <td>39.00</td> <td>16.23 61.73 300</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	13392.00	44.29	-29.71	74.00	50.79	39.00	16.23 61.73 300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : IS Plane : Y IMEI : Full-directivity Powersetting : #26 Powersetting : IS</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13392.00</td> <td>43.67</td> <td>-30.33</td> <td>74.00</td> <td>50.17</td> <td>39.00</td> <td>16.23 61.73 100</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	13392.00	43.67	-30.33	74.00	50.17	39.00	16.23 61.73 100	0 Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																													
1	13392.00	44.29	-29.71	74.00	50.79	39.00	16.23 61.73 300	0 Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																													
1	13392.00	43.67	-30.33	74.00	50.17	39.00	16.23 61.73 100	0 Peak																																																												





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																											
ANT	802.11a CH181 6855MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 19 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13712.00</td> <td>45.52</td> <td>-42.78</td> <td>88.30</td> <td>52.01</td> <td>38.86</td> <td>16.38</td> <td>61.73</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13712.00	45.52	-42.78	88.30	52.01	38.86	16.38	61.73	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 19 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13712.00</td> <td>44.61</td> <td>-43.69</td> <td>88.30</td> <td>51.10</td> <td>38.86</td> <td>16.38</td> <td>61.73</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13712.00	44.61	-43.69	88.30	51.10	38.86	16.38	61.73	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	13712.00	45.52	-42.78	88.30	52.01	38.86	16.38	61.73	300	0	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	13712.00	44.61	-43.69	88.30	51.10	38.86	16.38	61.73	100	0	Peak																																																																	





**U-NII 7 6525~6875MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)**

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11be EHT20 Full CH117 6535MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 19 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13072.00</td> <td>45.41</td> <td>-42.89</td> <td>88.30</td> <td>51.58</td> <td>39.33</td> <td>16.08</td> <td>61.58</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13072.00	45.41	-42.89	88.30	51.58	39.33	16.08	61.58	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 19 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13072.00</td> <td>45.07</td> <td>-43.23</td> <td>88.30</td> <td>51.24</td> <td>39.33</td> <td>16.08</td> <td>61.58</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13072.00	45.07	-43.23	88.30	51.24	39.33	16.08	61.58	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13072.00	45.41	-42.89	88.30	51.58	39.33	16.08	61.58	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13072.00	45.07	-43.23	88.30	51.24	39.33	16.08	61.58	100	0 Peak																																																					



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																											
ANT	802.11be EHT20 Full CH149 6695MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 20 Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13392.00</td> <td>43.95</td> <td>-38.85</td> <td>74.00</td> <td>58.45</td> <td>39.00</td> <td>16.23</td> <td>61.73</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13392.00	43.95	-38.85	74.00	58.45	39.00	16.23	61.73	300	0	Peak	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 20 Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13392.00</td> <td>43.81</td> <td>-38.19</td> <td>74.00</td> <td>58.31</td> <td>39.00</td> <td>16.23</td> <td>61.73</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13392.00	43.81	-38.19	74.00	58.31	39.00	16.23	61.73	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	13392.00	43.95	-38.85	74.00	58.45	39.00	16.23	61.73	300	0	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	13392.00	43.81	-38.19	74.00	58.31	39.00	16.23	61.73	100	0	Peak																																																																	



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11be EHT20 Full CH181 6855MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	 <p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : CI Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13712.00</td> <td>44.20</td> <td>-44.10</td> <td>88.30</td> <td>58.69</td> <td>38.86</td> <td>16.38</td> <td>61.73</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 13712.00	44.20	-44.10	88.30	58.69	38.86	16.38	61.73	300	0 Peak	 <p>No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : CI Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13712.00</td> <td>44.60</td> <td>-43.70</td> <td>88.30</td> <td>51.09</td> <td>38.86</td> <td>16.38</td> <td>61.73</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 13712.00	44.60	-43.70	88.30	51.09	38.86	16.38	61.73	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 13712.00	44.20	-44.10	88.30	58.69	38.86	16.38	61.73	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 13712.00	44.60	-43.70	88.30	51.09	38.86	16.38	61.73	100	0 Peak																																																					





**U-NII 7 6525~6875MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)**

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11be EHT40 Full CH123 6565MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 30 Plane : 19 Powersetting : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13128.00</td> <td>45.12</td> <td>-43.18</td> <td>88.30</td> <td>51.33</td> <td>39.28</td> <td>16.11</td> <td>61.60</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 13128.00	45.12	-43.18	88.30	51.33	39.28	16.11	61.60	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 30 Plane : 19 Powersetting : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 13128.00</td> <td>44.60</td> <td>-43.70</td> <td>88.30</td> <td>50.81</td> <td>39.28</td> <td>16.11</td> <td>61.60</td> <td>180</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 13128.00	44.60	-43.70	88.30	50.81	39.28	16.11	61.60	180	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 13128.00	45.12	-43.18	88.30	51.33	39.28	16.11	61.60	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1 13128.00	44.60	-43.70	88.30	50.81	39.28	16.11	61.60	180	0 Peak																																																					



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																													
ANT	802.11be EHT40 Full CH147 6685MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 31 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : 17 Powersetting : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13368.00</td> <td>44.24</td> <td>-29.76</td> <td>74.00</td> <td>50.71</td> <td>39.02</td> <td>16.23</td> <td>61.72</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13368.00	44.24	-29.76	74.00	50.71	39.02	16.23	61.72	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 31 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : 17 Powersetting : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13368.00</td> <td>44.71</td> <td>-29.29</td> <td>74.00</td> <td>51.18</td> <td>39.02</td> <td>16.23</td> <td>61.72</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 13368.00	44.71	-29.29	74.00	51.18	39.02	16.23	61.72	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13368.00	44.24	-29.76	74.00	50.71	39.02	16.23	61.72	300	0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13368.00	44.71	-29.29	74.00	51.18	39.02	16.23	61.72	100	0 Peak																																																					



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																											
ANT	802.11be EHT40 Full CH179 6845MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : S2 Plane : Y Full-directivity IMEI : #536 Powersetting : I7 -8.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13688.00</td> <td>44.21</td> <td>-44.09</td> <td>88.30</td> <td>50.72</td> <td>38.86</td> <td>16.37</td> <td>61.74</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13688.00	44.21	-44.09	88.30	50.72	38.86	16.37	61.74	300	0 Peak	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : S2 Plane : Y Full-directivity IMEI : #536 Powersetting : I7 -8.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13688.00</td> <td>45.47</td> <td>-42.83</td> <td>88.30</td> <td>51.98</td> <td>38.86</td> <td>16.37</td> <td>61.74</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13688.00	45.47	-42.83	88.30	51.98	38.86	16.37	61.74	100	0 Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	13688.00	44.21	-44.09	88.30	50.72	38.86	16.37	61.74	300	0 Peak																																																																		
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	13688.00	45.47	-42.83	88.30	51.98	38.86	16.37	61.74	100	0 Peak																																																																		



U-NII 7 6525~6875MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																															
ANT	802.11be EHT80 Full CH135 6625MHz																																																															
17+18	Horizontal	Vertical																																																														
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 40 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13248.00</td> <td>44.38</td> <td>-43.92</td> <td>88.30</td> <td>50.72</td> <td>39.16</td> <td>16.16</td> <td>61.66</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13248.00	44.38	-43.92	88.30	50.72	39.16	16.16	61.66	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 40 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13248.00</td> <td>44.74</td> <td>-43.56</td> <td>88.30</td> <td>51.08</td> <td>39.16</td> <td>16.16</td> <td>61.66</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13248.00	44.74	-43.56	88.30	51.08	39.16	16.16	61.66	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13248.00	44.38	-43.92	88.30	50.72	39.16	16.16	61.66	300	0 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13248.00	44.74	-43.56	88.30	51.08	39.16	16.16	61.66	100	0 Peak																																																						



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																							
ANT	802.11be EHT80 Full CH151 6705MHz																																																							
17+18	Horizontal	Vertical																																																						
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 41 Plane : Y IMET : Full-directivity Powersetting : I6 Powersetting : -4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13488.00</td> <td>44.68</td> <td>-43.62</td> <td>88.30</td> <td>51.19</td> <td>38.99</td> <td>16.24</td> <td>61.74</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 13488.00	44.68	-43.62	88.30	51.19	38.99	16.24	61.74	300 0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 41 Plane : Y IMET : Full-directivity Powersetting : I6 Powersetting : -4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13488.00</td> <td>43.91</td> <td>-44.39</td> <td>88.30</td> <td>50.42</td> <td>38.99</td> <td>16.24</td> <td>61.74</td> <td>100 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 13488.00	43.91	-44.39	88.30	50.42	38.99	16.24	61.74	100 0 Peak
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 13488.00	44.68	-43.62	88.30	51.19	38.99	16.24	61.74	300 0 Peak																																																
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 13488.00	43.91	-44.39	88.30	50.42	38.99	16.24	61.74	100 0 Peak																																																



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																							
ANT	802.11be EHT80 Full CH167 6785MHz																																																																							
17+18	Horizontal	Vertical																																																																						
Peak Avg.	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 42 Plane : Y Plane : Full-directivity IMEI : #536 Powersetting : I6 Powersetting : -4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBu/m</th> <th>dB</th> <th>dBu/m</th> <th>dBu/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13568.00</td> <td>44.93</td> <td>-43.37</td> <td>88.30</td> <td>51.50</td> <td>38.89</td> <td>16.31</td> <td>61.77</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor		MHz	dBu/m	dB	dBu/m	dBu/m	dB	dB	cm	deg		1	13568.00	44.93	-43.37	88.30	51.50	38.89	16.31	61.77	300	0 Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 42 Plane : Y Plane : Full-directivity IMEI : #536 Powersetting : I6 Powersetting : -4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBu/m</th> <th>dB</th> <th>dBu/m</th> <th>dBu/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13568.00</td> <td>44.46</td> <td>-43.84</td> <td>88.30</td> <td>51.03</td> <td>38.89</td> <td>16.31</td> <td>61.77</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor		MHz	dBu/m	dB	dBu/m	dBu/m	dB	dB	cm	deg		1	13568.00	44.46	-43.84	88.30	51.03	38.89	16.31	61.77	100	0 Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																	
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																			
MHz	dBu/m	dB	dBu/m	dBu/m	dB	dB	cm	deg																																																																
1	13568.00	44.93	-43.37	88.30	51.50	38.89	16.31	61.77	300	0 Peak																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																			
MHz	dBu/m	dB	dBu/m	dBu/m	dB	dB	cm	deg																																																																
1	13568.00	44.46	-43.84	88.30	51.03	38.89	16.31	61.77	100	0 Peak																																																														



**U-NII 7 6525~6875MHz
WIFI 802.11be EHT160 Full (Harmonic @ 3m)**

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																							
ANT	802.11be EHT160 Full CH143 6665MHz																																																							
17+18	Horizontal	Vertical																																																						
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 48 Plane : 19 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13328.00</td> <td>43.97</td> <td>-38.83</td> <td>74.80</td> <td>58.48</td> <td>39.87</td> <td>16.20</td> <td>61.70</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 13328.00	43.97	-38.83	74.80	58.48	39.87	16.20	61.70	300 0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 48 Plane : 19 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13328.00</td> <td>44.97</td> <td>-29.83</td> <td>74.80</td> <td>51.48</td> <td>39.87</td> <td>16.20</td> <td>61.70</td> <td>180 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 13328.00	44.97	-29.83	74.80	51.48	39.87	16.20	61.70	180 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 13328.00	43.97	-38.83	74.80	58.48	39.87	16.20	61.70	300 0 Peak																																																
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 13328.00	44.97	-29.83	74.80	51.48	39.87	16.20	61.70	180 0 Peak																																																
	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 48 Plane : 19 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13328.00</td> <td>43.97</td> <td>-38.83</td> <td>74.80</td> <td>58.48</td> <td>39.87</td> <td>16.20</td> <td>61.70</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 13328.00	43.97	-38.83	74.80	58.48	39.87	16.20	61.70	300 0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 48 Plane : 19 Powersetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13328.00</td> <td>44.97</td> <td>-29.83</td> <td>74.80</td> <td>51.48</td> <td>39.87</td> <td>16.20</td> <td>61.70</td> <td>180 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 13328.00	44.97	-29.83	74.80	51.48	39.87	16.20	61.70	180 0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 13328.00	43.97	-38.83	74.80	58.48	39.87	16.20	61.70	300 0 Peak																																																
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 13328.00	44.97	-29.83	74.80	51.48	39.87	16.20	61.70	180 0 Peak																																																



UNII-7-8 6525-7125MHz

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																					
ANT	802.11be EHT320 Full CH191 6905MHz																																																					
17+18	Horizontal	Fundamental																																																				
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 58 Plane : Y IMEI : #36 PowerSetting : I2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7217.00</td> <td>68.28</td> <td>-28.82</td> <td>88.30</td> <td>45.77</td> <td>35.70</td> <td>11.66</td> <td>32.85</td> <td>100</td> <td>52</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7217.00	68.28	-28.82	88.30	45.77	35.70	11.66	32.85	100	52	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 58 Plane : Y IMEI : #36 PowerSetting : I2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6850.00</td> <td>94.70</td> <td>6.48</td> <td>88.30</td> <td>80.39</td> <td>35.68</td> <td>11.36</td> <td>32.65</td> <td>100</td> <td>52</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	6850.00	94.70	6.48	88.30	80.39	35.68	11.36	32.65	100	52	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7217.00	68.28	-28.82	88.30	45.77	35.70	11.66	32.85	100	52	Peak																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	6850.00	94.70	6.48	88.30	80.39	35.68	11.36	32.65	100	52	Peak																																											
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 58 Plane : Y IMEI : #36 PowerSetting : I2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7131.50</td> <td>48.84</td> <td>-19.46</td> <td>68.30</td> <td>34.33</td> <td>35.70</td> <td>11.68</td> <td>32.79</td> <td>100</td> <td>52</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7131.50	48.84	-19.46	68.30	34.33	35.70	11.68	32.79	100	52	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 58 Plane : Y IMEI : #36 PowerSetting : I2</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6796.00</td> <td>84.71</td> <td>16.41</td> <td>68.30</td> <td>70.42</td> <td>35.68</td> <td>11.31</td> <td>32.62</td> <td>100</td> <td>52</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	6796.00	84.71	16.41	68.30	70.42	35.68	11.31	32.62	100	52	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7131.50	48.84	-19.46	68.30	34.33	35.70	11.68	32.79	100	52	Average																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	6796.00	84.71	16.41	68.30	70.42	35.68	11.31	32.62	100	52	Average																																											



WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																													
ANT	802.11be EHT320 Full CH191 6905MHZ																																																													
17+18	Vertical	Fundamental																																																												
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #58 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7121.00</td> <td>56.11</td> <td>-32.19</td> <td>88.30</td> <td>41.61</td> <td>35.70</td> <td>11.65</td> <td>32.85</td> <td>100 @ Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	7121.00	56.11	-32.19	88.30	41.61	35.70	11.65	32.85	100 @ Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #58 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6778.00</td> <td>92.60</td> <td>4.30</td> <td>88.30</td> <td>78.33</td> <td>35.60</td> <td>11.29</td> <td>32.62</td> <td>100 @ Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	6778.00	92.60	4.30	88.30	78.33	35.60	11.29	32.62	100 @ Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	7121.00	56.11	-32.19	88.30	41.61	35.70	11.65	32.85	100 @ Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	6778.00	92.60	4.30	88.30	78.33	35.60	11.29	32.62	100 @ Peak																																																					
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #58 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7121.50</td> <td>45.87</td> <td>-22.43</td> <td>68.30</td> <td>31.37</td> <td>35.70</td> <td>11.65</td> <td>32.85</td> <td>100 @ Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	7121.50	45.87	-22.43	68.30	31.37	35.70	11.65	32.85	100 @ Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #58 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6768.00</td> <td>84.42</td> <td>16.12</td> <td>68.30</td> <td>70.16</td> <td>35.60</td> <td>11.27</td> <td>32.61</td> <td>100 @ Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	6768.00	84.42	16.12	68.30	70.16	35.60	11.27	32.61	100 @ Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	7121.50	45.87	-22.43	68.30	31.37	35.70	11.65	32.85	100 @ Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	6768.00	84.42	16.12	68.30	70.16	35.60	11.27	32.61	100 @ Average																																																					



UNII-7-8 6525-7125MHz

WIFI 802.11be EHT320 Puncturing 80M+40M_ 8 (Band Edge @ 3m)

WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT320 Puncturing 80M+40M_ 8 CH191 6905MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 75 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.00</td> <td>57.00</td> <td>-31.30</td> <td>88.30</td> <td>42.49</td> <td>35.70</td> <td>11.60</td> <td>32.79</td> <td>180</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB		1	7129.00	57.00	-31.30	88.30	42.49	35.70	11.60	32.79	180	49	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 75 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6976.00</td> <td>94.24</td> <td>5.94</td> <td>88.30</td> <td>79.79</td> <td>35.68</td> <td>11.47</td> <td>32.70</td> <td>180</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB		1	6976.00	94.24	5.94	88.30	79.79	35.68	11.47	32.70	180	49	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB																																																															
1	7129.00	57.00	-31.30	88.30	42.49	35.70	11.60	32.79	180	49	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB																																																															
1	6976.00	94.24	5.94	88.30	79.79	35.68	11.47	32.70	180	49	Peak																																																									
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 75 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.00</td> <td>46.48</td> <td>-21.82</td> <td>68.30</td> <td>31.98</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>180</td> <td>49</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB		1	7133.00	46.48	-21.82	68.30	31.98	35.70	11.60	32.80	180	49	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 75 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6832.00</td> <td>84.38</td> <td>16.08</td> <td>68.30</td> <td>70.09</td> <td>35.60</td> <td>11.34</td> <td>32.65</td> <td>180</td> <td>49</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB	dB		1	6832.00	84.38	16.08	68.30	70.09	35.60	11.34	32.65	180	49	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB																																																															
1	7133.00	46.48	-21.82	68.30	31.98	35.70	11.60	32.80	180	49	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB																																																															
1	6832.00	84.38	16.08	68.30	70.09	35.60	11.34	32.65	180	49	Average																																																									







WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																													
ANT	802.11be EHT320 Puncturing 80M+40M_ ③ CH191 6905MHz																																																													
17+18	Vertical	Fundamental																																																												
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 75 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7193.50</td> <td>55.47</td> <td>-32.83</td> <td>88.30</td> <td>40.96</td> <td>35.70</td> <td>11.64</td> <td>32.83</td> <td>100 357 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	7193.50	55.47	-32.83	88.30	40.96	35.70	11.64	32.83	100 357 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 75 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6859.00</td> <td>93.07</td> <td>4.77</td> <td>88.30</td> <td>78.76</td> <td>35.60</td> <td>11.37</td> <td>32.66</td> <td>100 357 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	6859.00	93.07	4.77	88.30	78.76	35.60	11.37	32.66	100 357 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	7193.50	55.47	-32.83	88.30	40.96	35.70	11.64	32.83	100 357 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	6859.00	93.07	4.77	88.30	78.76	35.60	11.37	32.66	100 357 Peak																																																					
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 75 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7145.00</td> <td>45.36</td> <td>-22.94</td> <td>68.30</td> <td>30.86</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>100 357 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	7145.00	45.36	-22.94	68.30	30.86	35.70	11.60	32.80	100 357 Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 75 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6859.00</td> <td>84.14</td> <td>15.84</td> <td>68.30</td> <td>69.83</td> <td>35.60</td> <td>11.37</td> <td>32.66</td> <td>100 357 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	6859.00	84.14	15.84	68.30	69.83	35.60	11.37	32.66	100 357 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	7145.00	45.36	-22.94	68.30	30.86	35.70	11.60	32.80	100 357 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	6859.00	84.14	15.84	68.30	69.83	35.60	11.37	32.66	100 357 Average																																																					



UNII-7-8 6525-7125MHz

WIFI 802.11be EHT320 Puncturing 80M_③ (Band Edge @ 3m)

WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT320 Puncturing 80M_③ CH191 6905MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 76 Plane : Y IMEI : #36 Powersetting : 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.58</td> <td>58.40</td> <td>-29.90</td> <td>88.30</td> <td>43.90</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>180</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	1	7133.58	58.40	-29.90	88.30	43.90	35.70	11.60	32.80	180	56	Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 76 Plane : Y IMEI : #36 Powersetting : 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6832.00</td> <td>93.75</td> <td>5.45</td> <td>88.30</td> <td>79.46</td> <td>35.68</td> <td>11.34</td> <td>32.65</td> <td>180</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	1	6832.00	93.75	5.45	88.30	79.46	35.68	11.34	32.65	180	56	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm																																																														
1	7133.58	58.40	-29.90	88.30	43.90	35.70	11.60	32.80	180	56	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm																																																														
1	6832.00	93.75	5.45	88.30	79.46	35.68	11.34	32.65	180	56	Peak																																																									
Avg.	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 76 Plane : Y IMEI : #36 Powersetting : 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.00</td> <td>47.12</td> <td>-21.18</td> <td>68.30</td> <td>32.62</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>180</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	1	7134.00	47.12	-21.18	68.30	32.62	35.70	11.60	32.80	180	56	Average	 <p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 76 Plane : Y IMEI : #36 Powersetting : 11</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6814.00</td> <td>84.12</td> <td>15.82</td> <td>68.30</td> <td>69.82</td> <td>35.68</td> <td>11.33</td> <td>32.63</td> <td>180</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	1	6814.00	84.12	15.82	68.30	69.82	35.68	11.33	32.63	180	56	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm																																																														
1	7134.00	47.12	-21.18	68.30	32.62	35.70	11.60	32.80	180	56	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level	Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm																																																														
1	6814.00	84.12	15.82	68.30	69.82	35.68	11.33	32.63	180	56	Average																																																									



WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																					
ANT	802.11be EHT320 Puncturing 80M_③ CH191 6905MHz																																																					
17+18	Vertical	Fundamental																																																				
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 76 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7131.00</td> <td>58.35</td> <td>-29.95</td> <td>88.30</td> <td>43.84</td> <td>35.70</td> <td>11.60</td> <td>32.79</td> <td>109</td> <td>1</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7131.00	58.35	-29.95	88.30	43.84	35.70	11.60	32.79	109	1	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 76 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6796.00</td> <td>94.56</td> <td>6.26</td> <td>88.30</td> <td>80.27</td> <td>35.60</td> <td>11.31</td> <td>32.62</td> <td>109</td> <td>1</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	6796.00	94.56	6.26	88.30	80.27	35.60	11.31	32.62	109	1	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7131.00	58.35	-29.95	88.30	43.84	35.70	11.60	32.79	109	1	Peak																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	6796.00	94.56	6.26	88.30	80.27	35.60	11.31	32.62	109	1	Peak																																											
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 76 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.00</td> <td>45.78</td> <td>-22.52</td> <td>68.30</td> <td>31.29</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>109</td> <td>1</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7127.00	45.78	-22.52	68.30	31.29	35.70	11.58	32.79	109	1	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 76 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6796.00</td> <td>84.55</td> <td>16.25</td> <td>68.30</td> <td>70.26</td> <td>35.60</td> <td>11.31</td> <td>32.62</td> <td>109</td> <td>1</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	6796.00	84.55	16.25	68.30	70.26	35.60	11.31	32.62	109	1	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7127.00	45.78	-22.52	68.30	31.29	35.70	11.58	32.79	109	1	Average																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	6796.00	84.55	16.25	68.30	70.26	35.60	11.31	32.62	109	1	Average																																											



UNII-7-8 6525-7125MHz

WIFI 802.11be EHT320 Puncturing 40M_1 (Band Edge @ 3m)

WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT320 Puncturing 40M_1 CH191 6905MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 79 Plane : Y Powersetting : 115</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7192.50</td> <td>68.00</td> <td>-28.30</td> <td>88.30</td> <td>45.49</td> <td>35.70</td> <td>11.64</td> <td>32.83</td> <td>173</td> <td>52</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	1	7192.50	68.00	-28.30	88.30	45.49	35.70	11.64	32.83	173	52	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 79 Plane : Y Powersetting : 115</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7057.00</td> <td>93.86</td> <td>4.76</td> <td>88.30</td> <td>78.59</td> <td>35.78</td> <td>11.53</td> <td>32.76</td> <td>173</td> <td>52</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	1	7057.00	93.86	4.76	88.30	78.59	35.78	11.53	32.76	173	52	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB																																																														
1	7192.50	68.00	-28.30	88.30	45.49	35.70	11.64	32.83	173	52	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB																																																														
1	7057.00	93.86	4.76	88.30	78.59	35.78	11.53	32.76	173	52	Peak																																																									
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 79 Plane : Y Powersetting : 115</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.00</td> <td>48.16</td> <td>-20.14</td> <td>68.30</td> <td>33.66</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>173</td> <td>52</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	1	7134.00	48.16	-20.14	68.30	33.66	35.70	11.60	32.80	173	52	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 79 Plane : Y Powersetting : 115</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6877.00</td> <td>84.38</td> <td>16.08</td> <td>68.30</td> <td>70.05</td> <td>35.60</td> <td>11.39</td> <td>32.66</td> <td>173</td> <td>52</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	1	6877.00	84.38	16.08	68.30	70.05	35.60	11.39	32.66	173	52	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB																																																														
1	7134.00	48.16	-20.14	68.30	33.66	35.70	11.60	32.80	173	52	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB																																																														
1	6877.00	84.38	16.08	68.30	70.05	35.60	11.39	32.66	173	52	Average																																																									



WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT320 Puncturing 40M_① CH191 6905MHz																																																																			
17+18	Vertical	Fundamental																																																																		
Peak	<p>SPORON LAB. No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 79 Plane : Y IMET : Full-directivity Powersetting : #36 : 11.5 : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <td></td> <td></td> <td></td> <td>dB</td> <td>dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>cm</td> <td>deg</td> <td></td> </tr> </thead> <tbody> <tr> <td>1</td> <td>7172.00</td> <td>55.90</td> <td>-32.32</td> <td>88.30</td> <td>41.48</td> <td>35.70</td> <td>11.62</td> <td>32.82</td> <td>108</td> <td>3 Peak</td> </tr> </tbody> </table>	1	Freq MHz	Level dBuV/m	Over Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark				dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	7172.00	55.90	-32.32	88.30	41.48	35.70	11.62	32.82	108	3 Peak	<p>SPORON LAB. No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 79 Plane : Y IMET : Full-directivity Powersetting : #36 : 11.5 : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <td></td> <td></td> <td></td> <td>dB</td> <td>dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>cm</td> <td>deg</td> <td></td> </tr> </thead> <tbody> <tr> <td>1</td> <td>6823.00</td> <td>95.46</td> <td>7.16</td> <td>88.30</td> <td>81.15</td> <td>35.60</td> <td>11.34</td> <td>32.63</td> <td>108</td> <td>3 Peak</td> </tr> </tbody> </table>	1	Freq MHz	Level dBuV/m	Over Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark				dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	6823.00	95.46	7.16	88.30	81.15	35.60	11.34	32.63	108	3 Peak
1	Freq MHz	Level dBuV/m	Over Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																										
			dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																											
1	7172.00	55.90	-32.32	88.30	41.48	35.70	11.62	32.82	108	3 Peak																																																										
1	Freq MHz	Level dBuV/m	Over Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																										
			dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																											
1	6823.00	95.46	7.16	88.30	81.15	35.60	11.34	32.63	108	3 Peak																																																										
Avg.	<p>SPORON LAB. No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 79 Plane : Y IMET : Full-directivity Powersetting : #36 : 11.5 : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <td></td> <td></td> <td></td> <td>dB</td> <td>dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>cm</td> <td>deg</td> <td></td> </tr> </thead> <tbody> <tr> <td>1</td> <td>7147.00</td> <td>45.77</td> <td>-22.53</td> <td>68.30</td> <td>31.26</td> <td>35.70</td> <td>11.61</td> <td>32.80</td> <td>108</td> <td>3 Average</td> </tr> </tbody> </table>	1	Freq MHz	Level dBuV/m	Over Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark				dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	7147.00	45.77	-22.53	68.30	31.26	35.70	11.61	32.80	108	3 Average	<p>SPORON LAB. No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 79 Plane : Y IMET : Full-directivity Powersetting : #36 : 11.5 : 5.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <td></td> <td></td> <td></td> <td>dB</td> <td>dBuV/m</td> <td>dBuV</td> <td>dB/m</td> <td>dB</td> <td>cm</td> <td>deg</td> <td></td> </tr> </thead> <tbody> <tr> <td>1</td> <td>6796.00</td> <td>84.28</td> <td>15.98</td> <td>68.30</td> <td>69.99</td> <td>35.60</td> <td>11.31</td> <td>32.62</td> <td>108</td> <td>3 Average</td> </tr> </tbody> </table>	1	Freq MHz	Level dBuV/m	Over Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark				dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	6796.00	84.28	15.98	68.30	69.99	35.60	11.31	32.62	108	3 Average
1	Freq MHz	Level dBuV/m	Over Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																										
			dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																											
1	7147.00	45.77	-22.53	68.30	31.26	35.70	11.61	32.80	108	3 Average																																																										
1	Freq MHz	Level dBuV/m	Over Limit	Line	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark																																																										
			dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																											
1	6796.00	84.28	15.98	68.30	69.99	35.60	11.31	32.62	108	3 Average																																																										



UNII-7-8 6525-7125MHz

WIFI 802.11be EHT320 Large RU 996*2+484 _⑥(Band Edge @ 3m)

WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																																			
ANT	Large RU 996*2+484 _⑥ CH191 6905MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : B4 Plane : Y IMEI : #36 Powersetting : #8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7139.00</td> <td>55.38</td> <td>-32.92</td> <td>88.30</td> <td>48.88</td> <td>35.70</td> <td>11.68</td> <td>32.80</td> <td>180</td> <td>55</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	dB	cm	MHz	dBuV/m	dB	dB/m	dB	dB	deg	1	7139.00	55.38	-32.92	88.30	48.88	35.70	11.68	32.80	180	55	Peak	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : B4 Plane : Y IMEI : #36 Powersetting : #8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6904.00</td> <td>95.55</td> <td>7.25</td> <td>88.30</td> <td>81.23</td> <td>35.68</td> <td>11.40</td> <td>32.68</td> <td>180</td> <td>55</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	dB	cm	MHz	dBuV/m	dB	dB/m	dB	dB	deg	1	6904.00	95.55	7.25	88.30	81.23	35.68	11.40	32.68	180	55	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Level	Line	Level Factor	Loss Factor	dB	dB	cm																																																														
MHz	dBuV/m	dB	dB/m	dB	dB	deg																																																														
1	7139.00	55.38	-32.92	88.30	48.88	35.70	11.68	32.80	180	55	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	dB	cm																																																														
MHz	dBuV/m	dB	dB/m	dB	dB	deg																																																														
1	6904.00	95.55	7.25	88.30	81.23	35.68	11.40	32.68	180	55	Peak																																																									
Avg.	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : B4 Plane : Y IMEI : #36 Powersetting : #8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7162.00</td> <td>46.26</td> <td>-22.84</td> <td>68.30</td> <td>31.77</td> <td>35.70</td> <td>11.61</td> <td>32.82</td> <td>180</td> <td>55</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	dB	cm	MHz	dBuV/m	dB	dB/m	dB	dB	deg	1	7162.00	46.26	-22.84	68.30	31.77	35.70	11.61	32.82	180	55	Average	<p>No. 1898, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57989158 fax: +86-512-57989958 http://www.sporton.com.cn</p> <p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : B4 Plane : Y IMEI : #36 Powersetting : #8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6832.00</td> <td>84.17</td> <td>15.87</td> <td>68.30</td> <td>69.88</td> <td>35.68</td> <td>11.34</td> <td>32.65</td> <td>180</td> <td>55</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	dB	cm	MHz	dBuV/m	dB	dB/m	dB	dB	deg	1	6832.00	84.17	15.87	68.30	69.88	35.68	11.34	32.65	180	55	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Level	Line	Level Factor	Loss Factor	dB	dB	cm																																																														
MHz	dBuV/m	dB	dB/m	dB	dB	deg																																																														
1	7162.00	46.26	-22.84	68.30	31.77	35.70	11.61	32.82	180	55	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	dB	cm																																																														
MHz	dBuV/m	dB	dB/m	dB	dB	deg																																																														
1	6832.00	84.17	15.87	68.30	69.88	35.68	11.34	32.65	180	55	Average																																																									



WIFI	UNII-7-8 6525-7125MHz Band Edge @ 3m																																																															
ANT	Large RU 996*2+484 _⑥ CH191 6905MHz																																																															
17+18	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #4 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7266.00</td> <td>55.27</td> <td>-33.83</td> <td>88.30</td> <td>40.75</td> <td>35.70</td> <td>11.65</td> <td>32.83</td> <td>136</td> <td>2 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7266.00	55.27	-33.83	88.30	40.75	35.70	11.65	32.83	136	2 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #4 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6760.00</td> <td>93.05</td> <td>4.75</td> <td>88.30</td> <td>78.79</td> <td>35.60</td> <td>11.27</td> <td>32.61</td> <td>136</td> <td>2 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6760.00	93.05	4.75	88.30	78.79	35.60	11.27	32.61	136	2 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7266.00	55.27	-33.83	88.30	40.75	35.70	11.65	32.83	136	2 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	6760.00	93.05	4.75	88.30	78.79	35.60	11.27	32.61	136	2 Peak																																																						
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #4 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7178.50</td> <td>46.22</td> <td>-22.88</td> <td>68.30</td> <td>31.72</td> <td>35.70</td> <td>11.62</td> <td>32.82</td> <td>136</td> <td>2 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7178.50	46.22	-22.88	68.30	31.72	35.70	11.62	32.82	136	2 Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #4 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6760.00</td> <td>84.49</td> <td>16.19</td> <td>68.30</td> <td>70.23</td> <td>35.60</td> <td>11.27</td> <td>32.61</td> <td>136</td> <td>2 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6760.00	84.49	16.19	68.30	70.23	35.60	11.27	32.61	136	2 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7178.50	46.22	-22.88	68.30	31.72	35.70	11.62	32.82	136	2 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	6760.00	84.49	16.19	68.30	70.23	35.60	11.27	32.61	136	2 Average																																																						



UNII-7-8 6525-7125MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m																																																													
ANT	802.11a CH185 6875MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : IS2 Plane : Y IMEI : Full-directivity PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13752.00</td> <td>44.77</td> <td>-43.53</td> <td>88.30</td> <td>51.24</td> <td>38.85</td> <td>16.40</td> <td>61.72</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13752.00	44.77	-43.53	88.30	51.24	38.85	16.40	61.72	300 0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : IS2 Plane : Y IMEI : Full-directivity PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13752.00</td> <td>43.93</td> <td>-44.37</td> <td>88.30</td> <td>50.40</td> <td>38.85</td> <td>16.40</td> <td>61.72</td> <td>100 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13752.00	43.93	-44.37	88.30	50.40	38.85	16.40	61.72	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	13752.00	44.77	-43.53	88.30	51.24	38.85	16.40	61.72	300 0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	13752.00	43.93	-44.37	88.30	50.40	38.85	16.40	61.72	100 0 Peak																																																					