



**U-NII 7 – Straddle Channel  
WIFI 802.11be EHT20 Full (Harmonic @ 3m)**

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m																																																																					
ANT	802.11be EHT20 Full CH185 6875MHz																																																																					
17+18	Horizontal	Vertical																																																																				
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : S2 Plane : V Plane : Full-directivity IMEI : #36 PowerSetting : B PowerSetting : -12.75</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13752.00</td> <td>43.89</td> <td>-44.41</td> <td>88.30</td> <td>50.36</td> <td>38.85</td> <td>16.40</td> <td>61.72</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	13752.00	43.89	-44.41	88.30	50.36	38.85	16.40	61.72	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : S2 Plane : V Plane : Full-directivity IMEI : #36 PowerSetting : B PowerSetting : -12.75</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13752.00</td> <td>43.55</td> <td>-44.75</td> <td>88.30</td> <td>50.02</td> <td>38.85</td> <td>16.40</td> <td>61.72</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	13752.00	43.55	-44.75	88.30	50.02	38.85	16.40	61.72	100	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																															
1	13752.00	43.89	-44.41	88.30	50.36	38.85	16.40	61.72	300	0	Peak																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																															
1	13752.00	43.55	-44.75	88.30	50.02	38.85	16.40	61.72	100	0	Peak																																																											



**U-NII 7 – Straddle Channel  
WIFI 802.11be EHT40 Full (Harmonic @ 3m)**

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m																																																																																																																					
ANT	802.11be EHT40 Full CH187 6885MHz																																																																																																																					
17+18	Horizontal	Vertical																																																																																																																				
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 54 Plane : 19 Powersetting : -8.25</p> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>Powersetting</th> </tr> </thead> <tbody> <tr> <td>: 03CH06-KS</td> <td>: WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL</td> <td>: (FR)292001</td> <td>: 54</td> <td>: 19</td> <td>: Full-directivity</td> <td>: #36</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>: 17</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>: -8.25</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna Level</th> <th>Cable Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>43.71</td> <td>44.59</td> <td>88.30</td> <td>50.17</td> <td>38.85</td> <td>16.41</td> </tr> <tr> <td>61.72</td> <td></td> <td></td> <td>61.72</td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 Peak</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	Plane	IMEI	Powersetting	: 03CH06-KS	: WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL	: (FR)292001	: 54	: 19	: Full-directivity	: #36							: 17							: -8.25	Over Limit	ReadAntenna Level	Cable Preamp Loss	A/Pos	T/Pos	Remark	dB	dBuV/m	dB/m	dB	cm	deg	43.71	44.59	88.30	50.17	38.85	16.41	61.72			61.72		300						0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 54 Plane : 19 Powersetting : -8.25</p> <table border="1"> <thead> <tr> <th>Site</th> <th>Condition</th> <th>Project</th> <th>Mode</th> <th>Plane</th> <th>IMEI</th> <th>Powersetting</th> </tr> </thead> <tbody> <tr> <td>: 03CH06-KS</td> <td>: WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL</td> <td>: (FR)292001</td> <td>: 54</td> <td>: 19</td> <td>: Full-directivity</td> <td>: #36</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>: 17</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>: -8.25</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna Level</th> <th>Cable Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>43.55</td> <td>44.75</td> <td>88.30</td> <td>50.01</td> <td>38.85</td> <td>16.41</td> </tr> <tr> <td>61.72</td> <td></td> <td></td> <td>61.72</td> <td></td> <td>180</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 Peak</td> </tr> </tbody> </table>	Site	Condition	Project	Mode	Plane	IMEI	Powersetting	: 03CH06-KS	: WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL	: (FR)292001	: 54	: 19	: Full-directivity	: #36							: 17							: -8.25	Over Limit	ReadAntenna Level	Cable Preamp Loss	A/Pos	T/Pos	Remark	dB	dBuV/m	dB/m	dB	cm	deg	43.55	44.75	88.30	50.01	38.85	16.41	61.72			61.72		180						0 Peak
	Site	Condition	Project	Mode	Plane	IMEI	Powersetting																																																																																																															
: 03CH06-KS	: WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL	: (FR)292001	: 54	: 19	: Full-directivity	: #36																																																																																																																
						: 17																																																																																																																
						: -8.25																																																																																																																
Over Limit	ReadAntenna Level	Cable Preamp Loss	A/Pos	T/Pos	Remark																																																																																																																	
dB	dBuV/m	dB/m	dB	cm	deg																																																																																																																	
43.71	44.59	88.30	50.17	38.85	16.41																																																																																																																	
61.72			61.72		300																																																																																																																	
					0 Peak																																																																																																																	
Site	Condition	Project	Mode	Plane	IMEI	Powersetting																																																																																																																
: 03CH06-KS	: WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL	: (FR)292001	: 54	: 19	: Full-directivity	: #36																																																																																																																
						: 17																																																																																																																
						: -8.25																																																																																																																
Over Limit	ReadAntenna Level	Cable Preamp Loss	A/Pos	T/Pos	Remark																																																																																																																	
dB	dBuV/m	dB/m	dB	cm	deg																																																																																																																	
43.55	44.75	88.30	50.01	38.85	16.41																																																																																																																	
61.72			61.72		180																																																																																																																	
					0 Peak																																																																																																																	



**U-NII 7 - Straddle Channel**  
**WIFI 802.11be EHT80 Full (Harmonic @ 3m)**

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m																																																																			
ANT	802.11be EHT80 Full CH183 6865MHz																																																																			
17+18	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 55            Plane : 19            : Full-directivity            IMEI : #36            Powersetting : 16            : -4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13728.00</td> <td>44.38</td> <td>-43.92</td> <td>88.30</td> <td>58.86</td> <td>38.85</td> <td>16.39</td> <td>61.72</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	13728.00	44.38	-43.92	88.30	58.86	38.85	16.39	61.72	300	0	Peak	<p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL            Project : (FR)292001            Mode : 55            Plane : 19            : Full-directivity            IMEI : #36            Powersetting : 16            : -4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13728.00</td> <td>44.62</td> <td>-43.68</td> <td>88.30</td> <td>51.18</td> <td>38.85</td> <td>16.39</td> <td>61.72</td> <td>180</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	13728.00	44.62	-43.68	88.30	51.18	38.85	16.39	61.72	180	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	13728.00	44.38	-43.92	88.30	58.86	38.85	16.39	61.72	300	0	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	13728.00	44.62	-43.68	88.30	51.18	38.85	16.39	61.72	180	0	Peak																																																									



**U-NII 7 – Straddle Channel  
WIFI 802.11be EHT160 Full (Harmonic @ 3m)**

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m																																																													
ANT	802.11be EHT160 Full CH175 6825MHz																																																													
17+18	Horizontal	Vertical																																																												
<b>Peak</b> <b>Avg.</b>	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 56 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13648.00</td> <td>43.74</td> <td>-44.56</td> <td>88.30</td> <td>59.26</td> <td>38.87</td> <td>16.35</td> <td>61.74</td> <td>300 @ Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13648.00	43.74	-44.56	88.30	59.26	38.87	16.35	61.74	300 @ Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 56 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13648.00</td> <td>43.96</td> <td>-44.34</td> <td>88.30</td> <td>50.48</td> <td>38.87</td> <td>16.35</td> <td>61.74</td> <td>180 @ Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13648.00	43.96	-44.34	88.30	50.48	38.87	16.35	61.74	180 @ Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	13648.00	43.74	-44.56	88.30	59.26	38.87	16.35	61.74	300 @ Peak																																																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	13648.00	43.96	-44.34	88.30	50.48	38.87	16.35	61.74	180 @ Peak																																																					



**U-NII 7 – Straddle Channel  
WIFI 802.11be EHT320 Full (Harmonic @ 3m)**

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m																																																																									
ANT	802.11be EHT320 Full CH159 6745MHz																																																																									
17+18	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 57 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 12  : 6</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13488.00</td> <td>44.19</td> <td>-44.11</td> <td>88.30</td> <td>58.79</td> <td>38.90</td> <td>16.28</td> <td>61.78</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	13488.00	44.19	-44.11	88.30	58.79	38.90	16.28	61.78	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 57 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 12  : 6</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13488.00</td> <td>44.70</td> <td>-43.68</td> <td>88.30</td> <td>51.30</td> <td>38.90</td> <td>16.28</td> <td>61.78</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	13488.00	44.70	-43.68	88.30	51.30	38.90	16.28	61.78	100	0 Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																			
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																
1	13488.00	44.19	-44.11	88.30	58.79	38.90	16.28	61.78	300	0 Peak																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																				
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																
1	13488.00	44.70	-43.68	88.30	51.30	38.90	16.28	61.78	100	0 Peak																																																																



WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m																																																																									
ANT	802.11be EHT320 Full CH191 6905MHz																																																																									
17+18	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 03CH06-K5          Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL          Project : (FR)292001          Mode : IS          Plane : Y          : Full-directivity          IMET : #56          Powersetting : I2          : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13888.00</td> <td>43.29</td> <td>-45.01</td> <td>88.30</td> <td>49.74</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	13888.00	43.29	-45.01	88.30	49.74	38.84	16.42	61.71	300	0	Peak	<p>Site : 03CH06-K5          Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL          Project : (FR)292001          Mode : IS          Plane : Y          : Full-directivity          IMET : #56          Powersetting : I2          : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13888.00</td> <td>43.59</td> <td>-44.71</td> <td>88.30</td> <td>50.04</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	13888.00	43.59	-44.71	88.30	50.04	38.84	16.42	61.71	100	0	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	13888.00	43.29	-45.01	88.30	49.74	38.84	16.42	61.71	300	0	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																			
1	13888.00	43.59	-44.71	88.30	50.04	38.84	16.42	61.71	100	0	Peak																																																															



**U-NII 8 - 6875-7125MHzMHz**  
**WIFI 802.11a (Band Edge @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11a CH229 7095MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
<b>Peak</b>	<p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 12            Plane : Y            : Full-directivity            IMEI : #36            PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7214.92</td> <td>55.38</td> <td>-32.92</td> <td>88.30</td> <td>48.87</td> <td>35.70</td> <td>11.66</td> <td>32.85</td> <td>117</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7214.92	55.38	-32.92	88.30	48.87	35.70	11.66	32.85	117	49	Peak	<p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 12            Plane : Y            : Full-directivity            IMEI : #36            PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7182.00</td> <td>106.33</td> <td>18.03</td> <td>88.30</td> <td>91.83</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>117</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7182.00	106.33	18.03	88.30	91.83	35.70	11.57	32.77	117	49	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7214.92	55.38	-32.92	88.30	48.87	35.70	11.66	32.85	117	49	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7182.00	106.33	18.03	88.30	91.83	35.70	11.57	32.77	117	49	Peak																																																									
<b>Avg.</b>	<p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 12            Plane : Y            : Full-directivity            IMEI : #36            PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.16</td> <td>49.21</td> <td>-19.09</td> <td>68.30</td> <td>34.72</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>117</td> <td>49</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7125.16	49.21	-19.09	68.30	34.72	35.70	11.58	32.79	117	49	Average	<p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 12            Plane : Y            : Full-directivity            IMEI : #36            PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7182.00</td> <td>98.82</td> <td>30.52</td> <td>68.30</td> <td>84.32</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>117</td> <td>49</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7182.00	98.82	30.52	68.30	84.32	35.70	11.57	32.77	117	49	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7125.16	49.21	-19.09	68.30	34.72	35.70	11.58	32.79	117	49	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7182.00	98.82	30.52	68.30	84.32	35.70	11.57	32.77	117	49	Average																																																									







WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																					
ANT	802.11a CH229 7095MHz																																																					
17+18	Vertical	Fundamental																																																				
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7237.00</td> <td>54.70</td> <td>-33.60</td> <td>88.30</td> <td>40.20</td> <td>35.70</td> <td>11.66</td> <td>32.86</td> <td>300</td> <td>31</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7237.00	54.70	-33.60	88.30	40.20	35.70	11.66	32.86	300	31	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7093.00</td> <td>104.10</td> <td>15.80</td> <td>88.30</td> <td>89.61</td> <td>35.70</td> <td>11.56</td> <td>32.77</td> <td>300</td> <td>31</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7093.00	104.10	15.80	88.30	89.61	35.70	11.56	32.77	300	31	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7237.00	54.70	-33.60	88.30	40.20	35.70	11.66	32.86	300	31	Peak																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7093.00	104.10	15.80	88.30	89.61	35.70	11.56	32.77	300	31	Peak																																											
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.96</td> <td>48.22</td> <td>-20.88</td> <td>68.30</td> <td>33.73</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>300</td> <td>31</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7125.96	48.22	-20.88	68.30	33.73	35.70	11.58	32.79	300	31	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7084.00</td> <td>97.02</td> <td>28.72</td> <td>68.30</td> <td>82.53</td> <td>35.70</td> <td>11.56</td> <td>32.77</td> <td>300</td> <td>31</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7084.00	97.02	28.72	68.30	82.53	35.70	11.56	32.77	300	31	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7125.96	48.22	-20.88	68.30	33.73	35.70	11.58	32.79	300	31	Average																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7084.00	97.02	28.72	68.30	82.53	35.70	11.56	32.77	300	31	Average																																											





**U-NII 8 - 6875-7125MHzMHz**  
**WIFI 802.11be EHT20 Full (Band Edge @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT20 Full CH229 7095MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
<b>Peak</b>	 <p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 24            Plane : Y            IMEI : #36            Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.64</td> <td>56.33</td> <td>-31.97</td> <td>88.30</td> <td>41.84</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>128</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7125.64	56.33	-31.97	88.30	41.84	35.70	11.58	32.79	128	49	Peak	 <p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 24            Plane : Y            IMEI : #36            Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7192.00</td> <td>106.18</td> <td>17.88</td> <td>88.30</td> <td>91.68</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>128</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7192.00	106.18	17.88	88.30	91.68	35.70	11.57	32.77	128	49	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7125.64	56.33	-31.97	88.30	41.84	35.70	11.58	32.79	128	49	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7192.00	106.18	17.88	88.30	91.68	35.70	11.57	32.77	128	49	Peak																																																									
<b>Avg.</b>	 <p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 24            Plane : Y            IMEI : #36            Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>50.18</td> <td>-18.12</td> <td>68.30</td> <td>35.69</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>128</td> <td>49</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7125.00	50.18	-18.12	68.30	35.69	35.70	11.58	32.79	128	49	Average	 <p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 24            Plane : Y            IMEI : #36            Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7192.00</td> <td>97.83</td> <td>29.53</td> <td>68.30</td> <td>83.33</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>128</td> <td>49</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7192.00	97.83	29.53	68.30	83.33	35.70	11.57	32.77	128	49	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7125.00	50.18	-18.12	68.30	35.69	35.70	11.58	32.79	128	49	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7192.00	97.83	29.53	68.30	83.33	35.70	11.57	32.77	128	49	Average																																																									



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																					
ANT	802.11be EHT20 Full CH229 7095MHz																																																					
17+18	Vertical	Fundamental																																																				
<b>Peak</b>	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 24 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.12</td> <td>57.48</td> <td>-38.82</td> <td>88.30</td> <td>42.99</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>262</td> <td>34</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7125.12	57.48	-38.82	88.30	42.99	35.70	11.58	32.79	262	34	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 24 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7182.00</td> <td>103.66</td> <td>15.36</td> <td>88.30</td> <td>89.16</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>262</td> <td>34</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7182.00	103.66	15.36	88.30	89.16	35.70	11.57	32.77	262	34	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7125.12	57.48	-38.82	88.30	42.99	35.70	11.58	32.79	262	34	Peak																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7182.00	103.66	15.36	88.30	89.16	35.70	11.57	32.77	262	34	Peak																																											
<b>Avg.</b>	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 24 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>49.42</td> <td>-18.88</td> <td>68.30</td> <td>34.93</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>262</td> <td>34</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7125.00	49.42	-18.88	68.30	34.93	35.70	11.58	32.79	262	34	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 24 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7182.00</td> <td>95.76</td> <td>27.46</td> <td>68.30</td> <td>81.26</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>262</td> <td>34</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1	7182.00	95.76	27.46	68.30	81.26	35.70	11.57	32.77	262	34	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7125.00	49.42	-18.88	68.30	34.93	35.70	11.58	32.79	262	34	Average																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																
1	7182.00	95.76	27.46	68.30	81.26	35.70	11.57	32.77	262	34	Average																																											



U-NII 8 - 6875-7125MHz

WIFI 802.11be EHT20 Single Partial RU 52/40 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11be EHT20 Single partial RU 52/40 CH229 7095MHz																																																																														
17+18	Horizontal	Fundamental																																																																													
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 64 Plane : Y Plane : Full-directivity IMEI : #36 Powersetting : -2.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7168.84</td> <td>55.09</td> <td>-33.21</td> <td>88.30</td> <td>48.59</td> <td>35.70</td> <td>11.62</td> <td>32.82</td> <td>119</td> <td>111 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7168.84	55.09	-33.21	88.30	48.59	35.70	11.62	32.82	119	111 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 64 Plane : Y Plane : Full-directivity IMEI : #36 Powersetting : -2.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7182.00</td> <td>96.14</td> <td>7.84</td> <td>88.30</td> <td>81.64</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>119</td> <td>111 Peak</td> </tr> <tr> <td>2</td> <td>7182.00</td> <td>88.06</td> <td>19.76</td> <td>68.30</td> <td>73.56</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>119</td> <td>111 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7182.00	96.14	7.84	88.30	81.64	35.70	11.57	32.77	119	111 Peak	2	7182.00	88.06	19.76	68.30	73.56	35.70	11.57	32.77	119	111 Average
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	7168.84	55.09	-33.21	88.30	48.59	35.70	11.62	32.82	119	111 Peak																																																																					
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	7182.00	96.14	7.84	88.30	81.64	35.70	11.57	32.77	119	111 Peak																																																																					
2	7182.00	88.06	19.76	68.30	73.56	35.70	11.57	32.77	119	111 Average																																																																					
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652 - HORIZONTAL Project : (FR)292001 Mode : 64 Plane : Y Plane : Full-directivity IMEI : #36 Powersetting : -2.5</p> <table border="1"> <thead> <tr> <th>Avg</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7244.68</td> <td>44.83</td> <td>-23.47</td> <td>68.30</td> <td>30.33</td> <td>35.70</td> <td>11.66</td> <td>32.86</td> <td>119</td> <td>111 Average</td> </tr> </tbody> </table>	Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7244.68	44.83	-23.47	68.30	30.33	35.70	11.66	32.86	119	111 Average	Left blank																																												
Avg	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	7244.68	44.83	-23.47	68.30	30.33	35.70	11.66	32.86	119	111 Average																																																																					







WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																															
ANT	802.11be EHT20 S SingleRU 52/40 CH229 7095MHz																																																																															
17+18	Vertical	Fundamental																																																																														
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 64 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7159.56</td> <td>55.32</td> <td>-32.98</td> <td>88.30</td> <td>40.83</td> <td>35.70</td> <td>11.61</td> <td>32.82</td> <td>100</td> <td>77</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7159.56	55.32	-32.98	88.30	40.83	35.70	11.61	32.82	100	77	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 64 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7182.00</td> <td>94.24</td> <td>5.94</td> <td>88.30</td> <td>79.74</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>100</td> <td>77</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7192.00</td> <td>86.13</td> <td>17.83</td> <td>68.30</td> <td>71.63</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>100</td> <td>77</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7182.00	94.24	5.94	88.30	79.74	35.70	11.57	32.77	100	77	Peak	2	7192.00	86.13	17.83	68.30	71.63	35.70	11.57	32.77	100	77	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																										
Freq	Level	Line	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																										
1	7159.56	55.32	-32.98	88.30	40.83	35.70	11.61	32.82	100	77	Peak																																																																					
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																										
Freq	Level	Line	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																										
1	7182.00	94.24	5.94	88.30	79.74	35.70	11.57	32.77	100	77	Peak																																																																					
2	7192.00	86.13	17.83	68.30	71.63	35.70	11.57	32.77	100	77	Average																																																																					
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 64 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7233.32</td> <td>44.74</td> <td>-23.56</td> <td>68.30</td> <td>30.23</td> <td>35.70</td> <td>11.66</td> <td>32.85</td> <td>100</td> <td>77</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7233.32	44.74	-23.56	68.30	30.23	35.70	11.66	32.85	100	77	Average	Left blank																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																										
Freq	Level	Line	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																										
1	7233.32	44.74	-23.56	68.30	30.23	35.70	11.66	32.85	100	77	Average																																																																					



**U-NII 8 - 6875-7125MHz**  
**WIFI 802.11be EHT20 Small RU\_Index 54+4 (Band Edge @ 3m)**





WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Small RU_Index 54+4 CH229 7095MHz	
17+18	Horizontal	Fundamental
<b>Peak</b>		
<b>Avg.</b>		



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																													
ANT	802.11be EHT20 Small RU_Index 54+4 CH229 7095MHz																																																													
17+18	Vertical	Fundamental																																																												
<b>Peak</b>	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #66 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7202.44</td> <td>55.06</td> <td>-33.24</td> <td>88.30</td> <td>40.54</td> <td>35.70</td> <td>11.65</td> <td>32.83</td> <td>313 18 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7202.44	55.06	-33.24	88.30	40.54	35.70	11.65	32.83	313 18 Peak	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #66 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7182.00</td> <td>93.71</td> <td>5.41</td> <td>88.30</td> <td>79.21</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>313 18 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7182.00	93.71	5.41	88.30	79.21	35.70	11.57	32.77	313 18 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	7202.44	55.06	-33.24	88.30	40.54	35.70	11.65	32.83	313 18 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	7182.00	93.71	5.41	88.30	79.21	35.70	11.57	32.77	313 18 Peak																																																					
<b>Avg.</b>	 <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #66 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7143.40</td> <td>44.85</td> <td>-23.45</td> <td>68.30</td> <td>30.35</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>313 18 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7143.40	44.85	-23.45	68.30	30.35	35.70	11.60	32.80	313 18 Average	 <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #66 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7182.00</td> <td>85.48</td> <td>17.18</td> <td>68.30</td> <td>70.98</td> <td>35.70</td> <td>11.57</td> <td>32.77</td> <td>313 18 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7182.00	85.48	17.18	68.30	70.98	35.70	11.57	32.77	313 18 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	7143.40	44.85	-23.45	68.30	30.35	35.70	11.60	32.80	313 18 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	7182.00	85.48	17.18	68.30	70.98	35.70	11.57	32.77	313 18 Average																																																					



**U-NII 8 - 6875-7125MHzMHz**  
**WIFI 802.11be EHT40 Full (Band Edge @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																															
ANT	802.11be EHT40 Full CH227 7085MHz																																																															
17+18	Horizontal	Fundamental																																																														
<b>Peak</b>	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel:+86-512-57909158            fax:+86-512-57909958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 35            Plane : Y            IMEI : #36            Powersetting : 17            : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.18</td> <td>62.85</td> <td>-25.45</td> <td>88.30</td> <td>48.36</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>114</td> <td>48 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7128.18	62.85	-25.45	88.30	48.36	35.70	11.58	32.79	114	48 Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel:+86-512-57909158            fax:+86-512-57909958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 35            Plane : Y            IMEI : #36            Powersetting : 17            : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7075.00</td> <td>104.81</td> <td>16.51</td> <td>88.30</td> <td>90.33</td> <td>35.70</td> <td>11.54</td> <td>32.76</td> <td>114</td> <td>48 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7075.00	104.81	16.51	88.30	90.33	35.70	11.54	32.76	114	48 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7128.18	62.85	-25.45	88.30	48.36	35.70	11.58	32.79	114	48 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7075.00	104.81	16.51	88.30	90.33	35.70	11.54	32.76	114	48 Peak																																																						
<b>Avg.</b>	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel:+86-512-57909158            fax:+86-512-57909958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 35            Plane : Y            IMEI : #36            Powersetting : 17            : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.20</td> <td>55.10</td> <td>-13.20</td> <td>68.30</td> <td>40.61</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>114</td> <td>48 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7126.20	55.10	-13.20	68.30	40.61	35.70	11.58	32.79	114	48 Average	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel:+86-512-57909158            fax:+86-512-57909958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 35            Plane : Y            IMEI : #36            Powersetting : 17            : -8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7075.00</td> <td>94.75</td> <td>26.45</td> <td>68.30</td> <td>80.27</td> <td>35.70</td> <td>11.54</td> <td>32.76</td> <td>114</td> <td>48 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7075.00	94.75	26.45	68.30	80.27	35.70	11.54	32.76	114	48 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7126.20	55.10	-13.20	68.30	40.61	35.70	11.58	32.79	114	48 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7075.00	94.75	26.45	68.30	80.27	35.70	11.54	32.76	114	48 Average																																																						







WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT40 Full H227 7085MHz																																																																			
17+18	Vertical	Fundamental																																																																		
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 35 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7131.24</td> <td>58.96</td> <td>-29.34</td> <td>88.30</td> <td>44.45</td> <td>35.70</td> <td>11.68</td> <td>32.79</td> <td>282</td> <td>31</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7131.24	58.96	-29.34	88.30	44.45	35.70	11.68	32.79	282	31	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 35 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7075.00</td> <td>103.34</td> <td>15.04</td> <td>88.30</td> <td>88.86</td> <td>35.70</td> <td>11.54</td> <td>32.76</td> <td>282</td> <td>31</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7075.00	103.34	15.04	88.30	88.86	35.70	11.54	32.76	282	31	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7131.24	58.96	-29.34	88.30	44.45	35.70	11.68	32.79	282	31	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7075.00	103.34	15.04	88.30	88.86	35.70	11.54	32.76	282	31	Peak																																																									
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 35 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.98</td> <td>51.93</td> <td>-16.37</td> <td>68.30</td> <td>37.42</td> <td>35.70</td> <td>11.68</td> <td>32.79</td> <td>282</td> <td>31</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7129.98	51.93	-16.37	68.30	37.42	35.70	11.68	32.79	282	31	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 35 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7075.00</td> <td>92.82</td> <td>24.52</td> <td>68.30</td> <td>78.34</td> <td>35.70</td> <td>11.54</td> <td>32.76</td> <td>282</td> <td>31</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7075.00	92.82	24.52	68.30	78.34	35.70	11.54	32.76	282	31	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7129.98	51.93	-16.37	68.30	37.42	35.70	11.68	32.79	282	31	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7075.00	92.82	24.52	68.30	78.34	35.70	11.54	32.76	282	31	Average																																																									





**U-NII 8 - 6875-7125MHzMHz**  
**WIFI 802.11be EHT80 Full (Band Edge @ 3m)**




WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT80 Full CH215 7025MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
<b>Peak</b>	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel: +86-512-57909158            fax: +86-512-57909958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 44            Plane : Y            IMEI : #36            Powersetting : 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.12</td> <td>54.59</td> <td>-33.71</td> <td>88.30</td> <td>48.10</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>240</td> <td>336</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor	Factor		dB	dB	dBuV	dB/m	dB	dB	cm deg	1	7126.12	54.59	-33.71	88.30	48.10	35.70	11.58	32.79	240	336	Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel: +86-512-57909158            fax: +86-512-57909958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 44            Plane : Y            IMEI : #36            Powersetting : 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7057.00</td> <td>98.60</td> <td>10.30</td> <td>88.30</td> <td>84.13</td> <td>35.70</td> <td>11.53</td> <td>32.76</td> <td>240</td> <td>336</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor	Factor		dB	dB	dBuV	dB/m	dB	dB	cm deg	1	7057.00	98.60	10.30	88.30	84.13	35.70	11.53	32.76	240	336	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level	Loss	Factor	Factor																																																															
dB	dB	dBuV	dB/m	dB	dB	cm deg																																																														
1	7126.12	54.59	-33.71	88.30	48.10	35.70	11.58	32.79	240	336	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level	Loss	Factor	Factor																																																															
dB	dB	dBuV	dB/m	dB	dB	cm deg																																																														
1	7057.00	98.60	10.30	88.30	84.13	35.70	11.53	32.76	240	336	Peak																																																									
<b>Avg.</b>	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel: +86-512-57909158            fax: +86-512-57909958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 44            Plane : Y            IMEI : #36            Powersetting : 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7136.52</td> <td>48.22</td> <td>-20.08</td> <td>68.30</td> <td>33.72</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>240</td> <td>336</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor	Factor		dB	dB	dBuV/m	dB/m	dB	dB	cm deg	1	7136.52	48.22	-20.08	68.30	33.72	35.70	11.60	32.80	240	336	Average	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            tel: +86-512-57909158            fax: +86-512-57909958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 44            Plane : Y            IMEI : #36            Powersetting : 16</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7866.00</td> <td>90.43</td> <td>22.13</td> <td>68.30</td> <td>75.95</td> <td>35.70</td> <td>11.54</td> <td>32.76</td> <td>240</td> <td>336</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Factor	Factor		dB	dB	dBuV/m	dB/m	dB	dB	cm deg	1	7866.00	90.43	22.13	68.30	75.95	35.70	11.54	32.76	240	336	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level	Loss	Factor	Factor																																																															
dB	dB	dBuV/m	dB/m	dB	dB	cm deg																																																														
1	7136.52	48.22	-20.08	68.30	33.72	35.70	11.60	32.80	240	336	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level	Loss	Factor	Factor																																																															
dB	dB	dBuV/m	dB/m	dB	dB	cm deg																																																														
1	7866.00	90.43	22.13	68.30	75.95	35.70	11.54	32.76	240	336	Average																																																									



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT80 Full CH215 7025MHz																																																																			
17+18	Vertical	Fundamental																																																																		
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #44 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.44</td> <td>54.45</td> <td>-33.85</td> <td>88.30</td> <td>39.94</td> <td>35.70</td> <td>11.60</td> <td>32.79</td> <td>144</td> <td>19</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7130.44	54.45	-33.85	88.30	39.94	35.70	11.60	32.79	144	19	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #44 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>98.07</td> <td>9.77</td> <td>88.30</td> <td>83.63</td> <td>35.68</td> <td>11.47</td> <td>32.71</td> <td>144</td> <td>19</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6985.00	98.07	9.77	88.30	83.63	35.68	11.47	32.71	144	19	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7130.44	54.45	-33.85	88.30	39.94	35.70	11.60	32.79	144	19	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	6985.00	98.07	9.77	88.30	83.63	35.68	11.47	32.71	144	19	Peak																																																									
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #44 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7137.48</td> <td>47.71</td> <td>-28.59</td> <td>68.30</td> <td>33.21</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>144</td> <td>19</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7137.48	47.71	-28.59	68.30	33.21	35.70	11.60	32.80	144	19	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #44 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>89.10</td> <td>20.80</td> <td>68.30</td> <td>74.66</td> <td>35.68</td> <td>11.47</td> <td>32.71</td> <td>144</td> <td>19</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6985.00	89.10	20.80	68.30	74.66	35.68	11.47	32.71	144	19	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	7137.48	47.71	-28.59	68.30	33.21	35.70	11.60	32.80	144	19	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	6985.00	89.10	20.80	68.30	74.66	35.68	11.47	32.71	144	19	Average																																																									



**U-NII 8 - 6875-7125MHzMHz**  
**WIFI 802.11be EHT80 Puncturing 20M\_ ③ (Band Edge @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																													
ANT	802.11be EHT80 Puncturing 20M_ ③ CH215 7025MHz																																																													
17+18	Horizontal	Fundamental																																																												
<b>Peak</b>	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            Tel: +86-512-57989158            Fax: +86-512-57989958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 69            Plane : Y            IMEI : #36            Powersetting : 9.5            : 0.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.36</td> <td>55.05</td> <td>-33.25</td> <td>88.30</td> <td>48.54</td> <td>35.70</td> <td>11.68</td> <td>32.79</td> <td>100 48 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7132.36	55.05	-33.25	88.30	48.54	35.70	11.68	32.79	100 48 Peak	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            Tel: +86-512-57989158            Fax: +86-512-57989958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 69            Plane : Y            IMEI : #36            Powersetting : 9.5            : 0.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7048.00</td> <td>97.70</td> <td>9.48</td> <td>88.30</td> <td>83.21</td> <td>35.70</td> <td>11.53</td> <td>32.74</td> <td>100 48 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7048.00	97.70	9.48	88.30	83.21	35.70	11.53	32.74	100 48 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	7132.36	55.05	-33.25	88.30	48.54	35.70	11.68	32.79	100 48 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	7048.00	97.70	9.48	88.30	83.21	35.70	11.53	32.74	100 48 Peak																																																					
<b>Avg.</b>	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            Tel: +86-512-57989158            Fax: +86-512-57989958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 69            Plane : Y            IMEI : #36            Powersetting : 9.5            : 0.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.60</td> <td>46.15</td> <td>-22.15</td> <td>68.30</td> <td>31.66</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>100 48 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7126.60	46.15	-22.15	68.30	31.66	35.70	11.58	32.79	100 48 Average	 <p>No. 1898, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China            Tel: +86-512-57989158            Fax: +86-512-57989958            http://www.sporton.com.cn</p> <p>Site : 03CH06-KS            Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 69            Plane : Y            IMEI : #36            Powersetting : 9.5            : 0.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7048.00</td> <td>88.24</td> <td>19.94</td> <td>68.30</td> <td>73.75</td> <td>35.70</td> <td>11.53</td> <td>32.74</td> <td>100 48 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7048.00	88.24	19.94	68.30	73.75	35.70	11.53	32.74	100 48 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	7126.60	46.15	-22.15	68.30	31.66	35.70	11.58	32.79	100 48 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	7048.00	88.24	19.94	68.30	73.75	35.70	11.53	32.74	100 48 Average																																																					



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																	
ANT	802.11be EHT80 Puncturing 20M_③ CH215 7025MHz																																																																	
17+18	Vertical	Fundamental																																																																
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 69 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7138.44</td> <td>54.24</td> <td>-34.06</td> <td>88.30</td> <td>39.74</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>102</td> <td>15</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7138.44	54.24	-34.06	88.30	39.74	35.70	11.60	32.80	102	15	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 69 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7003.00</td> <td>93.70</td> <td>5.40</td> <td>88.30</td> <td>79.22</td> <td>35.70</td> <td>11.49</td> <td>32.71</td> <td>102</td> <td>15</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7003.00	93.70	5.40	88.30	79.22	35.70	11.49	32.71	102	15	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	7138.44	54.24	-34.06	88.30	39.74	35.70	11.60	32.80	102	15	Peak																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	7003.00	93.70	5.40	88.30	79.22	35.70	11.49	32.71	102	15	Peak																																																							
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 69 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.56</td> <td>45.05</td> <td>-23.25</td> <td>68.30</td> <td>30.56</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>102</td> <td>15</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.56	45.05	-23.25	68.30	30.56	35.70	11.58	32.79	102	15	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 69 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7003.00</td> <td>84.92</td> <td>16.62</td> <td>68.30</td> <td>70.44</td> <td>35.70</td> <td>11.49</td> <td>32.71</td> <td>102</td> <td>15</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7003.00	84.92	16.62	68.30	70.44	35.70	11.49	32.71	102	15	Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	7127.56	45.05	-23.25	68.30	30.56	35.70	11.58	32.79	102	15	Average																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																									
1	7003.00	84.92	16.62	68.30	70.44	35.70	11.49	32.71	102	15	Average																																																							



U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT80 Large RU 484+242\_ ② (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																							
ANT	802.11be EHT80 Large RU 484+242_ ② CH215 7025MHz																																																																							
17+18	Horizontal	Fundamental																																																																						
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #1 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7142.44</td> <td>55.67</td> <td>-32.63</td> <td>88.30</td> <td>41.17</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>154</td> <td>52</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	7142.44	55.67	-32.63	88.30	41.17	35.70	11.60	32.80	154	52	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #1 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7048.00</td> <td>97.87</td> <td>9.57</td> <td>88.30</td> <td>83.38</td> <td>35.70</td> <td>11.53</td> <td>32.74</td> <td>154</td> <td>52</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	7048.00	97.87	9.57	88.30	83.38	35.70	11.53	32.74	154	52	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																	
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																	
1	7142.44	55.67	-32.63	88.30	41.17	35.70	11.60	32.80	154	52	Peak																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																	
1	7048.00	97.87	9.57	88.30	83.38	35.70	11.53	32.74	154	52	Peak																																																													
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #1 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7139.88</td> <td>45.92</td> <td>-22.48</td> <td>68.30</td> <td>31.32</td> <td>35.70</td> <td>11.60</td> <td>32.80</td> <td>154</td> <td>52</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	7139.88	45.92	-22.48	68.30	31.32	35.70	11.60	32.80	154	52	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #1 Plane : Y IMEI : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6994.00</td> <td>87.96</td> <td>19.66</td> <td>68.30</td> <td>73.48</td> <td>35.70</td> <td>11.49</td> <td>32.71</td> <td>154</td> <td>52</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	6994.00	87.96	19.66	68.30	73.48	35.70	11.49	32.71	154	52	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																	
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																	
1	7139.88	45.92	-22.48	68.30	31.32	35.70	11.60	32.80	154	52	Average																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																	
1	6994.00	87.96	19.66	68.30	73.48	35.70	11.49	32.71	154	52	Average																																																													







WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																				
ANT	802.11be EHT80 Large RU 484+242_ ② CH215 7025MHz																																																																				
17+18	Vertical	Fundamental																																																																			
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #1 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.16</td> <td>55.35</td> <td>-32.95</td> <td>88.30</td> <td>48.84</td> <td>35.70</td> <td>11.60</td> <td>32.79</td> <td>188</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	7129.16	55.35	-32.95	88.30	48.84	35.70	11.60	32.79	188	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #1 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7003.00</td> <td>94.91</td> <td>6.61</td> <td>88.30</td> <td>88.43</td> <td>35.70</td> <td>11.49</td> <td>32.71</td> <td>188</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7003.00	94.91	6.61	88.30	88.43	35.70	11.49	32.71	188	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																														
1	7129.16	55.35	-32.95	88.30	48.84	35.70	11.60	32.79	188	0	Peak																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	7003.00	94.91	6.61	88.30	88.43	35.70	11.49	32.71	188	0	Peak																																																										
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #1 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.08</td> <td>45.63</td> <td>-22.67</td> <td>68.30</td> <td>31.14</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>188</td> <td>0</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7127.08	45.63	-22.67	68.30	31.14	35.70	11.58	32.79	188	0	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #1 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7003.00</td> <td>86.01</td> <td>17.71</td> <td>68.30</td> <td>71.53</td> <td>35.70</td> <td>11.49</td> <td>32.71</td> <td>188</td> <td>0</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7003.00	86.01	17.71	68.30	71.53	35.70	11.49	32.71	188	0	Average	
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	7127.08	45.63	-22.67	68.30	31.14	35.70	11.58	32.79	188	0	Average																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	7003.00	86.01	17.71	68.30	71.53	35.70	11.49	32.71	188	0	Average																																																										



**U-NII 8 - 6875-7125MHzMHz  
WIFI 802.11be EHT160 Full (Band Edge @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																													
ANT	802.11be EHT160 Full CH207 6985MHz																																																													
17+18	Horizontal	Fundamental																																																												
<b>Peak</b>	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 49 Plane : Y Powersetting : #36 IMEI : #36 Powersetting : #15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7167.88</td> <td>57.53</td> <td>-38.77</td> <td>88.30</td> <td>43.83</td> <td>35.70</td> <td>11.62</td> <td>32.82</td> <td>234</td> <td>342</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7167.88	57.53	-38.77	88.30	43.83	35.70	11.62	32.82	234	342	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 49 Plane : Y Powersetting : #36 IMEI : #36 Powersetting : #15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7048.00</td> <td>94.94</td> <td>6.64</td> <td>88.30</td> <td>80.45</td> <td>35.70</td> <td>11.53</td> <td>32.74</td> <td>234</td> <td>342</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7048.00	94.94	6.64	88.30	80.45	35.70	11.53	32.74	234	342	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	7167.88	57.53	-38.77	88.30	43.83	35.70	11.62	32.82	234	342	Peak																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	7048.00	94.94	6.64	88.30	80.45	35.70	11.53	32.74	234	342	Peak																																																			
<b>Avg.</b>	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 49 Plane : Y Powersetting : #36 IMEI : #36 Powersetting : #15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7142.44</td> <td>49.76</td> <td>-18.54</td> <td>68.30</td> <td>35.26</td> <td>35.70</td> <td>11.68</td> <td>32.80</td> <td>234</td> <td>342</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7142.44	49.76	-18.54	68.30	35.26	35.70	11.68	32.80	234	342	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 49 Plane : Y Powersetting : #36 IMEI : #36 Powersetting : #15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7039.00</td> <td>86.37</td> <td>18.07</td> <td>68.30</td> <td>71.89</td> <td>35.70</td> <td>11.52</td> <td>32.74</td> <td>234</td> <td>342</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7039.00	86.37	18.07	68.30	71.89	35.70	11.52	32.74	234	342	Average
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	7142.44	49.76	-18.54	68.30	35.26	35.70	11.68	32.80	234	342	Average																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	7039.00	86.37	18.07	68.30	71.89	35.70	11.52	32.74	234	342	Average																																																			



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																				
ANT	802.11be EHT160 Full CH207 6985MHz																																																																				
17+18	Vertical	Fundamental																																																																			
Peak	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 49 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7174.12</td> <td>56.17</td> <td>-32.13</td> <td>88.30</td> <td>41.67</td> <td>35.70</td> <td>11.62</td> <td>32.82</td> <td>293</td> <td>33</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	7174.12	56.17	-32.13	88.30	41.67	35.70	11.62	32.82	293	33	Peak	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 49 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6913.00</td> <td>93.39</td> <td>5.09</td> <td>88.30</td> <td>79.04</td> <td>35.62</td> <td>11.41</td> <td>32.68</td> <td>293</td> <td>33</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6913.00	93.39	5.09	88.30	79.04	35.62	11.41	32.68	293	33	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																														
1	7174.12	56.17	-32.13	88.30	41.67	35.70	11.62	32.82	293	33	Peak																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	6913.00	93.39	5.09	88.30	79.04	35.62	11.41	32.68	293	33	Peak																																																										
Avg.	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 49 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7155.24</td> <td>48.88</td> <td>-19.42</td> <td>68.30</td> <td>34.37</td> <td>35.70</td> <td>11.61</td> <td>32.80</td> <td>293</td> <td>33</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7155.24	48.88	-19.42	68.30	34.37	35.70	11.61	32.80	293	33	Average	 <p>No. 1098, Pengxi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 49 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6913.00</td> <td>85.34</td> <td>17.04</td> <td>68.30</td> <td>70.99</td> <td>35.62</td> <td>11.41</td> <td>32.68</td> <td>293</td> <td>33</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6913.00	85.34	17.04	68.30	70.99	35.62	11.41	32.68	293	33	Average	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	7155.24	48.88	-19.42	68.30	34.37	35.70	11.61	32.80	293	33	Average																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	6913.00	85.34	17.04	68.30	70.99	35.62	11.41	32.68	293	33	Average																																																										





U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT160 Puncturing 40M **③** (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11be EHT160 Puncturing 40M <b>③</b> CH207 6985MHz																																																																			
17+18	Horizontal	Fundamental																																																																		
Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 71 Plane : Y IMEI : #36 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7136.84</td> <td>58.62</td> <td>-29.68</td> <td>88.30</td> <td>44.12</td> <td>35.70</td> <td>11.68</td> <td>32.80</td> <td>111</td> <td>338</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	7136.84	58.62	-29.68	88.30	44.12	35.70	11.68	32.80	111	338	Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 71 Plane : Y IMEI : #36 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7039.00</td> <td>94.67</td> <td>6.37</td> <td>88.30</td> <td>80.19</td> <td>35.70</td> <td>11.52</td> <td>32.74</td> <td>111</td> <td>338</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	7039.00	94.67	6.37	88.30	80.19	35.70	11.52	32.74	111	338	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	7136.84	58.62	-29.68	88.30	44.12	35.70	11.68	32.80	111	338	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	7039.00	94.67	6.37	88.30	80.19	35.70	11.52	32.74	111	338	Peak																																																									
Avg.	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 71 Plane : Y IMEI : #36 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7161.00</td> <td>45.85</td> <td>-22.45</td> <td>68.30</td> <td>31.36</td> <td>35.70</td> <td>11.61</td> <td>32.82</td> <td>111</td> <td>338</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	7161.00	45.85	-22.45	68.30	31.36	35.70	11.61	32.82	111	338	Average	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 71 Plane : Y IMEI : #36 Powersetting : 12</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6976.00</td> <td>84.89</td> <td>16.59</td> <td>68.30</td> <td>70.44</td> <td>35.68</td> <td>11.47</td> <td>32.70</td> <td>111</td> <td>338</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1	6976.00	84.89	16.59	68.30	70.44	35.68	11.47	32.70	111	338	Average
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	7161.00	45.85	-22.45	68.30	31.36	35.70	11.61	32.82	111	338	Average																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																														
1	6976.00	84.89	16.59	68.30	70.44	35.68	11.47	32.70	111	338	Average																																																									



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																				
ANT	802.11be EHT160 Puncturing 40M <b>3</b> CH207 6985MHz																																																																				
17+18	Vertical	Fundamental																																																																			
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 71 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7190.76</td> <td>55.34</td> <td>-32.96</td> <td>88.30</td> <td>40.83</td> <td>35.70</td> <td>11.64</td> <td>32.83</td> <td>100</td> <td>3</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1	7190.76	55.34	-32.96	88.30	40.83	35.70	11.64	32.83	100	3	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 71 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6976.00</td> <td>93.62</td> <td>5.32</td> <td>88.30</td> <td>79.17</td> <td>35.68</td> <td>11.47</td> <td>32.70</td> <td>100</td> <td>3</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6976.00	93.62	5.32	88.30	79.17	35.68	11.47	32.70	100	3	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																														
1	7190.76	55.34	-32.96	88.30	40.83	35.70	11.64	32.83	100	3	Peak																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	6976.00	93.62	5.32	88.30	79.17	35.68	11.47	32.70	100	3	Peak																																																										
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 71 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7166.12</td> <td>45.13</td> <td>-23.17</td> <td>68.30</td> <td>30.63</td> <td>35.70</td> <td>11.62</td> <td>32.82</td> <td>100</td> <td>3</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7166.12	45.13	-23.17	68.30	30.63	35.70	11.62	32.82	100	3	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 71 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6913.00</td> <td>84.72</td> <td>16.42</td> <td>68.30</td> <td>70.37</td> <td>35.62</td> <td>11.41</td> <td>32.68</td> <td>100</td> <td>3</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6913.00	84.72	16.42	68.30	70.37	35.62	11.41	32.68	100	3	Average	
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	7166.12	45.13	-23.17	68.30	30.63	35.70	11.62	32.82	100	3	Peak																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																															
1	6913.00	84.72	16.42	68.30	70.37	35.62	11.41	32.68	100	3	Average																																																										



U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT160 Puncturing 20M\_② (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																									
ANT	802.11be EHT160 Puncturing 20M_② CH207 6985MHz																									
17+18	Horizontal	Fundamental																								
Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 73 Plane : Y Powersetting : 12.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>7141.16</th> <th>68.68</th> <th>-27.78</th> <th>88.38</th> <th>46.18</th> <th>35.78</th> <th>11.68</th> <th>32.88</th> <th>118</th> <th>52</th> <th>Peak</th> </tr> </thead> </table>	1	7141.16	68.68	-27.78	88.38	46.18	35.78	11.68	32.88	118	52	Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 73 Plane : Y Powersetting : 12.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>7012.00</th> <th>98.21</th> <th>9.91</th> <th>88.38</th> <th>83.74</th> <th>35.78</th> <th>11.58</th> <th>32.73</th> <th>118</th> <th>52</th> <th>Peak</th> </tr> </thead> </table>	1	7012.00	98.21	9.91	88.38	83.74	35.78	11.58	32.73	118	52	Peak
	1	7141.16	68.68	-27.78	88.38	46.18	35.78	11.68	32.88	118	52	Peak														
1	7012.00	98.21	9.91	88.38	83.74	35.78	11.58	32.73	118	52	Peak															
Avg.	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 73 Plane : Y Powersetting : 12.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>7142.44</th> <th>49.92</th> <th>-18.38</th> <th>68.38</th> <th>35.42</th> <th>35.78</th> <th>11.68</th> <th>32.88</th> <th>118</th> <th>52</th> <th>Average</th> </tr> </thead> </table>	1	7142.44	49.92	-18.38	68.38	35.42	35.78	11.68	32.88	118	52	Average	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 73 Plane : Y Powersetting : 12.5</p> <table border="1"> <thead> <tr> <th>1</th> <th>6967.00</th> <th>88.33</th> <th>20.83</th> <th>68.38</th> <th>73.98</th> <th>35.67</th> <th>11.46</th> <th>32.78</th> <th>118</th> <th>52</th> <th>Average</th> </tr> </thead> </table>	1	6967.00	88.33	20.83	68.38	73.98	35.67	11.46	32.78	118	52	Average
	1	7142.44	49.92	-18.38	68.38	35.42	35.78	11.68	32.88	118	52	Average														
1	6967.00	88.33	20.83	68.38	73.98	35.67	11.46	32.78	118	52	Average															



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																															
ANT	802.11be EHT160 Puncturing 20M_ ② CH207 6985MHz																																																															
17+18	Vertical	Fundamental																																																														
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 73 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7213.80</td> <td>55.37</td> <td>-32.93</td> <td>88.30</td> <td>40.86</td> <td>35.70</td> <td>11.66</td> <td>32.85</td> <td>109</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7213.80	55.37	-32.93	88.30	40.86	35.70	11.66	32.85	109	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 73 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6922.00</td> <td>92.64</td> <td>4.34</td> <td>88.30</td> <td>78.29</td> <td>35.62</td> <td>11.41</td> <td>32.68</td> <td>109</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6922.00	92.64	4.34	88.30	78.29	35.62	11.41	32.68	109	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7213.80	55.37	-32.93	88.30	40.86	35.70	11.66	32.85	109	0 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	6922.00	92.64	4.34	88.30	78.29	35.62	11.41	32.68	109	0 Peak																																																						
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 73 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.48</td> <td>45.24</td> <td>-23.06</td> <td>68.30</td> <td>30.75</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>109</td> <td>0 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.48	45.24	-23.06	68.30	30.75	35.70	11.58	32.79	109	0 Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 73 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6922.00</td> <td>84.08</td> <td>15.78</td> <td>68.30</td> <td>69.73</td> <td>35.62</td> <td>11.41</td> <td>32.68</td> <td>109</td> <td>0 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6922.00	84.08	15.78	68.30	69.73	35.62	11.41	32.68	109	0 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	7125.48	45.24	-23.06	68.30	30.75	35.70	11.58	32.79	109	0 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	6922.00	84.08	15.78	68.30	69.73	35.62	11.41	32.68	109	0 Average																																																						



U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT160 Large RU 996+484\_ ③ (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																									
ANT	802.11be EHT160 Large RU 996+484_ ③ CH207 6985MHz																																									
17+18	Horizontal	Fundamental																																								
Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #3 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7152.84</td> <td>55.90</td> <td>-32.40</td> <td>88.30</td> <td>41.39</td> <td>35.70</td> <td>11.61</td> <td>32.80</td> <td>180 52 Peak</td> </tr> </tbody> </table>	1	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark	1	7152.84	55.90	-32.40	88.30	41.39	35.70	11.61	32.80	180 52 Peak	<p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #3 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6949.00</td> <td>97.59</td> <td>9.29</td> <td>88.30</td> <td>83.19</td> <td>35.65</td> <td>11.44</td> <td>32.69</td> <td>180 52 Peak</td> </tr> </tbody> </table>	1	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark	1	6949.00	97.59	9.29	88.30	83.19	35.65	11.44	32.69	180 52 Peak
	1	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																
1	7152.84	55.90	-32.40	88.30	41.39	35.70	11.61	32.80	180 52 Peak																																	
1	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																	
1	6949.00	97.59	9.29	88.30	83.19	35.65	11.44	32.69	180 52 Peak																																	
Avg.	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #3 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7153.00</td> <td>47.21</td> <td>-21.09</td> <td>68.30</td> <td>32.70</td> <td>35.70</td> <td>11.61</td> <td>32.80</td> <td>180 52 Average</td> </tr> </tbody> </table>	1	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark	1	7153.00	47.21	-21.09	68.30	32.70	35.70	11.61	32.80	180 52 Average	<p>Site : 03CH06-K5 Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : #3 Plane : Y Powersetting : #36</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6949.00</td> <td>86.97</td> <td>18.67</td> <td>68.30</td> <td>72.57</td> <td>35.65</td> <td>11.44</td> <td>32.69</td> <td>180 52 Average</td> </tr> </tbody> </table>	1	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark	1	6949.00	86.97	18.67	68.30	72.57	35.65	11.44	32.69	180 52 Average
	1	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																
1	7153.00	47.21	-21.09	68.30	32.70	35.70	11.61	32.80	180 52 Average																																	
1	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																	
1	6949.00	86.97	18.67	68.30	72.57	35.65	11.44	32.69	180 52 Average																																	



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																					
ANT	802.11be EHT160 Large RU 996+484_ ③ CH207 6985MHz																																																																					
17+18	Vertical	Fundamental																																																																				
Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #3 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7168.36</td> <td>56.24</td> <td>-32.06</td> <td>88.30</td> <td>41.74</td> <td>35.70</td> <td>11.62</td> <td>32.82</td> <td>122</td> <td>368</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7168.36	56.24	-32.06	88.30	41.74	35.70	11.62	32.82	122	368	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #3 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6922.00</td> <td>96.17</td> <td>7.87</td> <td>88.30</td> <td>81.82</td> <td>35.62</td> <td>11.41</td> <td>32.68</td> <td>122</td> <td>368</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6922.00	96.17	7.87	88.30	81.82	35.62	11.41	32.68	122	368	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	7168.36	56.24	-32.06	88.30	41.74	35.70	11.62	32.82	122	368	Peak																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																
1	6922.00	96.17	7.87	88.30	81.82	35.62	11.41	32.68	122	368	Peak																																																											
Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #3 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7148.52</td> <td>46.37</td> <td>-21.93</td> <td>68.30</td> <td>31.86</td> <td>35.70</td> <td>11.61</td> <td>32.80</td> <td>122</td> <td>368</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	7148.52	46.37	-21.93	68.30	31.86	35.70	11.61	32.80	122	368	Average	<p>Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : #3 Plane : Y IMET : Full-directivity Powersetting : #36</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6922.00</td> <td>86.08</td> <td>17.78</td> <td>68.30</td> <td>71.73</td> <td>35.62</td> <td>11.41</td> <td>32.68</td> <td>122</td> <td>368</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	6922.00	86.08	17.78	68.30	71.73	35.62	11.41	32.68	122	368	Average		
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																
1	7148.52	46.37	-21.93	68.30	31.86	35.70	11.61	32.80	122	368	Average																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																
1	6922.00	86.08	17.78	68.30	71.73	35.62	11.41	32.68	122	368	Average																																																											



U-NII 8 - 6875-7125MHzMHz

WIFI 802.11a (Harmonic @ 3m)



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																													
ANT	802.11a CH189 6895MHz																																																													
17+18	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 10 Plane : Y IMEI : Full-directivity PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13792.00</td> <td>43.41</td> <td>-44.89</td> <td>88.30</td> <td>49.86</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	13792.00	43.41	-44.89	88.30	49.86	38.84	16.42	61.71	300 0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 10 Plane : Y IMEI : Full-directivity PowerSetting : 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13792.00</td> <td>43.44</td> <td>-44.86</td> <td>88.30</td> <td>49.89</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>100 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	13792.00	43.44	-44.86	88.30	49.89	38.84	16.42	61.71	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	13792.00	43.41	-44.89	88.30	49.86	38.84	16.42	61.71	300 0 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	13792.00	43.44	-44.86	88.30	49.89	38.84	16.42	61.71	100 0 Peak																																																					



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																									
ANT	802.11a CH209 6995 MHz																																																																									
17+18	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 11 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13992.00</td> <td>43.47</td> <td>-44.83</td> <td>88.30</td> <td>49.82</td> <td>38.80</td> <td>16.51</td> <td>61.66</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13992.00	43.47	-44.83	88.30	49.82	38.80	16.51	61.66	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 11 Plane : Y IMET : Full-directivity Powersetting : #26 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13992.00</td> <td>43.34</td> <td>-44.96</td> <td>88.30</td> <td>49.69</td> <td>38.80</td> <td>16.51</td> <td>61.66</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	13992.00	43.34	-44.96	88.30	49.69	38.80	16.51	61.66	100	0 Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																		
1	13992.00	43.47	-44.83	88.30	49.82	38.80	16.51	61.66	300	0 Peak																																																																
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																		
1	13992.00	43.34	-44.96	88.30	49.69	38.80	16.51	61.66	100	0 Peak																																																																





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																	
ANT	802.11a CH229 7095 MHz																																																																	
17+18	Horizontal	Vertical																																																																
Peak Avg.	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 12 Plane : Y IMEI : Full-directivity Powersetting : #26 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14192.00</td> <td>44.12</td> <td>-44.18</td> <td>88.30</td> <td>58.00</td> <td>39.87</td> <td>16.65 61.60 300 0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	14192.00	44.12	-44.18	88.30	58.00	39.87	16.65 61.60 300 0 Peak	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y IMEI : Full-directivity Powersetting : #26 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14192.00</td> <td>44.01</td> <td>-44.29</td> <td>88.30</td> <td>49.89</td> <td>39.07</td> <td>16.65 61.60 100 0 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	14192.00	44.01	-44.29	88.30	49.89	39.07	16.65 61.60 100 0 Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
Freq	Level	Limit	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																											
1	14192.00	44.12	-44.18	88.30	58.00	39.87	16.65 61.60 300 0 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																											
1	14192.00	44.01	-44.29	88.30	49.89	39.07	16.65 61.60 100 0 Peak																																																											





**U-NII 8 - 6875-7125MHz  
WIFI 802.11be EHT20 Full (Harmonic @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11be EHT20 Full CH189 6895MHz																																																																			
17+18	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 802.11be EHT20 Full CH189 6895MHz - HORIZONTAL Project : (FR)292001 Mode : 22 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13792.00</td> <td>44.51</td> <td>-43.79</td> <td>88.30</td> <td>58.96</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	13792.00	44.51	-43.79	88.30	58.96	38.84	16.42	61.71	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 802.11be EHT20 Full CH189 6895MHz - VERTICAL Project : (FR)292001 Mode : 22 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13792.00</td> <td>43.11</td> <td>-45.19</td> <td>88.30</td> <td>49.56</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	13792.00	43.11	-45.19	88.30	49.56	38.84	16.42	61.71	100	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	13792.00	44.51	-43.79	88.30	58.96	38.84	16.42	61.71	300	0	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	13792.00	43.11	-45.19	88.30	49.56	38.84	16.42	61.71	100	0	Peak																																																									
	<p>Site : 03CH06-KS Condition : WIFI 802.11be EHT20 Full CH189 6895MHz - HORIZONTAL Project : (FR)292001 Mode : 22 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13792.00</td> <td>44.51</td> <td>-43.79</td> <td>88.30</td> <td>58.96</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>300</td> <td>0</td> <td>Avg.</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	13792.00	44.51	-43.79	88.30	58.96	38.84	16.42	61.71	300	0	Avg.	<p>Site : 03CH06-KS Condition : WIFI 802.11be EHT20 Full CH189 6895MHz - VERTICAL Project : (FR)292001 Mode : 22 Plane : 19 Plane : Full-directivity IMEI : #36 PowerSetting : 18 PowerSetting : -12.25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13792.00</td> <td>43.11</td> <td>-45.19</td> <td>88.30</td> <td>49.56</td> <td>38.84</td> <td>16.42</td> <td>61.71</td> <td>100</td> <td>0</td> <td>Avg.</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB		1	13792.00	43.11	-45.19	88.30	49.56	38.84	16.42	61.71	100	0	Avg.
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	13792.00	44.51	-43.79	88.30	58.96	38.84	16.42	61.71	300	0	Avg.																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																															
1	13792.00	43.11	-45.19	88.30	49.56	38.84	16.42	61.71	100	0	Avg.																																																									



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																													
ANT	802.11be EHT20 Full CH209 6995 MHz																																																																													
17+18	Horizontal	Vertical																																																																												
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 23 Plane : Y IMET : Full-directivity Powersetting : #56 IMET : 18 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13992.00</td> <td>43.39</td> <td>-44.91</td> <td>88.30</td> <td>49.74</td> <td>38.80</td> <td>16.51</td> <td>61.66</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13992.00	43.39	-44.91	88.30	49.74	38.80	16.51	61.66	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 23 Plane : Y IMET : Full-directivity Powersetting : #56 IMET : 18 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13992.00</td> <td>42.45</td> <td>-45.85</td> <td>88.30</td> <td>48.80</td> <td>38.80</td> <td>16.51</td> <td>61.66</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13992.00	42.45	-45.85	88.30	48.80	38.80	16.51	61.66	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																						
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	13992.00	43.39	-44.91	88.30	49.74	38.80	16.51	61.66	300	0	Peak																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	13992.00	42.45	-45.85	88.30	48.80	38.80	16.51	61.66	100	0	Peak																																																																			



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																									
ANT	802.11be EHT20 Full CH229 7095 MHz																																																																									
17+18	Horizontal	Vertical																																																																								
Peak Avg.	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 24 Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14192.00</td> <td>44.49</td> <td>-43.81</td> <td>88.30</td> <td>50.37</td> <td>39.87</td> <td>16.65</td> <td>61.60</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	14192.00	44.49	-43.81	88.30	50.37	39.87	16.65	61.60	300	0	Peak	 <p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 24 Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : 18</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14192.00</td> <td>43.47</td> <td>-44.83</td> <td>88.30</td> <td>49.35</td> <td>39.07</td> <td>16.65</td> <td>61.60</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	14192.00	43.47	-44.83	88.30	49.35	39.07	16.65	61.60	100	0	Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																			
1	14192.00	44.49	-43.81	88.30	50.37	39.87	16.65	61.60	300	0	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																			
1	14192.00	43.47	-44.83	88.30	49.35	39.07	16.65	61.60	100	0	Peak																																																															



**U-NII 8 - 6875-7125MHz  
WIFI 802.11be EHT40 Full (Harmonic @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																															
ANT	802.11be EHT40 Full CH195 6925MHz																																																															
17+18	Horizontal	Vertical																																																														
<b>Peak Avg.</b>	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 33 Plane : 19 PowerSetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13848.00</td> <td>44.82</td> <td>-43.48</td> <td>88.30</td> <td>51.24</td> <td>38.83</td> <td>16.45</td> <td>61.70</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13848.00	44.82	-43.48	88.30	51.24	38.83	16.45	61.70	300	0 Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 33 Plane : 19 PowerSetting : #36</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13848.00</td> <td>44.36</td> <td>-43.94</td> <td>88.30</td> <td>50.78</td> <td>38.83</td> <td>16.45</td> <td>61.70</td> <td>180</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	13848.00	44.36	-43.94	88.30	50.78	38.83	16.45	61.70	180	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13848.00	44.82	-43.48	88.30	51.24	38.83	16.45	61.70	300	0 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13848.00	44.36	-43.94	88.30	50.78	38.83	16.45	61.70	180	0 Peak																																																						



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11be EHT40 Full CH203 6965MHz																																																																			
17+18	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 032906-KS          Condition : WIFI 6E PEAK @ 3117.5M 00218652- HORIZONTAL          Project : RSM-1000, 000KHz, VBR-3000, 000KHz, SRT-Auto          Mode : EPRE25001          Plane : Y          IMEI : Full-directivity          Powersetting : 8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13928.00</td> <td>43.47</td> <td>88.30</td> <td>-44.83</td> <td>49.85</td> <td>38.82</td> <td>16.48</td> <td>61.68</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Line	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dBV/m	dB	dBV	dB/m	dB	dB	cm	deg		1	13928.00	43.47	88.30	-44.83	49.85	38.82	16.48	61.68	300	0 Peak	<p>Site : 032906-KS          Condition : WIFI 6E PEAK @ 3117.5M 00218652- VERTICAL          Project : RSM-1000, 000KHz, VBR-3000, 000KHz, SRT-Auto          Mode : EPRE25001          Plane : Y          IMEI : Full-directivity          Powersetting : 8.25</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13928.00</td> <td>43.30</td> <td>88.30</td> <td>-45.00</td> <td>49.68</td> <td>38.82</td> <td>16.48</td> <td>61.68</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Freq	Level	Line	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBV/m	dBV/m	dB	dBV	dB/m	dB	dB	cm	deg		1	13928.00	43.30	88.30	-45.00	49.68	38.82	16.48	61.68	100	0 Peak
Freq	Level	Line	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBV/m	dBV/m	dB	dBV	dB/m	dB	dB	cm	deg																																																											
1	13928.00	43.47	88.30	-44.83	49.85	38.82	16.48	61.68	300	0 Peak																																																										
Freq	Level	Line	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBV/m	dBV/m	dB	dBV	dB/m	dB	dB	cm	deg																																																											
1	13928.00	43.30	88.30	-45.00	49.68	38.82	16.48	61.68	100	0 Peak																																																										



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11be EHT40 Full CH227 7085MHz																																																																			
17+18	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : IS Plane : Y IMET : Full-directivity Powersetting : I7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14168.00</td> <td>44.37</td> <td>-43.93</td> <td>88.30</td> <td>50.29</td> <td>39.04</td> <td>16.64</td> <td>61.60</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	14168.00	44.37	-43.93	88.30	50.29	39.04	16.64	61.60	300	0	Peak	<p>Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : IS Plane : Y IMET : Full-directivity Powersetting : I7</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14168.00</td> <td>44.63</td> <td>-43.67</td> <td>88.30</td> <td>50.55</td> <td>39.04</td> <td>16.64</td> <td>61.60</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1	14168.00	44.63	-43.67	88.30	50.55	39.04	16.64	61.60	100	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	14168.00	44.37	-43.93	88.30	50.29	39.04	16.64	61.60	300	0	Peak																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																														
1	14168.00	44.63	-43.67	88.30	50.55	39.04	16.64	61.60	100	0	Peak																																																									





**U-NII 8 - 6875-7125MHz**  
**WIFI 802.11be EHT80 Full (Harmonic @ 3m)**

<b>WIFI</b>	<b>U-NII 8 - 6875-7125MHz Harmonic @ 3m</b>																																																							
<b>ANT</b>	<b>802.11be EHT80 Full CH199 6945MHz</b>																																																							
<b>17+18</b>	<b>Horizontal</b>	<b>Vertical</b>																																																						
<b>Peak Avg.</b>	<p>No. 1888, Fengqi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China          tel: +86-512-57980958          fax: +86-512-57980958          http://www.sporton.com.cn</p> <p>Site : 03C#06-KS          Condition : WIFI 4E PEAK 3m 3117 SN 00218652- HORIZONTAL          Project : (FR)292001          Mode : 43          Plane : 19          IMEI : #36          Powersetting : 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13888.00</td> <td>42.76</td> <td>-45.54</td> <td>88.30</td> <td>49.17</td> <td>38.82</td> <td>16.46</td> <td>61.69</td> <td>300 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 13888.00	42.76	-45.54	88.30	49.17	38.82	16.46	61.69	300 0 Peak	<p>No. 1888, Fengqi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu, China          tel: +86-512-57980958          fax: +86-512-57980958          http://www.sporton.com.cn</p> <p>Site : 03C#06-KS          Condition : WIFI 4E PEAK 3m 3117 SN 00218652- VERTICAL          Project : (FR)292001          Mode : 43          Plane : 19          IMEI : #36          Powersetting : 16</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13888.00</td> <td>43.60</td> <td>-44.70</td> <td>88.30</td> <td>50.01</td> <td>38.82</td> <td>16.46</td> <td>61.69</td> <td>180 0 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 13888.00	43.60	-44.70	88.30	50.01	38.82	16.46	61.69	180 0 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 13888.00	42.76	-45.54	88.30	49.17	38.82	16.46	61.69	300 0 Peak																																																
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																
1 13888.00	43.60	-44.70	88.30	50.01	38.82	16.46	61.69	180 0 Peak																																																





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																											
ANT	802.11be EHT80 Full CH215 7025MHz																																																																											
17+18	Horizontal	Vertical																																																																										
Peak Avg.	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 44 Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : -4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14848.00</td> <td>42.76</td> <td>-45.54</td> <td>88.30</td> <td>48.97</td> <td>38.87</td> <td>16.56</td> <td>61.64</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	14848.00	42.76	-45.54	88.30	48.97	38.87	16.56	61.64	300	0	Peak	 <p>Site : 03CH06-K5 Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 44 Plane : Y IMET : Full-directivity Powersetting : #56 Powersetting : -4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14848.00</td> <td>44.03</td> <td>-44.27</td> <td>88.30</td> <td>50.24</td> <td>38.87</td> <td>16.56</td> <td>61.64</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	14848.00	44.03	-44.27	88.30	50.24	38.87	16.56	61.64	100	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	14848.00	42.76	-45.54	88.30	48.97	38.87	16.56	61.64	300	0	Peak																																																																	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																						
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	14848.00	44.03	-44.27	88.30	50.24	38.87	16.56	61.64	100	0	Peak																																																																	



**U-NII 8 - 6875-7125MHz**  
**WIFI 802.11be EHT160 Full (Harmonic @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																					
ANT	802.11be EHT160 Full CH207 6985MHz																																																																					
17+18	Horizontal	Vertical																																																																				
Peak Avg.	<p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 49            Plane : 19            : Full-directivity            IMEI : #36            Powersetting : 15            : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13968.00</td> <td>44.08</td> <td>-44.22</td> <td>88.30</td> <td>50.44</td> <td>38.81</td> <td>16.50</td> <td>61.67</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	13968.00	44.08	-44.22	88.30	50.44	38.81	16.50	61.67	300	0	Peak	<p>Site : 03CH06-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL            Project : (FR)292001            Mode : 49            Plane : 19            : Full-directivity            IMEI : #36            Powersetting : 15            : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13968.00</td> <td>43.25</td> <td>-45.05</td> <td>88.30</td> <td>49.61</td> <td>38.81</td> <td>16.50</td> <td>61.67</td> <td>180</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	13968.00	43.25	-45.05	88.30	49.61	38.81	16.50	61.67	180	0	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																															
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																															
1	13968.00	44.08	-44.22	88.30	50.44	38.81	16.50	61.67	300	0	Peak																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																															
1	13968.00	43.25	-45.05	88.30	49.61	38.81	16.50	61.67	180	0	Peak																																																											



**U-NII 8 - 6875-7125MHz**  
**WIFI 802.11be EHT20 Single Partial RU 52/40 (Harmonic @ 3m)**

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																													
ANT	802.11be EHT20 Single partial RU 52/40 CH229 7095MHz																																																													
17+18	Horizontal	Vertical																																																												
<b>Peak</b>	<p>Site : 03C#06-KS            Condition : WIFI 4E PEAK 3m 3117 SN 00218652- HORIZONTAL            Project : (FR)292001            Mode : 64            Plane : Y            : Full-directivity            IMEI : #36            Powersetting : -25            : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14192.00</td> <td>44.83</td> <td>-44.27</td> <td>88.30</td> <td>49.91</td> <td>39.87</td> <td>16.65</td> <td>61.60</td> <td>300</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	14192.00	44.83	-44.27	88.30	49.91	39.87	16.65	61.60	300	0	Peak	<p>Site : 03C#06-KS            Condition : WIFI 4E PEAK 3m 3117 SN 00218652- VERTICAL            Project : (FR)292001            Mode : 64            Plane : Y            : Full-directivity            IMEI : #36            Powersetting : -25            : 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14192.00</td> <td>43.33</td> <td>-44.97</td> <td>88.30</td> <td>49.21</td> <td>39.87</td> <td>16.65</td> <td>61.60</td> <td>180</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	14192.00	43.33	-44.97	88.30	49.21	39.87	16.65	61.60	180	0	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	14192.00	44.83	-44.27	88.30	49.91	39.87	16.65	61.60	300	0	Peak																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	14192.00	43.33	-44.97	88.30	49.21	39.87	16.65	61.60	180	0	Peak																																																			



Emission below 1GHz  
WIFI 802.11be EHT40 Full (LF)

WIFI	WIFI																																																																																																																																																											
ANT	802.11be EHT40 Full LF																																																																																																																																																											
17+18	Horizontal	Vertical																																																																																																																																																										
QP / Peak	<p>Site : 030906-KS Condition : WIFI 802.11be EHT40 Full LF 61110 SNA4483 HORIZONTAL Project : RSR 100.000000 VSW 300.000000 SRT Auto Mode : 25 Full-directivity : 1 Limit : 85.0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>30.97</th> <th>22.90</th> <th>40.00</th> <th>-17.10</th> <th>29.77</th> <th>24.57</th> <th>0.76</th> <th>32.20</th> <th>---</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>124.16</td> <td>28.62</td> <td>43.00</td> <td>-14.88</td> <td>42.04</td> <td>10.86</td> <td>1.82</td> <td>32.10</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>220.12</td> <td>22.99</td> <td>46.00</td> <td>-23.01</td> <td>37.74</td> <td>15.30</td> <td>2.99</td> <td>32.14</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>256.19</td> <td>22.38</td> <td>46.00</td> <td>-23.62</td> <td>33.46</td> <td>19.02</td> <td>2.10</td> <td>32.20</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>689.60</td> <td>28.62</td> <td>46.00</td> <td>-17.38</td> <td>30.25</td> <td>26.66</td> <td>3.91</td> <td>32.20</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>904.94</td> <td>33.41</td> <td>46.00</td> <td>-12.59</td> <td>31.83</td> <td>27.79</td> <td>4.49</td> <td>32.20</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	30.97	22.90	40.00	-17.10	29.77	24.57	0.76	32.20	---	Peak	2	124.16	28.62	43.00	-14.88	42.04	10.86	1.82	32.10	---	Peak	3	220.12	22.99	46.00	-23.01	37.74	15.30	2.99	32.14	---	Peak	4	256.19	22.38	46.00	-23.62	33.46	19.02	2.10	32.20	---	Peak	5	689.60	28.62	46.00	-17.38	30.25	26.66	3.91	32.20	---	Peak	6	904.94	33.41	46.00	-12.59	31.83	27.79	4.49	32.20	---	Peak	<p>Site : 030906-KS Condition : WIFI 802.11be EHT40 Full LF 61110 SNA4483 VERTICAL Project : RSR 100.000000 VSW 300.000000 SRT Auto Mode : 25 Full-directivity : 1 Limit : 85.0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>30.97</th> <th>24.59</th> <th>40.00</th> <td>-15.41</td> <td>31.46</td> <td>24.57</td> <td>0.76</td> <td>32.20</td> <td>---</td> <td>Peak</td> </tr> </thead> <tbody> <tr> <td>2</td> <td>124.16</td> <td>29.76</td> <td>43.00</td> <td>-13.74</td> <td>43.19</td> <td>10.86</td> <td>1.82</td> <td>32.10</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>169.68</td> <td>28.80</td> <td>43.00</td> <td>-14.70</td> <td>43.30</td> <td>10.70</td> <td>1.90</td> <td>32.10</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>202.80</td> <td>24.00</td> <td>46.00</td> <td>-21.99</td> <td>33.78</td> <td>20.20</td> <td>2.71</td> <td>32.17</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>241.37</td> <td>24.39</td> <td>46.00</td> <td>-21.61</td> <td>33.62</td> <td>20.23</td> <td>2.72</td> <td>32.18</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>454.86</td> <td>27.62</td> <td>46.00</td> <td>-18.38</td> <td>33.51</td> <td>23.19</td> <td>3.14</td> <td>32.22</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	30.97	24.59	40.00	-15.41	31.46	24.57	0.76	32.20	---	Peak	2	124.16	29.76	43.00	-13.74	43.19	10.86	1.82	32.10	---	Peak	3	169.68	28.80	43.00	-14.70	43.30	10.70	1.90	32.10	---	Peak	4	202.80	24.00	46.00	-21.99	33.78	20.20	2.71	32.17	---	Peak	5	241.37	24.39	46.00	-21.61	33.62	20.23	2.72	32.18	---	Peak	6	454.86	27.62	46.00	-18.38	33.51	23.19	3.14	32.22	---	Peak
	Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																	
1	30.97	22.90	40.00	-17.10	29.77	24.57	0.76	32.20	---	Peak																																																																																																																																																		
2	124.16	28.62	43.00	-14.88	42.04	10.86	1.82	32.10	---	Peak																																																																																																																																																		
3	220.12	22.99	46.00	-23.01	37.74	15.30	2.99	32.14	---	Peak																																																																																																																																																		
4	256.19	22.38	46.00	-23.62	33.46	19.02	2.10	32.20	---	Peak																																																																																																																																																		
5	689.60	28.62	46.00	-17.38	30.25	26.66	3.91	32.20	---	Peak																																																																																																																																																		
6	904.94	33.41	46.00	-12.59	31.83	27.79	4.49	32.20	---	Peak																																																																																																																																																		
Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																		
1	30.97	24.59	40.00	-15.41	31.46	24.57	0.76	32.20	---	Peak																																																																																																																																																		
2	124.16	29.76	43.00	-13.74	43.19	10.86	1.82	32.10	---	Peak																																																																																																																																																		
3	169.68	28.80	43.00	-14.70	43.30	10.70	1.90	32.10	---	Peak																																																																																																																																																		
4	202.80	24.00	46.00	-21.99	33.78	20.20	2.71	32.17	---	Peak																																																																																																																																																		
5	241.37	24.39	46.00	-21.61	33.62	20.23	2.72	32.18	---	Peak																																																																																																																																																		
6	454.86	27.62	46.00	-18.38	33.51	23.19	3.14	32.22	---	Peak																																																																																																																																																		



Emission above 18GHz
WIFI 802.11be EHT40 Full

Table with 2 columns: Horizontal and Vertical. Each column contains a graph showing Level (dBm/100) vs Frequency (MHz) for WIFI 802.11be EHT40 Full. The graphs show peak and average levels across the frequency range from 18000 to 40000 MHz.

Note: For 18GHz to 40GHz, only worst case is verified in this report.



CO-location:

LTE B48 TX + WLAN 6G 802.11be EHT40 CH227 TX + WLAN 2.4G 802.11be EHT40 CH03 Tx  
 WLAN 6G 802.11be EHT40 CH227 TX (Band Edge @ 3m)

WIFI	Band Edge @ 3m																																																																									
ANT	802.11be EHT40 Full CH227 7085MHZ																																																																									
17+18	Horizontal	Fundamental																																																																								
<b>Peak</b>	<p>Site: 032906-KS            Condition: WIFI 6E PEAK 3m 3117 5N 00218652- HORIZONTAL            Project: RSM 1000 0000KHz VBR 3000 0000KHz SRT-Auto            Mode: FR2 292001            Plane: Y            Full-directivity            IMEI: #30            Powersetting: OE-17-2-4018</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.66</td> <td>69.88</td> <td>88.30</td> <td>-18.42</td> <td>55.39</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>102</td> <td>103</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg			1	7125.66	69.88	88.30	-18.42	55.39	35.70	11.58	32.79	102	103	Peak HORIZONTAL	<p>Site: 032906-KS            Condition: WIFI 6E PEAK 3m 3117 5N 00218652- HORIZONTAL            Project: RSM 1000 0000KHz VBR 3000 0000KHz SRT-Auto            Mode: FR2 292001            Plane: Y            Full-directivity            IMEI: #30            Powersetting: OE-17-2-4018</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7084.00</td> <td>104.52</td> <td>88.30</td> <td>16.22</td> <td>85.55</td> <td>35.25</td> <td>15.49</td> <td>32.77</td> <td>102</td> <td>103</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg			1	7084.00	104.52	88.30	16.22	85.55	35.25	15.49	32.77	102	103	Peak HORIZONTAL
Line	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg																																																																	
1	7125.66	69.88	88.30	-18.42	55.39	35.70	11.58	32.79	102	103	Peak HORIZONTAL																																																															
Line	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg																																																																	
1	7084.00	104.52	88.30	16.22	85.55	35.25	15.49	32.77	102	103	Peak HORIZONTAL																																																															
<b>Avg.</b>	<p>Site: 032906-KS            Condition: WIFI 6E (AVG) 3m 3117 5N 00218652- HORIZONTAL            Project: RSM 1000 0000KHz VBR 0.0100KHz SRT-Auto            Mode: FR2 292001            Plane: Y            Full-directivity            IMEI: #30            Powersetting: OE-17-2-4018</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7124.94</td> <td>59.94</td> <td>68.30</td> <td>-8.36</td> <td>45.45</td> <td>35.70</td> <td>11.58</td> <td>32.79</td> <td>102</td> <td>103</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg			1	7124.94	59.94	68.30	-8.36	45.45	35.70	11.58	32.79	102	103	Average HORIZONTAL	<p>Site: 032906-KS            Condition: WIFI 6E (AVG) 3m 3117 5N 00218652- HORIZONTAL            Project: RSM 1000 0000KHz VBR 1.0000KHz SRT-Auto            Mode: FR2 292001            Plane: Y            Full-directivity            IMEI: #30            Powersetting: OE-17-2-4018</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7075.00</td> <td>94.82</td> <td>68.30</td> <td>26.52</td> <td>80.34</td> <td>35.70</td> <td>11.54</td> <td>32.76</td> <td>102</td> <td>103</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg			1	7075.00	94.82	68.30	26.52	80.34	35.70	11.54	32.76	102	103	Average HORIZONTAL
Line	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg																																																																	
1	7124.94	59.94	68.30	-8.36	45.45	35.70	11.58	32.79	102	103	Average HORIZONTAL																																																															
Line	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
	MHz	dBuV/m	dBuV/m	dB	dBm	dB	dB	cm	deg																																																																	
1	7075.00	94.82	68.30	26.52	80.34	35.70	11.54	32.76	102	103	Average HORIZONTAL																																																															



WIFI	Band Edge @ 3m																																																																			
ANT	802.11be EHT40 Full H227 7085MHz																																																																			
17+18	Vertical	Fundamental																																																																		
<b>Peak</b>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218662- VERTICAL Project : RSM 1000, 0000kHz VBR 3000, 000kHz SRT Auto Mode : FR292001 Plane : Y IMEI : Full-directivity Powersetting : 6E-17-2_4518</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7128.90</td> <td>70.33</td> <td>88.30</td> <td>-17.97</td> <td>55.82</td> <td>35.70</td> <td>11.60</td> <td>32.79</td> <td>100</td> <td>76 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	dB	cm	deg			1 7128.90	70.33	88.30	-17.97	55.82	35.70	11.60	32.79	100	76 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218662- VERTICAL Project : RSM 1000, 0000kHz VBR 3000, 000kHz SRT Auto Mode : FR292001 Plane : Y IMEI : Full-directivity Powersetting : 6E-17-2_4518</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7084.00</td> <td>102.87</td> <td>88.30</td> <td>14.57</td> <td>88.38</td> <td>35.70</td> <td>11.56</td> <td>32.77</td> <td>100</td> <td>76 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	dB	cm	deg			1 7084.00	102.87	88.30	14.57	88.38	35.70	11.56	32.77	100	76 Peak	VERTICAL
IMEI	Powersetting	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dB	dB	dB	cm	deg																																																												
1 7128.90	70.33	88.30	-17.97	55.82	35.70	11.60	32.79	100	76 Peak	VERTICAL																																																										
IMEI	Powersetting	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dB	dB	dB	cm	deg																																																												
1 7084.00	102.87	88.30	14.57	88.38	35.70	11.56	32.77	100	76 Peak	VERTICAL																																																										
<b>Avg.</b>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : WIFI 6E (AVG) 3m 3117 SN 00218662- VERTICAL Project : RSM 1000, 0000kHz VBR 3000, 000kHz SRT Auto Mode : FR292001 Plane : Y IMEI : Full-directivity Powersetting : 6E-17-2_4518</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7129.80</td> <td>58.53</td> <td>68.30</td> <td>-9.77</td> <td>44.02</td> <td>35.70</td> <td>11.60</td> <td>32.79</td> <td>100</td> <td>76 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	dB	cm	deg			1 7129.80	58.53	68.30	-9.77	44.02	35.70	11.60	32.79	100	76 Average	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : WIFI 6E (AVG) 3m 3117 SN 00218662- VERTICAL Project : RSM 1000, 0000kHz VBR 3000, 000kHz SRT Auto Mode : FR292001 Plane : Y IMEI : Full-directivity Powersetting : 6E-17-2_4518</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Powersetting</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7092.00</td> <td>94.14</td> <td>68.30</td> <td>25.84</td> <td>79.65</td> <td>35.70</td> <td>11.56</td> <td>32.77</td> <td>100</td> <td>76 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Powersetting	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	dB	cm	deg			1 7092.00	94.14	68.30	25.84	79.65	35.70	11.56	32.77	100	76 Average	VERTICAL
IMEI	Powersetting	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dB	dB	dB	cm	deg																																																												
1 7129.80	58.53	68.30	-9.77	44.02	35.70	11.60	32.79	100	76 Average	VERTICAL																																																										
IMEI	Powersetting	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dB	dB	dB	cm	deg																																																												
1 7092.00	94.14	68.30	25.84	79.65	35.70	11.56	32.77	100	76 Average	VERTICAL																																																										



WLAN 2.4G 802.11be EHT40 CH03 Tx (Band Edge @ 3m)

WIFI	Band Edge @ 3m																																																																					
ANT	802.11be EHT40 Full CH03 2422MHz - L																																																																					
15+18	Horizontal	Fundamental																																																																				
Peak	<p>Site: 030906-KS Condition: FCC PART 15C 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.000KHz VBR 0.010KHz SMT Auto Mode: 87 Plane: Full-directivity MEI: R24 Powersetting: AE-17-2-4018</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.87</td> <td>61.57</td> <td>74.00</td> <td>-12.43</td> <td>55.54</td> <td>32.30</td> <td>6.61</td> <td>32.88</td> <td>100</td> <td>124 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2387.87	61.57	74.00	-12.43	55.54	32.30	6.61	32.88	100	124 Peak	HORIZONTAL	<p>Site: 030906-KS Condition: FCC PART 15C 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.000KHz VBR 0.010KHz SMT Auto Mode: 87 Plane: Full-directivity MEI: R24 Powersetting: AE-17-2-4018</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2420.00</td> <td>101.15</td> <td>74.00</td> <td>27.15</td> <td>94.96</td> <td>32.30</td> <td>6.66</td> <td>32.77</td> <td>100</td> <td>124 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2420.00	101.15	74.00	27.15	94.96	32.30	6.66	32.77	100	124 Peak	HORIZONTAL
MEI	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2387.87	61.57	74.00	-12.43	55.54	32.30	6.61	32.88	100	124 Peak	HORIZONTAL																																																											
MEI	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2420.00	101.15	74.00	27.15	94.96	32.30	6.66	32.77	100	124 Peak	HORIZONTAL																																																											
Avg.	<p>Site: 030906-KS Condition: FCC PART 15C (AVG) 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.000KHz VBR 0.010KHz SMT Auto Mode: 87 Plane: Full-directivity MEI: R24 Powersetting: AE-17-2-4018</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.83</td> <td>49.86</td> <td>54.00</td> <td>-4.14</td> <td>43.83</td> <td>32.30</td> <td>6.61</td> <td>32.88</td> <td>100</td> <td>124 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2386.83	49.86	54.00	-4.14	43.83	32.30	6.61	32.88	100	124 Average	HORIZONTAL	<p>Site: 030906-KS Condition: FCC PART 15C (AVG) 3m 3117 SN 00218652- HORIZONTAL Project: RRM 1000.000KHz VBR 0.010KHz SMT Auto Mode: 87 Plane: Full-directivity MEI: R24 Powersetting: AE-17-2-4018</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>91.79</td> <td>54.00</td> <td>37.79</td> <td>85.58</td> <td>32.30</td> <td>6.68</td> <td>32.77</td> <td>100</td> <td>124 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2438.00	91.79	54.00	37.79	85.58	32.30	6.68	32.77	100	124 Average	HORIZONTAL
MEI	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2386.83	49.86	54.00	-4.14	43.83	32.30	6.61	32.88	100	124 Average	HORIZONTAL																																																											
MEI	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2438.00	91.79	54.00	37.79	85.58	32.30	6.68	32.77	100	124 Average	HORIZONTAL																																																											







WIFI	Band Edge @ 3m																																
ANT	802.11be EHT40 Full CH03 2422MHz - R																																
15+18	Horizontal	Fundamental																															
<p><b>Peak</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C 3e 3117 SN 00218662- HORIZONTAL Project : RRM 1000.000kHz VSW-3000.000kHz SWI:Auto Mode : FREQ292001 Plane : X Polarization : Full-directivity PowerSetting : 0E-17-2.4618 MEI : 0E-17-2.4618 PowerSetting : 0E-17-2.4618</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.34</td> <td>57.43</td> <td>74.00</td> <td>-16.57</td> <td>50.91</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>100</td> <td>124</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Line	Level	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	2484.34	57.43	74.00	-16.57	50.91	32.43	6.73	32.64	100	124	Peak	HORIZONTAL	<p>Left blank</p>
Line	Level	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																										
1	2484.34	57.43	74.00	-16.57	50.91	32.43	6.73	32.64	100	124	Peak	HORIZONTAL																					
<p><b>Avg.</b></p>	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C (AVG) 3e 3117 SN 00218662- HORIZONTAL Project : RRM 1000.000kHz VSW 0.0100kHz SWI:Auto Mode : FREQ292001 Plane : X Polarization : Full-directivity PowerSetting : 0E-17-2.4618 MEI : 0E-17-2.4618 PowerSetting : 0E-17-2.4618</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>46.39</td> <td>54.00</td> <td>-7.61</td> <td>39.87</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>100</td> <td>124</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Line	Level	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	2483.50	46.39	54.00	-7.61	39.87	32.43	6.73	32.64	100	124	Average	HORIZONTAL	<p>Left blank</p>
Line	Level	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																										
1	2483.50	46.39	54.00	-7.61	39.87	32.43	6.73	32.64	100	124	Average	HORIZONTAL																					



WIFI	Band Edge @ 3m																																																													
ANT	802.11be EHT40 Full CH03 2422MHz - L																																																													
15+18	Vertical	Fundamental																																																												
Peak	<p>Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 00218662- VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR292001 Plane : X Full-directivity IMEI : 86-17-2-4618 Powersetting : 8dB</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2387.09</td> <td>60.66</td> <td>74.00</td> <td>-13.35</td> <td>64.62</td> <td>32.30</td> <td>6.61</td> <td>32.88</td> <td>253</td> <td>97 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1 2387.09	60.66	74.00	-13.35	64.62	32.30	6.61	32.88	253	97 Peak VERTICAL	<p>Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 00218662- VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR292001 Plane : X Full-directivity IMEI : 86-17-2-4618 Powersetting : 8dB</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2404.00</td> <td>99.28</td> <td>74.00</td> <td>25.28</td> <td>93.19</td> <td>32.30</td> <td>6.63</td> <td>32.84</td> <td>253</td> <td>97 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1 2404.00	99.28	74.00	25.28	93.19	32.30	6.63	32.84	253	97 Peak VERTICAL
Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																							
1 2387.09	60.66	74.00	-13.35	64.62	32.30	6.61	32.88	253	97 Peak VERTICAL																																																					
Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																							
1 2404.00	99.28	74.00	25.28	93.19	32.30	6.63	32.84	253	97 Peak VERTICAL																																																					
Avg.	<p>Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218662- VERTICAL Project : RRM 1000.000kHz VBR 0.0100kHz SRT:Auto Mode : FR292001 Plane : X Full-directivity IMEI : 86-17-2-4618 Powersetting : 8dB</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2385.53</td> <td>46.69</td> <td>54.00</td> <td>-7.31</td> <td>40.66</td> <td>32.30</td> <td>6.61</td> <td>32.88</td> <td>253</td> <td>97 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1 2385.53	46.69	54.00	-7.31	40.66	32.30	6.61	32.88	253	97 Average VERTICAL	<p>Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218662- VERTICAL Project : RRM 1000.000kHz VBR 0.0100kHz SRT:Auto Mode : FR292001 Plane : X Full-directivity IMEI : 86-17-2-4618 Powersetting : 8dB</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2440.00</td> <td>89.88</td> <td>54.00</td> <td>35.88</td> <td>83.67</td> <td>32.30</td> <td>6.68</td> <td>32.77</td> <td>253</td> <td>97 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg			1 2440.00	89.88	54.00	35.88	83.67	32.30	6.68	32.77	253	97 Average VERTICAL
Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																							
1 2385.53	46.69	54.00	-7.31	40.66	32.30	6.61	32.88	253	97 Average VERTICAL																																																					
Freq	Level	Line	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg																																																							
1 2440.00	89.88	54.00	35.88	83.67	32.30	6.68	32.77	253	97 Average VERTICAL																																																					



WIFI	Band Edge @ 3m																																	
ANT	802.11be EHT40 Full CH03 2422MHz - R																																	
15+18	Vertical	Fundamental																																
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C 3e 3117 SN 00218662- VERTICAL Project : RRM 1000.0000kHz VSW-3000.0000kHz SW: Auto FR292001 Mode : S7 Plane : X Full-directivity IMEI : Powersetting : 6E-17-2, 4618 6E-17-2, 4618</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.32</td> <td>55.56</td> <td>74.00</td> <td>-18.45</td> <td>49.03</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>253</td> <td>97 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dBV/m	dB	dB	dB	cm	deg			1	2486.32	55.56	74.00	-18.45	49.03	32.43	6.73	32.64	253	97 Peak	VERTICAL	<p><b>Left blank</b></p>
Line	Freq	Level	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBV/m	dBV/m	dB	dB	dB	cm	deg																											
1	2486.32	55.56	74.00	-18.45	49.03	32.43	6.73	32.64	253	97 Peak	VERTICAL																							
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C (AVG) 3e 3117 SN 00218662- VERTICAL Project : RRM 1000.0000kHz VSW 0.0100kHz SW: Auto FR292001 Mode : S7 Plane : X Full-directivity IMEI : Powersetting : 6E-17-2, 4618 6E-17-2, 4618</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>44.67</td> <td>54.00</td> <td>-9.33</td> <td>38.15</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>253</td> <td>97 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dBV/m	dB	dB	dB	cm	deg			1	2483.68	44.67	54.00	-9.33	38.15	32.43	6.73	32.64	253	97 Average	VERTICAL	<p><b>Left blank</b></p>
Line	Freq	Level	Limit	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBV/m	dBV/m	dB	dB	dB	cm	deg																											
1	2483.68	44.67	54.00	-9.33	38.15	32.43	6.73	32.64	253	97 Average	VERTICAL																							



WLAN 6G 802.11be EHT40 CH227 TX (Harmonic @ 3m)

WIFI	Harmonic @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
17+18	Horizontal	Vertical
Peak Avg.	<p>Site : 032005-KS          Condition : WIFI 6E PEAK 3m 3117 5N 00218662- HORIZONTAL          Project : R08-1000-0000Kz V08-3000-0000Kz GHT-Auto          Mode : SF          Plane : Y          Antenna : Full-directivity          MEI : E5          Powersetting : E6-17-2-4018          Limit Over ReadAntenna Cable Preamp A/Pos T/Pos          Line Limit Level Factor Loss Factor          MHz dBuV/m dB dBuV dB/m dB dB cm deg          1 14168.00 42.51 88.30 -45.79 48.43 39.04 16.64 61.60 300 0 Peak HORIZONTAL</p>	<p>Site : 032005-KS          Condition : WIFI 6E PEAK 3m 3117 5N 00218662- VERTICAL          Project : R08-1000-0000Kz V08-3000-0000Kz GHT-Auto          Mode : SF          Plane : X          Antenna : Full-directivity          MEI : E5          Powersetting : E6-17-2-4018          Limit Over ReadAntenna Cable Preamp A/Pos T/Pos          Line Limit Level Factor Loss Factor          MHz dBuV/m dB dBuV dB/m dB dB cm deg          1 14168.00 42.47 88.30 -45.88 48.34 39.04 16.64 61.60 100 0 Peak VERTICAL</p>



WLAN 2.4G 802.11be EHT40 CH03 Tx (Harmonic @ 3m)

WIFI	Harmonic @ 3m																																																																																									
ANT	802.11 be EHT40 Full CH03 2422MHz																																																																																									
15+18	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 032004-ES Condition : FCC PART 15C 3m 3117 SN 00218662- HORIZONTAL Project : R08-1000-000MHz V08-3000-000MHz GRT-Auto Mode : E7 Plane : Y Antenna : Full-directivity ME1 : E5 Powersetting : E6-17-2-4018</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4845.00</td> <td>38.65</td> <td>74.00</td> <td>-35.35</td> <td>55.73</td> <td>34.32</td> <td>9.49</td> <td>61.79</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7260.00</td> <td>43.15</td> <td>74.00</td> <td>-30.85</td> <td>57.83</td> <td>35.70</td> <td>11.67</td> <td>62.00</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cn	deg	1	4845.00	38.65	74.00	-35.35	55.73	34.32	9.49	61.79	300	0 Peak HORIZONTAL	2	7260.00	43.15	74.00	-30.85	57.83	35.70	11.67	62.00	300	0 Peak HORIZONTAL	<p>Site : 032004-ES Condition : FCC PART 15C 3m 3117 SN 00218662- VERTICAL Project : R08-1000-000MHz V08-3000-000MHz GRT-Auto Mode : E7 Plane : X Antenna : Full-directivity ME1 : E5 Powersetting : E6-17-2-4018</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4845.00</td> <td>38.24</td> <td>74.00</td> <td>-35.76</td> <td>55.32</td> <td>34.32</td> <td>9.49</td> <td>61.79</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7260.00</td> <td>42.68</td> <td>74.00</td> <td>-31.32</td> <td>57.36</td> <td>35.70</td> <td>11.67</td> <td>62.00</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cn	deg	1	4845.00	38.24	74.00	-35.76	55.32	34.32	9.49	61.79	100	0 Peak VERTICAL	2	7260.00	42.68	74.00	-31.32	57.36	35.70	11.67	62.00	100	0 Peak VERTICAL
	Line	Freq	Level	Limit	Level Factor	Loss Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cn	deg																																																																																
1	4845.00	38.65	74.00	-35.35	55.73	34.32	9.49	61.79	300	0 Peak HORIZONTAL																																																																																
2	7260.00	43.15	74.00	-30.85	57.83	35.70	11.67	62.00	300	0 Peak HORIZONTAL																																																																																
Line	Freq	Level	Limit	Level Factor	Loss Factor	Loss	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cn	deg																																																																																
1	4845.00	38.24	74.00	-35.76	55.32	34.32	9.49	61.79	100	0 Peak VERTICAL																																																																																
2	7260.00	42.68	74.00	-31.32	57.36	35.70	11.67	62.00	100	0 Peak VERTICAL																																																																																



LTE B48 TX + WLAN 6G 802.11be EHT40 CH227 TX + BLE 2Mbps CH39TX + WLAN 5G 802.11be EHT160 CH50 Tx  
 WLAN 6G 802.11be EHT40 CH227 TX (Band Edge @ 3m)

WIFI	Band Edge @ 3m																													
ANT	802.11be EHT40 Full CH227 7085MHZ																													
17+18	Horizontal	Fundamental																												
<b>Peak</b>	<p>Site : 032006-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218662- HORIZONTAL            Project : RRM 1000, 0000kHz VBR 3000, 000kHz SRT Auto            Mode : FR2 292001            Plane : Z            Full-directivity : X            Powersetting : AE-17-56-15-BTS_0</p> <table border="1"> <thead> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>7125.12</td> <td>112</td> <td>88.30</td> <td>-16.50</td> <td>57.31</td> <td>35.70</td> <td>11.58 32.79 100 112 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq Level	Line	Limit	Level Factor	Loss Factor	Remark	Pol/Phas	7125.12	112	88.30	-16.50	57.31	35.70	11.58 32.79 100 112 Peak HORIZONTAL	<p>Site : 032006-KS            Condition : WIFI 6E PEAK 3m 3117 SN 00218662- HORIZONTAL            Project : RRM 1000, 0000kHz VBR 3000, 000kHz SRT Auto            Mode : FR2 292001            Plane : Z            Full-directivity : X            Powersetting : AE-17-56-15-BTS_0</p> <table border="1"> <thead> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>7093.00</td> <td>112</td> <td>88.30</td> <td>16.33</td> <td>90.14</td> <td>35.70</td> <td>11.56 32.77 100 112 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq Level	Line	Limit	Level Factor	Loss Factor	Remark	Pol/Phas	7093.00	112	88.30	16.33	90.14	35.70	11.56 32.77 100 112 Peak HORIZONTAL
Freq Level	Line	Limit	Level Factor	Loss Factor	Remark	Pol/Phas																								
7125.12	112	88.30	-16.50	57.31	35.70	11.58 32.79 100 112 Peak HORIZONTAL																								
Freq Level	Line	Limit	Level Factor	Loss Factor	Remark	Pol/Phas																								
7093.00	112	88.30	16.33	90.14	35.70	11.56 32.77 100 112 Peak HORIZONTAL																								
<b>Avg.</b>	<p>Site : 032006-KS            Condition : WIFI 6E (AVG) 3m 3117 SN 00218662- HORIZONTAL            Project : RRM 1000, 0000kHz VBR 0, 0100kHz SRT Auto            Mode : FR2 292001            Plane : Z            Full-directivity : X            Powersetting : AE-17-56-15-BTS_0</p> <table border="1"> <thead> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>7124.94</td> <td>112</td> <td>68.30</td> <td>-7.23</td> <td>46.58</td> <td>35.70</td> <td>11.58 32.79 100 112 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq Level	Line	Limit	Level Factor	Loss Factor	Remark	Pol/Phas	7124.94	112	68.30	-7.23	46.58	35.70	11.58 32.79 100 112 Average HORIZONTAL	<p>Site : 032006-KS            Condition : WIFI 6E (AVG) 3m 3117 SN 00218662- HORIZONTAL            Project : RRM 1000, 0000kHz VBR 0, 0100kHz SRT Auto            Mode : FR2 292001            Plane : Z            Full-directivity : X            Powersetting : AE-17-56-15-BTS_0</p> <table border="1"> <thead> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>7066.00</td> <td>112</td> <td>68.30</td> <td>26.35</td> <td>80.17</td> <td>35.70</td> <td>11.54 32.76 100 112 Average HORIZONTAL</td> </tr> </tbody> </table>	Freq Level	Line	Limit	Level Factor	Loss Factor	Remark	Pol/Phas	7066.00	112	68.30	26.35	80.17	35.70	11.54 32.76 100 112 Average HORIZONTAL
Freq Level	Line	Limit	Level Factor	Loss Factor	Remark	Pol/Phas																								
7124.94	112	68.30	-7.23	46.58	35.70	11.58 32.79 100 112 Average HORIZONTAL																								
Freq Level	Line	Limit	Level Factor	Loss Factor	Remark	Pol/Phas																								
7066.00	112	68.30	26.35	80.17	35.70	11.54 32.76 100 112 Average HORIZONTAL																								







WLAN 5G 802.11be EHT160 CH50 Tx (Band Edge @ 3m)

WIFI	Band Edge @ 3m																																																																															
ANT	802.11be EHT160 Full CH50 5250MHz - L																																																																															
15+18	Horizontal	Fundamental																																																																														
Peak	<p>Site : 030806-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.0000kHz VBR 3000.0000kHz SWT:Auto Mode : (FR) 292001 Plane : 0 Antenna : Full-directivity Polarization : 0 Powersetting : AE-17-50-15-0T5_0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.04</td> <td>59.66</td> <td>74.00</td> <td>-14.34</td> <td>47.57</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>100</td> <td>121</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5143.04	59.66	74.00	-14.34	47.57	34.10	9.78	31.79	100	121	Peak	HORIZONTAL	<p>Site : 030806-KS Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.0000kHz VBR 3000.0000kHz SWT:Auto Mode : (FR) 292001 Plane : 0 Antenna : Full-directivity Polarization : 0 Powersetting : AE-17-50-15-0T5_0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5220.00</td> <td>97.27</td> <td>68.30</td> <td>29.07</td> <td>84.83</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>100</td> <td>121</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5220.00</td> <td>88.88</td> <td>76.34</td> <td>34.55</td> <td>9.89</td> <td>31.90</td> <td>100</td> <td>121</td> <td>Average</td> <td>HORIZONTAL</td> <td></td> </tr> </tbody> </table>	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5220.00	97.27	68.30	29.07	84.83	34.55	9.89	31.90	100	121	Peak	HORIZONTAL	2	5220.00	88.88	76.34	34.55	9.89	31.90	100	121	Average	HORIZONTAL	
Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5143.04	59.66	74.00	-14.34	47.57	34.10	9.78	31.79	100	121	Peak	HORIZONTAL																																																																				
Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5220.00	97.27	68.30	29.07	84.83	34.55	9.89	31.90	100	121	Peak	HORIZONTAL																																																																				
2	5220.00	88.88	76.34	34.55	9.89	31.90	100	121	Average	HORIZONTAL																																																																						
Avg.	<p>Site : 030806-KS Condition : SG BAND 1----3 (AVE) 3m 3117 SN 00218652- HORIZONTAL Project : RRM 1000.0000kHz VBR 0.0100kHz SWT:Auto Mode : (FR) 292001 Plane : 0 Antenna : Full-directivity Polarization : 0 Powersetting : AE-17-50-15-0T5_0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.00</td> <td>49.27</td> <td>54.00</td> <td>-4.73</td> <td>37.20</td> <td>34.10</td> <td>9.78</td> <td>31.81</td> <td>100</td> <td>121</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	5144.00	49.27	54.00	-4.73	37.20	34.10	9.78	31.81	100	121	Average	HORIZONTAL	Left blank																																													
Line	Limit	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5144.00	49.27	54.00	-4.73	37.20	34.10	9.78	31.81	100	121	Average	HORIZONTAL																																																																				







WIFI	Band Edge @ 3m																																		
ANT	802.11be EHT160 Full CH50 5250MHz - R																																		
15+18	Horizontal	Fundamental																																	
<p><b>Peak</b></p>	 <p>Site : 032005-KS          Condition : 5G BAND 1-3 @ 3117 SN 00218602- HORIZONTAL          Project : RRM 1000, 0000Hz, VSW: 3000, 0000Hz, SMT: Auto          Mode : (FR) 292001          Plane : X          Powersetting : Full-directivity          MEI : 6E-17-56-15-BTS, 0          Powersetting : 6E-17-56-15-BTS, 0</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.50</td> <td>57.98</td> <td>74.00</td> <td>-16.02</td> <td>45.35</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>100</td> <td>121</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dBV/m	dB	dBV/m	dB	cm	deg			1	5350.50	57.98	74.00	-16.02	45.35	34.65	9.91	31.93	100	121	Peak	HORIZONTAL	<p>Left blank</p>
MEI	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBV/m	dBV/m	dB	dBV/m	dB	cm	deg																												
1	5350.50	57.98	74.00	-16.02	45.35	34.65	9.91	31.93	100	121	Peak	HORIZONTAL																							
<p><b>Avg.</b></p>	 <p>Site : 032005-KS          Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218602- HORIZONTAL          Project : RRM 1000, 0000Hz, VSW: 0, 0100Hz, SMT: Auto          Mode : (FR) 292001          Plane : X          Powersetting : Full-directivity          MEI : 6E-17-56-15-BTS, 0          Powersetting : 6E-17-56-15-BTS, 0</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>46.18</td> <td>54.00</td> <td>-7.82</td> <td>33.55</td> <td>34.65</td> <td>9.91</td> <td>31.93</td> <td>100</td> <td>121</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dBV/m	dB	dBV/m	dB	cm	deg			1	5350.00	46.18	54.00	-7.82	33.55	34.65	9.91	31.93	100	121	Average	HORIZONTAL	<p>Left blank</p>
MEI	Level	Limit	Over	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBV/m	dBV/m	dB	dBV/m	dB	cm	deg																												
1	5350.00	46.18	54.00	-7.82	33.55	34.65	9.91	31.93	100	121	Average	HORIZONTAL																							



WIFI	Band Edge @ 3m																																																																														
ANT	802.11be EHT160 Full CH50 5250MHz - L																																																																														
15+18	Vertical	Fundamental																																																																													
Peak	<p>Site : 030906-KS Condition : SG BAND 1----3 3m 3117 SN 00218663- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto Mode : FFS:292001 Plane : X IMEI : Full-directivity Powersetting : 6E-17-56-15-BTS,0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5140.96</td> <td>58.02</td> <td>74.00</td> <td>-15.98</td> <td>45.93</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>301</td> <td>81</td> <td>Peak VERTICAL</td> </tr> </tbody> </table>	Line	Level	Limit	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	deg	deg	1 5140.96	58.02	74.00	-15.98	45.93	34.10	9.78	31.79	301	81	Peak VERTICAL	<p>Site : 030906-KS Condition : SG BAND 1----3 3m 3117 SN 00218662- VERTICAL Project : RBW:1000,000kHz VBR:3000,000kHz SRT:Auto Mode : FFS:292001 Plane : X IMEI : Full-directivity Powersetting : 6E-17-56-15-BTS,0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5296.00</td> <td>97.10</td> <td>68.30</td> <td>28.80</td> <td>84.59</td> <td>34.50</td> <td>9.89</td> <td>31.88</td> <td>301</td> <td>81</td> <td>Peak VERTICAL</td> </tr> <tr> <td>2 5296.00</td> <td>87.66</td> <td>-----</td> <td>-----</td> <td>75.17</td> <td>34.50</td> <td>9.89</td> <td>31.88</td> <td>301</td> <td>81</td> <td>Average VERTICAL</td> </tr> </tbody> </table>	Line	Level	Limit	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	deg	deg	1 * 5296.00	97.10	68.30	28.80	84.59	34.50	9.89	31.88	301	81	Peak VERTICAL	2 5296.00	87.66	-----	-----	75.17	34.50	9.89	31.88	301	81	Average VERTICAL
Line	Level	Limit	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	deg	deg																																																																					
1 5140.96	58.02	74.00	-15.98	45.93	34.10	9.78	31.79	301	81	Peak VERTICAL																																																																					
Line	Level	Limit	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	deg	deg																																																																					
1 * 5296.00	97.10	68.30	28.80	84.59	34.50	9.89	31.88	301	81	Peak VERTICAL																																																																					
2 5296.00	87.66	-----	-----	75.17	34.50	9.89	31.88	301	81	Average VERTICAL																																																																					
Avg.	<p>Site : 030906-KS Condition : SG BAND 1----3 (AVG) 3m 3117 SN 00218662- VERTICAL Project : RBW:1000,000kHz VBR:0,01000kHz SRT:Auto Mode : FFS:292001 Plane : X IMEI : Full-directivity Powersetting : 6E-17-56-15-BTS,0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5140.96</td> <td>47.66</td> <td>54.00</td> <td>-6.34</td> <td>35.57</td> <td>34.10</td> <td>9.78</td> <td>31.79</td> <td>301</td> <td>81</td> <td>Average VERTICAL</td> </tr> </tbody> </table>	Line	Level	Limit	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	deg	deg	1 5140.96	47.66	54.00	-6.34	35.57	34.10	9.78	31.79	301	81	Average VERTICAL	Left blank																																												
Line	Level	Limit	Level Factor	Loss Factor	Loss	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	deg	deg																																																																					
1 5140.96	47.66	54.00	-6.34	35.57	34.10	9.78	31.79	301	81	Average VERTICAL																																																																					



WIFI	Band Edge @ 3m														
ANT	802.11be EHT160 Full CH50 5250MHz - R														
15+18	Vertical	Fundamental													
<p><b>Peak</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : 5G BAND 1-3 @ 3117 SN 00218663- VERTICAL Project : RRM 1000, 0000Hz, VBR 3000, 0000Hz, SRT-Auto IFR: 292001 Mode : S Plane : X Full-directivity Antenna : 6E-17-56-15-BTS, 0 Powersetting : 80 Limit : Over ReadAntenna Cable Preamp A/Pos T/Pos Remark : Pol/Phas</p> <table border="1"> <thead> <tr> <th>1</th> <th>5358.80</th> <th>56.84</th> <th>74.00</th> <th>-17.16</th> <th>44.21</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>301</th> <th>81</th> <th>Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5358.80	56.84	74.00	-17.16	44.21	34.65	9.91	31.93	301	81	Peak	VERTICAL	<p><b>Left blank</b></p>
1	5358.80	56.84	74.00	-17.16	44.21	34.65	9.91	31.93	301	81	Peak	VERTICAL			
<p><b>Avg.</b></p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : 5G BAND 1-3 (AVG) @ 3117 SN 00218662- VERTICAL Project : RRM 1000, 0000Hz, VBR 0, 01000Hz, SRT-Auto IFR: 292001 Mode : S Plane : X Full-directivity Antenna : 6E-17-56-15-BTS, 0 Powersetting : 80 Limit : Over ReadAntenna Cable Preamp A/Pos T/Pos Remark : Pol/Phas</p> <table border="1"> <thead> <tr> <th>1</th> <th>5358.10</th> <th>46.35</th> <th>54.00</th> <th>-7.65</th> <th>33.72</th> <th>34.65</th> <th>9.91</th> <th>31.93</th> <th>301</th> <th>81</th> <th>Average</th> <th>VERTICAL</th> </tr> </thead> </table>	1	5358.10	46.35	54.00	-7.65	33.72	34.65	9.91	31.93	301	81	Average	VERTICAL	<p><b>Left blank</b></p>
1	5358.10	46.35	54.00	-7.65	33.72	34.65	9.91	31.93	301	81	Average	VERTICAL			



BLE 2Mbps CH39TX (Band Edge @ 3m)

BLE	Band Edge @ 3m																																																	
ANT	BLE CH39 2480MHz																																																	
18	Horizontal	Fundamental																																																
Peak	<p>Site : 030806-KS            Condition : FCC PART 15C 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000kHz VEM 3000.000kHz SMT Auto            Mode : 88            Plane : Z            Full-directivity : Full-directivity            MEI : R24            Powersetting : AE-17-50-15-BTS_0            Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas            Freq Level Line Limit Level Factor Loss Factor on deg</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>2483.50</td> <td>60.54</td> <td>74.00</td> <td>-13.46</td> <td>54.02</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>116</td> <td>285</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MHz	dBm	dBm	dB	dBm	dB	dB	dB	on	deg	Remark	Pol/Phas	2483.50	60.54	74.00	-13.46	54.02	32.43	6.73	32.64	116	285	Peak	HORIZONTAL	<p>Site : 030806-KS            Condition : FCC PART 15C 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000kHz VEM 3000.000kHz SMT Auto            Mode : 88            Plane : Z            Full-directivity : Full-directivity            MEI : R24            Powersetting : AE-17-50-15-BTS_0            Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas            Freq Level Line Limit Level Factor Loss Factor on deg</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>2480.00</td> <td>102.95</td> <td>74.00</td> <td>28.95</td> <td>96.43</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>116</td> <td>285</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MHz	dBm	dBm	dB	dBm	dB	dB	dB	on	deg	Remark	Pol/Phas	2480.00	102.95	74.00	28.95	96.43	32.43	6.73	32.64	116	285	Peak	HORIZONTAL
	MHz	dBm	dBm	dB	dBm	dB	dB	dB	on	deg	Remark	Pol/Phas																																						
2483.50	60.54	74.00	-13.46	54.02	32.43	6.73	32.64	116	285	Peak	HORIZONTAL																																							
MHz	dBm	dBm	dB	dBm	dB	dB	dB	on	deg	Remark	Pol/Phas																																							
2480.00	102.95	74.00	28.95	96.43	32.43	6.73	32.64	116	285	Peak	HORIZONTAL																																							
Avg.	<p>Site : 030806-KS            Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000kHz VEM 5.100kHz SMT Auto            Mode : 88            Plane : Z            Full-directivity : Full-directivity            MEI : R24            Powersetting : AE-17-50-15-BTS_0            Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas            Freq Level Line Limit Level Factor Loss Factor on deg</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>2483.50</td> <td>48.08</td> <td>54.00</td> <td>-5.92</td> <td>41.56</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>116</td> <td>285</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MHz	dBm	dBm	dB	dBm	dB	dB	dB	on	deg	Remark	Pol/Phas	2483.50	48.08	54.00	-5.92	41.56	32.43	6.73	32.64	116	285	Average	HORIZONTAL	<p>Site : 030806-KS            Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- HORIZONTAL            Project : RRM 1000.000kHz VEM 5.100kHz SMT Auto            Mode : 88            Plane : Z            Full-directivity : Full-directivity            MEI : R24            Powersetting : AE-17-50-15-BTS_0            Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas            Freq Level Line Limit Level Factor Loss Factor on deg</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>on</th> <th>deg</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>2480.00</td> <td>101.06</td> <td>54.00</td> <td>47.06</td> <td>94.54</td> <td>32.43</td> <td>6.73</td> <td>32.64</td> <td>116</td> <td>285</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MHz	dBm	dBm	dB	dBm	dB	dB	dB	on	deg	Remark	Pol/Phas	2480.00	101.06	54.00	47.06	94.54	32.43	6.73	32.64	116	285	Average	HORIZONTAL
	MHz	dBm	dBm	dB	dBm	dB	dB	dB	on	deg	Remark	Pol/Phas																																						
2483.50	48.08	54.00	-5.92	41.56	32.43	6.73	32.64	116	285	Average	HORIZONTAL																																							
MHz	dBm	dBm	dB	dBm	dB	dB	dB	on	deg	Remark	Pol/Phas																																							
2480.00	101.06	54.00	47.06	94.54	32.43	6.73	32.64	116	285	Average	HORIZONTAL																																							



BLE	Band Edge @ 3m																																																			
ANT	BLE CH39 2480MHZ																																																			
18	Vertical	Fundamental																																																		
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR292001 Plane : X IMEI : Full-directivity Powersetting : AE-17-56-15-BTS_0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>60.76</td> <td>74.00</td> <td>-13.24</td> <td>64.24</td> <td>32.43</td> <td>6.73 32.64 393 103 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cn	deg	1	2483.50	60.76	74.00	-13.24	64.24	32.43	6.73 32.64 393 103 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR292001 Plane : X IMEI : Full-directivity Powersetting : AE-17-56-15-BTS_0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>101.76</td> <td>74.00</td> <td>27.76</td> <td>95.24</td> <td>32.43</td> <td>6.73 32.64 393 103 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cn	deg	1	2480.00	101.76	74.00	27.76	95.24	32.43	6.73 32.64 393 103 Peak	VERTICAL
Line	Freq	Level	Limit	Level Factor	Loss Factor	Remark	Pol/Phas																																													
MHz	dBm	dBm	dBm	dB	dB	cn	deg																																													
1	2483.50	60.76	74.00	-13.24	64.24	32.43	6.73 32.64 393 103 Peak	VERTICAL																																												
Line	Freq	Level	Limit	Level Factor	Loss Factor	Remark	Pol/Phas																																													
MHz	dBm	dBm	dBm	dB	dB	cn	deg																																													
1	2480.00	101.76	74.00	27.76	95.24	32.43	6.73 32.64 393 103 Peak	VERTICAL																																												
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR292001 Plane : X IMEI : Full-directivity Powersetting : AE-17-56-15-BTS_0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>47.81</td> <td>54.00</td> <td>-6.19</td> <td>41.29</td> <td>32.43</td> <td>6.73 32.64 393 103 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cn	deg	1	2483.50	47.81	54.00	-6.19	41.29	32.43	6.73 32.64 393 103 Average	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic &amp; Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 00218652- VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR292001 Plane : X IMEI : Full-directivity Powersetting : AE-17-56-15-BTS_0</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.89</td> <td>54.00</td> <td>45.89</td> <td>93.37</td> <td>32.43</td> <td>6.73 32.64 393 103 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cn	deg	1	2480.00	99.89	54.00	45.89	93.37	32.43	6.73 32.64 393 103 Average	VERTICAL
Line	Freq	Level	Limit	Level Factor	Loss Factor	Remark	Pol/Phas																																													
MHz	dBm	dBm	dBm	dB	dB	cn	deg																																													
1	2483.50	47.81	54.00	-6.19	41.29	32.43	6.73 32.64 393 103 Average	VERTICAL																																												
Line	Freq	Level	Limit	Level Factor	Loss Factor	Remark	Pol/Phas																																													
MHz	dBm	dBm	dBm	dB	dB	cn	deg																																													
1	2480.00	99.89	54.00	45.89	93.37	32.43	6.73 32.64 393 103 Average	VERTICAL																																												



WLAN 6G 802.11be EHT40 CH227 TX (Harmonic @ 3m)

WIFI	Harmonic @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
17+18	Horizontal	Vertical
Peak Avg.	<p>Site : 032004-KS Condition : WIFI 6E PEAK 3m 3117 5N 00218662- HORIZONTAL Project : RW11000.000MHz VSW-3000.000MHz GWT-Auto Mode : SF Plane : Y Antenna : Full-directivity MEI : #3 Powersetting : #E-17-50-15-BTS_0 Limit Over ReadAntenna Cable Premo A/Pos T/Pos Line Limit Level Factor Loss Factor 1 14168.00 43.34 88.30 -44.96 49.26 39.04 16.64 61.60 300 0 Peak HORIZONTAL</p>	<p>Site : 032004-KS Condition : WIFI 6E PEAK 3m 3117 5N 00218662- VERTICAL Project : RW11000.000MHz VSW-3000.000MHz GWT-Auto Mode : SF Plane : X Antenna : Full-directivity MEI : #3 Powersetting : #E-17-50-15-BTS_0 Limit Over ReadAntenna Cable Premo A/Pos T/Pos Line Limit Level Factor Loss Factor 1 14168.00 43.00 88.30 -45.30 48.92 39.04 16.64 61.60 100 0 Peak VERTICAL</p>



WLAN 5G 802.11be EHT160 CH50 Tx (Harmonic @ 3m)

WIFI	Harmonic @ 3m																																																																									
ANT	WIFI 802.11be EHT160 Full CH50 5250MHz																																																																									
15+18	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 030004-KS          Condition : SG BAND 1----3 3m 3117 SN 00218652- HORIZONTAL          Project : RW-1000.000MHz VSW-3000.000MHz CRT-Auto          Mode : SF          Plane : Y          Antenna : Full-directivity          MEI : #3          Powersetting : #E-17-50-15-BTS_0          Limit Over ReadAntenna Cable Premo A/Pos T/Pos          Line Limit Level Factor Loss Factor          Loss Factor          Loss Factor</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10498.00</td> <td>42.89</td> <td>68.30</td> <td>-25.41</td> <td>52.58</td> <td>37.70</td> <td>14.23</td> <td>61.62</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Line	Limit	Level Factor	Loss Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10498.00	42.89	68.30	-25.41	52.58	37.70	14.23	61.62	300	0 Peak	HORIZONTAL	<p>Site : 030004-KS          Condition : SG BAND 1----3 3m 3117 SN 00218652- VERTICAL          Project : RW-1000.000MHz VSW-3000.000MHz CRT-Auto          Mode : SF          Plane : X          Antenna : Full-directivity          MEI : #3          Powersetting : #E-17-50-15-BTS_0          Limit Over ReadAntenna Cable Premo A/Pos T/Pos          Line Limit Level Factor Loss Factor          Loss Factor          Loss Factor</p> <table border="1"> <thead> <tr> <th>MEI</th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10498.00</td> <td>42.67</td> <td>68.30</td> <td>-25.68</td> <td>52.31</td> <td>37.70</td> <td>14.23</td> <td>61.62</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	MEI	Freq	Level	Line	Limit	Level Factor	Loss Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10498.00	42.67	68.30	-25.68	52.31	37.70	14.23	61.62	100	0 Peak	VERTICAL
MEI	Freq	Level	Line	Limit	Level Factor	Loss Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																
1	10498.00	42.89	68.30	-25.41	52.58	37.70	14.23	61.62	300	0 Peak	HORIZONTAL																																																															
MEI	Freq	Level	Line	Limit	Level Factor	Loss Factor	Loss Factor	A/Pos	T/Pos	Remark	Poi/Phas																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																
1	10498.00	42.67	68.30	-25.68	52.31	37.70	14.23	61.62	100	0 Peak	VERTICAL																																																															



BLE 2Mbps CH39TX (Harmonic @ 3m)

BLE	Harmonic @ 3m																																																													
ANT	BLE CH39 2480MHZ																																																													
18	Horizontal	Vertical																																																												
Peak	<p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 5M 00218662- HORIZONTAL Project : R08 1000.000MHz V08 3000.000MHz SWT-Auto Mode : SF Plane : Y Polarization : Full-directivity MEI : #3 Powersetting : #E-17-50-15-BTS_0 Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Line Limit Level Factor Loss Factor cn db</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cn</th> <th>db</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4965.00</td> <td>40.12</td> <td>74.00</td> <td>-33.88</td> <td>58.12</td> <td>34.10</td> <td>9.61</td> <td>61.71</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7460.00</td> <td>41.08</td> <td>74.00</td> <td>-32.92</td> <td>56.27</td> <td>35.70</td> <td>11.78</td> <td>62.07</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	cn	db	Remark	Poi/Phas	1	4965.00	40.12	74.00	-33.88	58.12	34.10	9.61	61.71	0 Peak HORIZONTAL	2	7460.00	41.08	74.00	-32.92	56.27	35.70	11.78	62.07	0 Peak HORIZONTAL	<p>Site : 032004-KS Condition : FCC PART 15C 3m 3117 5M 00218662- VERTICAL Project : R08 1000.000MHz V08 3000.000MHz SWT-Auto Mode : SF Plane : X Polarization : Full-directivity MEI : #3 Powersetting : #E-17-50-15-BTS_0 Limit Over ReadAntenna Cable Preamp A/Pos T/Pos Line Limit Level Factor Loss Factor cn db</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cn</th> <th>db</th> <th>Remark</th> <th>Poi/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4965.00</td> <td>40.17</td> <td>74.00</td> <td>-33.83</td> <td>58.17</td> <td>34.10</td> <td>9.61</td> <td>61.71</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>7460.00</td> <td>42.29</td> <td>74.00</td> <td>-31.71</td> <td>56.88</td> <td>35.70</td> <td>11.78</td> <td>62.07</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Limit	Level Factor	Loss Factor	cn	db	Remark	Poi/Phas	1	4965.00	40.17	74.00	-33.83	58.17	34.10	9.61	61.71	0 Peak VERTICAL	2	7460.00	42.29	74.00	-31.71	56.88	35.70	11.78	62.07	0 Peak VERTICAL
	Line	Freq	Level	Limit	Level Factor	Loss Factor	cn	db	Remark	Poi/Phas																																																				
1	4965.00	40.12	74.00	-33.88	58.12	34.10	9.61	61.71	0 Peak HORIZONTAL																																																					
2	7460.00	41.08	74.00	-32.92	56.27	35.70	11.78	62.07	0 Peak HORIZONTAL																																																					
Line	Freq	Level	Limit	Level Factor	Loss Factor	cn	db	Remark	Poi/Phas																																																					
1	4965.00	40.17	74.00	-33.83	58.17	34.10	9.61	61.71	0 Peak VERTICAL																																																					
2	7460.00	42.29	74.00	-31.71	56.88	35.70	11.78	62.07	0 Peak VERTICAL																																																					






### Appendix E. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	98.97	-	-	10Hz
1+2	802.11be EHT20	100	-	-	10Hz
1+2	802.11be EHT40	100	-	-	10Hz
1+2	802.11be EHT80	100	-	-	10Hz
1+2	802.11be EHT160	100	-	-	10Hz
1+2	802.11be EHT320	100	-	-	10Hz
1+2	802.11be EHT20-Single RU26	95.65	5.101	0.196	0.22kHz
1+2	802.11be EHT20-Single RU52	95.63	5.073	0.197	0.22kHz
1+2	802.11be EHT20-Single RU106	95.35	4.754	0.210	0.22kHz
1+2	802.11be EHT20-Small RU52+26	95.00	4.544	0.220	0.24kHz
1+2	802.11be EHT20-Small RU106+26	96.11	4.304	0.232	0.24kHz
1+2	802.11be EHT80 Puncturing 20M	100	-	-	10Hz
1+2	802.11be EHT160 Puncturing 40M	100	-	-	10Hz
1+2	802.11be EHT160 Puncturing 20M	100	-	-	10Hz
1+2	802.11be EHT320 Puncturing 80M + 40M	100	-	-	10Hz
1+2	802.11be EHT320 Puncturing 80M	100	-	-	10Hz
1+2	802.11be EHT320 Puncturing 40M	100	-	-	10Hz
1+2	802.11be EHT80-Large RU484+242	96.84	1.109	0.902	1kHz
1+2	802.11be EHT160-Large RU996+484	94.82	0.928	1.078	1.1kHz
1+2	802.11be EHT320-Large RU 996*2+484	94.66	0.579	1.726	1.8kHz
1+2	802.11be EHT320-Large RU 996*3	93.37	0.490	2.041	2.2kHz
1+2	802.11be EHT320-Large RU 996*3+484	91.49	0.374	2.674	2.7kHz



802.11a




802.11be EHT20






802.11be EHT40




802.11be EHT80






802.11be EHT160




802.11be EHT320






802.11be EHT20-Single RU26




802.11be EHT20-Single RU52






802.11be EHT20-Single RU106




802.11be EHT20-Small RU52+26






802.11be EHT20-Small RU106+26




802.11be EHT80 Puncturing 20M






### 802.11be EHT160 Puncturing 40M




### 802.11be EHT160 Puncturing 20M








### 802.11be EHT320 Puncturing 80M + 40M




### 802.11be EHT320 Puncturing 80M





802.11be EHT320 Puncturing 40M



802.11be EHT80- Large RU484+242

