

































































Occupied channel bandwidth for Puncturing mode

Test Result

Test Mode	Antenna	Freq (MHz)	Puncturing	Index	OCB [MHz]	FL [MHz]	FH [MHz]
11BE80MIMO	Ant1	5290	Puncturing 20M	2	19.181	5250.8492	5270.0300
					38.202	5290.8292	5329.0310
	Ant2	5290	Puncturing 20M	2	19.221	5250.8492	5270.0699
					38.362	5290.7493	5329.1109
	Ant1	5530	Puncturing 20M	3	19.900	5549.2108	5569.1109
					38.442	5490.8891	5529.3307
Ant2	5530	Puncturing 20M	3	19.421	5549.6503	5569.0709	
				38.362	5490.8891	5529.2507	
11BE160MIMO	Ant1	5250	Puncturing 40M	3	38.521	5290.5794	5329.1009
					78.162	5170.9790	5249.1409
	Ant2	5250	Puncturing 40M	3	38.362	5290.7393	5329.1009
					77.842	5171.1389	5248.9810
	Ant1	5570	Puncturing 40M	3	38.521	5610.5794	5649.1009
					78.002	5491.1389	5569.1409
Ant2	5570	Puncturing 40M	3	38.442	5610.6593	5649.1009	
				78.162	5490.9790	5569.1409	
11BE160MIMO	Ant1	5250	Puncturing 20M	8	140.020	5170.7193	5310.7393
	Ant2	5250	Puncturing 20M	8	140.659	5170.0799	5310.7393
	Ant1	5570	Puncturing 20M	8	140.020	5490.7193	5630.7393
	Ant2	5570	Puncturing 20M	8	140.020	5490.3996	5630.4196



Test Graphs

