







































































## Occupied channel bandwidth for Puncturing Mode

### Test Result

Test Mode	Antenna	Freq(MHz)	Puncturing	configure	OCB [MHz]	FL [MHz]	FH [MHz]	
11BE80MIMO	Ant1	5290	Puncturing 20M	2	19.181	5250.8492	5270.0300	
					38.282	5290.7493	5329.0310	
	Ant2	5290	Puncturing 20M	2	19.261	5250.8492	5270.1099	
					38.282	5290.7493	5329.0310	
	Ant1	5530	Puncturing 20M	3	19.381	5549.7303	5569.1109	
					38.362	5490.8891	5529.2507	
		Ant2	5530	Puncturing 20M	3	19.101	5549.9700	5569.0709
						38.521	5490.7293	5529.2507
11BE160MIMO	Ant1	5250	Puncturing 40M	3	38.521	5290.5794	5329.1009	
					78.482	5170.9790	5249.4605	
	Ant2	5250	Puncturing 40M	3	38.282	5290.7393	5329.0210	
					78.002	5171.1389	5249.1409	
	Ant1	5570	Puncturing 40M	3	38.282	5290.7493	5329.0310	
					78.002	5491.1389	5569.1409	
	Ant2	5570	Puncturing 40M	3	38.282	5290.7493	5329.0310	
					78.162	5490.9790	5569.1409	
11BE160MIMO	Ant1	5250	Puncturing 20M	8	140.34	5170.3996	5310.7393	
	Ant2	5250	Puncturing 20M	8	140.02	5170.3996	5310.4196	
	Ant1	5570	Puncturing 20M	8	140.02	5490.3996	5630.4196	
	Ant2	5570	Puncturing 20M	8	140.659	5490.0799	5630.7393	





Test Graphs



