



B41_N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B41_N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B41_N77(50M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B41_N77(50M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B41_N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B41_N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B41_N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_Mid_CH



B41_N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_Mid_CH



B41_N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_Mid_CH



B41_N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



FR1 N77(ANT3)

LTE Band: 41(ANT0), LTE BW: 20M, LTE ARFCN: Mid

Conducted Power and EIRP

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
77	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	135@67	26.21	22.71	0.1866
77	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.01	22.51	0.1782
77	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@271	26.07	22.57	0.1807
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	135@67	26.22	22.72	0.1871
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.03	22.53	0.1791
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@271	26.04	22.54	0.1795
77	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	135@67	25.25	21.75	0.1496
77	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.03	21.53	0.1422
77	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@271	25.27	21.77	0.1503
77	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	135@67	23.71	20.21	0.1050
77	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.37	19.87	0.0971
77	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@271	23.51	20.01	0.1002
77	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	135@67	21.72	18.22	0.0664
77	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.29	17.79	0.0601
77	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@271	21.4	17.9	0.0617
77	30	100	633334	3500.01	CP-OFDM QPSK	137@68	24.71	21.21	0.1321
77	30	100	633334	3500.01	CP-OFDM QPSK	1@1	24.48	20.98	0.1253
77	30	100	633334	3500.01	CP-OFDM QPSK	1@271	24.5	21	0.1259

FR1 N78(ANT5)

LTE Band: 41(ANT0), LTE BW: 20M, LTE ARFCN: Mid

Conducted Power and EIRP

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
78	30	20	630668	3460.02	DFT-s-OFDM PI/2 BPSK	25@12	25.62	23.52	0.2249
78	30	20	630668	3460.02	DFT-s-OFDM PI/2 BPSK	1@1	25.63	23.53	0.2254
78	30	20	630668	3460.02	DFT-s-OFDM PI/2 BPSK	1@49	25.52	23.42	0.2198
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	25@12	25.63	23.53	0.2254
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@1	25.67	23.57	0.2275
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@49	25.58	23.48	0.2228
78	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	25@12	24.68	22.58	0.1811
78	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@1	24.6	22.5	0.1778
78	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@49	24.57	22.47	0.1766
78	30	20	630668	3460.02	DFT-s-OFDM 64 QAM	25@12	23.11	21.01	0.1262
78	30	20	630668	3460.02	DFT-s-OFDM 64 QAM	1@1	23.18	21.08	0.1282
78	30	20	630668	3460.02	DFT-s-OFDM 64 QAM	1@49	23.06	20.96	0.1247
78	30	20	630668	3460.02	DFT-s-OFDM 256 QAM	25@12	21.1	19	0.0794
78	30	20	630668	3460.02	DFT-s-OFDM 256 QAM	1@1	21.15	19.05	0.0804
78	30	20	630668	3460.02	DFT-s-OFDM 256 QAM	1@49	21.04	18.94	0.0783
78	30	20	630668	3460.02	CP-OFDM QPSK	25@12	24.14	22.04	0.1600
78	30	20	630668	3460.02	CP-OFDM QPSK	1@1	24.17	22.07	0.1611
78	30	20	630668	3460.02	CP-OFDM QPSK	1@49	24.05	21.95	0.1567
78	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	25@12	25.86	23.76	0.2377
78	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	25.65	23.55	0.2265
78	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@49	25.68	23.58	0.2280
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	25@12	25.89	23.79	0.2393
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.96	23.86	0.2432
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@49	25.65	23.55	0.2265
78	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	25@12	25.25	23.15	0.2065
78	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.04	22.94	0.1968

78	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@49	25.09	22.99	0.1991
78	30	20	633334	3500.01	DFT-s-OFDM 64 QAM	25@12	23.75	21.65	0.1462
78	30	20	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.64	21.54	0.1426
78	30	20	633334	3500.01	DFT-s-OFDM 64 QAM	1@49	23.56	21.46	0.1400
78	30	20	633334	3500.01	DFT-s-OFDM 256 QAM	25@12	21.77	19.67	0.0927
78	30	20	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.61	19.51	0.0893
78	30	20	633334	3500.01	DFT-s-OFDM 256 QAM	1@49	21.63	19.53	0.0897
78	30	20	633334	3500.01	CP-OFDM QPSK	25@12	24.72	22.62	0.1828
78	30	20	633334	3500.01	CP-OFDM QPSK	1@1	24.51	22.41	0.1742
78	30	20	633334	3500.01	CP-OFDM QPSK	1@49	24.54	22.44	0.1754
78	30	20	636000	3540	DFT-s-OFDM PI/2 BPSK	25@12	25.69	23.59	0.2286
78	30	20	636000	3540	DFT-s-OFDM PI/2 BPSK	1@1	25.67	23.57	0.2275
78	30	20	636000	3540	DFT-s-OFDM PI/2 BPSK	1@49	25.88	23.78	0.2388
78	30	20	636000	3540	DFT-s-OFDM QPSK	25@12	25.97	23.87	0.2438
78	30	20	636000	3540	DFT-s-OFDM QPSK	1@1	25.65	23.55	0.2265
78	30	20	636000	3540	DFT-s-OFDM QPSK	1@49	25.63	23.53	0.2254
78	30	20	636000	3540	DFT-s-OFDM 16 QAM	25@12	25.22	23.12	0.2051
78	30	20	636000	3540	DFT-s-OFDM 16 QAM	1@1	25.08	22.98	0.1986
78	30	20	636000	3540	DFT-s-OFDM 16 QAM	1@49	25.12	23.02	0.2004
78	30	20	636000	3540	DFT-s-OFDM 64 QAM	25@12	23.72	21.62	0.1452
78	30	20	636000	3540	DFT-s-OFDM 64 QAM	1@1	23.7	21.6	0.1445
78	30	20	636000	3540	DFT-s-OFDM 64 QAM	1@49	23.74	21.64	0.1459
78	30	20	636000	3540	DFT-s-OFDM 256 QAM	25@12	21.72	19.62	0.0916
78	30	20	636000	3540	DFT-s-OFDM 256 QAM	1@1	21.62	19.52	0.0895
78	30	20	636000	3540	DFT-s-OFDM 256 QAM	1@49	21.59	19.49	0.0889
78	30	20	636000	3540	CP-OFDM QPSK	25@12	24.72	22.62	0.1828
78	30	20	636000	3540	CP-OFDM QPSK	1@1	24.53	22.43	0.1750
78	30	20	636000	3540	CP-OFDM QPSK	1@49	24.62	22.52	0.1786
78	30	30	631000	3465	DFT-s-OFDM PI/2 BPSK	36@18	25.7	23.6	0.2291
78	30	30	631000	3465	DFT-s-OFDM PI/2 BPSK	1@1	25.77	23.67	0.2328
78	30	30	631000	3465	DFT-s-OFDM PI/2 BPSK	1@76	25.7	23.6	0.2291
78	30	30	631000	3465	DFT-s-OFDM QPSK	36@18	25.71	23.61	0.2296
78	30	30	631000	3465	DFT-s-OFDM QPSK	1@1	25.8	23.7	0.2344
78	30	30	631000	3465	DFT-s-OFDM QPSK	1@76	25.72	23.62	0.2301

78	30	30	631000	3465	DFT-s-OFDM 16 QAM	36@18	24.7	22.6	0.1820
78	30	30	631000	3465	DFT-s-OFDM 16 QAM	1@1	24.87	22.77	0.1892
78	30	30	631000	3465	DFT-s-OFDM 16 QAM	1@76	24.78	22.68	0.1854
78	30	30	631000	3465	DFT-s-OFDM 64 QAM	36@18	23.26	21.16	0.1306
78	30	30	631000	3465	DFT-s-OFDM 64 QAM	1@1	23.13	21.03	0.1268
78	30	30	631000	3465	DFT-s-OFDM 64 QAM	1@76	23.35	21.25	0.1334
78	30	30	631000	3465	DFT-s-OFDM 256 QAM	36@18	21.31	19.21	0.0834
78	30	30	631000	3465	DFT-s-OFDM 256 QAM	1@1	21.3	19.2	0.0832
78	30	30	631000	3465	DFT-s-OFDM 256 QAM	1@76	21.21	19.11	0.0815
78	30	30	631000	3465	CP-OFDM QPSK	39@19	24.21	22.11	0.1626
78	30	30	631000	3465	CP-OFDM QPSK	1@1	24.23	22.13	0.1633
78	30	30	631000	3465	CP-OFDM QPSK	1@76	24.14	22.04	0.1600
78	30	30	633334	3500.01	DFT-s-OFDM PI/2 BPSK	36@18	25.89	23.79	0.2393
78	30	30	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	25.85	23.75	0.2371
78	30	30	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@76	25.87	23.77	0.2382
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	36@18	25.92	23.82	0.2410
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.82	23.72	0.2355
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@76	25.87	23.77	0.2382
78	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	36@18	24.93	22.83	0.1919
78	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.64	22.54	0.1795
78	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@76	24.89	22.79	0.1901
78	30	30	633334	3500.01	DFT-s-OFDM 64 QAM	36@18	23.48	21.38	0.1374
78	30	30	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.61	21.51	0.1416
78	30	30	633334	3500.01	DFT-s-OFDM 64 QAM	1@76	23.54	21.44	0.1393
78	30	30	633334	3500.01	DFT-s-OFDM 256 QAM	36@18	21.37	19.27	0.0845
78	30	30	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.39	19.29	0.0849
78	30	30	633334	3500.01	DFT-s-OFDM 256 QAM	1@76	21.43	19.33	0.0857
78	30	30	633334	3500.01	CP-OFDM QPSK	39@19	24.45	22.35	0.1718
78	30	30	633334	3500.01	CP-OFDM QPSK	1@1	24.31	22.21	0.1663
78	30	30	633334	3500.01	CP-OFDM QPSK	1@76	24.31	22.21	0.1663
78	30	30	635666	3534.99	DFT-s-OFDM PI/2 BPSK	36@18	25.77	23.67	0.2328
78	30	30	635666	3534.99	DFT-s-OFDM PI/2 BPSK	1@1	25.96	23.86	0.2432
78	30	30	635666	3534.99	DFT-s-OFDM PI/2 BPSK	1@76	25.79	23.69	0.2339
78	30	30	635666	3534.99	DFT-s-OFDM QPSK	36@18	25.84	23.74	0.2366

78	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@1	25.98	23.88	0.2443
78	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@76	25.82	23.72	0.2355
78	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	36@18	24.82	22.72	0.1871
78	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@1	24.96	22.86	0.1932
78	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@76	24.83	22.73	0.1875
78	30	30	635666	3534.99	DFT-s-OFDM 64 QAM	36@18	23.39	21.29	0.1346
78	30	30	635666	3534.99	DFT-s-OFDM 64 QAM	1@1	23.77	21.67	0.1469
78	30	30	635666	3534.99	DFT-s-OFDM 64 QAM	1@76	23.51	21.41	0.1384
78	30	30	635666	3534.99	DFT-s-OFDM 256 QAM	36@18	21.26	19.16	0.0824
78	30	30	635666	3534.99	DFT-s-OFDM 256 QAM	1@1	21.52	19.42	0.0875
78	30	30	635666	3534.99	DFT-s-OFDM 256 QAM	1@76	21.35	19.25	0.0841
78	30	30	635666	3534.99	CP-OFDM QPSK	39@19	24.3	22.2	0.1660
78	30	30	635666	3534.99	CP-OFDM QPSK	1@1	24.45	22.35	0.1718
78	30	30	635666	3534.99	CP-OFDM QPSK	1@76	24.24	22.14	0.1637
78	30	40	631334	3470.01	DFT-s-OFDM PI/2 BPSK	50@25	25.7	23.6	0.2291
78	30	40	631334	3470.01	DFT-s-OFDM PI/2 BPSK	1@1	25.82	23.72	0.2355
78	30	40	631334	3470.01	DFT-s-OFDM PI/2 BPSK	1@104	25.77	23.67	0.2328
78	30	40	631334	3470.01	DFT-s-OFDM QPSK	50@25	25.73	23.63	0.2307
78	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@1	25.84	23.74	0.2366
78	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@104	25.77	23.67	0.2328
78	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	50@25	24.71	22.61	0.1824
78	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@1	24.8	22.7	0.1862
78	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@104	24.8	22.7	0.1862
78	30	40	631334	3470.01	DFT-s-OFDM 64 QAM	50@25	23.21	21.11	0.1291
78	30	40	631334	3470.01	DFT-s-OFDM 64 QAM	1@1	23.32	21.22	0.1324
78	30	40	631334	3470.01	DFT-s-OFDM 64 QAM	1@104	23.08	20.98	0.1253
78	30	40	631334	3470.01	DFT-s-OFDM 256 QAM	50@25	21.2	19.1	0.0813
78	30	40	631334	3470.01	DFT-s-OFDM 256 QAM	1@1	21.38	19.28	0.0847
78	30	40	631334	3470.01	DFT-s-OFDM 256 QAM	1@104	21.31	19.21	0.0834
78	30	40	631334	3470.01	CP-OFDM QPSK	53@26	24.21	22.11	0.1626
78	30	40	631334	3470.01	CP-OFDM QPSK	1@1	24.37	22.27	0.1687
78	30	40	631334	3470.01	CP-OFDM QPSK	1@104	24.23	22.13	0.1633
78	30	40	633334	3500.01	DFT-s-OFDM PI/2 BPSK	50@25	25.91	23.81	0.2404
78	30	40	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	25.84	23.74	0.2366

78	30	40	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@104	25.88	23.78	0.2388
78	30	40	633334	3500.01	DFT-s-OFDM QPSK	50@25	25.93	23.83	0.2415
78	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.87	23.77	0.2382
78	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@104	25.91	23.81	0.2404
78	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	50@25	24.92	22.82	0.1914
78	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.98	22.88	0.1941
78	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@104	24.88	22.78	0.1897
78	30	40	633334	3500.01	DFT-s-OFDM 64 QAM	50@25	23.4	21.3	0.1349
78	30	40	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.19	21.09	0.1285
78	30	40	633334	3500.01	DFT-s-OFDM 64 QAM	1@104	23.09	20.99	0.1256
78	30	40	633334	3500.01	DFT-s-OFDM 256 QAM	50@25	21.41	19.31	0.0853
78	30	40	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.4	19.3	0.0851
78	30	40	633334	3500.01	DFT-s-OFDM 256 QAM	1@104	21.44	19.34	0.0859
78	30	40	633334	3500.01	CP-OFDM QPSK	53@26	24.41	22.31	0.1702
78	30	40	633334	3500.01	CP-OFDM QPSK	1@1	24.36	22.26	0.1683
78	30	40	633334	3500.01	CP-OFDM QPSK	1@104	24.36	22.26	0.1683
78	30	40	635332	3529.98	DFT-s-OFDM PI/2 BPSK	50@25	25.81	23.71	0.2350
78	30	40	635332	3529.98	DFT-s-OFDM PI/2 BPSK	1@1	25.95	23.85	0.2427
78	30	40	635332	3529.98	DFT-s-OFDM PI/2 BPSK	1@104	25.78	23.68	0.2333
78	30	40	635332	3529.98	DFT-s-OFDM QPSK	50@25	25.84	23.74	0.2366
78	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@1	25.95	23.85	0.2427
78	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@104	25.81	23.71	0.2350
78	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	50@25	24.84	22.74	0.1879
78	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@1	25.09	22.99	0.1991
78	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@104	24.93	22.83	0.1919
78	30	40	635332	3529.98	DFT-s-OFDM 64 QAM	50@25	23.31	21.21	0.1321
78	30	40	635332	3529.98	DFT-s-OFDM 64 QAM	1@1	23.43	21.33	0.1358
78	30	40	635332	3529.98	DFT-s-OFDM 64 QAM	1@104	23.32	21.22	0.1324
78	30	40	635332	3529.98	DFT-s-OFDM 256 QAM	50@25	21.3	19.2	0.0832
78	30	40	635332	3529.98	DFT-s-OFDM 256 QAM	1@1	21.47	19.37	0.0865
78	30	40	635332	3529.98	DFT-s-OFDM 256 QAM	1@104	21.31	19.21	0.0834
78	30	40	635332	3529.98	CP-OFDM QPSK	53@26	24.33	22.23	0.1671
78	30	40	635332	3529.98	CP-OFDM QPSK	1@1	24.42	22.32	0.1706
78	30	40	635332	3529.98	CP-OFDM QPSK	1@104	24.26	22.16	0.1644

78	30	50	631668	3475.02	DFT-s-OFDM PI/2 BPSK	64@32	25.5	23.4	0.2188
78	30	50	631668	3475.02	DFT-s-OFDM PI/2 BPSK	1@1	25.49	23.39	0.2183
78	30	50	631668	3475.02	DFT-s-OFDM PI/2 BPSK	1@131	25.46	23.36	0.2168
78	30	50	631668	3475.02	DFT-s-OFDM QPSK	64@32	25.51	23.41	0.2193
78	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@1	25.48	23.38	0.2178
78	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@131	25.5	23.4	0.2188
78	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	64@32	24.5	22.4	0.1738
78	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@1	24.51	22.41	0.1742
78	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@131	24.47	22.37	0.1726
78	30	50	631668	3475.02	DFT-s-OFDM 64 QAM	64@32	23.01	20.91	0.1233
78	30	50	631668	3475.02	DFT-s-OFDM 64 QAM	1@1	23.14	21.04	0.1271
78	30	50	631668	3475.02	DFT-s-OFDM 64 QAM	1@131	23.13	21.03	0.1268
78	30	50	631668	3475.02	DFT-s-OFDM 256 QAM	64@32	20.89	18.79	0.0757
78	30	50	631668	3475.02	DFT-s-OFDM 256 QAM	1@1	21.01	18.91	0.0778
78	30	50	631668	3475.02	DFT-s-OFDM 256 QAM	1@131	21.17	19.07	0.0807
78	30	50	631668	3475.02	CP-OFDM QPSK	67@33	24.04	21.94	0.1563
78	30	50	631668	3475.02	CP-OFDM QPSK	1@1	24.08	21.98	0.1578
78	30	50	631668	3475.02	CP-OFDM QPSK	1@131	23.99	21.89	0.1545
78	30	50	633334	3500.01	DFT-s-OFDM PI/2 BPSK	64@32	25.62	23.52	0.2249
78	30	50	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	25.4	23.3	0.2138
78	30	50	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@131	25.56	23.46	0.2218
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	64@32	25.62	23.52	0.2249
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.42	23.32	0.2148
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@131	25.52	23.42	0.2198
78	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	64@32	24.65	22.55	0.1799
78	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.43	22.33	0.1710
78	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@131	24.55	22.45	0.1758
78	30	50	633334	3500.01	DFT-s-OFDM 64 QAM	64@32	23.11	21.01	0.1262
78	30	50	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	22.97	20.87	0.1222
78	30	50	633334	3500.01	DFT-s-OFDM 64 QAM	1@131	23.21	21.11	0.1291
78	30	50	633334	3500.01	DFT-s-OFDM 256 QAM	64@32	21.43	19.33	0.0857
78	30	50	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	20.83	18.73	0.0746
78	30	50	633334	3500.01	DFT-s-OFDM 256 QAM	1@131	20.94	18.84	0.0766
78	30	50	633334	3500.01	CP-OFDM QPSK	67@33	24.2	22.1	0.1622

78	30	50	633334	3500.01	CP-OFDM QPSK	1@1	24	21.9	0.1549
78	30	50	633334	3500.01	CP-OFDM QPSK	1@131	24.05	21.95	0.1567
78	30	50	635000	3525	DFT-s-OFDM PI/2 BPSK	64@32	25.56	23.46	0.2218
78	30	50	635000	3525	DFT-s-OFDM PI/2 BPSK	1@1	25.59	23.49	0.2234
78	30	50	635000	3525	DFT-s-OFDM PI/2 BPSK	1@131	25.41	23.31	0.2143
78	30	50	635000	3525	DFT-s-OFDM QPSK	64@32	25.58	23.48	0.2228
78	30	50	635000	3525	DFT-s-OFDM QPSK	1@1	25.57	23.47	0.2223
78	30	50	635000	3525	DFT-s-OFDM QPSK	1@131	25.41	23.31	0.2143
78	30	50	635000	3525	DFT-s-OFDM 16 QAM	64@32	24.6	22.5	0.1778
78	30	50	635000	3525	DFT-s-OFDM 16 QAM	1@1	24.58	22.48	0.1770
78	30	50	635000	3525	DFT-s-OFDM 16 QAM	1@131	24.32	22.22	0.1667
78	30	50	635000	3525	DFT-s-OFDM 64 QAM	64@32	23.13	21.03	0.1268
78	30	50	635000	3525	DFT-s-OFDM 64 QAM	1@1	23.09	20.99	0.1256
78	30	50	635000	3525	DFT-s-OFDM 64 QAM	1@131	22.98	20.88	0.1225
78	30	50	635000	3525	DFT-s-OFDM 256 QAM	64@32	20.97	18.87	0.0771
78	30	50	635000	3525	DFT-s-OFDM 256 QAM	1@1	20.91	18.81	0.0760
78	30	50	635000	3525	DFT-s-OFDM 256 QAM	1@131	20.93	18.83	0.0764
78	30	50	635000	3525	CP-OFDM QPSK	67@33	24.13	22.03	0.1596
78	30	50	635000	3525	CP-OFDM QPSK	1@1	24.12	22.02	0.1592
78	30	50	635000	3525	CP-OFDM QPSK	1@131	23.92	21.82	0.1521
78	30	60	632000	3480	DFT-s-OFDM PI/2 BPSK	81@40	25.5	23.4	0.2188
78	30	60	632000	3480	DFT-s-OFDM PI/2 BPSK	1@1	25.6	23.5	0.2239
78	30	60	632000	3480	DFT-s-OFDM PI/2 BPSK	1@160	25.57	23.47	0.2223
78	30	60	632000	3480	DFT-s-OFDM QPSK	81@40	25.54	23.44	0.2208
78	30	60	632000	3480	DFT-s-OFDM QPSK	1@1	25.61	23.51	0.2244
78	30	60	632000	3480	DFT-s-OFDM QPSK	1@160	25.53	23.43	0.2203
78	30	60	632000	3480	DFT-s-OFDM 16 QAM	81@40	24.54	22.44	0.1754
78	30	60	632000	3480	DFT-s-OFDM 16 QAM	1@1	24.41	22.31	0.1702
78	30	60	632000	3480	DFT-s-OFDM 16 QAM	1@160	24.4	22.3	0.1698
78	30	60	632000	3480	DFT-s-OFDM 64 QAM	81@40	23.05	20.95	0.1245
78	30	60	632000	3480	DFT-s-OFDM 64 QAM	1@1	23.15	21.05	0.1274
78	30	60	632000	3480	DFT-s-OFDM 64 QAM	1@160	22.87	20.77	0.1194
78	30	60	632000	3480	DFT-s-OFDM 256 QAM	81@40	21.15	19.05	0.0804
78	30	60	632000	3480	DFT-s-OFDM 256 QAM	1@1	21.12	19.02	0.0798

78	30	60	632000	3480	DFT-s-OFDM 256 QAM	1@160	21.14	19.04	0.0802
78	30	60	632000	3480	CP-OFDM QPSK	81@40	24.04	21.94	0.1563
78	30	60	632000	3480	CP-OFDM QPSK	1@1	24.13	22.03	0.1596
78	30	60	632000	3480	CP-OFDM QPSK	1@160	24.07	21.97	0.1574
78	30	60	633334	3500.01	DFT-s-OFDM PI/2 BPSK	81@40	25.58	23.48	0.2228
78	30	60	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	25.46	23.36	0.2168
78	30	60	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@160	25.49	23.39	0.2183
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	81@40	25.62	23.52	0.2249
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.43	23.33	0.2153
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@160	25.49	23.39	0.2183
78	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	81@40	24.66	22.56	0.1803
78	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.42	22.32	0.1706
78	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@160	24.47	22.37	0.1726
78	30	60	633334	3500.01	DFT-s-OFDM 64 QAM	81@40	23.12	21.02	0.1265
78	30	60	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	22.79	20.69	0.1172
78	30	60	633334	3500.01	DFT-s-OFDM 64 QAM	1@160	22.84	20.74	0.1186
78	30	60	633334	3500.01	DFT-s-OFDM 256 QAM	81@40	21.03	18.93	0.0782
78	30	60	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	20.94	18.84	0.0766
78	30	60	633334	3500.01	DFT-s-OFDM 256 QAM	1@160	20.85	18.75	0.0750
78	30	60	633334	3500.01	CP-OFDM QPSK	81@40	24.13	22.03	0.1596
78	30	60	633334	3500.01	CP-OFDM QPSK	1@1	23.99	21.89	0.1545
78	30	60	633334	3500.01	CP-OFDM QPSK	1@160	23.96	21.86	0.1535
78	30	60	634666	3519.99	DFT-s-OFDM PI/2 BPSK	81@40	25.64	23.54	0.2259
78	30	60	634666	3519.99	DFT-s-OFDM PI/2 BPSK	1@1	25.56	23.46	0.2218
78	30	60	634666	3519.99	DFT-s-OFDM PI/2 BPSK	1@160	25.42	23.32	0.2148
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	81@40	25.65	23.55	0.2265
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@1	25.57	23.47	0.2223
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@160	25.4	23.3	0.2138
78	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	81@40	24.69	22.59	0.1816
78	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@1	24.37	22.27	0.1687
78	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@160	24.41	22.31	0.1702
78	30	60	634666	3519.99	DFT-s-OFDM 64 QAM	81@40	23.17	21.07	0.1279
78	30	60	634666	3519.99	DFT-s-OFDM 64 QAM	1@1	22.91	20.81	0.1205
78	30	60	634666	3519.99	DFT-s-OFDM 64 QAM	1@160	22.74	20.64	0.1159

78	30	60	634666	3519.99	DFT-s-OFDM 256 QAM	81@40	21.21	19.11	0.0815
78	30	60	634666	3519.99	DFT-s-OFDM 256 QAM	1@1	21.08	18.98	0.0791
78	30	60	634666	3519.99	DFT-s-OFDM 256 QAM	1@160	20.94	18.84	0.0766
78	30	60	634666	3519.99	CP-OFDM QPSK	81@40	24.15	22.05	0.1603
78	30	60	634666	3519.99	CP-OFDM QPSK	1@1	24.1	22	0.1585
78	30	60	634666	3519.99	CP-OFDM QPSK	1@160	23.98	21.88	0.1542
78	30	80	632668	3490.02	DFT-s-OFDM PI/2 BPSK	108@54	25.59	23.49	0.2234
78	30	80	632668	3490.02	DFT-s-OFDM PI/2 BPSK	1@1	25.45	23.35	0.2163
78	30	80	632668	3490.02	DFT-s-OFDM PI/2 BPSK	1@215	25.47	23.37	0.2173
78	30	80	632668	3490.02	DFT-s-OFDM QPSK	108@54	25.48	23.38	0.2178
78	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@1	25.47	23.37	0.2173
78	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@215	25.45	23.35	0.2163
78	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	108@54	24.53	22.43	0.1750
78	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@1	24.4	22.3	0.1698
78	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@215	24.42	22.32	0.1706
78	30	80	632668	3490.02	DFT-s-OFDM 64 QAM	108@54	23	20.9	0.1230
78	30	80	632668	3490.02	DFT-s-OFDM 64 QAM	1@1	22.8	20.7	0.1175
78	30	80	632668	3490.02	DFT-s-OFDM 64 QAM	1@215	22.82	20.72	0.1180
78	30	80	632668	3490.02	DFT-s-OFDM 256 QAM	108@54	21.13	19.03	0.0800
78	30	80	632668	3490.02	DFT-s-OFDM 256 QAM	1@1	20.81	18.71	0.0743
78	30	80	632668	3490.02	DFT-s-OFDM 256 QAM	1@215	21.03	18.93	0.0782
78	30	80	632668	3490.02	CP-OFDM QPSK	109@54	24.02	21.92	0.1556
78	30	80	632668	3490.02	CP-OFDM QPSK	1@1	24.05	21.95	0.1567
78	30	80	632668	3490.02	CP-OFDM QPSK	1@215	23.99	21.89	0.1545
78	30	80	633334	3500.01	DFT-s-OFDM PI/2 BPSK	108@54	25.62	23.52	0.2249
78	30	80	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	25.42	23.32	0.2148
78	30	80	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@215	25.44	23.34	0.2158
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	108@54	25.61	23.51	0.2244
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.42	23.32	0.2148
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@215	25.4	23.3	0.2138
78	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	108@54	24.59	22.49	0.1774
78	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.41	22.31	0.1702
78	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@215	24.36	22.26	0.1683
78	30	80	633334	3500.01	DFT-s-OFDM 64 QAM	108@54	23.12	21.02	0.1265

78	30	80	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	22.76	20.66	0.1164
78	30	80	633334	3500.01	DFT-s-OFDM 64 QAM	1@215	22.71	20.61	0.1151
78	30	80	633334	3500.01	DFT-s-OFDM 256 QAM	108@54	21.01	18.91	0.0778
78	30	80	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	20.86	18.76	0.0752
78	30	80	633334	3500.01	DFT-s-OFDM 256 QAM	1@215	20.79	18.69	0.0740
78	30	80	633334	3500.01	CP-OFDM QPSK	109@54	24.11	22.01	0.1589
78	30	80	633334	3500.01	CP-OFDM QPSK	1@1	24.01	21.91	0.1552
78	30	80	633334	3500.01	CP-OFDM QPSK	1@215	23.87	21.77	0.1503
78	30	80	634000	3510	DFT-s-OFDM PI/2 BPSK	108@54	25.58	23.48	0.2228
78	30	80	634000	3510	DFT-s-OFDM PI/2 BPSK	1@1	25.42	23.32	0.2148
78	30	80	634000	3510	DFT-s-OFDM PI/2 BPSK	1@215	25.42	23.32	0.2148
78	30	80	634000	3510	DFT-s-OFDM QPSK	108@54	25.64	23.54	0.2259
78	30	80	634000	3510	DFT-s-OFDM QPSK	1@1	25.43	23.33	0.2153
78	30	80	634000	3510	DFT-s-OFDM QPSK	1@215	25.38	23.28	0.2128
78	30	80	634000	3510	DFT-s-OFDM 16 QAM	108@54	24.63	22.53	0.1791
78	30	80	634000	3510	DFT-s-OFDM 16 QAM	1@1	24.46	22.36	0.1722
78	30	80	634000	3510	DFT-s-OFDM 16 QAM	1@215	24.38	22.28	0.1690
78	30	80	634000	3510	DFT-s-OFDM 64 QAM	108@54	23.15	21.05	0.1274
78	30	80	634000	3510	DFT-s-OFDM 64 QAM	1@1	22.8	20.7	0.1175
78	30	80	634000	3510	DFT-s-OFDM 64 QAM	1@215	22.78	20.68	0.1169
78	30	80	634000	3510	DFT-s-OFDM 256 QAM	108@54	21.29	19.19	0.0830
78	30	80	634000	3510	DFT-s-OFDM 256 QAM	1@1	20.85	18.75	0.0750
78	30	80	634000	3510	DFT-s-OFDM 256 QAM	1@215	20.86	18.76	0.0752
78	30	80	634000	3510	CP-OFDM QPSK	109@54	24.14	22.04	0.1600
78	30	80	634000	3510	CP-OFDM QPSK	1@1	23.98	21.88	0.1542
78	30	80	634000	3510	CP-OFDM QPSK	1@215	23.91	21.81	0.1517
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	135@67	25.57	23.47	0.2223
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	25.41	23.31	0.2143
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@271	25.43	23.33	0.2153
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	135@67	25.6	23.5	0.2239
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.44	23.34	0.2158
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@271	25.42	23.32	0.2148
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	135@67	24.65	22.55	0.1799
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.47	22.37	0.1726

78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@271	24.46	22.36	0.1722
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	135@67	23.13	21.03	0.1268
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	22.76	20.66	0.1164
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@271	22.74	20.64	0.1159
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	135@67	21.15	19.05	0.0804
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	20.92	18.82	0.0762
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@271	20.79	18.69	0.0740
78	30	100	633334	3500.01	CP-OFDM QPSK	137@68	24.11	22.01	0.1589
78	30	100	633334	3500.01	CP-OFDM QPSK	1@1	23.95	21.85	0.1531
78	30	100	633334	3500.01	CP-OFDM QPSK	1@271	23.93	21.83	0.1524

FR1 N78(ANT3)

Conducted Power and EIRP

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	135@67	25.96	22.46	0.1762
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	25.64	22.14	0.1637
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@271	25.71	22.21	0.1663
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	135@67	25.95	22.45	0.1758
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.68	22.18	0.1652
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@271	25.73	22.23	0.1671
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	135@67	25	21.5	0.1413
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.68	21.18	0.1312
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@271	24.84	21.34	0.1361
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	135@67	23.5	20	0.1000
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.25	19.75	0.0944
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@271	23.32	19.82	0.0959
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	135@67	21.46	17.96	0.0625
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.04	17.54	0.0568
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@271	21.07	17.57	0.0571
78	30	100	633334	3500.01	CP-OFDM QPSK	137@68	24.49	20.99	0.1256
78	30	100	633334	3500.01	CP-OFDM QPSK	1@1	24.05	20.55	0.1135
78	30	100	633334	3500.01	CP-OFDM QPSK	1@271	24.2	20.7	0.1175



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Chris Chen	Temperature :	22~23°C
		Relative Humidity :	41~42%

Note: Pre-scanned harmonic for the different antenna combinations for EN-DC mode, we choose the worst antenna mode to test.

SA n77 / NR 40MHz / QPSK DFT-s-OFDM / ANT5								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	6912	-62.56	-13	-49.56	-73.04	2.76	13.24	H
	10356	-47.52	-13	-34.52	-57.11	3.42	13.01	H
	13806	-53.45	-13	-40.45	-63.06	3.83	13.44	H
	6910.38	-62.47	-13	-49.47	-72.91	2.80	13.24	V
	10356	-47.44	-13	-34.44	-56.99	3.46	13.01	V
	13806	-58.26	-13	-45.26	-67.82	3.88	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_41A_n77 / LTE 20MHz + NR 20MHz / QPSK / ANT0(LTE) & ANT5(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	6900	-61.48	-13	-48.48	-71.96	2.76	13.24	H
	10356	-48.54	-13	-35.54	-58.13	3.42	13.01	H
	13806	-57.61	-13	-44.61	-67.22	3.83	13.44	H
	6900	-61.83	-13	-48.83	-72.27	2.80	13.24	V
	10356	-47.98	-13	-34.98	-57.53	3.46	13.01	V
	13806	-53.67	-13	-40.67	-63.23	3.88	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.