



B7_N66(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



B7_N66(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B7_N66(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B7_N66(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B7_N66(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B7_N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B7_N66(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B7_N66(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B7_N66(40M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B7_N66(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(40M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B7_N66(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B7_N66(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	15	423500	1717.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	15	423500	1717.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	15	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	15	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	15	434500	1772.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	15	434500	1772.5	DFT-s-OFDM BPSK	1@0	see graph	PASS

66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B7_N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B7_N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B7_N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	15	423500	1717.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	15	423500	1717.5	DFT-s-OFDM BPSK	75@0	see graph	PASS
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	75@0	see graph	PASS
66	15	15	434500	1772.5	DFT-s-OFDM BPSK	1@78	see graph	PASS
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@78	see graph	PASS
66	15	15	434500	1772.5	DFT-s-OFDM BPSK	75@0	see graph	PASS
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	75@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS

B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH
CHP_PASS




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B7_N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



B7_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B7_N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH
CHP_PASS




B7_N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B7_N66(15M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B7_N66(15M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B7_N66(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



B7_N66(15M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B7_N66(15M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B7_N66(15M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B7_N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B7_N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH





Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Chris Chen	Temperature :	22~23°C
		Relative Humidity :	41~42%

Note: Pre-scanned harmonic for the different antenna, we choose the worst antenna mode to test.

SA n5 / NR 20MHz / QPSK / ANT4(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1655.18	-62.54	-13	-49.54	-69.51	1.58	10.70	H
	2482	-57.09	-13	-44.09	-65.34	2.10	12.50	H
	3312	-58.04	-13	-45.04	-66.93	2.86	13.90	H
	1656	-61.80	-13	-48.80	-68.77	1.58	10.70	V
	2482.77	-56.48	-13	-43.48	-64.73	2.10	12.50	V
	3312	-57.87	-13	-44.87	-66.76	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_7A_n5A / LTE 10MHz + NR 20MHz / QPSK / ANT4(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1656	-62.36	-13	-49.36	-69.33	1.58	10.70	H
	2482	-57.36	-13	-44.36	-65.61	2.10	12.50	H
	3312	-58.39	-13	-45.39	-67.28	2.86	13.90	H
	1655.18	-62.21	-13	-49.21	-69.18	1.58	10.70	V
	2482	-56.76	-13	-43.76	-65.01	2.10	12.50	V
	3312	-57.87	-13	-44.87	-66.76	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SA n7 / NR 20MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5052	-63.05	-25	-38.05	-73.26	3.03	13.24	H
	7580	-61.89	-25	-36.89	-71.34	3.56	13.01	H
	10100	-60.65	-25	-35.65	-70.17	3.92	13.44	H
	5052.18	-62.69	-25	-37.69	-72.90	3.03	13.24	V
	7576	-56.33	-25	-31.33	-65.78	3.56	13.01	V
	10100	-60.28	-25	-35.28	-69.80	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_5A_n7A / LTE 10MHz + NR 20MHz / QPSK / ANT4(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5050	-63.70	-25	-38.70	-73.91	3.03	13.24	H
	7578.27	-62.05	-25	-37.05	-71.50	3.56	13.01	H
	10098	-51.69	-25	-26.69	-61.21	3.92	13.44	H
	12627	-55.15	-25	-30.15	-65.07	4.44	14.36	H
	5050	-63.93	-25	-38.93	-74.14	3.03	13.24	V
	7578.27	-61.84	-25	-36.84	-71.29	3.56	13.01	V
	10098	-51.86	-25	-26.86	-61.38	3.92	13.44	V
	12627	-52.83	-25	-27.83	-62.75	4.44	14.36	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_66A_n7A / LTE 10MHz + NR 20MHz / QPSK / ANT4(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5050	-63.60	-25	-38.60	-73.81	3.03	13.24	H
	7578.27	-62.27	-25	-37.27	-71.72	3.56	13.01	H
	10098	-53.44	-25	-28.44	-62.96	3.92	13.44	H
	12627	-54.60	-25	-29.60	-64.52	4.44	14.36	H
	5052.18	-64.37	-25	-39.37	-74.58	3.03	13.24	V
	7580	-61.78	-25	-36.78	-71.23	3.56	13.01	V
	10107	-52.61	-25	-27.61	-62.13	3.92	13.44	V
	12627	-51.11	-25	-26.11	-61.03	4.44	14.36	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SA n38 / NR 40MHz / QPSK / ANT4(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5150	-60.54	-25	-35.54	-70.75	3.03	13.24	H
	7730	-52.10	-25	-27.10	-61.55	3.56	13.01	H
	10305	-57.21	-25	-32.21	-66.73	3.92	13.44	H
	5150	-62.05	-25	-37.05	-72.26	3.03	13.24	V
	7730	-54.40	-25	-29.40	-63.85	3.56	13.01	V
	10305	-54.17	-25	-29.17	-63.69	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



SA n41 / NR 100MHz / QPSK / ANT4(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	5088	-59.37	-25	-34.37	-69.58	3.03	13.24	H
	7632	-55.03	-25	-30.03	-64.48	3.56	13.01	H
	10180	-57.44	-25	-32.44	-66.96	3.92	13.44	H
	5088	-61.15	-25	-36.15	-71.36	3.03	13.24	V
	7632	-56.05	-25	-31.05	-65.50	3.56	13.01	V
	10180	-56.36	-25	-31.36	-65.88	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SA n66 / NR 40MHz / QPSK / ANT4(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3454.18	-58.63	-13	-45.63	-69.37	2.604	13.34	H
	5178	-50.51	-13	-37.51	-61.02	3.011	13.52	H
	6908	-54.59	-13	-41.59	-64.79	3.271	13.47	H
	8635.46	-49.59	-13	-36.59	-56.56	5.527	12.5	H
	10362.54	-47.29	-13	-34.29	-54.15	6.038	12.9	H
	12084	-39.79	-13	-26.79	-46.99	6.726	13.93	H
	3453	-57.94	-13	-44.94	-68.68	2.604	13.34	V
	5178	-51.48	-13	-38.48	-61.99	3.011	13.52	V
	6908.36	-54.53	-13	-41.53	-64.73	3.271	13.47	V
	8635.46	-48.78	-13	-35.78	-55.75	5.527	12.50	V
	10362	-47.09	-13	-34.09	-53.95	6.038	12.90	V
	12084	-36.43	-13	-23.43	-43.63	6.726	13.93	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_2A_n66A / LTE 10MHz + NR 40MHz / QPSK / ANT4(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3453	-57.98	-13	-44.98	-68.72	2.604	13.34	H
	5181	-55.81	-13	-42.81	-66.32	3.011	13.52	H
	6912	-54.54	-13	-41.54	-64.74	3.271	13.47	H
	3453	-57.22	-13	-44.22	-67.96	2.604	13.34	V
	5181	-56.35	-13	-43.35	-66.86	3.011	13.52	V
	6912	-54.51	-13	-41.51	-64.71	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_5A_n66A / LTE 10MHz + NR 40MHz / QPSK / ANT4(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3453	-58.50	-13	-45.50	-69.24	2.604	13.34	H
	5181	-56.53	-13	-43.53	-67.04	3.011	13.52	H
	6912	-54.73	-13	-41.73	-64.93	3.271	13.47	H
	3453	-57.89	-13	-44.89	-68.63	2.604	13.34	V
	5181	-56.65	-13	-43.65	-67.16	3.011	13.52	V
	6912	-54.76	-13	-41.76	-64.96	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_7A_n66A / LTE 10MHz + NR 40MHz / QPSK / ANT4(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3453	-58.58	-13	-45.58	-69.32	2.604	13.34	H
	5181.27	-55.69	-13	-42.69	-66.20	3.011	13.52	H
	6908.36	-54.48	-13	-41.48	-64.68	3.271	13.47	H
	8628	-47.81	-13	-34.81	-54.78	5.527	12.5	H
	10362.54	-47.57	-13	-34.57	-54.43	6.038	12.9	H
	12084	-40.53	-13	-27.53	-47.73	6.726	13.93	H
	3453	-57.96	-13	-44.96	-68.70	2.604	13.34	V
	5181.27	-56.08	-13	-43.08	-66.59	3.011	13.52	V
	6912	-54.59	-13	-41.59	-64.79	3.271	13.47	V
	8635.45	-49.51	-13	-36.51	-56.48	5.527	12.50	V
	10368	-47.23	-13	-34.23	-54.09	6.038	12.90	V
	12084	-36.73	-13	-23.73	-43.93	6.726	13.93	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_12A_n66A / LTE 10MHz + NR 40MHz / QPSK / ANT4(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3453	-58.28	-13	-45.28	-69.02	2.604	13.34	H
	5181	-56.08	-13	-43.08	-66.59	3.011	13.52	H
	6912	-54.68	-13	-41.68	-64.88	3.271	13.47	H
	3453	-57.68	-13	-44.68	-68.42	2.604	13.34	V
	5181	-56.59	-13	-43.59	-67.10	3.011	13.52	V
	6912	-54.86	-13	-41.86	-65.06	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.