


A.5. Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.93	-13	Pass	401
0.15	30	0.01	Peak	0.28	-52.31	-13	Pass	2985
30	500	0.1	Peak	475.695	-44.11	-13	Pass	4700
500	1000	0.1	Peak	824.165	31.77	-13	N/A	5000
1000	10000	1	Peak	7627.809	-22.36	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.06	-13	Pass	401
0.15	30	0.01	Peak	0.21	-54.04	-13	Pass	2985
30	500	0.1	Peak	362.571	-44.26	-13	Pass	4700
500	1000	0.1	Peak	836.567	31.73	-13	N/A	5000
1000	10000	1	Peak	8478.913	-22.57	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.51	-13	Pass	401
0.15	30	0.01	Peak	0.34	-54.87	-13	Pass	2985
30	500	0.1	Peak	292.756	-44.1	-13	Pass	4700
500	1000	0.1	Peak	848.67	30.7	-13	N/A	5000
1000	10000	1	Peak	7019.735	-22.14	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.5	-13	Pass	401
0.15	30	0.01	Peak	0.21	-61.29	-13	Pass	2985
30	1000	0.1	Peak	828.798	-49.39	-13	Pass	9699
1000	3000	1	Peak	1849.425	26.07	-13	N/A	2000
3000	20000	1	Peak	3700.085	-41.72	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.06	-13	Pass	401
0.15	30	0.01	Peak	0.26	-60.54	-13	Pass	2985
30	1000	0.1	Peak	933.111	-49.4	-13	Pass	9699
1000	3000	1	Peak	1880.44	22.82	-13	N/A	2000
3000	20000	1	Peak	19721.548	-44.74	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.54	-13	Pass	401
0.15	30	0.01	Peak	0.39	-60.92	-13	Pass	2985
30	1000	0.1	Peak	809.095	-50.2	-13	Pass	9699
1000	3000	1	Peak	1909.455	26.87	-13	N/A	2000
3000	20000	1	Peak	3819.1	-42.85	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.69	-13	Pass	401
0.15	30	0.01	Peak	0.22	-54.41	-13	Pass	2985
30	500	0.1	Peak	413.682	-44.46	-13	Pass	4700
500	1000	0.1	Peak	824.065	24.34	-13	N/A	5000
1000	10000	1	Peak	6987.731	-21.6	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.04	-13	Pass	401
0.15	30	0.01	Peak	0.16	-55.35	-13	Pass	2985
30	500	0.1	Peak	366.272	-44.89	-13	Pass	4700
500	1000	0.1	Peak	836.567	28.98	-13	N/A	5000
1000	10000	1	Peak	7471.79	-22.38	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.33	-13	Pass	401
0.15	30	0.01	Peak	0.35	-54.75	-13	Pass	2985
30	500	0.1	Peak	488.998	-44.85	-13	Pass	4700
500	1000	0.1	Peak	848.67	24.65	-13	N/A	5000
1000	10000	1	Peak	7042.738	-21.99	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.31	-13	Pass	401
0.15	30	0.01	Peak	0.23	-61.64	-13	Pass	2985
30	1000	0.1	Peak	980.975	-49.61	-13	Pass	9699
1000	3000	1	Peak	1850.425	27.75	-13	N/A	2000
3000	20000	1	Peak	19684.488	-44.24	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-63.82	-13	Pass	401
0.15	30	0.01	Peak	0.4	-60.14	-13	Pass	2985
30	1000	0.1	Peak	872.431	-49.65	-13	Pass	9699
1000	3000	1	Peak	1879.44	25.41	-13	N/A	2000
3000	20000	1	Peak	17787.805	-44.44	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.76	-13	Pass	401
0.15	30	0.01	Peak	0.4	-61.73	-13	Pass	2985
30	1000	0.1	Peak	638.274	-49.64	-13	Pass	9699
1000	3000	1	Peak	1909.455	26.9	-13	N/A	2000
3000	20000	1	Peak	19749.593	-44.76	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.56	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.87	-13	Pass	2985
30	1000	0.1	Peak	403.746	-53.47	-13	Pass	9699
1000	3000	1	Peak	1853.427	24.18	-13	N/A	2000
3000	20000	1	Peak	19918.868	-23.39	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.067	-67.87	-13	Pass	401
0.15	30	0.01	Peak	2.001	-65.09	-13	Pass	2985
30	1000	0.1	Peak	979.873	-53.82	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.95	-13	N/A	2000
3000	20000	1	Peak	19837.737	-23.94	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.09	-13	Pass	401
0.15	30	0.01	Peak	2.001	-64.69	-13	Pass	2985
30	1000	0.1	Peak	775.591	-53.86	-13	Pass	9699
1000	3000	1	Peak	1906.453	24.09	-13	N/A	2000
3000	20000	1	Peak	19941.906	-23.44	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.39	-13	Pass	401
0.15	30	0.01	Peak	0.27	-65.23	-13	Pass	2985
30	1000	0.1	Peak	864.02	-53.24	-13	Pass	9699
1000	3000	1	Peak	1713.357	24.21	-13	N/A	2000
3000	20000	1	Peak	18654.91 1	-23.81	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.43	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.74	-13	Pass	2985
30	1000	0.1	Peak	741.187	-53.95	-13	Pass	9699
1000	3000	1	Peak	1733.367	23.97	-13	N/A	2000
3000	20000	1	Peak	19424.065	-23.55	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.23	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.04	-13	Pass	2985
30	1000	0.1	Peak	718.184	-53.69	-13	Pass	9699
1000	3000	1	Peak	1753.377	24.12	-13	N/A	2000
3000	20000	1	Peak	19384	-23.8	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.43	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.03	-13	Pass	2985
30	500	0.1	Peak	415.682	-54.59	-13	Pass	4700
500	1000	0.1	Peak	826.965	18.19	-13	N/A	5000
1000	10000	1	Peak	6961.728	-31.73	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.25	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.59	-13	Pass	2985
30	500	0.1	Peak	421.783	-54.37	-13	Pass	4700
500	1000	0.1	Peak	837.568	18.41	-13	N/A	5000
1000	10000	1	Peak	7456.788	-32.72	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.03	-13	Pass	401
0.15	30	0.01	Peak	2.001	-63.98	-13	Pass	2985
30	500	0.1	Peak	403.98	-54.39	-13	Pass	4700
500	1000	0.1	Peak	848.07	18.34	-13	N/A	5000
1000	10000	1	Peak	7401.781	-32.53	-13	Pass	9000



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.53	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.19	-13	Pass	2985
30	1000	0.1	RMS	835.098	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-51.13	-13	Pass	840
1840	1920	1	RMS	1850.2	24.32	60	Pass	401
1920	3000	1	RMS	2951.956	-50.19	-13	Pass	1080
3000	12000	1	RMS	11796.748	-43.34	-13	Pass	9000
12000	20000	1	RMS	19711.964	-35.39	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.57	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.65	-13	Pass	2985
30	1000	0.1	RMS	840.099	-64.9	-13	Pass	9699
1000	1840	1	RMS	1840	-51.54	-13	Pass	840
1840	1920	1	RMS	1850.2	23.34	60	Pass	401
1920	3000	1	RMS	2945.95	-50.22	-13	Pass	1080
3000	12000	1	RMS	11992.991	-43.34	-13	Pass	9000
12000	20000	1	RMS	19754.969	-35.44	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.16	-13	Pass	2985
30	1000	0.1	RMS	836.098	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.45	-13	Pass	840
1840	1920	1	RMS	1879.4	24.39	60	Pass	401
1920	3000	1	RMS	2947.952	-50.16	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.32	-13	Pass	9000
12000	20000	1	RMS	19745.968	-35.45	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.32	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.64	-13	Pass	2985
30	1000	0.1	RMS	830.998	-64.8	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.47	-13	Pass	840
1840	1920	1	RMS	1879.4	23.35	60	Pass	401
1920	3000	1	RMS	2956.96	-50.23	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.3	-13	Pass	9000
12000	20000	1	RMS	19720.965	-35.42	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.03	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.61	-13	Pass	2985
30	1000	0.1	RMS	847.1	-64.74	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.49	-13	Pass	840
1840	1920	1	RMS	1908.8	24.47	60	Pass	401
1920	3000	1	RMS	2948.953	-50.18	-13	Pass	1080
3000	12000	1	RMS	12000	-43.27	-13	Pass	9000
12000	20000	1	RMS	19807.976	-35.44	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.31	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.94	-13	Pass	2985
30	1000	0.1	RMS	838.099	-64.82	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.42	-13	Pass	840
1840	1920	1	RMS	1908.8	23.43	60	Pass	401
1920	3000	1	RMS	2945.95	-50.19	-13	Pass	1080
3000	12000	1	RMS	12000	-43.23	-13	Pass	9000
12000	20000	1	RMS	19725.966	-35.44	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.25	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.44	-13	Pass	2985
30	1000	0.1	RMS	838.399	-64.85	-13	Pass	9699
1000	1840	1	RMS	1840	-51.02	-13	Pass	840
1840	1920	1	RMS	1850.2	24.18	60	Pass	401
1920	3000	1	RMS	2945.95	-50.17	-13	Pass	1080
3000	12000	1	RMS	11791.742	-43.27	-13	Pass	9000
12000	20000	1	RMS	19786.973	-35.37	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.72	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.65	-13	Pass	2985
30	1000	0.1	RMS	838.499	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-51.24	-13	Pass	840
1840	1920	1	RMS	1850.2	23.31	60	Pass	401
1920	3000	1	RMS	2945.95	-50.19	-13	Pass	1080
3000	12000	1	RMS	11993.993	-43.34	-13	Pass	9000
12000	20000	1	RMS	19800.975	-35.46	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.29	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.38	-13	Pass	2985
30	1000	0.1	RMS	857.211	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-53.43	-13	Pass	840
1840	1920	1	RMS	1878.6	24.27	60	Pass	401
1920	3000	1	RMS	2947.952	-50.15	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.3	-13	Pass	9000
12000	20000	1	RMS	19703.963	-35.37	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.33	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.55	-13	Pass	2985
30	1000	0.1	RMS	854.107	-64.8	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.38	-13	Pass	840
1840	1920	1	RMS	1878.6	23.26	60	Pass	401
1920	3000	1	RMS	2940.945	-50.19	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.27	-13	Pass	9000
12000	20000	1	RMS	19794.974	-35.37	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.81	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.68	-13	Pass	2985
30	1000	0.1	RMS	835.098	-64.81	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.43	-13	Pass	840
1840	1920	1	RMS	1907.2	24.28	60	Pass	401
1920	3000	1	RMS	2947.952	-50.17	-13	Pass	1080
3000	12000	1	RMS	11799.752	-43.31	-13	Pass	9000
12000	20000	1	RMS	19740.968	-35.38	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.17	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.32	-13	Pass	2985
30	1000	0.1	RMS	839.599	-64.77	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.43	-13	Pass	840
1840	1920	1	RMS	1907.2	23.22	60	Pass	401
1920	3000	1	RMS	2943.948	-50.23	-13	Pass	1080
3000	12000	1	RMS	11793.745	-43.32	-13	Pass	9000
12000	20000	1	RMS	19703.963	-35.39	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.35	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.96	-13	Pass	2985
30	1000	0.1	RMS	919.994	-64.9	-13	Pass	9699
1000	1840	1	RMS	1840	-51.02	-13	Pass	840
1840	1920	1	RMS	1850.2	24.4	60	Pass	401
1920	3000	1	RMS	2950.955	-50.18	-13	Pass	1080
3000	12000	1	RMS	11795.747	-43.33	-13	Pass	9000
12000	20000	1	RMS	19722.965	-35.43	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.69	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.78	-13	Pass	2985
30	1000	0.1	RMS	854.807	-64.81	-13	Pass	9699
1000	1840	1	RMS	1840	-51.51	-13	Pass	840
1840	1920	1	RMS	1850.2	23.45	60	Pass	401
1920	3000	1	RMS	2947.952	-50.16	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.33	-13	Pass	9000
12000	20000	1	RMS	19711.964	-35.39	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.33	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.54	-13	Pass	2985
30	1000	0.1	RMS	858.412	-64.86	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.41	-13	Pass	840
1840	1920	1	RMS	1877.8	24.47	60	Pass	401
1920	3000	1	RMS	2948.953	-50.23	-13	Pass	1080
3000	12000	1	RMS	11785.735	-43.31	-13	Pass	9000
12000	20000	1	RMS	19716.965	-35.45	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.27	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.64	-13	Pass	2985
30	1000	0.1	RMS	830.698	-64.86	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.47	-13	Pass	840
1840	1920	1	RMS	1877.8	23.62	60	Pass	401
1920	3000	1	RMS	2955.959	-50.21	-13	Pass	1080
3000	12000	1	RMS	12000	-43.31	-13	Pass	9000
12000	20000	1	RMS	19766.971	-35.43	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.72	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.33	-13	Pass	2985
30	1000	0.1	RMS	841.999	-64.75	-13	Pass	9699
1000	1840	1	RMS	1840	-53.42	-13	Pass	840
1840	1920	1	RMS	1905.2	24.44	60	Pass	401
1920	3000	1	RMS	2949.954	-50.11	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.33	-13	Pass	9000
12000	20000	1	RMS	19703.963	-35.42	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.26	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.91	-13	Pass	2985
30	1000	0.1	RMS	852.304	-64.8	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.52	-13	Pass	840
1840	1920	1	RMS	1905.2	23.6	60	Pass	401
1920	3000	1	RMS	2949.954	-50.18	-13	Pass	1080
3000	12000	1	RMS	11793.745	-43.34	-13	Pass	9000
12000	20000	1	RMS	19758.97	-35.45	-13	Pass	8000




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.42	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.86	-13	Pass	2985
30	1000	0.1	RMS	910.381	-64.92	-13	Pass	9699
1000	1840	1	RMS	1840	-45.83	-13	Pass	840
1840	1920	1	RMS	1850.4	24.44	60	Pass	401
1920	3000	1	RMS	2948.953	-50.16	-13	Pass	1080
3000	12000	1	RMS	11993.993	-43.35	-13	Pass	9000
12000	20000	1	RMS	19759.97	-35.44	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.46	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.71	-13	Pass	2985
30	1000	0.1	RMS	833.998	-64.92	-13	Pass	9699
1000	1840	1	RMS	1840	-46.31	-13	Pass	840
1840	1920	1	RMS	1850.4	23.59	60	Pass	401
1920	3000	1	RMS	2951.956	-50.18	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.29	-13	Pass	9000
12000	20000	1	RMS	19704.963	-35.48	-13	Pass	8000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.89	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.49	-13	Pass	2985
30	1000	0.1	RMS	864.12	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-53.14	-13	Pass	840
1840	1920	1	RMS	1875.4	24.48	60	Pass	401
1920	3000	1	RMS	2956.96	-50.19	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.33	-13	Pass	9000
12000	20000	1	RMS	19720.965	-35.48	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.27	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.27	-13	Pass	2985
30	1000	0.1	RMS	829.398	-64.75	-13	Pass	9699
1000	1840	1	RMS	1840	-53.23	-13	Pass	840
1840	1920	1	RMS	1875.4	23.46	60	Pass	401
1920	3000	1	RMS	2947.952	-50.15	-13	Pass	1080
3000	12000	1	RMS	11793.745	-43.3	-13	Pass	9000
12000	20000	1	RMS	19719.965	-35.43	-13	Pass	8000




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.37	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.7	-13	Pass	2985
30	1000	0.1	RMS	819.096	-64.8	-13	Pass	9699
1000	1840	1	RMS	1840	-53.49	-13	Pass	840
1840	1920	1	RMS	1900.4	24.49	60	Pass	401
1920	3000	1	RMS	2946.951	-50.18	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.29	-13	Pass	9000
12000	20000	1	RMS	19797.975	-35.45	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.17	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.95	-13	Pass	2985
30	1000	0.1	RMS	829.498	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.42	-13	Pass	840
1840	1920	1	RMS	1900.4	23.5	60	Pass	401
1920	3000	1	RMS	2945.95	-50.22	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.33	-13	Pass	9000
12000	20000	1	RMS	19722.965	-35.41	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.4	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.6	-13	Pass	2985
30	1000	0.1	RMS	863.018	-64.88	-13	Pass	9699
1000	1840	1	RMS	1837.998	-30.46	-13	Pass	840
1840	1920	1	RMS	1850.8	24.43	60	Pass	401
1920	3000	1	RMS	2945.95	-50.24	-13	Pass	1080
3000	12000	1	RMS	11789.74	-43.33	-13	Pass	9000
12000	20000	1	RMS	19746.968	-35.46	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.58	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.3	-13	Pass	2985
30	1000	0.1	RMS	842.699	-64.8	-13	Pass	9699
1000	1840	1	RMS	1837.998	-32.44	-13	Pass	840
1840	1920	1	RMS	1850.8	23.53	60	Pass	401
1920	3000	1	RMS	2944.949	-50.17	-13	Pass	1080
3000	12000	1	RMS	11796.748	-43.23	-13	Pass	9000
12000	20000	1	RMS	19817.977	-35.44	-13	Pass	8000




8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.95	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.79	-13	Pass	2985
30	1000	0.1	RMS	850.802	-64.7	-13	Pass	9699
1000	1840	1	RMS	1840	-53.31	-13	Pass	840
1840	1920	1	RMS	1873.2	24.47	60	Pass	401
1920	3000	1	RMS	2943.948	-50.13	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.29	-13	Pass	9000
12000	20000	1	RMS	19831.979	-35.45	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.95	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.24	-13	Pass	2985
30	1000	0.1	RMS	841.399	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-53.32	-13	Pass	840
1840	1920	1	RMS	1873.2	23.51	60	Pass	401
1920	3000	1	RMS	2949.954	-50.21	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.22	-13	Pass	9000
12000	20000	1	RMS	19753.969	-35.39	-13	Pass	8000




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.7	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.3	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-53.44	-13	Pass	840
1840	1920	1	RMS	1895.8	24.51	60	Pass	401
1920	3000	1	RMS	1922.002	-47.4	-13	Pass	1080
3000	12000	1	RMS	11786.736	-43.34	-13	Pass	9000
12000	20000	1	RMS	19714.964	-35.39	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.77	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.03	-13	Pass	2985
30	1000	0.1	RMS	861.116	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-53.38	-13	Pass	840
1840	1920	1	RMS	1895.8	23.62	60	Pass	401
1920	3000	1	RMS	1922.002	-48.04	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.29	-13	Pass	9000
12000	20000	1	RMS	19766.971	-35.43	-13	Pass	8000




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.49	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.85	-13	Pass	2985
30	1000	0.1	RMS	878.839	-64.92	-13	Pass	9699
1000	1840	1	RMS	1832.992	-31.09	-13	Pass	840
1840	1920	1	RMS	1851	24.39	60	Pass	401
1920	3000	1	RMS	2947.952	-50.21	-13	Pass	1080
3000	12000	1	RMS	11790.741	-43.33	-13	Pass	9000
12000	20000	1	RMS	19792.974	-35.36	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.1	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.9	-13	Pass	2985
30	1000	0.1	RMS	975.968	-64.73	-13	Pass	9699
1000	1840	1	RMS	1832.992	-33.43	-13	Pass	840
1840	1920	1	RMS	1851	23.52	60	Pass	401
1920	3000	1	RMS	2949.954	-50.19	-13	Pass	1080
3000	12000	1	RMS	12000	-43.28	-13	Pass	9000
12000	20000	1	RMS	19713.964	-35.43	-13	Pass	8000




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.8	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.38	-13	Pass	2985
30	1000	0.1	RMS	857.611	-64.9	-13	Pass	9699
1000	1840	1	RMS	1834.994	-43.14	-13	Pass	840
1840	1920	1	RMS	1871	24.47	60	Pass	401
1920	3000	1	RMS	2945.95	-50.11	-13	Pass	1080
3000	12000	1	RMS	11995.995	-43.27	-13	Pass	9000
12000	20000	1	RMS	19707.963	-35.41	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.24	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.07	-13	Pass	2985
30	1000	0.1	RMS	855.809	-64.8	-13	Pass	9699
1000	1840	1	RMS	1834.994	-44.66	-13	Pass	840
1840	1920	1	RMS	1871	23.5	60	Pass	401
1920	3000	1	RMS	2945.95	-50.23	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.33	-13	Pass	9000
12000	20000	1	RMS	19712.964	-35.43	-13	Pass	8000




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.31	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.59	-13	Pass	2985
30	1000	0.1	RMS	846.6	-64.83	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.9	-13	Pass	840
1840	1920	1	RMS	1891	24.38	60	Pass	401
1920	3000	1	RMS	1922.002	-49.26	-13	Pass	1080
3000	12000	1	RMS	11788.739	-43.33	-13	Pass	9000
12000	20000	1	RMS	19733.967	-35.44	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.33	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.66	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.87	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.03	-13	Pass	840
1840	1920	1	RMS	1891	23.43	60	Pass	401
1920	3000	1	RMS	1922.002	-49.56	-13	Pass	1080
3000	12000	1	RMS	12000	-43.25	-13	Pass	9000
12000	20000	1	RMS	19711.964	-35.44	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.4	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.26	-13	Pass	2985
30	1000	0.1	RMS	851.403	-64.89	-13	Pass	9699
1000	1700	1	RMS	1700	-51.47	-13	Pass	700
1700	1765	1	RMS	1710.238	24.43	60	Pass	401
1765	3000	1	RMS	2950.96	-50.16	-13	Pass	1235
3000	12000	1	RMS	12000	-43.29	-13	Pass	9000
12000	20000	1	RMS	19704.963	-35.41	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.06	-13	Pass	2985
30	1000	0.1	RMS	844.199	-64.63	-13	Pass	9699
1000	1700	1	RMS	1700	-52.02	-13	Pass	700
1700	1765	1	RMS	1710.238	23.38	60	Pass	401
1765	3000	1	RMS	2948.959	-50.2	-13	Pass	1235
3000	12000	1	RMS	11788.739	-43.3	-13	Pass	9000
12000	20000	1	RMS	19755.969	-35.44	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.86	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.96	-13	Pass	2985
30	1000	0.1	RMS	860.815	-64.87	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.83	-13	Pass	700
1700	1765	1	RMS	1732.013	24.5	60	Pass	401
1765	3000	1	RMS	2948.959	-50.18	-13	Pass	1235
3000	12000	1	RMS	6928.48	-43.05	-13	Pass	9000
12000	20000	1	RMS	19793.974	-35.44	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.77	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.74	-13	Pass	2985
30	1000	0.1	RMS	845.4	-64.87	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.79	-13	Pass	700
1700	1765	1	RMS	1732.013	23.46	60	Pass	401
1765	3000	1	RMS	2949.959	-50.22	-13	Pass	1235
3000	12000	1	RMS	12000	-43.31	-13	Pass	9000
12000	20000	1	RMS	19705.963	-35.38	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.48	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.56	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.84	-13	Pass	9699
1000	1700	1	RMS	1700	-53.84	-13	Pass	700
1700	1765	1	RMS	1753.788	24.52	60	Pass	401
1765	3000	1	RMS	2949.959	-50.18	-13	Pass	1235
3000	12000	1	RMS	7015.49	-42.38	-13	Pass	9000
12000	20000	1	RMS	19776.972	-35.4	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.53	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.41	-13	Pass	2985
30	1000	0.1	RMS	845.3	-64.86	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.83	-13	Pass	700
1700	1765	1	RMS	1753.788	23.56	60	Pass	401
1765	3000	1	RMS	2945.956	-50.17	-13	Pass	1235
3000	12000	1	RMS	7015.49	-42.83	-13	Pass	9000
12000	20000	1	RMS	19782.973	-35.37	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.3	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.96	-13	Pass	2985
30	1000	0.1	RMS	841.899	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-51.35	-13	Pass	700
1700	1765	1	RMS	1710.238	24.31	60	Pass	401
1765	3000	1	RMS	2948.959	-50.21	-13	Pass	1235
3000	12000	1	RMS	12000	-43.3	-13	Pass	9000
12000	20000	1	RMS	19722.965	-35.4	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.72	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.05	-13	Pass	2985
30	1000	0.1	RMS	821.997	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-51.56	-13	Pass	700
1700	1765	1	RMS	1710.238	23.4	60	Pass	401
1765	3000	1	RMS	2949.959	-50.17	-13	Pass	1235
3000	12000	1	RMS	12000	-43.26	-13	Pass	9000
12000	20000	1	RMS	19700.963	-35.43	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.5	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.28	-13	Pass	2985
30	1000	0.1	RMS	842.699	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-53.79	-13	Pass	700
1700	1765	1	RMS	1731.2	24.37	60	Pass	401
1765	3000	1	RMS	2950.96	-50.16	-13	Pass	1235
3000	12000	1	RMS	11793.745	-43.26	-13	Pass	9000
12000	20000	1	RMS	19703.963	-35.36	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.03	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.16	-13	Pass	2985
30	1000	0.1	RMS	854.507	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-53.75	-13	Pass	700
1700	1765	1	RMS	1731.2	23.36	60	Pass	401
1765	3000	1	RMS	2948.959	-50.18	-13	Pass	1235
3000	12000	1	RMS	11802.756	-43.35	-13	Pass	9000
12000	20000	1	RMS	19794.974	-35.41	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.59	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.26	-13	Pass	2985
30	1000	0.1	RMS	845.7	-64.88	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.8	-13	Pass	700
1700	1765	1	RMS	1752.163	24.41	60	Pass	401
1765	3000	1	RMS	1765	-49.5	-13	Pass	1235
3000	12000	1	RMS	7008.489	-42.96	-13	Pass	9000
12000	20000	1	RMS	19789.974	-35.41	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.65	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.26	-13	Pass	2985
30	1000	0.1	RMS	839.699	-64.81	-13	Pass	9699
1000	1700	1	RMS	1700	-53.8	-13	Pass	700
1700	1765	1	RMS	1752.163	23.48	60	Pass	401
1765	3000	1	RMS	1765	-49.94	-13	Pass	1235
3000	12000	1	RMS	7009.489	-43.29	-13	Pass	9000
12000	20000	1	RMS	19764.971	-35.37	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.37	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.17	-13	Pass	2985
30	1000	0.1	RMS	843.099	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-51.02	-13	Pass	700
1700	1765	1	RMS	1710.238	24.56	60	Pass	401
1765	3000	1	RMS	2949.959	-50.21	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.34	-13	Pass	9000
12000	20000	1	RMS	19705.963	-35.44	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.67	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.88	-13	Pass	2985
30	1000	0.1	RMS	846.3	-64.68	-13	Pass	9699
1000	1700	1	RMS	1700	-51.53	-13	Pass	700
1700	1765	1	RMS	1710.238	23.61	60	Pass	401
1765	3000	1	RMS	2950.96	-50.21	-13	Pass	1235
3000	12000	1	RMS	11795.747	-43.31	-13	Pass	9000
12000	20000	1	RMS	19696.962	-35.4	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.06	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.19	-13	Pass	2985
30	1000	0.1	RMS	837.699	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-53.76	-13	Pass	700
1700	1765	1	RMS	1730.225	24.6	60	Pass	401
1765	3000	1	RMS	2948.959	-50.18	-13	Pass	1235
3000	12000	1	RMS	6921.479	-43.21	-13	Pass	9000
12000	20000	1	RMS	19736.967	-35.4	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.81	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.93	-13	Pass	2985
30	1000	0.1	RMS	842.599	-64.73	-13	Pass	9699
1000	1700	1	RMS	1700	-53.77	-13	Pass	700
1700	1765	1	RMS	1730.225	23.71	60	Pass	401
1765	3000	1	RMS	2952.962	-50.19	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.29	-13	Pass	9000
12000	20000	1	RMS	19764.971	-35.44	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.52	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.09	-13	Pass	2985
30	1000	0.1	RMS	870.628	-64.87	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.79	-13	Pass	700
1700	1765	1	RMS	1750.213	24.54	60	Pass	401
1765	3000	1	RMS	2952.962	-50.16	-13	Pass	1235
3000	12000	1	RMS	7001.488	-42.18	-13	Pass	9000
12000	20000	1	RMS	19735.967	-35.41	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.47	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.09	-13	Pass	2985
30	1000	0.1	RMS	847.7	-64.85	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.85	-13	Pass	700
1700	1765	1	RMS	1750.213	23.79	60	Pass	401
1765	3000	1	RMS	2948.959	-50.16	-13	Pass	1235
3000	12000	1	RMS	7001.488	-42.78	-13	Pass	9000
12000	20000	1	RMS	19754.969	-35.4	-13	Pass	8000




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.65	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.2	-13	Pass	2985
30	1000	0.1	RMS	841.199	-64.78	-13	Pass	9699
1000	1700	1	RMS	1692.99	-45.64	-13	Pass	700
1700	1765	1	RMS	1710.563	24.62	60	Pass	401
1765	3000	1	RMS	2945.956	-50.15	-13	Pass	1235
3000	12000	1	RMS	11793.745	-43.32	-13	Pass	9000
12000	20000	1	RMS	19748.969	-35.42	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.43	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.31	-13	Pass	2985
30	1000	0.1	RMS	832.198	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-46.6	-13	Pass	700
1700	1765	1	RMS	1710.563	23.79	60	Pass	401
1765	3000	1	RMS	2943.955	-50.18	-13	Pass	1235
3000	12000	1	RMS	11790.741	-43.32	-13	Pass	9000
12000	20000	1	RMS	19723.965	-35.44	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.07	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.85	-13	Pass	2985
30	1000	0.1	RMS	839.199	-64.82	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.65	-13	Pass	700
1700	1765	1	RMS	1727.95	24.65	60	Pass	401
1765	3000	1	RMS	2946.957	-50.25	-13	Pass	1235
3000	12000	1	RMS	11789.74	-43.24	-13	Pass	9000
12000	20000	1	RMS	19702.963	-35.39	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.15	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.93	-13	Pass	2985
30	1000	0.1	RMS	854.807	-64.85	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.77	-13	Pass	700
1700	1765	1	RMS	1727.95	23.65	60	Pass	401
1765	3000	1	RMS	2941.953	-50.22	-13	Pass	1235
3000	12000	1	RMS	11791.742	-43.34	-13	Pass	9000
12000	20000	1	RMS	19768.971	-35.42	-13	Pass	8000




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.5	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.08	-13	Pass	2985
30	1000	0.1	RMS	834.798	-64.79	-13	Pass	9699
1000	1700	1	RMS	1700	-53.83	-13	Pass	700
1700	1765	1	RMS	1745.5	24.67	60	Pass	401
1765	3000	1	RMS	1765	-48.65	-13	Pass	1235
3000	12000	1	RMS	6982.486	-42.87	-13	Pass	9000
12000	20000	1	RMS	19700.963	-35.39	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.62	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.82	-13	Pass	2985
30	1000	0.1	RMS	868.826	-64.78	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.77	-13	Pass	700
1700	1765	1	RMS	1745.5	23.69	60	Pass	401
1765	3000	1	RMS	1765	-48.94	-13	Pass	1235
3000	12000	1	RMS	6982.486	-43.14	-13	Pass	9000
12000	20000	1	RMS	19700.963	-35.44	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.34	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.54	-13	Pass	2985
30	1000	0.1	RMS	836.999	-64.6	-13	Pass	9699
1000	1700	1	RMS	1697.997	-31.73	-13	Pass	700
1700	1765	1	RMS	1710.725	24.57	60	Pass	401
1765	3000	1	RMS	2944.955	-50.15	-13	Pass	1235
3000	12000	1	RMS	12000	-43.3	-13	Pass	9000
12000	20000	1	RMS	19700.963	-35.41	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.87	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.21	-13	Pass	2985
30	1000	0.1	RMS	856.71	-64.85	-13	Pass	9699
1000	1700	1	RMS	1697.997	-33.78	-13	Pass	700
1700	1765	1	RMS	1710.725	23.68	60	Pass	401
1765	3000	1	RMS	2956.965	-50.21	-13	Pass	1235
3000	12000	1	RMS	12000	-43.32	-13	Pass	9000
12000	20000	1	RMS	19726.966	-35.44	-13	Pass	8000




9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.21	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.73	-13	Pass	2985
30	1000	0.1	RMS	833.698	-64.76	-13	Pass	9699
1000	1700	1	RMS	1698.999	-40.44	-13	Pass	700
1700	1765	1	RMS	1725.838	24.59	60	Pass	401
1765	3000	1	RMS	2944.955	-50.2	-13	Pass	1235
3000	12000	1	RMS	6903.476	-43.09	-13	Pass	9000
12000	20000	1	RMS	19762.97	-35.37	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.69	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.08	-13	Pass	2985
30	1000	0.1	RMS	841.299	-64.76	-13	Pass	9699
1000	1700	1	RMS	1698.999	-42.49	-13	Pass	700
1700	1765	1	RMS	1725.838	23.56	60	Pass	401
1765	3000	1	RMS	2949.959	-50.17	-13	Pass	1235
3000	12000	1	RMS	12000	-43.28	-13	Pass	9000
12000	20000	1	RMS	19403.925	-35.47	-13	Pass	8000




9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.55	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.52	-13	Pass	2985
30	1000	0.1	RMS	838.499	-64.87	-13	Pass	9699
1000	1700	1	RMS	1700	-53.69	-13	Pass	700
1700	1765	1	RMS	1740.788	24.61	60	Pass	401
1765	3000	1	RMS	1767.002	-29.39	-13	Pass	1235
3000	12000	1	RMS	6963.484	-42.56	-13	Pass	9000
12000	20000	1	RMS	19723.965	-35.42	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.94	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.31	-13	Pass	2985
30	1000	0.1	RMS	836.999	-64.73	-13	Pass	9699
1000	1700	1	RMS	1700	-53.8	-13	Pass	700
1700	1765	1	RMS	1740.788	23.73	60	Pass	401
1765	3000	1	RMS	1767.002	-30.44	-13	Pass	1235
3000	12000	1	RMS	6963.484	-42.69	-13	Pass	9000
12000	20000	1	RMS	19715.964	-35.37	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.93	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.79	-13	Pass	2985
30	1000	0.1	RMS	856.81	-64.85	-13	Pass	9699
1000	1700	1	RMS	1692.99	-33.04	-13	Pass	700
1700	1765	1	RMS	1711.05	24.47	60	Pass	401
1765	3000	1	RMS	2945.956	-50.22	-13	Pass	1235
3000	12000	1	RMS	11795.747	-43.34	-13	Pass	9000
12000	20000	1	RMS	19709.964	-35.44	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.43	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.77	-13	Pass	2985
30	1000	0.1	RMS	843.199	-64.81	-13	Pass	9699
1000	1700	1	RMS	1692.99	-35.63	-13	Pass	700
1700	1765	1	RMS	1711.05	23.6	60	Pass	401
1765	3000	1	RMS	2948.959	-50.23	-13	Pass	1235
3000	12000	1	RMS	11788.739	-43.3	-13	Pass	9000
12000	20000	1	RMS	19712.964	-35.35	-13	Pass	8000




9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.87	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.11	-13	Pass	2985
30	1000	0.1	RMS	845.8	-64.89	-13	Pass	9699
1000	1700	1	RMS	1687.983	-50.92	-13	Pass	700
1700	1765	1	RMS	1723.563	24.49	60	Pass	401
1765	3000	1	RMS	2943.955	-50.19	-13	Pass	1235
3000	12000	1	RMS	3447.055	-42.84	-13	Pass	9000
12000	20000	1	RMS	19697.962	-35.45	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.62	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.25	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.78	-13	Pass	9699
1000	1700	1	RMS	1687.983	-51.64	-13	Pass	700
1700	1765	1	RMS	1723.563	23.52	60	Pass	401
1765	3000	1	RMS	2954.964	-50.16	-13	Pass	1235
3000	12000	1	RMS	11796.748	-43.36	-13	Pass	9000
12000	20000	1	RMS	19704.963	-35.45	-13	Pass	8000




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.6	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.14	-13	Pass	2985
30	1000	0.1	RMS	843.899	-64.73	-13	Pass	9699
1000	1700	1	RMS	1700	-42.66	-13	Pass	700
1700	1765	1	RMS	1736.075	24.46	60	Pass	401
1765	3000	1	RMS	1772.006	-28.5	-13	Pass	1235
3000	12000	1	RMS	6944.482	-42.58	-13	Pass	9000
12000	20000	1	RMS	19732.967	-35.43	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.88	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.14	-13	Pass	2985
30	1000	0.1	RMS	856.51	-64.72	-13	Pass	9699
1000	1700	1	RMS	1700	-44	-13	Pass	700
1700	1765	1	RMS	1736.075	23.49	60	Pass	401
1765	3000	1	RMS	1772.006	-29.38	-13	Pass	1235
3000	12000	1	RMS	6944.482	-42.97	-13	Pass	9000
12000	20000	1	RMS	19711.964	-35.43	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.85	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.08	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.57	-13	Pass	7840
814	860	0.1	RMS	824.222	21.43	60	Pass	460
860	1000	0.1	RMS	870.207	-65.03	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.39	-13	Pass	2000
3000	10000	1	RMS	6961.566	-43.76	-13	Pass	7000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.73	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.77	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.12	-13	Pass	7840
814	860	0.1	RMS	824.222	20.36	60	Pass	460
860	1000	0.1	RMS	863.302	-64.97	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.23	-13	Pass	2000
3000	10000	1	RMS	6961.566	-43.75	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.43	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.85	-13	Pass	2985
30	814	0.1	RMS	814	-65.14	-13	Pass	7840
814	860	0.1	RMS	836.048	21.71	60	Pass	460
860	1000	0.1	RMS	980.786	-65.05	-13	Pass	1400
1000	3000	1	RMS	1671.336	-46.1	-13	Pass	2000
3000	10000	1	RMS	6958.566	-43.81	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.31	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.51	-13	Pass	2985
30	814	0.1	RMS	811.4	-65.21	-13	Pass	7840
814	860	0.1	RMS	836.048	20.65	60	Pass	460
860	1000	0.1	RMS	861.301	-65.1	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.38	-13	Pass	2000
3000	10000	1	RMS	6961.566	-43.76	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.59	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.02	-13	Pass	2985
30	814	0.1	RMS	738.29	-65.19	-13	Pass	7840
814	860	0.1	RMS	847.874	21.39	60	Pass	460
860	1000	0.1	RMS	860.2	-64.95	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.04	-13	Pass	2000
3000	10000	1	RMS	6962.566	-43.81	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.99	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.56	-13	Pass	2985
30	814	0.1	RMS	804.099	-65.19	-13	Pass	7840
814	860	0.1	RMS	847.874	20.59	60	Pass	460
860	1000	0.1	RMS	869.107	-64.98	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.19	-13	Pass	2000
3000	10000	1	RMS	6960.566	-43.77	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.89	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.04	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.69	-13	Pass	7840
814	860	0.1	RMS	824.222	21.4	60	Pass	460
860	1000	0.1	RMS	972.08	-64.99	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.54	-13	Pass	2000
3000	10000	1	RMS	6960.566	-43.79	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.85	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.09	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.93	-13	Pass	7840
814	860	0.1	RMS	824.222	20.56	60	Pass	460
860	1000	0.1	RMS	863.603	-64.95	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.25	-13	Pass	2000
3000	10000	1	RMS	6964.566	-43.79	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.48	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.53	-13	Pass	2985
30	814	0.1	RMS	731.99	-65.09	-13	Pass	7840
814	860	0.1	RMS	835.246	21.6	60	Pass	460
860	1000	0.1	RMS	865.104	-64.99	-13	Pass	1400
1000	3000	1	RMS	1670.335	-46.35	-13	Pass	2000
3000	10000	1	RMS	6957.565	-43.83	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.12	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.76	-13	Pass	2985
30	814	0.1	RMS	722.788	-65.14	-13	Pass	7840
814	860	0.1	RMS	835.246	20.67	60	Pass	460
860	1000	0.1	RMS	865.304	-64.9	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.46	-13	Pass	2000
3000	10000	1	RMS	6961.566	-43.79	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.4	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.04	-13	Pass	2985
30	814	0.1	RMS	795.498	-65.07	-13	Pass	7840
814	860	0.1	RMS	846.27	21.38	60	Pass	460
860	1000	0.1	RMS	862.602	-65.03	-13	Pass	1400
1000	3000	1	RMS	1692.346	-46.21	-13	Pass	2000
3000	10000	1	RMS	6958.566	-43.85	-13	Pass	7000




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.43	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.61	-13	Pass	2985
30	814	0.1	RMS	808.299	-65.2	-13	Pass	7840
814	860	0.1	RMS	846.27	20.5	60	Pass	460
860	1000	0.1	RMS	889.021	-65.01	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.34	-13	Pass	2000
3000	10000	1	RMS	6961.566	-43.78	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.37	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.8	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.52	-13	Pass	7840
814	860	0.1	RMS	824.322	21.52	60	Pass	460
860	1000	0.1	RMS	877.613	-65.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.24	-13	Pass	2000
3000	10000	1	RMS	6965.567	-43.76	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.25	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.5	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.13	-13	Pass	7840
814	860	0.1	RMS	824.322	20.75	60	Pass	460
860	1000	0.1	RMS	869.707	-64.92	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.58	-13	Pass	2000
3000	10000	1	RMS	6962.566	-43.83	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.93	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.91	-13	Pass	2985
30	814	0.1	RMS	813.5	-65.05	-13	Pass	7840
814	860	0.1	RMS	834.344	21.76	60	Pass	460
860	1000	0.1	RMS	874.811	-64.93	-13	Pass	1400
1000	3000	1	RMS	1668.334	-45.36	-13	Pass	2000
3000	10000	1	RMS	6961.566	-43.75	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.92	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.12	-13	Pass	2985
30	814	0.1	RMS	806.799	-65.16	-13	Pass	7840
814	860	0.1	RMS	834.344	21.05	60	Pass	460
860	1000	0.1	RMS	863.202	-64.94	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.28	-13	Pass	2000
3000	10000	1	RMS	6959.566	-43.85	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.39	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.42	-13	Pass	2985
30	814	0.1	RMS	806.899	-65.17	-13	Pass	7840
814	860	0.1	RMS	844.366	21.44	60	Pass	460
860	1000	0.1	RMS	863.102	-65.06	-13	Pass	1400
1000	3000	1	RMS	1688.344	-45.32	-13	Pass	2000
3000	10000	1	RMS	6961.566	-43.85	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.54	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.9	-13	Pass	2985
30	814	0.1	RMS	813.8	-65.26	-13	Pass	7840
814	860	0.1	RMS	844.366	20.82	60	Pass	460
860	1000	0.1	RMS	996.197	-65.01	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.18	-13	Pass	2000
3000	10000	1	RMS	6960.566	-43.79	-13	Pass	7000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.01	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.13	-13	Pass	2985
30	814	0.1	RMS	813.9	-59	-13	Pass	7840
814	860	0.1	RMS	824.623	21.49	60	Pass	460
860	1000	0.1	RMS	862.001	-64.88	-13	Pass	1400
1000	3000	1	RMS	1648.324	-45.99	-13	Pass	2000
3000	10000	1	RMS	6958.566	-43.75	-13	Pass	7000




10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.8	-13	Pass	401
0.15	30	0.01	RMS	2.001	-66.94	-13	Pass	2985
30	814	0.1	RMS	813.9	-59.47	-13	Pass	7840
814	860	0.1	RMS	824.623	20.74	60	Pass	460
860	1000	0.1	RMS	864.503	-64.99	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.96	-13	Pass	2000
3000	10000	1	RMS	6958.566	-43.86	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.07	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.48	-13	Pass	2985
30	814	0.1	RMS	812.5	-65.1	-13	Pass	7840
814	860	0.1	RMS	832.139	21.13	60	Pass	460
860	1000	0.1	RMS	868.406	-64.9	-13	Pass	1400
1000	3000	1	RMS	1663.332	-45.94	-13	Pass	2000
3000	10000	1	RMS	6960.566	-43.83	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.32	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.02	-13	Pass	2985
30	814	0.1	RMS	780.496	-65.16	-13	Pass	7840
814	860	0.1	RMS	832.139	20.24	60	Pass	460
860	1000	0.1	RMS	865.004	-65.02	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.03	-13	Pass	2000
3000	10000	1	RMS	6963.566	-43.78	-13	Pass	7000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.36	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.15	-13	Pass	2985
30	814	0.1	RMS	738.69	-65.19	-13	Pass	7840
814	860	0.1	RMS	839.556	21.67	60	Pass	460
860	1000	0.1	RMS	861.601	-64.93	-13	Pass	1400
1000	3000	1	RMS	1678.339	-45.98	-13	Pass	2000
3000	10000	1	RMS	6962.566	-43.8	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.63	-13	Pass	401
0.15	30	0.01	RMS	2.001	-67.15	-13	Pass	2985
30	814	0.1	RMS	809.199	-65.18	-13	Pass	7840
814	860	0.1	RMS	839.556	20.68	60	Pass	460
860	1000	0.1	RMS	898.427	-65.03	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.2	-13	Pass	2000
3000	10000	1	RMS	6959.566	-43.8	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.58	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.4	-25	Pass	2985
30	1000	0.1	RMS	839.699	-64.92	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.87	-25	Pass	1480
2480	2590	1	RMS	2500.075	24.22	60	Pass	401
2590	3000	1	RMS	2951.883	-50.21	-25	Pass	410
3000	12000	1	RMS	11994.994	-53.28	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.14	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.26	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.32	-25	Pass	2985
30	1000	0.1	RMS	858.312	-64.75	-25	Pass	9699
1000	2480	1	RMS	2480	-51.95	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.18	60	Pass	401
2590	3000	1	RMS	2946.87	-50.21	-25	Pass	410
3000	12000	1	RMS	11797.75	-53.33	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.09	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.53	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.12	-25	Pass	2985
30	1000	0.1	RMS	572.166	-62.17	-25	Pass	9699
1000	2480	1	RMS	2480	-51.9	-25	Pass	1480
2480	2590	1	RMS	2532.8	24.35	60	Pass	401
2590	3000	1	RMS	2949.878	-50.22	-25	Pass	410
3000	12000	1	RMS	11998.999	-53.31	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.12	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.32	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.41	-25	Pass	2985
30	1000	0.1	RMS	572.166	-62.55	-25	Pass	9699
1000	2480	1	RMS	2476.998	-52.08	-25	Pass	1480
2480	2590	1	RMS	2532.8	23.44	60	Pass	401
2590	3000	1	RMS	2948.875	-50.23	-25	Pass	410
3000	12000	1	RMS	11820.778	-53.34	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.09	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.22	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.31	-25	Pass	2985
30	1000	0.1	RMS	604.67	-60.16	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.01	-25	Pass	1480
2480	2590	1	RMS	2565.25	24.48	60	Pass	401
2590	3000	1	RMS	2950.88	-50.21	-25	Pass	410
3000	12000	1	RMS	11789.74	-53.33	-25	Pass	9000
12000	26000	1	RMS	25998	-39.07	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.7	-25	Pass	401
0.15	30	0.01	RMS	2.001	-64.93	-25	Pass	2985
30	1000	0.1	RMS	604.67	-60.27	-25	Pass	9699
1000	2480	1	RMS	2480	-52.02	-25	Pass	1480
2480	2590	1	RMS	2565.25	23.63	60	Pass	401
2590	3000	1	RMS	2945.868	-50.2	-25	Pass	410
3000	12000	1	RMS	11790.741	-53.24	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.04	-25	Pass	14000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.13	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.16	-25	Pass	2985
30	1000	0.1	RMS	844.199	-64.7	-25	Pass	9699
1000	2480	1	RMS	2480	-51.8	-25	Pass	1480
2480	2590	1	RMS	2500.35	24.39	60	Pass	401
2590	3000	1	RMS	2950.88	-50.18	-25	Pass	410
3000	12000	1	RMS	11791.742	-53.32	-25	Pass	9000
12000	26000	1	RMS	25999	-39.12	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-72.27	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.13	-25	Pass	2985
30	1000	0.1	RMS	841.899	-64.85	-25	Pass	9699
1000	2480	1	RMS	2480	-51.92	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.49	60	Pass	401
2590	3000	1	RMS	2950.88	-50.24	-25	Pass	410
3000	12000	1	RMS	11995.995	-53.36	-25	Pass	9000
12000	26000	1	RMS	25999	-38.95	-25	Pass	14000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.16	-25	Pass	401
0.15	30	0.01	RMS	2.001	-64.96	-25	Pass	2985
30	1000	0.1	RMS	569.866	-62.49	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52	-25	Pass	1480
2480	2590	1	RMS	2530.325	24.39	60	Pass	401
2590	3000	1	RMS	2947.873	-50.23	-25	Pass	410
3000	12000	1	RMS	11809.765	-53.36	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.1	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.66	-25	Pass	401
0.15	30	0.01	RMS	2.001	-64.95	-25	Pass	2985
30	1000	0.1	RMS	569.866	-63.27	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.94	-25	Pass	1480
2480	2590	1	RMS	2530.325	23.32	60	Pass	401
2590	3000	1	RMS	2946.87	-50.2	-25	Pass	410
3000	12000	1	RMS	11805.76	-53.39	-25	Pass	9000
12000	26000	1	RMS	25998	-39.03	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.59	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.31	-25	Pass	2985
30	1000	0.1	RMS	599.87	-59.01	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.97	-25	Pass	1480
2480	2590	1	RMS	2560.575	24.44	60	Pass	401
2590	3000	1	RMS	2946.87	-50.21	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.39	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.08	-25	Pass	14000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.34	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.4	-25	Pass	2985
30	1000	0.1	RMS	599.87	-60.23	-25	Pass	9699
1000	2480	1	RMS	2480	-52.04	-25	Pass	1480
2480	2590	1	RMS	2560.575	23.42	60	Pass	401
2590	3000	1	RMS	2954.89	-50.26	-25	Pass	410
3000	12000	1	RMS	11996.996	-53.36	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.1	-25	Pass	14000




11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.97	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.54	-25	Pass	2985
30	1000	0.1	RMS	835.898	-64.88	-25	Pass	9699
1000	2480	1	RMS	2473.996	-49.11	-25	Pass	1480
2480	2590	1	RMS	2500.625	24.36	60	Pass	401
2590	3000	1	RMS	2944.866	-50.24	-25	Pass	410
3000	12000	1	RMS	11991.99	-53.34	-25	Pass	9000
12000	26000	1	RMS	25999	-39.11	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.08	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.39	-25	Pass	2985
30	1000	0.1	RMS	836.498	-64.92	-25	Pass	9699
1000	2480	1	RMS	2473.996	-50.02	-25	Pass	1480
2480	2590	1	RMS	2500.625	23.41	60	Pass	401
2590	3000	1	RMS	2945.868	-50.2	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.33	-25	Pass	9000
12000	26000	1	RMS	25977.996	-39.12	-25	Pass	14000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.69	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.23	-25	Pass	2985
30	1000	0.1	RMS	567.666	-63.21	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.99	-25	Pass	1480
2480	2590	1	RMS	2528.125	24.43	60	Pass	401
2590	3000	1	RMS	2949.878	-50.24	-25	Pass	410
3000	12000	1	RMS	11799.752	-53.35	-25	Pass	9000
12000	26000	1	RMS	25999	-39.12	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.81	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.05	-25	Pass	2985
30	1000	0.1	RMS	567.666	-64.11	-25	Pass	9699
1000	2480	1	RMS	2475.997	-52.02	-25	Pass	1480
2480	2590	1	RMS	2528.125	23.38	60	Pass	401
2590	3000	1	RMS	2944.866	-50.25	-25	Pass	410
3000	12000	1	RMS	11988.986	-53.33	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.02	-25	Pass	14000




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.71	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.39	-25	Pass	2985
30	1000	0.1	RMS	595.169	-59.46	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.96	-25	Pass	1480
2480	2590	1	RMS	2555.625	24.46	60	Pass	401
2590	3000	1	RMS	2949.878	-50.21	-25	Pass	410
3000	12000	1	RMS	12000	-53.3	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.08	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.82	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.11	-25	Pass	2985
30	1000	0.1	RMS	595.169	-60.42	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.98	-25	Pass	1480
2480	2590	1	RMS	2555.625	23.52	60	Pass	401
2590	3000	1	RMS	2950.88	-50.21	-25	Pass	410
3000	12000	1	RMS	11998.999	-53.3	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.12	-25	Pass	14000




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.26	-25	Pass	401
0.15	30	0.01	RMS	2.001	-64.92	-25	Pass	2985
30	1000	0.1	RMS	838.899	-64.7	-25	Pass	9699
1000	2480	1	RMS	2480	-50.36	-25	Pass	1480
2480	2590	1	RMS	2500.9	24.33	60	Pass	401
2590	3000	1	RMS	2949.878	-50.2	-25	Pass	410
3000	12000	1	RMS	11993.993	-53.36	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.05	-25	Pass	14000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.7	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.08	-25	Pass	2985
30	1000	0.1	RMS	837.699	-64.81	-25	Pass	9699
1000	2480	1	RMS	2480	-50.64	-25	Pass	1480
2480	2590	1	RMS	2500.9	23.41	60	Pass	401
2590	3000	1	RMS	2950.88	-50.24	-25	Pass	410
3000	12000	1	RMS	11810.766	-53.32	-25	Pass	9000
12000	26000	1	RMS	26000	-39.14	-25	Pass	14000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.08	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.15	-25	Pass	2985
30	1000	0.1	RMS	565.365	-63.75	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52	-25	Pass	1480
2480	2590	1	RMS	2525.925	24.34	60	Pass	401
2590	3000	1	RMS	2948.875	-50.16	-25	Pass	410
3000	12000	1	RMS	11801.755	-53.35	-25	Pass	9000
12000	26000	1	RMS	25999	-39.07	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-71.88	-25	Pass	401
0.15	30	0.01	RMS	2.001	-64.94	-25	Pass	2985
30	1000	0.1	RMS	991.789	-64.89	-25	Pass	9699
1000	2480	1	RMS	2480	-51.93	-25	Pass	1480
2480	2590	1	RMS	2525.925	23.32	60	Pass	401
2590	3000	1	RMS	2947.873	-50.23	-25	Pass	410
3000	12000	1	RMS	11812.768	-53.33	-25	Pass	9000
12000	26000	1	RMS	25998	-39.15	-25	Pass	14000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-70.89	-25	Pass	401
0.15	30	0.01	RMS	2.001	-64.8	-25	Pass	2985
30	1000	0.1	RMS	590.368	-59.24	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.02	-25	Pass	1480
2480	2590	1	RMS	2550.95	24.45	60	Pass	401
2590	3000	1	RMS	2949.878	-50.24	-25	Pass	410
3000	12000	1	RMS	11798.751	-53.33	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.15	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.47	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.13	-25	Pass	2985
30	1000	0.1	RMS	590.368	-60.52	-25	Pass	9699
1000	2480	1	RMS	2480	-51.93	-25	Pass	1480
2480	2590	1	RMS	2550.95	23.39	60	Pass	401
2590	3000	1	RMS	2947.873	-50.24	-25	Pass	410
3000	12000	1	RMS	11791.742	-53.34	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.09	-25	Pass	14000



12. LTE_Band38


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.46	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.91	-25	Pass	2985
30	1000	0.1	RMS	609.571	-60.14	-25	Pass	9699
1000	2550	1	RMS	2550	-46.86	-25	Pass	1550
2550	2640	1	RMS	2570.025	23.79	60	Pass	401
2640	3000	1	RMS	2946.9	-47.21	-25	Pass	401
3000	12000	1	RMS	11808.763	-50.36	-25	Pass	9000
12000	26500	1	RMS	26022.924	-36.12	-25	Pass	14500




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.31	-25	Pass	401
0.15	30	0.01	RMS	2.001	-66.15	-25	Pass	2985
30	1000	0.1	RMS	609.671	-59.05	-25	Pass	9699
1000	2550	1	RMS	2550	-46.52	-25	Pass	1550
2550	2640	1	RMS	2570.025	22.99	60	Pass	401
2640	3000	1	RMS	2944.2	-47.24	-25	Pass	401
3000	12000	1	RMS	11806.761	-50.31	-25	Pass	9000
12000	26500	1	RMS	26005.922	-36.1	-25	Pass	14500




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.12	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.88	-25	Pass	2985
30	1000	0.1	RMS	993.892	-61.73	-25	Pass	9699
1000	2550	1	RMS	2482.957	-48.92	-25	Pass	1550
2550	2640	1	RMS	2592.525	23.85	60	Pass	401
2640	3000	1	RMS	2947.8	-47.22	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.24	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.11	-25	Pass	14500




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.72	-25	Pass	2985
30	1000	0.1	RMS	840.099	-61.86	-25	Pass	9699
1000	2550	1	RMS	2490.962	-48.91	-25	Pass	1550
2550	2640	1	RMS	2592.75	23.07	60	Pass	401
2640	3000	1	RMS	2948.7	-47.22	-25	Pass	401
3000	12000	1	RMS	11796.748	-50.34	-25	Pass	9000
12000	26500	1	RMS	26010.922	-36.08	-25	Pass	14500




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.97	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.86	-25	Pass	2985
30	1000	0.1	RMS	845.099	-61.72	-25	Pass	9699
1000	2550	1	RMS	2488.961	-48.87	-25	Pass	1550
2550	2640	1	RMS	2615.25	23.85	60	Pass	401
2640	3000	1	RMS	2946.9	-47.21	-25	Pass	401
3000	12000	1	RMS	11995.995	-50.35	-25	Pass	9000
12000	26500	1	RMS	26012.923	-36.01	-25	Pass	14500




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.2	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.87	-25	Pass	2985
30	1000	0.1	RMS	829.998	-61.79	-25	Pass	9699
1000	2550	1	RMS	2488.961	-48.91	-25	Pass	1550
2550	2640	1	RMS	2615.025	23.1	60	Pass	401
2640	3000	1	RMS	2948.7	-47.25	-25	Pass	401
3000	12000	1	RMS	11805.76	-50.33	-25	Pass	9000
12000	26500	1	RMS	26007.922	-35.93	-25	Pass	14500




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.72	-25	Pass	401
0.15	30	0.01	RMS	2.001	-66.11	-25	Pass	2985
30	1000	0.1	RMS	609.871	-58.07	-25	Pass	9699
1000	2550	1	RMS	2548.999	-48.82	-25	Pass	1550
2550	2640	1	RMS	2570.7	23.29	60	Pass	401
2640	3000	1	RMS	2946	-47.24	-25	Pass	401
3000	12000	1	RMS	11797.75	-50.34	-25	Pass	9000
12000	26500	1	RMS	26019.924	-36.07	-25	Pass	14500




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.8	-25	Pass	2985
30	1000	0.1	RMS	609.871	-59.32	-25	Pass	9699
1000	2550	1	RMS	2550	-48.88	-25	Pass	1550
2550	2640	1	RMS	2570.7	22.97	60	Pass	401
2640	3000	1	RMS	2949.6	-47.24	-25	Pass	401
3000	12000	1	RMS	11992.991	-50.37	-25	Pass	9000
12000	26500	1	RMS	26013.923	-36.12	-25	Pass	14500




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.01	-25	Pass	401
0.15	30	0.01	RMS	2.001	-66.86	-25	Pass	2985
30	1000	0.1	RMS	629.873	-61.03	-25	Pass	9699
1000	2550	1	RMS	2487.96	-48.9	-25	Pass	1550
2550	2640	1	RMS	2590.275	23.65	60	Pass	401
2640	3000	1	RMS	2951.4	-47.25	-25	Pass	401
3000	12000	1	RMS	11806.761	-50.35	-25	Pass	9000
12000	26500	1	RMS	26002.921	-36.12	-25	Pass	14500




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.48	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.61	-25	Pass	2985
30	1000	0.1	RMS	629.873	-61.42	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.86	-25	Pass	1550
2550	2640	1	RMS	2590.275	22.64	60	Pass	401
2640	3000	1	RMS	2949.6	-47.24	-25	Pass	401
3000	12000	1	RMS	11998.999	-50.31	-25	Pass	9000
12000	26500	1	RMS	26011.923	-36.16	-25	Pass	14500




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.77	-25	Pass	401
0.15	30	0.01	RMS	2.001	-66.32	-25	Pass	2985
30	1000	0.1	RMS	833.898	-61.89	-25	Pass	9699
1000	2550	1	RMS	2480.955	-48.91	-25	Pass	1550
2550	2640	1	RMS	2610.3	23.82	60	Pass	401
2640	3000	1	RMS	2946.9	-47.23	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.4	-25	Pass	9000
12000	26500	1	RMS	25975.917	-36.08	-25	Pass	14500




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.75	-25	Pass	401
0.15	30	0.01	RMS	0.38	-69.78	-25	Pass	2985
30	1000	0.1	RMS	845.5	-61.89	-25	Pass	9699
1000	2550	1	RMS	2523.983	-48.89	-25	Pass	1550
2550	2640	1	RMS	2610.525	22.99	60	Pass	401
2640	3000	1	RMS	2949.6	-47.2	-25	Pass	401
3000	12000	1	RMS	11803.757	-50.33	-25	Pass	9000
12000	26500	1	RMS	26008.922	-36.08	-25	Pass	14500




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.69	-25	Pass	2985
30	1000	0.1	RMS	610.171	-59.97	-25	Pass	9699
1000	2550	1	RMS	2543.996	-46.16	-25	Pass	1550
2550	2640	1	RMS	2570.7	23.83	60	Pass	401
2640	3000	1	RMS	2949.6	-47.23	-25	Pass	401
3000	12000	1	RMS	11797.75	-50.33	-25	Pass	9000
12000	26500	1	RMS	26010.922	-36.06	-25	Pass	14500




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.02	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.68	-25	Pass	2985
30	1000	0.1	RMS	610.071	-61.37	-25	Pass	9699
1000	2550	1	RMS	2547.999	-47.35	-25	Pass	1550
2550	2640	1	RMS	2570.925	22.98	60	Pass	401
2640	3000	1	RMS	2942.4	-47.21	-25	Pass	401
3000	12000	1	RMS	11819.777	-50.37	-25	Pass	9000
12000	26500	1	RMS	25998.921	-36.09	-25	Pass	14500




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.57	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.7	-25	Pass	2985
30	1000	0.1	RMS	627.673	-60.71	-25	Pass	9699
1000	2550	1	RMS	2490.962	-48.94	-25	Pass	1550
2550	2640	1	RMS	2588.25	23.7	60	Pass	401
2640	3000	1	RMS	2944.2	-47.21	-25	Pass	401
3000	12000	1	RMS	11816.773	-50.32	-25	Pass	9000
12000	26500	1	RMS	26030.926	-36.05	-25	Pass	14500




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.31	-25	Pass	401
0.15	30	0.01	RMS	2.001	-68.71	-25	Pass	2985
30	1000	0.1	RMS	627.573	-61.51	-25	Pass	9699
1000	2550	1	RMS	2489.961	-48.89	-25	Pass	1550
2550	2640	1	RMS	2588.025	22.84	60	Pass	401
2640	3000	1	RMS	2947.8	-47.21	-25	Pass	401
3000	12000	1	RMS	11804.758	-50.29	-25	Pass	9000
12000	26500	1	RMS	25987.919	-35.98	-25	Pass	14500




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.52	-25	Pass	401
0.15	30	0.01	RMS	2.001	-67.55	-25	Pass	2985
30	1000	0.1	RMS	843.399	-61.83	-25	Pass	9699
1000	2550	1	RMS	2485.959	-48.88	-25	Pass	1550
2550	2640	1	RMS	2605.8	23.83	60	Pass	401
2640	3000	1	RMS	2946	-47.24	-25	Pass	401
3000	12000	1	RMS	11793.745	-50.25	-25	Pass	9000
12000	26500	1	RMS	26004.922	-36.06	-25	Pass	14500




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.53	-25	Pass	401
0.15	30	0.01	RMS	2.001	-66.06	-25	Pass	2985
30	1000	0.1	RMS	850.702	-61.82	-25	Pass	9699
1000	2550	1	RMS	2513.977	-48.88	-25	Pass	1550
2550	2640	1	RMS	2605.8	23.49	60	Pass	401
2640	3000	1	RMS	2947.8	-47.2	-25	Pass	401
3000	12000	1	RMS	11989.988	-50.31	-25	Pass	9000
12000	26500	1	RMS	26006.922	-36.09	-25	Pass	14500




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.17	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.31	-25	Pass	2985
30	1000	0.1	RMS	610.371	-58.45	-25	Pass	9699
1000	2550	1	RMS	2548.999	-47.17	-25	Pass	1550
2550	2640	1	RMS	2570.925	23.83	60	Pass	401
2640	3000	1	RMS	2946.9	-47.23	-25	Pass	401
3000	12000	1	RMS	11799.752	-50.3	-25	Pass	9000
12000	26500	1	RMS	26041.927	-36.11	-25	Pass	14500




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.68	-25	Pass	401
0.15	30	0.01	RMS	2.001	-67.7	-25	Pass	2985
30	1000	0.1	RMS	610.371	-59.06	-25	Pass	9699
1000	2550	1	RMS	2550	-46.78	-25	Pass	1550
2550	2640	1	RMS	2570.925	23.39	60	Pass	401
2640	3000	1	RMS	2944.2	-47.21	-25	Pass	401
3000	12000	1	RMS	11792.743	-50.37	-25	Pass	9000
12000	26500	1	RMS	26004.922	-36.05	-25	Pass	14500




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.22	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.13	-25	Pass	2985
30	1000	0.1	RMS	844.299	-61.7	-25	Pass	9699
1000	2550	1	RMS	2550	-47.46	-25	Pass	1550
2550	2640	1	RMS	2586	23.87	60	Pass	401
2640	3000	1	RMS	2947.8	-47.2	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.33	-25	Pass	9000
12000	26500	1	RMS	26002.921	-36.11	-25	Pass	14500




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.84	-25	Pass	401
0.15	30	0.01	RMS	2.001	-67.49	-25	Pass	2985
30	1000	0.1	RMS	843.699	-61.87	-25	Pass	9699
1000	2550	1	RMS	2550	-47.96	-25	Pass	1550
2550	2640	1	RMS	2585.775	22.74	60	Pass	401
2640	3000	1	RMS	2949.6	-47.23	-25	Pass	401
3000	12000	1	RMS	11803.757	-50.29	-25	Pass	9000
12000	26500	1	RMS	25994.92	-36.05	-25	Pass	14500




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.53	-25	Pass	401
0.15	30	0.01	RMS	2.001	-65.68	-25	Pass	2985
30	1000	0.1	RMS	848	-61.76	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.9	-25	Pass	1550
2550	2640	1	RMS	2601.075	23.34	60	Pass	401
2640	3000	1	RMS	2942.4	-47.24	-25	Pass	401
3000	12000	1	RMS	11983.98	-50.31	-25	Pass	9000
12000	26500	1	RMS	25980.918	-36.12	-25	Pass	14500



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.04	-25	Pass	401
0.15	30	0.01	RMS	2.001	-67.79	-25	Pass	2985
30	1000	0.1	RMS	852.304	-61.9	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.89	-25	Pass	1550
2550	2640	1	RMS	2601.075	22.58	60	Pass	401
2640	3000	1	RMS	2944.2	-47.23	-25	Pass	401
3000	12000	1	RMS	11940.927	-50.3	-25	Pass	9000
12000	26500	1	RMS	26006.922	-36.13	-25	Pass	14500



13. LTE_Band41 full


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.81	-25	Pass	401
0.15	30	0.01	RMS	2.001	-67.45	-25	Pass	2985
30	1000	0.1	RMS	849.5	-61.66	-25	Pass	9699
1000	2476	1	RMS	2476	-48.95	-25	Pass	1476
2476	2710	1	RMS	2495.89	23.18	60	Pass	401
2710	3000	1	RMS	2949.975	-47.17	-25	Pass	401
3000	12000	1	RMS	11815.772	-50.31	-25	Pass	9000
12000	27000	1	RMS	26008.854	-36.02	-25	Pass	15000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.62	-25	Pass	2985
30	1000	0.1	RMS	840.799	-61.67	-25	Pass	9699
1000	2476	1	RMS	2476	-48.91	-25	Pass	1476
2476	2710	1	RMS	2495.89	22.83	60	Pass	401
2710	3000	1	RMS	2951.425	-47.16	-25	Pass	401
3000	12000	1	RMS	11797.75	-50.28	-25	Pass	9000
12000	27000	1	RMS	25999.853	-36.02	-25	Pass	15000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.08	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.18	-25	Pass	2985
30	1000	0.1	RMS	630.173	-61.63	-25	Pass	9699
1000	2476	1	RMS	2476	-49	-25	Pass	1476
2476	2710	1	RMS	2590.66	22.92	60	Pass	401
2710	3000	1	RMS	2947.075	-47.17	-25	Pass	401
3000	12000	1	RMS	11993.993	-50.29	-25	Pass	9000
12000	27000	1	RMS	25999.853	-36.12	-25	Pass	15000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.29	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.55	-25	Pass	2985
30	1000	0.1	RMS	843.499	-61.81	-25	Pass	9699
1000	2476	1	RMS	2476	-49.04	-25	Pass	1476
2476	2710	1	RMS	2590.66	23.1	60	Pass	401
2710	3000	1	RMS	2949.975	-47.22	-25	Pass	401
3000	12000	1	RMS	11995.995	-50.31	-25	Pass	9000
12000	27000	1	RMS	26002.854	-36	-25	Pass	15000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-69.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.05	-25	Pass	2985
30	1000	0.1	RMS	724.585	-58.68	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.14	-25	Pass	1476
2476	2710	1	RMS	2685.43	22.8	60	Pass	401
2710	3000	1	RMS	2944.175	-47.16	-25	Pass	401
3000	12000	1	RMS	11810.766	-50.31	-25	Pass	9000
12000	27000	1	RMS	26018.856	-35.99	-25	Pass	15000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.74	-25	Pass	2985
30	1000	0.1	RMS	724.585	-60.46	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.05	-25	Pass	1476
2476	2710	1	RMS	2684.845	22.91	60	Pass	401
2710	3000	1	RMS	2948.525	-47.18	-25	Pass	401
3000	12000	1	RMS	11794.746	-50.24	-25	Pass	9000
12000	27000	1	RMS	25988.851	-36.1	-25	Pass	15000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-25	Pass	2985
30	1000	0.1	RMS	836.398	-61.81	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.03	-25	Pass	1476
2476	2710	1	RMS	2496.475	22.76	60	Pass	401
2710	3000	1	RMS	2946.35	-47.19	-25	Pass	401
3000	12000	1	RMS	11796.748	-50.24	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.14	-25	Pass	15000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69	-25	Pass	2985
30	1000	0.1	RMS	838.799	-61.87	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.03	-25	Pass	1476
2476	2710	1	RMS	2495.89	21.27	60	Pass	401
2710	3000	1	RMS	2943.45	-47.16	-25	Pass	401
3000	12000	1	RMS	11788.739	-50.26	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.11	-25	Pass	15000




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-69.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.64	-25	Pass	2985
30	1000	0.1	RMS	916.99	-61.77	-25	Pass	9699
1000	2476	1	RMS	2460.99	-49.04	-25	Pass	1476
2476	2710	1	RMS	2588.32	24.02	60	Pass	401
2710	3000	1	RMS	2947.075	-47.19	-25	Pass	401
3000	12000	1	RMS	11792.743	-50.33	-25	Pass	9000
12000	27000	1	RMS	26014.855	-36.07	-25	Pass	15000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.14	-25	Pass	2985
30	1000	0.1	RMS	627.873	-61.23	-25	Pass	9699
1000	2476	1	RMS	2470.997	-49.01	-25	Pass	1476
2476	2710	1	RMS	2588.32	21.75	60	Pass	401
2710	3000	1	RMS	2949.975	-47.15	-25	Pass	401
3000	12000	1	RMS	11794.746	-50.28	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.08	-25	Pass	15000




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.66	-25	Pass	2985
30	1000	0.1	RMS	719.884	-59.77	-25	Pass	9699
1000	2476	1	RMS	2471.997	-48.99	-25	Pass	1476
2476	2710	1	RMS	2680.165	23.49	60	Pass	401
2710	3000	1	RMS	2948.525	-47.15	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.23	-25	Pass	9000
12000	27000	1	RMS	25986.851	-36.06	-25	Pass	15000




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-25	Pass	2985
30	1000	0.1	RMS	719.884	-60.44	-25	Pass	9699
1000	2476	1	RMS	2476	-49.01	-25	Pass	1476
2476	2710	1	RMS	2680.165	23.07	60	Pass	401
2710	3000	1	RMS	2944.9	-47.15	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.23	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.11	-25	Pass	15000




13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.01	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.27	-25	Pass	2985
30	1000	0.1	RMS	841.199	-61.78	-25	Pass	9699
1000	2476	1	RMS	2476	-48.84	-25	Pass	1476
2476	2710	1	RMS	2496.475	22.2	60	Pass	401
2710	3000	1	RMS	2944.175	-47.11	-25	Pass	401
3000	12000	1	RMS	11795.747	-50.24	-25	Pass	9000
12000	27000	1	RMS	26026.857	-36.1	-25	Pass	15000




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-68.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.68	-25	Pass	2985
30	1000	0.1	RMS	841.199	-61.75	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.95	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.49	60	Pass	401
2710	3000	1	RMS	2949.975	-47.14	-25	Pass	401
3000	12000	1	RMS	11795.747	-50.26	-25	Pass	9000
12000	27000	1	RMS	25990.852	-36.07	-25	Pass	15000




13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.75	-25	Pass	2985
30	1000	0.1	RMS	625.573	-61.46	-25	Pass	9699
1000	2476	1	RMS	2476	-48.94	-25	Pass	1476
2476	2710	1	RMS	2585.98	22.57	60	Pass	401
2710	3000	1	RMS	2945.625	-47.15	-25	Pass	401
3000	12000	1	RMS	11996.996	-50.24	-25	Pass	9000
12000	27000	1	RMS	26982.998	-36.06	-25	Pass	15000




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.97	-25	Pass	2985
30	1000	0.1	RMS	853.205	-61.74	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.94	-25	Pass	1476
2476	2710	1	RMS	2585.98	22.87	60	Pass	401
2710	3000	1	RMS	2949.975	-47.1	-25	Pass	401
3000	12000	1	RMS	11815.772	-50.23	-25	Pass	9000
12000	27000	1	RMS	26006.854	-36.07	-25	Pass	15000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.83	-25	Pass	2985
30	1000	0.1	RMS	715.184	-59.76	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.94	-25	Pass	1476
2476	2710	1	RMS	2675.485	23.11	60	Pass	401
2710	3000	1	RMS	2943.45	-47.09	-25	Pass	401
3000	12000	1	RMS	11821.779	-50.24	-25	Pass	9000
12000	27000	1	RMS	25997.853	-36	-25	Pass	15000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.64	-25	Pass	2985
30	1000	0.1	RMS	715.084	-61.02	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.98	-25	Pass	1476
2476	2710	1	RMS	2675.485	21.83	60	Pass	401
2710	3000	1	RMS	2943.45	-47.1	-25	Pass	401
3000	12000	1	RMS	11798.751	-50.19	-25	Pass	9000
12000	27000	1	RMS	26008.854	-35.98	-25	Pass	15000




13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.72	-25	Pass	2985
30	1000	0.1	RMS	891.656	-61.71	-25	Pass	9699
1000	2476	1	RMS	2476	-48.81	-25	Pass	1476
2476	2710	1	RMS	2497.06	23.1	60	Pass	401
2710	3000	1	RMS	2944.175	-47.13	-25	Pass	401
3000	12000	1	RMS	11992.991	-50.23	-25	Pass	9000
12000	27000	1	RMS	25997.853	-36.03	-25	Pass	15000




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.27	-25	Pass	2985
30	1000	0.1	RMS	844.399	-61.75	-25	Pass	9699
1000	2476	1	RMS	2476	-48.94	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.89	60	Pass	401
2710	3000	1	RMS	2944.9	-47.08	-25	Pass	401
3000	12000	1	RMS	11807.762	-50.2	-25	Pass	9000
12000	27000	1	RMS	26008.854	-36.03	-25	Pass	15000




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.95	-25	Pass	2985
30	1000	0.1	RMS	623.472	-61.48	-25	Pass	9699
1000	2476	1	RMS	2469.996	-48.96	-25	Pass	1476
2476	2710	1	RMS	2583.64	23.49	60	Pass	401
2710	3000	1	RMS	2945.625	-47.1	-25	Pass	401
3000	12000	1	RMS	11802.756	-50.15	-25	Pass	9000
12000	27000	1	RMS	26004.854	-36.04	-25	Pass	15000




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.33	-25	Pass	2985
30	1000	0.1	RMS	623.372	-61.22	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.94	-25	Pass	1476
2476	2710	1	RMS	2583.64	21.82	60	Pass	401
2710	3000	1	RMS	2946.35	-47.12	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.22	-25	Pass	9000
12000	27000	1	RMS	25987.851	-36.02	-25	Pass	15000




13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.51	-25	Pass	2985
30	1000	0.1	RMS	710.383	-61.67	-25	Pass	9699
1000	2476	1	RMS	2469.996	-48.94	-25	Pass	1476
2476	2710	1	RMS	2670.805	23.81	60	Pass	401
2710	3000	1	RMS	2947.8	-47.11	-25	Pass	401
3000	12000	1	RMS	11809.765	-50.18	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.02	-25	Pass	15000



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.52	-25	Pass	2985
30	1000	0.1	RMS	710.383	-61.16	-25	Pass	9699
1000	2476	1	RMS	2476	-48.98	-25	Pass	1476
2476	2710	1	RMS	2670.805	22.58	60	Pass	401
2710	3000	1	RMS	2944.175	-47.09	-25	Pass	401
3000	12000	1	RMS	11789.74	-50.21	-25	Pass	9000
12000	27000	1	RMS	26007.854	-35.91	-25	Pass	15000



14. CA_7C


14.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.54	-25	Pass	401
0.15	30	0.01	RMS	2.001	-71.14	-25	Pass	2985
30	1000	0.1	RMS	848.4	-64.81	-25	Pass	9699
1000	2475	1	RMS	2472.999	-38.36	-25	Pass	1475
2475	2735	1	RMS	2528.3	11.89	60	Pass	401
2735	3000	1	RMS	2947.663	-50.15	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.29	-25	Pass	9000
12000	26000	1	RMS	25990.998	-38.99	-25	Pass	14000




**14.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.23	-25	Pass	401
0.15	30	0.01	RMS	2.001	-71.69	-25	Pass	2985
30	1000	0.1	RMS	841.599	-64.86	-25	Pass	9699
1000	2475	1	RMS	2475	-42.4	-25	Pass	1475
2475	2735	1	RMS	2521.15	9.91	60	Pass	401
2735	3000	1	RMS	2950.313	-50.13	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.24	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.12	-25	Pass	14000




**14.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.83	-25	Pass	401
0.15	30	0.01	RMS	2.001	-71.02	-25	Pass	2985
30	1000	0.1	RMS	869.627	-64.83	-25	Pass	9699
1000	2475	1	RMS	2472.999	-38.01	-25	Pass	1475
2475	2735	1	RMS	2528.3	11.77	60	Pass	401
2735	3000	1	RMS	2948.325	-50.11	-25	Pass	401
3000	12000	1	RMS	11988.986	-53.26	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39	-25	Pass	14000




**14.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.47	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.99	-25	Pass	2985
30	1000	0.1	RMS	847.7	-64.85	-25	Pass	9699
1000	2475	1	RMS	2475	-43.73	-25	Pass	1475
2475	2735	1	RMS	2521.15	9	60	Pass	401
2735	3000	1	RMS	2947.663	-50.13	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.19	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.03	-25	Pass	14000




**14.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.82	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.84	-25	Pass	2985
30	1000	0.1	RMS	839.199	-64.77	-25	Pass	9699
1000	2475	1	RMS	2473.999	-51.95	-25	Pass	1475
2475	2735	1	RMS	2548.45	11.86	60	Pass	401
2735	3000	1	RMS	2947	-50.14	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.26	-25	Pass	9000
12000	26000	1	RMS	25987.998	-39.08	-25	Pass	14000




**14.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.33	-25	Pass	401
0.15	30	0.01	RMS	2.001	-71.24	-25	Pass	2985
30	1000	0.1	RMS	843.299	-64.83	-25	Pass	9699
1000	2475	1	RMS	2475	-48.75	-25	Pass	1475
2475	2735	1	RMS	2541.3	10.06	60	Pass	401
2735	3000	1	RMS	2946.338	-50.1	-25	Pass	401
3000	12000	1	RMS	11998.999	-53.24	-25	Pass	9000
12000	26000	1	RMS	25998	-39.09	-25	Pass	14000




**14.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.56	-25	Pass	401
0.15	30	0.01	RMS	2.001	-71.06	-25	Pass	2985
30	1000	0.1	RMS	864.721	-64.71	-25	Pass	9699
1000	2475	1	RMS	2475	-52	-25	Pass	1475
2475	2735	1	RMS	2548.45	11.85	60	Pass	401
2735	3000	1	RMS	2950.313	-50.13	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.27	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.08	-25	Pass	14000




**14.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.89	-25	Pass	401
0.15	30	0.01	RMS	2.001	-71.94	-25	Pass	2985
30	1000	0.1	RMS	840.099	-64.69	-25	Pass	9699
1000	2475	1	RMS	2475	-49.87	-25	Pass	1475
2475	2735	1	RMS	2541.3	9.03	60	Pass	401
2735	3000	1	RMS	2948.988	-50.13	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.23	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.02	-25	Pass	14000




**14.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.12	-25	Pass	401
0.15	30	0.01	RMS	2.001	-71.35	-25	Pass	2985
30	1000	0.1	RMS	821.797	-64.77	-25	Pass	9699
1000	2475	1	RMS	2461.991	-52.05	-25	Pass	1475
2475	2735	1	RMS	2540.65	12.14	60	Pass	401
2735	3000	1	RMS	2944.35	-50.1	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.25	-25	Pass	9000
12000	26000	1	RMS	25999	-39.02	-25	Pass	14000




14.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.08	-25	Pass	401
0.15	30	0.01	RMS	2.001	-71.66	-25	Pass	2985
30	1000	0.1	RMS	842.799	-64.76	-25	Pass	9699
1000	2475	1	RMS	2475	-51.53	-25	Pass	1475
2475	2735	1	RMS	2560.8	10.07	60	Pass	401
2735	3000	1	RMS	2945.675	-50.11	-25	Pass	401
3000	12000	1	RMS	11796.748	-53.28	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.1	-25	Pass	14000




14.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.54	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.46	-25	Pass	2985
30	1000	0.1	RMS	832.498	-64.64	-25	Pass	9699
1000	2475	1	RMS	2473.999	-51.92	-25	Pass	1475
2475	2735	1	RMS	2540.65	12.1	60	Pass	401
2735	3000	1	RMS	2945.013	-50.12	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.25	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.08	-25	Pass	14000




**14.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.68	-25	Pass	401
0.15	30	0.01	RMS	2.001	-71.51	-25	Pass	2985
30	1000	0.1	RMS	993.391	-64.83	-25	Pass	9699
1000	2475	1	RMS	2475	-51.79	-25	Pass	1475
2475	2735	1	RMS	2561.45	9.04	60	Pass	401
2735	3000	1	RMS	2945.013	-50.12	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.26	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.07	-25	Pass	14000




**14.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.94	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.53	-25	Pass	2985
30	1000	0.1	RMS	844.499	-64.83	-25	Pass	9699
1000	2475	1	RMS	2475	-51.8	-25	Pass	1475
2475	2735	1	RMS	2501	11.35	60	Pass	401
2735	3000	1	RMS	2943.688	-50.13	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.29	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.02	-25	Pass	14000




**14.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.18	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.3	-25	Pass	2985
30	1000	0.1	RMS	847.6	-64.82	-25	Pass	9699
1000	2475	1	RMS	2475	-42.12	-25	Pass	1475
2475	2735	1	RMS	2517.25	7.33	60	Pass	401
2735	3000	1	RMS	2942.363	-50.14	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.26	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.06	-25	Pass	14000




**14.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.71	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.63	-25	Pass	2985
30	1000	0.1	RMS	966.756	-64.79	-25	Pass	9699
1000	2475	1	RMS	2475	-51.84	-25	Pass	1475
2475	2735	1	RMS	2501	11.37	60	Pass	401
2735	3000	1	RMS	2944.35	-50.12	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.27	-25	Pass	9000
12000	26000	1	RMS	25998	-39.02	-25	Pass	14000




**14.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.18	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.77	-25	Pass	2985
30	1000	0.1	RMS	842.299	-64.76	-25	Pass	9699
1000	2475	1	RMS	2475	-43.08	-25	Pass	1475
2475	2735	1	RMS	2515.95	6.29	60	Pass	401
2735	3000	1	RMS	2943.688	-50.16	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.26	-25	Pass	9000
12000	26000	1	RMS	26000	-38.96	-25	Pass	14000




**14.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.36	-25	Pass	401
0.15	30	0.01	RMS	2.001	-69.9	-25	Pass	2985
30	1000	0.1	RMS	895.962	-64.77	-25	Pass	9699
1000	2475	1	RMS	2475	-51.93	-25	Pass	1475
2475	2735	1	RMS	2515.95	12.1	60	Pass	401
2735	3000	1	RMS	2941.7	-50.14	-25	Pass	401
3000	12000	1	RMS	11997.998	-53.29	-25	Pass	9000
12000	26000	1	RMS	26000	-39.06	-25	Pass	14000




**14.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.31	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.75	-25	Pass	2985
30	1000	0.1	RMS	863.92	-64.78	-25	Pass	9699
1000	2475	1	RMS	2475	-45.73	-25	Pass	1475
2475	2735	1	RMS	2530.25	7.19	60	Pass	401
2735	3000	1	RMS	2952.963	-50.15	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.29	-25	Pass	9000
12000	26000	1	RMS	25996.999	-38.98	-25	Pass	14000




14.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.6	-25	Pass	401
0.15	30	0.01	RMS	2.001	-69.88	-25	Pass	2985
30	1000	0.1	RMS	839.399	-64.8	-25	Pass	9699
1000	2475	1	RMS	2475	-51.94	-25	Pass	1475
2475	2735	1	RMS	2515.95	11.96	60	Pass	401
2735	3000	1	RMS	2950.975	-50.14	-25	Pass	401
3000	12000	1	RMS	11996.996	-53.24	-25	Pass	9000
12000	26000	1	RMS	26000	-38.97	-25	Pass	14000




**14.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.13	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.3	-25	Pass	2985
30	1000	0.1	RMS	852.905	-64.72	-25	Pass	9699
1000	2475	1	RMS	2475	-46.68	-25	Pass	1475
2475	2735	1	RMS	2532.2	6.21	60	Pass	401
2735	3000	1	RMS	2947	-50.09	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.13	-25	Pass	9000
12000	26000	1	RMS	26000	-39.04	-25	Pass	14000




**14.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.17	-25	Pass	401
0.15	30	0.01	RMS	2.001	-69.82	-25	Pass	2985
30	1000	0.1	RMS	851.103	-64.89	-25	Pass	9699
1000	2475	1	RMS	2475	-52.01	-25	Pass	1475
2475	2735	1	RMS	2530.9	12.29	60	Pass	401
2735	3000	1	RMS	2948.325	-50.13	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.26	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.09	-25	Pass	14000




**14.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.11	-25	Pass	401
0.15	30	0.01	RMS	2.001	-69.65	-25	Pass	2985
30	1000	0.1	RMS	842.899	-64.74	-25	Pass	9699
1000	2475	1	RMS	2475	-48.11	-25	Pass	1475
2475	2735	1	RMS	2554.3	7.47	60	Pass	401
2735	3000	1	RMS	2944.35	-50.16	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.26	-25	Pass	9000
12000	26000	1	RMS	26000	-39.1	-25	Pass	14000




**14.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-72.1	-25	Pass	401
0.15	30	0.01	RMS	2.001	-69.96	-25	Pass	2985
30	1000	0.1	RMS	840.399	-64.75	-25	Pass	9699
1000	2475	1	RMS	2475	-51.89	-25	Pass	1475
2475	2735	1	RMS	2530.9	12.26	60	Pass	401
2735	3000	1	RMS	2944.35	-50.1	-25	Pass	401
3000	12000	1	RMS	11998.999	-53.2	-25	Pass	9000
12000	26000	1	RMS	25998	-39.03	-25	Pass	14000



**14.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-71.52	-25	Pass	401
0.15	30	0.01	RMS	2.001	-70.26	-25	Pass	2985
30	1000	0.1	RMS	842.699	-64.89	-25	Pass	9699
1000	2475	1	RMS	2475	-49.25	-25	Pass	1475
2475	2735	1	RMS	2552.35	6.4	60	Pass	401
2735	3000	1	RMS	2948.325	-50.14	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.26	-25	Pass	9000
12000	26000	1	RMS	25999	-39.06	-25	Pass	14000



15. CA_38C


15.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.79	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.32	-25	Pass	2985
30	1000	0.1	RMS	846.2	-60.7	-25	Pass	9699
1000	2525	1	RMS	2513.993	-45.81	-25	Pass	1525
2525	2665	1	RMS	2570.5	12.76	60	Pass	401
2665	3000	1	RMS	2947.238	-46.06	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.16	-25	Pass	9000
12000	26500	1	RMS	26003.921	-38.89	-25	Pass	14500




**15.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.25	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.76	-25	Pass	2985
30	1000	0.1	RMS	850.802	-60.52	-25	Pass	9699
1000	2525	1	RMS	2525	-44.2	-25	Pass	1525
2525	2665	1	RMS	2589.05	9.07	60	Pass	401
2665	3000	1	RMS	2948.913	-46.06	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.07	-25	Pass	9000
12000	26500	1	RMS	25991.919	-38.91	-25	Pass	14500




**15.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.91	-25	Pass	401
0.15	30	0.01	RMS	2.001	-67.92	-25	Pass	2985
30	1000	0.1	RMS	848.7	-60.75	-25	Pass	9699
1000	2525	1	RMS	2513.993	-45.54	-25	Pass	1525
2525	2665	1	RMS	2598.85	13.01	60	Pass	401
2665	3000	1	RMS	2948.913	-46.05	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.14	-25	Pass	9000
12000	26500	1	RMS	25998.921	-38.93	-25	Pass	14500




**15.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-66.64	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.71	-25	Pass	2985
30	1000	0.1	RMS	840.299	-60.65	-25	Pass	9699
1000	2525	1	RMS	2523.999	-45.75	-25	Pass	1525
2525	2665	1	RMS	2582.75	8.43	60	Pass	401
2665	3000	1	RMS	2947.238	-46.05	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.17	-25	Pass	9000
12000	26500	1	RMS	26001.921	-38.92	-25	Pass	14500




**15.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.92	-25	Pass	401
0.15	30	0.01	RMS	0.31	-68.65	-25	Pass	2985
30	1000	0.1	RMS	845.8	-60.73	-25	Pass	9699
1000	2525	1	RMS	2523.999	-46.58	-25	Pass	1525
2525	2665	1	RMS	2580.65	13.32	60	Pass	401
2665	3000	1	RMS	2665	-45.48	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.08	-25	Pass	9000
12000	26500	1	RMS	25989.919	-38.99	-25	Pass	14500




**15.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-67.68	-25	Pass	401
0.15	30	0.01	RMS	0.31	-68.66	-25	Pass	2985
30	1000	0.1	RMS	848.9	-60.7	-25	Pass	9699
1000	2525	1	RMS	2523.999	-46.31	-25	Pass	1525
2525	2665	1	RMS	2592.2	9.49	60	Pass	401
2665	3000	1	RMS	2944.725	-46.04	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.15	-25	Pass	9000
12000	26500	1	RMS	26012.923	-38.94	-25	Pass	14500




**15.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.42	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.59	-25	Pass	2985
30	1000	0.1	RMS	844.499	-60.69	-25	Pass	9699
1000	2525	1	RMS	2523.999	-44.33	-25	Pass	1525
2525	2665	1	RMS	2609	13.38	60	Pass	401
2665	3000	1	RMS	2665	-44.68	-25	Pass	401
3000	12000	1	RMS	11816.773	-53.11	-25	Pass	9000
12000	26500	1	RMS	26004.922	-38.92	-25	Pass	14500




**15.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.75	-25	Pass	2985
30	1000	0.1	RMS	859.714	-60.69	-25	Pass	9699
1000	2525	1	RMS	2522.999	-47.17	-25	Pass	1525
2525	2665	1	RMS	2592.55	8.49	60	Pass	401
2665	3000	1	RMS	2945.563	-46.07	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.16	-25	Pass	9000
12000	26500	1	RMS	25988.919	-38.89	-25	Pass	14500




**15.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.99	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.61	-25	Pass	2985
30	1000	0.1	RMS	902.371	-51.81	-25	Pass	9699
1000	2525	1	RMS	2490.978	-47.73	-25	Pass	1525
2525	2665	1	RMS	2590.8	12.99	60	Pass	401
2665	3000	1	RMS	2675.05	-45.17	-25	Pass	401
3000	12000	1	RMS	12000	-53.15	-25	Pass	9000
12000	26500	1	RMS	26003.921	-38.84	-25	Pass	14500




15.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.87	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.3	-25	Pass	2985
30	1000	0.1	RMS	840.899	-60.71	-25	Pass	9699
1000	2525	1	RMS	2522.999	-47.25	-25	Pass	1525
2525	2665	1	RMS	2609.35	9.49	60	Pass	401
2665	3000	1	RMS	2665	-44.19	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.09	-25	Pass	9000
12000	26500	1	RMS	26012.923	-38.94	-25	Pass	14500




15.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.75	-25	Pass	2985
30	1000	0.1	RMS	907.577	-60.73	-25	Pass	9699
1000	2525	1	RMS	2493.98	-47.69	-25	Pass	1525
2525	2665	1	RMS	2590.8	13.11	60	Pass	401
2665	3000	1	RMS	2675.05	-44.6	-25	Pass	401
3000	12000	1	RMS	11994.994	-53.13	-25	Pass	9000
12000	26500	1	RMS	25980.918	-38.86	-25	Pass	14500




**15.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.55	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.62	-25	Pass	2985
30	1000	0.1	RMS	956.142	-60.69	-25	Pass	9699
1000	2525	1	RMS	2525	-47.55	-25	Pass	1525
2525	2665	1	RMS	2603.05	8.01	60	Pass	401
2665	3000	1	RMS	2665	-45.39	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.16	-25	Pass	9000
12000	26500	1	RMS	26003.921	-38.81	-25	Pass	14500




**15.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.07	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.37	-25	Pass	2985
30	1000	0.1	RMS	840.699	-60.83	-25	Pass	9699
1000	2525	1	RMS	2494.98	-47.62	-25	Pass	1525
2525	2665	1	RMS	2570.85	13.18	60	Pass	401
2665	3000	1	RMS	2949.75	-46.05	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.23	-25	Pass	9000
12000	26500	1	RMS	25996.92	-38.92	-25	Pass	14500




**15.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-67.81	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.14	-25	Pass	2985
30	1000	0.1	RMS	841.099	-60.67	-25	Pass	9699
1000	2525	1	RMS	2523.999	-42.44	-25	Pass	1525
2525	2665	1	RMS	2587.3	7.59	60	Pass	401
2665	3000	1	RMS	2665	-44.23	-25	Pass	401
3000	12000	1	RMS	11801.755	-53.2	-25	Pass	9000
12000	26500	1	RMS	25999.921	-38.9	-25	Pass	14500




15.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.81	-25	Pass	401
0.15	30	0.01	RMS	1	-66.16	-25	Pass	2985
30	1000	0.1	RMS	866.223	-60.59	-25	Pass	9699
1000	2525	1	RMS	2494.98	-47.03	-25	Pass	1525
2525	2665	1	RMS	2608.3	12.21	60	Pass	401
2665	3000	1	RMS	2683.425	-45.35	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.18	-25	Pass	9000
12000	26500	1	RMS	26000.921	-38.77	-25	Pass	14500




**15.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.2	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.69	-25	Pass	2985
30	1000	0.1	RMS	845.099	-60.74	-25	Pass	9699
1000	2525	1	RMS	2525	-43.86	-25	Pass	1525
2525	2665	1	RMS	2585.2	6.64	60	Pass	401
2665	3000	1	RMS	2665.838	-45.75	-25	Pass	401
3000	12000	1	RMS	11818.776	-53.19	-25	Pass	9000
12000	26500	1	RMS	25990.919	-38.94	-25	Pass	14500




**15.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.41	-25	Pass	401
0.15	30	0.01	RMS	1	-66.22	-25	Pass	2985
30	1000	0.1	RMS	845.3	-60.69	-25	Pass	9699
1000	2525	1	RMS	2500.984	-47.04	-25	Pass	1525
2525	2665	1	RMS	2613.55	13.02	60	Pass	401
2665	3000	1	RMS	2688.45	-46	-25	Pass	401
3000	12000	1	RMS	11993.993	-53.18	-25	Pass	9000
12000	26500	1	RMS	25992.92	-38.9	-25	Pass	14500




**15.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.1	-25	Pass	401
0.15	30	0.01	RMS	1	-66.09	-25	Pass	2985
30	1000	0.1	RMS	851.403	-60.72	-25	Pass	9699
1000	2525	1	RMS	2523.999	-43.6	-25	Pass	1525
2525	2665	1	RMS	2592.9	8.14	60	Pass	401
2665	3000	1	RMS	2665.838	-43.17	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.15	-25	Pass	9000
12000	26500	1	RMS	26007.922	-38.91	-25	Pass	14500




**15.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.37	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.8	-25	Pass	2985
30	1000	0.1	RMS	841.999	-60.72	-25	Pass	9699
1000	2525	1	RMS	2500.984	-45.57	-25	Pass	1525
2525	2665	1	RMS	2613.55	12.69	60	Pass	401
2665	3000	1	RMS	2688.45	-45.79	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.2	-25	Pass	9000
12000	26500	1	RMS	26019.924	-38.88	-25	Pass	14500




**15.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.78	-25	Pass	2985
30	1000	0.1	RMS	876.036	-60.68	-25	Pass	9699
1000	2525	1	RMS	2522.999	-45.28	-25	Pass	1525
2525	2665	1	RMS	2590.45	6.83	60	Pass	401
2665	3000	1	RMS	2665.838	-44.99	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.19	-25	Pass	9000
12000	26500	1	RMS	25991.919	-38.9	-25	Pass	14500




**15.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-67.98	-25	Pass	401
0.15	30	0.01	RMS	1	-66.48	-25	Pass	2985
30	1000	0.1	RMS	845.099	-60.6	-25	Pass	9699
1000	2525	1	RMS	2506.988	-47.53	-25	Pass	1525
2525	2665	1	RMS	2581.35	12.68	60	Pass	401
2665	3000	1	RMS	2944.725	-46.05	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.22	-25	Pass	9000
12000	26500	1	RMS	25988.919	-38.91	-25	Pass	14500




**15.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.6	-25	Pass	401
0.15	30	0.01	RMS	1	-67.84	-25	Pass	2985
30	1000	0.1	RMS	849.601	-60.64	-25	Pass	9699
1000	2525	1	RMS	2525	-44.54	-25	Pass	1525
2525	2665	1	RMS	2597.8	7.68	60	Pass	401
2665	3000	1	RMS	2665.838	-41.91	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.18	-25	Pass	9000
12000	26500	1	RMS	25993.92	-38.9	-25	Pass	14500




15.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.08	-25	Pass	401
0.15	30	0.01	RMS	1	-65.72	-25	Pass	2985
30	1000	0.1	RMS	845.8	-60.72	-25	Pass	9699
1000	2525	1	RMS	2505.988	-46.2	-25	Pass	1525
2525	2665	1	RMS	2581.35	12.65	60	Pass	401
2665	3000	1	RMS	2693.475	-45.58	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.12	-25	Pass	9000
12000	26500	1	RMS	26006.922	-38.86	-25	Pass	14500



**15.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.02	-25	Pass	2985
30	1000	0.1	RMS	834.698	-60.67	-25	Pass	9699
1000	2525	1	RMS	2523.999	-45.75	-25	Pass	1525
2525	2665	1	RMS	2595	6.71	60	Pass	401
2665	3000	1	RMS	2665	-43.58	-25	Pass	401
3000	12000	1	RMS	11815.772	-53.18	-25	Pass	9000
12000	26500	1	RMS	25997.92	-38.92	-25	Pass	14500



16. CA_41C_full


16.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.77	-25	Pass	2985
30	1000	0.1	RMS	860.215	-60.69	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.43	-25	Pass	1475
2475	2735	1	RMS	2519.85	12.17	60	Pass	401
2735	3000	1	RMS	2948.988	-46.05	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.17	-25	Pass	9000
12000	27000	1	RMS	26014.855	-38.92	-25	Pass	15000




**16.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.39	-25	Pass	2985
30	1000	0.1	RMS	865.121	-60.7	-25	Pass	9699
1000	2475	1	RMS	2475	-47.61	-25	Pass	1475
2475	2735	1	RMS	2516.6	13.86	60	Pass	401
2735	3000	1	RMS	2949.65	-45.96	-25	Pass	401
3000	12000	1	RMS	12000	-53.13	-25	Pass	9000
12000	27000	1	RMS	26006.854	-38.91	-25	Pass	15000




**16.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.47	-25	Pass	401
0.15	30	0.01	RMS	1	-67.68	-25	Pass	2985
30	1000	0.1	RMS	858.813	-60.68	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.54	-25	Pass	1475
2475	2735	1	RMS	2519.2	11.99	60	Pass	401
2735	3000	1	RMS	2947	-45.99	-25	Pass	401
3000	12000	1	RMS	11987.985	-53.11	-25	Pass	9000
12000	27000	1	RMS	26002.854	-38.74	-25	Pass	15000




**16.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-66.39	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.9	-25	Pass	2985
30	1000	0.1	RMS	840.199	-60.6	-25	Pass	9699
1000	2475	1	RMS	2475	-47.76	-25	Pass	1475
2475	2735	1	RMS	2516.6	13.12	60	Pass	401
2735	3000	1	RMS	2945.675	-45.98	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.17	-25	Pass	9000
12000	27000	1	RMS	26017.856	-38.84	-25	Pass	15000




**16.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.41	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.1	-25	Pass	2985
30	1000	0.1	RMS	828.197	-60.66	-25	Pass	9699
1000	2475	1	RMS	2472.999	-47.86	-25	Pass	1475
2475	2735	1	RMS	2581.6	11.82	60	Pass	401
2735	3000	1	RMS	2947.663	-45.94	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.07	-25	Pass	9000
12000	27000	1	RMS	26004.854	-38.89	-25	Pass	15000




**16.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.26	-25	Pass	401
0.15	30	0.01	RMS	2.001	-67.4	-25	Pass	2985
30	1000	0.1	RMS	845.2	-60.77	-25	Pass	9699
1000	2475	1	RMS	2471.998	-47.98	-25	Pass	1475
2475	2735	1	RMS	2601.75	13.49	60	Pass	401
2735	3000	1	RMS	2944.35	-46.08	-25	Pass	401
3000	12000	1	RMS	11809.765	-53.23	-25	Pass	9000
12000	27000	1	RMS	26000.853	-38.85	-25	Pass	15000




**16.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-67.56	-25	Pass	401
0.15	30	0.01	RMS	2.001	-68.92	-25	Pass	2985
30	1000	0.1	RMS	855.709	-60.78	-25	Pass	9699
1000	2475	1	RMS	2470.997	-47.98	-25	Pass	1475
2475	2735	1	RMS	2581.6	11.53	60	Pass	401
2735	3000	1	RMS	2948.988	-46.09	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.21	-25	Pass	9000
12000	27000	1	RMS	26002.854	-38.91	-25	Pass	15000




**16.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.05	-25	Pass	401
0.15	30	0.01	RMS	2.001	-66.9	-25	Pass	2985
30	1000	0.1	RMS	856.109	-60.8	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.94	-25	Pass	1475
2475	2735	1	RMS	2600.45	12.41	60	Pass	401
2735	3000	1	RMS	2945.675	-46.09	-25	Pass	401
3000	12000	1	RMS	11995.995	-53.15	-25	Pass	9000
12000	27000	1	RMS	26003.854	-38.78	-25	Pass	15000




**16.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.98	-25	Pass	401
0.15	30	0.01	RMS	2.001	-68.89	-25	Pass	2985
30	1000	0.1	RMS	834.198	-60.63	-25	Pass	9699
1000	2475	1	RMS	2472.999	-48.03	-25	Pass	1475
2475	2735	1	RMS	2666.1	12.84	60	Pass	401
2735	3000	1	RMS	2945.013	-46.12	-25	Pass	401
3000	12000	1	RMS	11799.752	-53.17	-25	Pass	9000
12000	27000	1	RMS	25999.853	-38.86	-25	Pass	15000




16.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.15	-25	Pass	2985
30	1000	0.1	RMS	824.797	-60.75	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48	-25	Pass	1475
2475	2735	1	RMS	2685.6	13.49	60	Pass	401
2735	3000	1	RMS	2947.663	-46.1	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.11	-25	Pass	9000
12000	27000	1	RMS	25992.852	-38.83	-25	Pass	15000




16.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.27	-25	Pass	401
0.15	30	0.01	RMS	2.001	-67.28	-25	Pass	2985
30	1000	0.1	RMS	833.298	-60.8	-25	Pass	9699
1000	2475	1	RMS	2469.997	-48.03	-25	Pass	1475
2475	2735	1	RMS	2666.1	12.85	60	Pass	401
2735	3000	1	RMS	2947.663	-46.11	-25	Pass	401
3000	12000	1	RMS	11792.743	-53.22	-25	Pass	9000
12000	27000	1	RMS	26003.854	-38.89	-25	Pass	15000




16.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.06	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.93	-25	Pass	2985
30	1000	0.1	RMS	902.971	-56.22	-25	Pass	9699
1000	2475	1	RMS	2457.988	-48	-25	Pass	1475
2475	2735	1	RMS	2686.25	-10.91	60	Pass	401
2735	3000	1	RMS	2949.65	-46.11	-25	Pass	401
3000	12000	1	RMS	11788.739	-53.25	-25	Pass	9000
12000	27000	1	RMS	25986.851	-38.87	-25	Pass	15000




**16.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.39	-25	Pass	401
0.15	30	0.01	RMS	2.001	-68.21	-25	Pass	2985
30	1000	0.1	RMS	817.096	-60.8	-25	Pass	9699
1000	2475	1	RMS	2472.999	-48	-25	Pass	1475
2475	2735	1	RMS	2534.15	-13.2	60	Pass	401
2735	3000	1	RMS	2950.975	-46.11	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.19	-25	Pass	9000
12000	27000	1	RMS	26033.858	-38.85	-25	Pass	15000




**16.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.74	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.86	-25	Pass	2985
30	1000	0.1	RMS	841.899	-60.76	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.04	-25	Pass	1475
2475	2735	1	RMS	2533.5	-16.77	60	Pass	401
2735	3000	1	RMS	2951.638	-46.12	-25	Pass	401
3000	12000	1	RMS	11787.737	-53.21	-25	Pass	9000
12000	27000	1	RMS	25994.852	-38.87	-25	Pass	15000




**16.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.78	-25	Pass	2985
30	1000	0.1	RMS	850.402	-60.67	-25	Pass	9699
1000	2475	1	RMS	2461.991	-47.98	-25	Pass	1475
2475	2735	1	RMS	2534.8	-14.28	60	Pass	401
2735	3000	1	RMS	2944.35	-46.15	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.15	-25	Pass	9000
12000	27000	1	RMS	26012.855	-38.91	-25	Pass	15000




**16.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.54	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.7	-25	Pass	2985
30	1000	0.1	RMS	829.298	-60.63	-25	Pass	9699
1000	2475	1	RMS	2475	-48.02	-25	Pass	1475
2475	2735	1	RMS	2532.85	-18.28	60	Pass	401
2735	3000	1	RMS	2948.325	-46.1	-25	Pass	401
3000	12000	1	RMS	11998.999	-53.23	-25	Pass	9000
12000	27000	1	RMS	26000.853	-38.88	-25	Pass	15000




**16.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.46	-25	Pass	401
0.15	30	0.01	RMS	2.001	-68.55	-25	Pass	2985
30	1000	0.1	RMS	921.195	-60.82	-25	Pass	9699
1000	2475	1	RMS	2471.998	-47.98	-25	Pass	1475
2475	2735	1	RMS	2611.5	-13.25	60	Pass	401
2735	3000	1	RMS	2943.688	-46.1	-25	Pass	401
3000	12000	1	RMS	11997.998	-53.19	-25	Pass	9000
12000	27000	1	RMS	26008.854	-38.88	-25	Pass	15000




**16.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.45	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.22	-25	Pass	2985
30	1000	0.1	RMS	825.097	-60.93	-25	Pass	9699
1000	2475	1	RMS	2475	-48.08	-25	Pass	1475
2475	2735	1	RMS	2609.55	-18.36	60	Pass	401
2735	3000	1	RMS	2948.988	-46.15	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.22	-25	Pass	9000
12000	27000	1	RMS	26000.853	-38.74	-25	Pass	15000




**16.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.85	-25	Pass	401
0.15	30	0.01	RMS	1	-68.49	-25	Pass	2985
30	1000	0.1	RMS	854.307	-60.86	-25	Pass	9699
1000	2475	1	RMS	2467.995	-48.05	-25	Pass	1475
2475	2735	1	RMS	2611.5	-13.33	60	Pass	401
2735	3000	1	RMS	2946.338	-46.15	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.19	-25	Pass	9000
12000	27000	1	RMS	26005.854	-38.89	-25	Pass	15000




**16.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.82	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.32	-25	Pass	2985
30	1000	0.1	RMS	839.699	-60.78	-25	Pass	9699
1000	2475	1	RMS	2462.992	-48.11	-25	Pass	1475
2475	2735	1	RMS	2609.55	-19.46	60	Pass	401
2735	3000	1	RMS	2945.013	-46.22	-25	Pass	401
3000	12000	1	RMS	11806.761	-53.31	-25	Pass	9000
12000	27000	1	RMS	25999.853	-38.82	-25	Pass	15000




**16.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.16	-25	Pass	401
0.15	30	0.01	RMS	1	-68.2	-25	Pass	2985
30	1000	0.1	RMS	841.299	-60.71	-25	Pass	9699
1000	2475	1	RMS	2463.993	-48.1	-25	Pass	1475
2475	2735	1	RMS	2651.15	-9.23	60	Pass	401
2735	3000	1	RMS	2950.975	-46.22	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.28	-25	Pass	9000
12000	27000	1	RMS	25994.852	-38.94	-25	Pass	15000




**16.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.4	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69	-25	Pass	2985
30	1000	0.1	RMS	848.5	-60.9	-25	Pass	9699
1000	2475	1	RMS	2471.998	-48.14	-25	Pass	1475
2475	2735	1	RMS	2651.8	-13.54	60	Pass	401
2735	3000	1	RMS	2950.313	-46.24	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.3	-25	Pass	9000
12000	27000	1	RMS	25994.852	-38.93	-25	Pass	15000




**16.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-68.1	-25	Pass	401
0.15	30	0.01	RMS	1	-68.96	-25	Pass	2985
30	1000	0.1	RMS	823.797	-60.88	-25	Pass	9699
1000	2475	1	RMS	2470.997	-48.13	-25	Pass	1475
2475	2735	1	RMS	2651.15	-9.62	60	Pass	401
2735	3000	1	RMS	2947.663	-46.21	-25	Pass	401
3000	12000	1	RMS	11816.773	-53.26	-25	Pass	9000
12000	27000	1	RMS	26020.856	-38.96	-25	Pass	15000



**16.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-67.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.37	-25	Pass	2985
30	1000	0.1	RMS	827.197	-60.94	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.11	-25	Pass	1475
2475	2735	1	RMS	2652.45	-14.46	60	Pass	401
2735	3000	1	RMS	2944.35	-46.24	-25	Pass	401
3000	12000	1	RMS	11790.741	-53.27	-25	Pass	9000
12000	27000	1	RMS	26018.856	-38.87	-25	Pass	15000



END