



11BE20MIMO_Ant1_7095_52Tone_RU40


Spectrum

Ref Level 10.00 dBm Offset 16.42 dB Mode Auto Sweep
Count 100/100

1Rm View

Limit Check

PASS



CF 7.095 GHz 10001 pts Span 100.0 MHz

Spectrum Emission Mask

Peak Power -12.93 dBm

Standard: None

RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	7.04522 GHz	-64.15 dBm	-51.22 dB	-11.22 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	7.06339 GHz	-64.71 dBm	-51.78 dB	-11.82 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	7.07394 GHz	-64.72 dBm	-51.78 dB	-23.81 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	7.08348 GHz	-64.85 dBm	-51.92 dB	-32.42 dB
10.550 MHz	11.550 MHz	200.000 kHz	7.10655 GHz	-54.32 dBm	-41.38 dB	-21.48 dB
11.550 MHz	21.100 MHz	200.000 kHz	7.10667 GHz	-54.47 dBm	-41.54 dB	-21.44 dB
21.100 MHz	31.650 MHz	200.000 kHz	7.12638 GHz	-64.66 dBm	-51.72 dB	-12.04 dB
31.650 MHz	50.000 MHz	200.000 kHz	7.12744 GHz	-64.15 dBm	-51.22 dB	-11.22 dB

Date: 22.AUG.2024 04:36:51

11BE20MIMO_Ant1_7095_106Tone_RU54


Spectrum

Ref Level 10.00 dBm Offset 16.42 dB Mode Auto Sweep
Count 100/100

1Rm View

Limit Check

PASS



CF 7.095 GHz 10001 pts Span 100.0 MHz

Spectrum Emission Mask

Peak Power -12.08 dBm

Standard: None

RBW 200.000 kHz


Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	7.05218 GHz	-64.12 dBm	-52.04 dB	-12.04 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	7.06340 GHz	-64.55 dBm	-52.47 dB	-12.52 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	7.07407 GHz	-64.40 dBm	-52.32 dB	-24.46 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	7.08347 GHz	-64.75 dBm	-52.67 dB	-32.97 dB
10.550 MHz	11.550 MHz	200.000 kHz	7.10655 GHz	-53.42 dBm	-41.34 dB	-21.44 dB
11.550 MHz	21.100 MHz	200.000 kHz	7.10661 GHz	-53.15 dBm	-41.07 dB	-21.01 dB
21.100 MHz	31.650 MHz	200.000 kHz	7.12652 GHz	-64.53 dBm	-52.45 dB	-12.60 dB
31.650 MHz	50.000 MHz	200.000 kHz	7.13514 GHz	-64.23 dBm	-52.15 dB	-12.15 dB

Date: 22.AUG.2024 05:00:00



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.16	41.16	-14.40	55.56	21.20	9.82	10.14	Average
2 *	0.16	60.16	-5.40	65.56	40.20	9.82	10.14	QP
3	0.17	31.97	-22.84	54.81	12.00	9.83	10.14	Average
4	0.17	56.27	-8.54	64.81	36.30	9.83	10.14	QP
5	0.22	26.43	-26.45	52.88	6.50	9.78	10.15	Average
6	0.22	47.83	-15.05	62.88	27.90	9.78	10.15	QP
7	0.24	27.02	-25.02	52.04	7.11	9.76	10.15	Average
8	0.24	46.82	-15.22	62.04	26.91	9.76	10.15	QP
9	0.30	25.21	-25.07	50.28	5.30	9.76	10.15	Average
10	0.30	43.71	-16.57	60.28	23.80	9.76	10.15	QP
11	0.39	25.18	-22.85	48.03	5.10	9.92	10.16	Average
12	0.39	44.78	-13.25	58.03	24.70	9.92	10.16	QP



Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_N NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	35.60	-20.22	55.82	15.61	9.86	10.13	Average
2 *	0.15	55.60	-10.22	65.82	35.61	9.86	10.13	QP
3	0.18	26.07	-28.39	54.46	6.11	9.82	10.14	Average
4	0.18	49.97	-14.49	64.46	30.01	9.82	10.14	QP
5	0.23	24.89	-27.68	52.57	5.00	9.74	10.15	Average
6	0.23	45.19	-17.38	62.57	25.30	9.74	10.15	QP
7	0.31	20.42	-29.51	49.93	0.51	9.76	10.15	Average
8	0.31	40.52	-19.41	59.93	20.61	9.76	10.15	QP
9	0.41	18.98	-28.70	47.68	-0.90	9.72	10.16	Average
10	0.41	39.48	-18.20	57.68	19.60	9.72	10.16	QP
11	1.00	23.75	-22.25	46.00	3.90	9.69	10.16	Average
12	1.00	35.15	-20.85	56.00	15.30	9.69	10.16	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	ZhangXu	Relative Humidity :	50%
		Temperature :	20°C-22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 0+1	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD 0+1	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 0+1	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	6.425-6.525	CDD 0+1	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	CDD 0+1	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	CDD 0+1	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	CDD 0+1	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	CDD 0+1	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	CDD 0+1	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	CDD 0+1	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	CDD 0+1	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	CDD 0+1	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	CDD 0+1	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	CDD 0+1	802.11be EHT20	45	6175	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	CDD 0+1	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	CDD 0+1	802.11be EHT20	97	6435	MCS0	Full RU	-
Mode 17	U-NII-6	5.925-6.425	CDD 0+1	802.11be EHT20	105	6475	MCS0	Full RU	-
Mode 18	U-NII-6	5.925-6.425	CDD 0+1	802.11be EHT20	113	6515	MCS0	Full RU	-
Mode 19	U-NII-7	5.925-6.425	CDD 0+1	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	5.925-6.425	CDD 0+1	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	5.925-6.425	CDD 0+1	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 22	U-NII-8	5.925-6.425	CDD 0+1	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 23	U-NII-8	5.925-6.425	CDD 0+1	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 24	U-NII-8	5.925-6.425	CDD 0+1	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	CDD 0+1	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	CDD 0+1	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	CDD 0+1	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	CDD 0+1	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	CDD 0+1	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 30	U-NII-7	6.425-6.525	CDD 0+1	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 31	U-NII-7	6.425-6.525	CDD 0+1	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	6.425-6.525	CDD 0+1	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 33	U-NII-8	6.425-6.525	CDD 0+1	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 34	U-NII-8	6.425-6.525	CDD 0+1	802.11be EHT40	203	6965	MCS0	Full RU	-
Mode 35	U-NII-8	6.425-6.525	CDD 0+1	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 36	U-NII-5	6.425-6.525	CDD 0+1	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 39	U-NII-6	6.525-6.875	CDD 0+1	802.11be EHT80	103	6465	MCS0	Full RU	-



Mode 40	U-NII-7	6.525-6.875	CDD 0+1	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	CDD 0+1	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	CDD 0+1	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 43	U-NII-8	6.525-6.875	CDD 0+1	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 44	U-NII-8	6.525-6.875	CDD 0+1	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 45	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	6.875-7.125	CDD 0+1	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 50	U-NII-5	6.875-7.125	CDD 0+1	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 51	U-NII-5	6.875-7.125	CDD 0+1	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 52	U-NII-7-8	6.875-7.125	CDD 0+1	802.11a	185	6525	MCS0	-	-
Mode 53	U-NII-7-8	6.875-7.125	CDD 0+1	802.11be EHT20	185	6525	MCS0	Full RU	-
Mode 54	U-NII-7-8	6.875-7.125	CDD 0+1	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 55	U-NII-7-8	6.875-7.125	CDD 0+1	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 56	U-NII-7-8	6.875-7.125	CDD 0+1	802.11be EHT160	175	6825	MCS0	Full RU	-
Mode 57	U-NII-7-8	6.875-7.125	CDD 0+1	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 59	U-NII-6-7	6.875-7.125	CDD 0+1	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 60	U-NII-6-7	6.875-7.125	CDD 0+1	802.11be EHT80	119	6545	MCS0	Full RU	-
Mode 61	U-NII-6-7	6.875-7.125	CDD 0+1	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 62	U-NII-5-6	6.875-7.125	CDD 0+1	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 63	U-NII-6-7	6.875-7.125	CDD 0+1	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 64	U-NII-5	6.875-7.125	CDD 0+1	802.11be EHT20	1	5955	MCS0	Single RU	26/0
Mode 65	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT20	229	7095	MCS0	Single RU	26/8
Mode 66	U-NII-5	6.875-7.125	CDD 0+1	802.11be EHT20	1	5955	MCS0	Small RU	106+26_53+4
Mode 67	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT20	229	7095	MCS0	Small RU	52+26_39+7
Mode 68	U-NII-5	6.875-7.125	CDD 0+1	802.11be EHT80	7	5985	MCS0	Large RU 484+242	④
Mode 69	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT80	215	7025	MCS0	Large RU 484+242	①
Mode 70	U-NII-5	6.875-7.125	CDD 0+1	802.11be EHT160	15	6025	MCS0	Large RU 996+484	④
Mode 71	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT160	207	6985	MCS0	Large RU 996+484	①
Mode 72	U-NII-5	6.875-7.125	CDD 0+1	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484	⑥
Mode 73	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484	⑦
Mode 74	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT320	31	6105	MCS0	Large RU 996*3	④
Mode 75	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT320	191	6905	MCS0	Large RU 996*3	①
Mode 76	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484	⑧
Mode 77	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484	①
Mode 78	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT80	7	5985	MCS0	Puncturing 20M	④



Mode 79	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT80	215	7025	MCS0	Puncturing 20M	①
Mode 80	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT160	15	6025	MCS0	Puncturing 40M	④
Mode 81	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT160	207	6985	MCS0	Puncturing 40M	①
Mode 82	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT160	15	6025	MCS0	Puncturing 20M	⑧
Mode 83	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT160	207	6985	MCS0	Puncturing 20M	①
Mode 84	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M	⑥
Mode 85	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M	⑦
Mode 86	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT320	31	6105	MCS0	Puncturing 80M	④
Mode 87	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT320	191	6905	MCS0	Puncturing 80M	①
Mode 88	U-NII-5	6.525-6.875	CDD 0+1	802.11be EHT320	31	6105	MCS0	Puncturing 40M	⑧
Mode 89	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT320	191	6905	MCS0	Puncturing 40M	①
Mode 90	U-NII-8	6.875-7.125	CDD 0+1	802.11be EHT320	191	6905	MCS0	Full RU	LF

<Simultaneous transmission>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 91	CO-TX		CDD 0+1	802.11be EHT320	191	6905	MCS0	Full RU	-
			CDD 0+2	802.11be EHT20	11	2462	MCS0	Full RU	
Mode 92	CO-TX		CDD 0+1	802.11be EHT320	191	6905	MCS0	Full RU	-
			2	Bluetooth-LE	38	2478	2M	-	



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	17865.00	49.46	74.00	-24.54	H	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	47.01	74.00	-26.99	H	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.08	88.20	-42.12	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	46.39	88.20	-41.81	H	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	45.82	88.20	-42.38	H	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	47.10	88.20	-41.10	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.04	88.20	-42.16	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	46.67	74.00	-27.33	H	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	46.72	88.20	-41.48	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	48.01	88.20	-40.19	H	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	48.26	88.20	-39.94	V	Peak	Pass	Harmonic
12	802.11a	229	-	-	-	-	-	-	-	Band Edge
12	802.11a	229	14190.00	48.16	88.20	-40.04	V	Peak	Pass	Harmonic
13	802.11be EHT20	1	5920.34	48.66	68.20	-19.54	V	AVERAGE	Pass	Band Edge
13	802.11be EHT20	1	17865.00	49.01	74.00	-24.99	H	Peak	Pass	Harmonic
14	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	45	12350.00	46.58	74.00	-27.42	V	Peak	Pass	Harmonic
15	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT20	93	12830.00	47.34	88.20	-40.86	V	Peak	Pass	Harmonic
16	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
16	802.11be EHT20	97	12870.00	46.94	88.20	-41.26	V	Peak	Pass	Harmonic
17	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	105	12950.00	46.99	88.20	-41.21	V	Peak	Pass	Harmonic
18	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT20	113	13030.00	46.79	88.20	-41.41	V	Peak	Pass	Harmonic
19	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT20	117	13070.00	47.61	88.20	-40.59	V	Peak	Pass	Harmonic
20	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT20	149	13390.00	46.15	74.00	-27.85	V	Peak	Pass	Harmonic
21	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT20	181	13710.00	46.56	88.20	-41.64	V	Peak	Pass	Harmonic
22	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
22	802.11be EHT20	189	13790.00	48.12	88.20	-40.08	V	Peak	Pass	Harmonic
23	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	209	13990.00	45.89	88.20	-42.31	V	Peak	Pass	Harmonic
24	802.11be EHT20	229	7301.05	43.30	54.00	-10.70	H	AVERAGE	Pass	Band Edge
24	802.11be EHT20	229	14190.00	47.27	88.20	-40.93	V	Peak	Pass	Harmonic
25	802.11be EHT40	3	5923.72	45.71	68.20	-22.49	V	AVERAGE	Pass	Band Edge
25	802.11be EHT40	3	17895.00	49.02	74.00	-24.98	H	Peak	Pass	Harmonic
26	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge



26	802.11be EHT40	43	12330.00	47.20	74.00	-26.80	V	Peak	Pass	Harmonic
27	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	91	12810.00	46.39	88.20	-41.81	V	Peak	Pass	Harmonic
28	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	99	12890.00	47.42	88.20	-40.78	V	Peak	Pass	Harmonic
29	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT40	107	12970.00	47.62	88.20	-40.58	V	Peak	Pass	Harmonic
30	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT40	123	13130.00	48.10	88.20	-40.10	V	Peak	Pass	Harmonic
31	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT40	147	13370.00	47.33	74.00	-26.67	H	Peak	Pass	Harmonic
32	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
32	802.11be EHT40	179	13690.00	47.57	88.20	-40.63	H	Peak	Pass	Harmonic
33	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
33	802.11be EHT40	195	13850.00	48.21	88.20	-39.99	V	Peak	Pass	Harmonic
34	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT40	203	13930.00	48.44	88.20	-39.76	H	Peak	Pass	Harmonic
35	802.11be EHT40	227	7276.76	43.31	54.00	-10.69	H	AVERAGE	Pass	Band Edge
35	802.11be EHT40	227	14170.00	47.44	88.20	-40.76	V	Peak	Pass	Harmonic
36	802.11be EHT80	7	5924.68	47.38	68.20	-20.82	V	AVERAGE	Pass	Band Edge
36	802.11be EHT80	7	11970.00	48.09	74.00	-25.91	V	Peak	Pass	Harmonic
37	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT80	39	12290.00	47.93	74.00	-26.07	H	Peak	Pass	Harmonic
38	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT80	87	12770.00	48.99	88.20	-39.21	H	Peak	Pass	Harmonic
39	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT80	103	12930.00	48.18	88.20	-40.02	V	Peak	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	49.11	74.00	-24.89	H	Peak	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	50.25	88.20	-37.95	H	Peak	Pass	Harmonic
42	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	167	13570.00	49.25	88.20	-38.95	H	Peak	Pass	Harmonic
43	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT80	199	13890.00	51.26	88.20	-36.94	V	Peak	Pass	Harmonic
44	802.11be EHT80	215	7252.55	43.44	54.00	-10.56	H	AVERAGE	Pass	Band Edge
44	802.11be EHT80	215	14050.00	49.56	88.20	-38.64	V	Peak	Pass	Harmonic
45	802.11be EHT160	15	5889.68	47.18	68.20	-21.02	V	AVERAGE	Pass	Band Edge
45	802.11be EHT160	15	12050.00	48.63	74.00	-25.37	V	Peak	Pass	Harmonic
46	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
46	802.11be EHT160	47	12370.00	48.38	74.00	-25.62	V	Peak	Pass	Harmonic
47	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT160	79	12690.00	48.15	74.00	-25.85	V	Peak	Pass	Harmonic
48	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	143	13330.00	50.38	74.00	-23.62	H	Peak	Pass	Harmonic
49	802.11be EHT160	207	7250.63	43.51	54.00	-10.49	H	AVERAGE	Pass	Band Edge
49	802.11be EHT160	207	13970.00	48.70	88.20	-39.50	H	Peak	Pass	Harmonic
50	802.11be EHT320	31	5625.46	74.24	88.20	-13.96	V	PEAK	Pass	Band Edge
50	802.11be EHT320	31	12210.00	47.76	74.00	-26.24	V	Peak	Pass	Harmonic
51	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
51	802.11be EHT320	63	12530.00	49.40	74.00	-24.60	H	Peak	Pass	Harmonic
52	802.11a	185	-	-	-	-	-	-	-	Band Edge
52	802.11a	185	13050.00	47.76	88.20	-40.44	H	Peak	Pass	Harmonic
53	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT20	185	13050.00	47.89	88.20	-40.31	H	Peak	Pass	Harmonic



54	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
54	802.11be EHT40	187	13770.00	51.91	88.20	-36.29	H	Peak	Pass	Harmonic
55	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
55	802.11be EHT80	183	13730.00	50.39	88.20	-37.81	V	Peak	Pass	Harmonic
56	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT160	175	13650.00	49.50	88.20	-38.70	H	Peak	Pass	Harmonic
57	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
57	802.11be EHT320	159	13490.00	50.10	88.20	-38.10	H	Peak	Pass	Harmonic
58	802.11be EHT320	191	7265.91	45.94	54.00	-8.06	V	AVERAGE	Pass	Band Edge
58	802.11be EHT320	191	13810.00	51.59	88.20	-36.61	V	Peak	Pass	Harmonic
59	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
59	802.11be EHT40	115	13050.00	49.87	88.20	-38.33	V	Peak	Pass	Harmonic
60	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT80	119	13090.00	48.90	88.20	-39.30	V	Peak	Pass	Harmonic
61	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT160	111	13010.00	49.75	88.20	-38.45	V	Peak	Pass	Harmonic
62	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT320	95	12850.00	49.03	88.20	-39.17	H	Peak	Pass	Harmonic
63	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	127	13170.00	50.65	88.20	-37.55	H	Peak	Pass	Harmonic
64	802.11be EHT20	1	5922.86	43.95	68.20	-24.25	V	AVERAGE	Pass	Band Edge
64	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT20	229	7273.02	42.97	54.00	-11.03	H	AVERAGE	Pass	Band Edge
65	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	1	5923.70	44.47	68.20	-23.73	V	AVERAGE	Pass	Band Edge
66	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	229	7270.35	42.96	54.00	-11.04	H	AVERAGE	Pass	Band Edge
67	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	7	5909.32	49.28	68.20	-18.92	V	AVERAGE	Pass	Band Edge
68	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT80	215	7324.82	43.04	54.00	-10.96	V	AVERAGE	Pass	Band Edge
69	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	15	5910.68	45.90	68.20	-22.30	V	AVERAGE	Pass	Band Edge
70	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT160	207	7261.25	43.48	54.00	-10.52	H	AVERAGE	Pass	Band Edge
71	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT320	31	5625.46	78.61	88.20	-9.59	V	PEAK	Pass	Band Edge
72	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT320	191	7271.96	43.45	54.00	-10.55	H	AVERAGE	Pass	Band Edge
73	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT320	31	5624.70	67.68	88.20	-20.52	V	PEAK	Pass	Band Edge
74	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT320	191	7267.12	44.28	54.00	-9.72	H	AVERAGE	Pass	Band Edge
75	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT320	31	5624.70	59.23	68.20	-8.97	V	AVERAGE	Pass	Band Edge
76	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT320	191	7250.78	45.35	54.00	-8.65	H	AVERAGE	Pass	Band Edge
77	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT80	7	5925.00	44.76	68.20	-23.44	V	AVERAGE	Pass	Band Edge
78	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT80	215	7276.27	43.97	54.00	-10.03	V	AVERAGE	Pass	Band Edge
79	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT160	15	5869.52	48.52	68.20	-19.68	V	AVERAGE	Pass	Band Edge
80	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT160	207	7281.25	44.42	54.00	-9.58	H	AVERAGE	Pass	Band Edge





81	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	15	5920.48	47.44	68.20	-20.76	V	AVERAGE	Pass	Band Edge
82	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT160	207	7252.50	45.27	54.00	-8.73	H	AVERAGE	Pass	Band Edge
83	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	31	5624.70	59.47	68.20	-8.73	V	AVERAGE	Pass	Band Edge
84	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	191	7256.23	44.26	54.00	-9.74	H	AVERAGE	Pass	Band Edge
85	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT320	31	5624.70	59.85	68.20	-8.35	V	AVERAGE	Pass	Band Edge
86	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT320	191	7255.62	44.50	54.00	-9.50	H	AVERAGE	Pass	Band Edge
87	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT320	31	5624.70	59.75	68.20	-8.45	V	AVERAGE	Pass	Band Edge
88	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT320	191	7280.43	45.00	54.00	-9.00	H	AVERAGE	Pass	Band Edge
89	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT320	191	84.32	28.73	40.00	-11.27	V	Peak	Pass	LF

<Simultaneous transmission>

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
91	CO-TX	11	2483.58	50.76	54.00	-3.24	V	AVERAGE	Pass	Band Edge
91		11	7434.00	46.32	74.00	-27.68	V	Peak	Pass	Harmonic
92	CO-TX	191	7268.33	45.57	54.00	-8.43	H	AVERAGE	Pass	Band Edge
92		191	13810.00	48.96	74.00	-25.04	H	Peak	Pass	Harmonic



Mode	1																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																			
ANT	CDD 0+1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>45.11</td><td>39.36</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>43.68</td><td>42.55</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.63	74.00	-27.37	45.11	39.36	13.18	51.02	---	---	Peak	2	17865.00	49.46	74.00	-24.54	43.68	42.55	16.20	52.97	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>45.68</td><td>39.36</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>42.15</td><td>42.55</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.20	74.00	-26.80	45.68	39.36	13.18	51.02	---	---	Peak	2	17865.00	47.93	74.00	-26.07	42.15	42.55	16.20	52.97	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11910.00	46.63	74.00	-27.37	45.11	39.36	13.18	51.02	---	---	Peak																																																																																																									
2	17865.00	49.46	74.00	-24.54	43.68	42.55	16.20	52.97	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11910.00	47.20	74.00	-26.80	45.68	39.36	13.18	51.02	---	---	Peak																																																																																																									
2	17865.00	47.93	74.00	-26.07	42.15	42.55	16.20	52.97	---	---	Peak																																																																																																									



Mode	2																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>45.42</td><td>39.58</td><td>13.35</td><td>51.34</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12350.00	47.01	74.00	-26.99	45.42	39.58	13.35	51.34	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>43.17</td><td>39.58</td><td>13.35</td><td>51.34</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12350.00	44.76	74.00	-29.24	43.17	39.58	13.35	51.34	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12350.00	47.01	74.00	-26.99	45.42	39.58	13.35	51.34	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12350.00	44.76	74.00	-29.24	43.17	39.58	13.35	51.34	---	---	Peak																																																																																	



Mode	3																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.85</td><td>88.20</td><td>-42.35</td><td>44.21</td><td>39.82</td><td>13.50</td><td>51.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.85	88.20	-42.35	44.21	39.82	13.50	51.68	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.08</td><td>88.20</td><td>-42.12</td><td>44.44</td><td>39.82</td><td>13.50</td><td>51.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.08	88.20	-42.12	44.44	39.82	13.50	51.68	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12830.00	45.85	88.20	-42.35	44.21	39.82	13.50	51.68	---	---	Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12830.00	46.08	88.20	-42.12	44.44	39.82	13.50	51.68	---	---	Peak																																																																																				



Mode	4																																																																																											
	Harmonic																																																																																											
	U-NII-5_6.425-6.525_802.11a_CH97_6435MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.39</td><td>88.20</td><td>-41.81</td><td>44.74</td><td>39.84</td><td>13.52</td><td>51.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12870.00	46.39	88.20	-41.81	44.74	39.84	13.52	51.71	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>45.38</td><td>88.20</td><td>-42.82</td><td>43.73</td><td>39.84</td><td>13.52</td><td>51.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12870.00	45.38	88.20	-42.82	43.73	39.84	13.52	51.71	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12870.00	46.39	88.20	-41.81	44.74	39.84	13.52	51.71	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12870.00	45.38	88.20	-42.82	43.73	39.84	13.52	51.71	---	---	Peak																																																																																	



Mode	5																																																																																													
	Harmonic																																																																																													
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																													
ANT	CDD 0+1																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>45.82</td><td>88.20</td><td>-42.38</td><td>44.16</td><td>39.88</td><td>13.54</td><td>51.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	45.82	88.20	-42.38	44.16	39.88	13.54	51.76	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>45.29</td><td>88.20</td><td>-42.91</td><td>43.63</td><td>39.88</td><td>13.54</td><td>51.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	45.29	88.20	-42.91	43.63	39.88	13.54	51.76	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12950.00	45.82	88.20	-42.38	44.16	39.88	13.54	51.76	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12950.00	45.29	88.20	-42.91	43.63	39.88	13.54	51.76	---	---	Peak																																																																																			



Mode	6																																																																																											
	Harmonic																																																																																											
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.26</td><td>88.20</td><td>-41.94</td><td>44.58</td><td>39.92</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	46.26	88.20	-41.94	44.58	39.92	13.57	51.81	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>47.10</td><td>88.20</td><td>-41.10</td><td>45.42</td><td>39.92</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	47.10	88.20	-41.10	45.42	39.92	13.57	51.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	46.26	88.20	-41.94	44.58	39.92	13.57	51.81	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	47.10	88.20	-41.10	45.42	39.92	13.57	51.81	---	---	Peak																																																																																	





Mode	7																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>45.80</td><td>88.20</td><td>-42.40</td><td>44.09</td><td>39.94</td><td>13.58</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	45.80	88.20	-42.40	44.09	39.94	13.58	51.81	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.04</td><td>88.20</td><td>-42.16</td><td>44.33</td><td>39.94</td><td>13.58</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	46.04	88.20	-42.16	44.33	39.94	13.58	51.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13070.00	45.80	88.20	-42.40	44.09	39.94	13.58	51.81	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13070.00	46.04	88.20	-42.16	44.33	39.94	13.58	51.81	---	---	Peak																																																																																	



Mode	8																																																																																													
	Harmonic																																																																																													
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																													
ANT	CDD 0+1																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>44.77</td><td>40.10</td><td>13.68</td><td>51.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.67	74.00	-27.33	44.77	40.10	13.68	51.88	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>44.42</td><td>40.10</td><td>13.68</td><td>51.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.32	74.00	-27.68	44.42	40.10	13.68	51.88	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	46.67	74.00	-27.33	44.77	40.10	13.68	51.88	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13390.00	46.32	74.00	-27.68	44.42	40.10	13.68	51.88	---	---	Peak																																																																																			



Mode	9																																																																											
	Harmonic																																																																											
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>44.62</td><td>40.26</td><td>13.78</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13710.00	46.72	88.20	-41.48	44.62	40.26	13.78	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>46.69</td><td>88.20</td><td>-41.51</td><td>44.59</td><td>40.26</td><td>13.78</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13710.00	46.69	88.20	-41.51	44.59	40.26	13.78
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	13710.00	46.72	88.20	-41.48	44.62	40.26	13.78																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	13710.00	46.69	88.20	-41.51	44.59	40.26	13.78																																																																					
--- --- Peak						--- --- Peak																																																																						





Mode	10																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>45.86</td><td>40.30</td><td>13.81</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13790.00	48.01	88.20	-40.19	45.86	40.30	13.81	51.96	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>45.44</td><td>40.30</td><td>13.81</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13790.00	47.59	88.20	-40.61	45.44	40.30	13.81	51.96	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13790.00	48.01	88.20	-40.19	45.86	40.30	13.81	51.96	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13790.00	47.59	88.20	-40.61	45.44	40.30	13.81	51.96	---	---	Peak																																																																																	



Mode	11										
	Harmonic										
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz										
ANT	CDD 0+1										
Pol.	Horizontal						Vertical				
Peak Avg	Data: 1 Level (dBuV/m)										



Mode	12																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																								
ANT	CDD 0+1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.49</td><td>88.20</td><td>-40.71</td><td>45.17</td><td>40.38</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	47.49	88.20	-40.71	45.17	40.38	13.96	52.02	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.16</td><td>88.20</td><td>-40.04</td><td>45.84</td><td>40.38</td><td>13.96</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.16	88.20	-40.04	45.84	40.38	13.96	52.02	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	14190.00	47.49	88.20	-40.71	45.17	40.38	13.96	52.02	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	14190.00	48.16	88.20	-40.04	45.84	40.38	13.96	52.02	---	---	Peak																																																																																														





Mode	13																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(U-NII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.42</td><td>58.46</td><td>88.20</td><td>-29.74</td><td>44.30</td><td>36.49</td><td>10.44</td><td>32.77</td><td>350 48 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5923.42	58.46	88.20	-29.74	44.30	36.49	10.44	32.77	350 48 PEAK	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(U-NII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.20</td><td>-----</td><td>-----</td><td>94.93</td><td>36.54</td><td>10.51</td><td>32.78</td><td>350 48 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.20	-----	-----	94.93	36.54	10.51	32.78	350 48 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5923.42	58.46	88.20	-29.74	44.30	36.49	10.44	32.77	350 48 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	109.20	-----	-----	94.93	36.54	10.51	32.78	350 48 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-08-21 AVG_BE(U-NII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.28</td><td>46.62</td><td>68.20</td><td>-21.58</td><td>32.46</td><td>36.49</td><td>10.44</td><td>32.77</td><td>350 48 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5923.28	46.62	68.20	-21.58	32.46	36.49	10.44	32.77	350 48 AVERAGE	Level (dBuV/m) Date: 2024-08-21 AVG_BE(U-NII)_6E Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.19</td><td>-----</td><td>-----</td><td>84.90</td><td>36.55</td><td>10.53</td><td>32.79</td><td>350 48 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.19	-----	-----	84.90	36.55	10.53	32.79	350 48 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5923.28	46.62	68.20	-21.58	32.46	36.49	10.44	32.77	350 48 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	99.19	-----	-----	84.90	36.55	10.53	32.79	350 48 AVERAGE																																																																									



Mode	13																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																					
ANT	CDD 0+1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5853 5881 5909 5937 5965 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>59.39</td><td>88.20</td><td>-28.81</td><td>45.23</td><td>36.49</td><td>10.44</td><td>32.77</td><td>263</td><td>0</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5924.68	59.39	88.20	-28.81	45.23	36.49	10.44	32.77	263	0	PEAK	Level (dBuV/m) Date: 2024-08-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.28</td><td>-----</td><td>-----</td><td>97.01</td><td>36.54</td><td>10.51</td><td>32.78</td><td>263</td><td>0</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.28	-----	-----	97.01	36.54	10.51	32.78	263	0	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5924.68	59.39	88.20	-28.81	45.23	36.49	10.44	32.77	263	0	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5955.00	111.28	-----	-----	97.01	36.54	10.51	32.78	263	0	PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-08-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5853 5881 5909 5937 5965 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.34</td><td>48.66</td><td>68.20</td><td>-19.54</td><td>34.51</td><td>36.49</td><td>10.43</td><td>32.77</td><td>263</td><td>0</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5920.34	48.66	68.20	-19.54	34.51	36.49	10.43	32.77	263	0	AVERAGE	Level (dBuV/m) Date: 2024-08-21 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.37</td><td>-----</td><td>-----</td><td>89.10</td><td>36.54</td><td>10.51</td><td>32.78</td><td>263</td><td>0</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.37	-----	-----	89.10	36.54	10.51	32.78	263	0	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5920.34	48.66	68.20	-19.54	34.51	36.49	10.43	32.77	263	0	AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5955.00	103.37	-----	-----	89.10	36.54	10.51	32.78	263	0	AVERAGE																																																																											



Mode	13																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																																																	
ANT	CDD 0+1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>45.91</td><td>39.36</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>43.23</td><td>42.55</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11910.00	47.43	74.00	-26.57	45.91	39.36	13.18	51.02	---	---	Peak	2	17865.00	49.01	74.00	-24.99	43.23	42.55	16.20	52.97	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>46.48</td><td>39.36</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>42.27</td><td>42.55</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11910.00	48.00	74.00	-26.00	46.48	39.36	13.18	51.02	---	---	Peak	2	17865.00	48.05	74.00	-25.95	42.27	42.55	16.20	52.97	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11910.00	47.43	74.00	-26.57	45.91	39.36	13.18	51.02	---	---	Peak																																																																																																																							
2	17865.00	49.01	74.00	-24.99	43.23	42.55	16.20	52.97	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11910.00	48.00	74.00	-26.00	46.48	39.36	13.18	51.02	---	---	Peak																																																																																																																							
2	17865.00	48.05	74.00	-25.95	42.27	42.55	16.20	52.97	---	---	Peak																																																																																																																							



Mode	14																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_6175MHz																																																																																	
ANT	CDD 0+1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>44.61</td><td>39.58</td><td>13.35</td><td>51.34</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12350.00	46.20	74.00	-27.80	44.61	39.58	13.35	51.34	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>44.99</td><td>39.58</td><td>13.35</td><td>51.34</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12350.00	46.58	74.00	-27.42	44.99	39.58	13.35	51.34	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	12350.00	46.20	74.00	-27.80	44.61	39.58	13.35	51.34	---	---	Peak																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	12350.00	46.58	74.00	-27.42	44.99	39.58	13.35	51.34	---	---	Peak																																																																							





Mode	15																																																																																							
	Harmonic																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>45.45</td><td>88.20</td><td>-42.75</td><td>43.81</td><td>39.82</td><td>13.50</td><td>51.68</td><td>---</td><td>Peak</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	45.45	88.20	-42.75	43.81	39.82	13.50	51.68	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>47.34</td><td>88.20</td><td>-40.86</td><td>45.70</td><td>39.82</td><td>13.50</td><td>51.68</td><td>---</td><td>Peak</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	47.34	88.20	-40.86	45.70	39.82	13.50	51.68	---	Peak
	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12830.00	45.45	88.20	-42.75	43.81	39.82	13.50	51.68	---	Peak																																																																															
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12830.00	47.34	88.20	-40.86	45.70	39.82	13.50	51.68	---	Peak																																																																															



Mode	16																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH97_6435MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>45.91</td><td>88.20</td><td>-42.29</td><td>44.26</td><td>39.84</td><td>13.52</td><td>51.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12870.00	45.91	88.20	-42.29	44.26	39.84	13.52	51.71	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.94</td><td>88.20</td><td>-41.26</td><td>45.29</td><td>39.84</td><td>13.52</td><td>51.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12870.00	46.94	88.20	-41.26	45.29	39.84	13.52	51.71	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12870.00	45.91	88.20	-42.29	44.26	39.84	13.52	51.71	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12870.00	46.94	88.20	-41.26	45.29	39.84	13.52	51.71	---	---	Peak																																																																																	





Mode	17																																																																																												
	Harmonic																																																																																												
	U-NII-6_5.925-6.425_802.11be EHT20_CH105_6475MHz																																																																																												
ANT	CDD 0+1																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.74</td><td>88.20</td><td>-41.46</td><td>45.08</td><td>39.88</td><td>13.54</td><td>51.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.74	88.20	-41.46	45.08	39.88	13.54	51.76	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.99</td><td>88.20</td><td>-41.21</td><td>45.33</td><td>39.88</td><td>13.54</td><td>51.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.99	88.20	-41.21	45.33	39.88	13.54	51.76	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	46.74	88.20	-41.46	45.08	39.88	13.54	51.76	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	46.99	88.20	-41.21	45.33	39.88	13.54	51.76	---	---	Peak																																																																																		



Mode	18																																																																																											
	Harmonic																																																																																											
	U-NII-6_5.925-6.425_802.11be EHT20_CH113_6515MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>45.64</td><td>88.20</td><td>-42.56</td><td>43.96</td><td>39.92</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	45.64	88.20	-42.56	43.96	39.92	13.57	51.81	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.79</td><td>88.20</td><td>-41.41</td><td>45.11</td><td>39.92</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	46.79	88.20	-41.41	45.11	39.92	13.57	51.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	45.64	88.20	-42.56	43.96	39.92	13.57	51.81	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	46.79	88.20	-41.41	45.11	39.92	13.57	51.81	---	---	Peak																																																																																	



Mode	19																																																																																											
	Harmonic																																																																																											
	U-NII-7_5.925-6.425_802.11be EHT20_CH117_Full RU_6535MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>45.64</td><td>88.20</td><td>-42.56</td><td>43.93</td><td>39.94</td><td>13.58</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	45.64	88.20	-42.56	43.93	39.94	13.58	51.81	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>45.90</td><td>39.94</td><td>13.58</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	47.61	88.20	-40.59	45.90	39.94	13.58	51.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13070.00	45.64	88.20	-42.56	43.93	39.94	13.58	51.81	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13070.00	47.61	88.20	-40.59	45.90	39.94	13.58	51.81	---	---	Peak																																																																																	





Mode	20																																																																																							
	Harmonic																																																																																							
	U-NII-7_5.925-6.425_802.11be EHT20_CH149_Full RU_6695MHz																																																																																							
ANT	CDD 0+1																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-08-25 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-08-25 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																	
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>43.73</td><td>40.10</td><td>13.68</td><td>51.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	45.63	74.00	-28.37	43.73	40.10	13.68	51.88	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>44.25</td><td>40.10</td><td>13.68</td><td>51.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	46.15	74.00	-27.85	44.25	40.10	13.68	51.88	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	13390.00	45.63	74.00	-28.37	43.73	40.10	13.68	51.88	---	---	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	13390.00	46.15	74.00	-27.85	44.25	40.10	13.68	51.88	---	---	Peak																																																																													



Mode	21																																																																																											
	Harmonic																																																																																											
	U-NII-7_5.925-6.425_802.11be EHT20_CH181_Full RU_6855MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.49</td><td>88.20</td><td>-41.71</td><td>44.39</td><td>40.26</td><td>13.78</td><td>51.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	46.49	88.20	-41.71	44.39	40.26	13.78	51.94	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.56</td><td>88.20</td><td>-41.64</td><td>44.46</td><td>40.26</td><td>13.78</td><td>51.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	46.56	88.20	-41.64	44.46	40.26	13.78	51.94	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	46.49	88.20	-41.71	44.39	40.26	13.78	51.94	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13710.00	46.56	88.20	-41.64	44.46	40.26	13.78	51.94	---	---	Peak																																																																																	







Mode	22																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_5.925-6.425_802.11be EHT20_CH189_Full RU_6895MHz																																																																																																									
ANT	CDD 0+1																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>47.17</td><td>88.20</td><td>-41.03</td><td>45.02</td><td>40.30</td><td>13.81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>51.96</td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13790.00	47.17	88.20	-41.03	45.02	40.30	13.81						51.96		---								Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>48.12</td><td>88.20</td><td>-40.08</td><td>45.97</td><td>40.30</td><td>13.81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>51.96</td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13790.00	48.12	88.20	-40.08	45.97	40.30	13.81						51.96		---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	13790.00	47.17	88.20	-41.03	45.02	40.30	13.81																																																																																																			
					51.96		---																																																																																																			
							Peak																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	13790.00	48.12	88.20	-40.08	45.97	40.30	13.81																																																																																																			
					51.96		---																																																																																																			
							Peak																																																																																																			



Mode	23																																																																																											
	Harmonic																																																																																											
	U-NII-8_5.925-6.425_802.11be EHT20_CH209_Full RU_6995MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_8E) AVG(U-NII_8E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>45.89</td><td>88.20</td><td>-42.31</td><td>43.62</td><td>40.40</td><td>13.87</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13990.00	45.89	88.20	-42.31	43.62	40.40	13.87	52.00	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_8E) AVG(U-NII_8E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>45.89</td><td>88.20</td><td>-42.31</td><td>43.62</td><td>40.40</td><td>13.87</td><td>52.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13990.00	45.89	88.20	-42.31	43.62	40.40	13.87	52.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13990.00	45.89	88.20	-42.31	43.62	40.40	13.87	52.00	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13990.00	45.89	88.20	-42.31	43.62	40.40	13.87	52.00	---	---	Peak																																																																																	





Mode	24																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_5.925-6.425_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																			
ANT	CDD 0+1																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7126.61</td><td>59.82</td><td>88.20</td><td>-28.38</td><td>46.32</td><td>36.95</td><td>10.20</td><td>33.65</td><td>300</td><td>46 PEAK</td></tr><tr><td>2 7271.68</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>39.73</td><td>36.89</td><td>10.18</td><td>33.59</td><td>300</td><td>46 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7126.61	59.82	88.20	-28.38	46.32	36.95	10.20	33.65	300	46 PEAK	2 7271.68	53.21	74.00	-20.79	39.73	36.89	10.18	33.59	300	46 PEAK	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>104.94</td><td>-----</td><td>-----</td><td>91.44</td><td>36.96</td><td>10.20</td><td>33.66</td><td>300</td><td>46 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7095.00	104.94	-----	-----	91.44	36.96	10.20	33.66	300	46 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7126.61	59.82	88.20	-28.38	46.32	36.95	10.20	33.65	300	46 PEAK																																																																																											
2 7271.68	53.21	74.00	-20.79	39.73	36.89	10.18	33.59	300	46 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7095.00	104.94	-----	-----	91.44	36.96	10.20	33.66	300	46 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7126.61</td><td>50.74</td><td>68.20</td><td>-17.46</td><td>37.24</td><td>36.95</td><td>10.20</td><td>33.65</td><td>300</td><td>46 AVERAGE</td></tr><tr><td>2 7301.05</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>29.82</td><td>36.88</td><td>10.18</td><td>33.58</td><td>300</td><td>46 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7126.61	50.74	68.20	-17.46	37.24	36.95	10.20	33.65	300	46 AVERAGE	2 7301.05	43.30	54.00	-10.70	29.82	36.88	10.18	33.58	300	46 AVERAGE	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>98.99</td><td>-----</td><td>-----</td><td>85.49</td><td>36.96</td><td>10.20</td><td>33.66</td><td>300</td><td>46 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7095.00	98.99	-----	-----	85.49	36.96	10.20	33.66	300	46 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7126.61	50.74	68.20	-17.46	37.24	36.95	10.20	33.65	300	46 AVERAGE																																																																																											
2 7301.05	43.30	54.00	-10.70	29.82	36.88	10.18	33.58	300	46 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7095.00	98.99	-----	-----	85.49	36.96	10.20	33.66	300	46 AVERAGE																																																																																											







Mode	24																																																																																														
	Band Edge																																																																																														
	U-NII-8_5.925-6.425_802.11be EHT20_CH229_Full RU_7095MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>59.28</td><td>88.20</td><td>-28.92</td><td>45.78</td><td>36.95</td><td>10.20</td><td>33.65</td><td>358</td><td>0 PEAK</td></tr><tr><td>2</td><td>7252.55</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>39.44</td><td>36.90</td><td>10.18</td><td>33.60</td><td>358</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	59.28	88.20	-28.92	45.78	36.95	10.20	33.65	358	0 PEAK	2	7252.55	52.92	74.00	-21.08	39.44	36.90	10.18	33.60	358	0 PEAK	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>104.88</td><td>-----</td><td>-----</td><td>91.38</td><td>36.96</td><td>10.20</td><td>33.66</td><td>358</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	104.88	-----	-----	91.38	36.96	10.20	33.66	358	0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.28	59.28	88.20	-28.92	45.78	36.95	10.20	33.65	358	0 PEAK																																																																																					
2	7252.55	52.92	74.00	-21.08	39.44	36.90	10.18	33.60	358	0 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7095.00	104.88	-----	-----	91.38	36.96	10.20	33.66	358	0 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-08-21 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>49.61</td><td>68.20</td><td>-18.59</td><td>36.11</td><td>36.95</td><td>10.20</td><td>33.65</td><td>358</td><td>0 AVERAGE</td></tr><tr><td>2</td><td>7255.66</td><td>43.14</td><td>54.00</td><td>-10.86</td><td>29.66</td><td>36.90</td><td>10.18</td><td>33.60</td><td>358</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	49.61	68.20	-18.59	36.11	36.95	10.20	33.65	358	0 AVERAGE	2	7255.66	43.14	54.00	-10.86	29.66	36.90	10.18	33.60	358	0 AVERAGE	Level (dBuV/m) Date: 2024-08-21 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.54</td><td>-----</td><td>-----</td><td>84.04</td><td>36.96</td><td>10.20</td><td>33.66</td><td>358</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.54	-----	-----	84.04	36.96	10.20	33.66	358	0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7125.28	49.61	68.20	-18.59	36.11	36.95	10.20	33.65	358	0 AVERAGE																																																																																					
2	7255.66	43.14	54.00	-10.86	29.66	36.90	10.18	33.60	358	0 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7095.00	97.54	-----	-----	84.04	36.96	10.20	33.66	358	0 AVERAGE																																																																																					



Mode	24																																																																											
	Harmonic																																																																											
	U-NII-8_5.925-6.425_802.11be EHT20_CH229_Full RU_7095MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14190.00</td><td>45.90</td><td>88.20</td><td>-42.30</td><td>43.58</td><td>40.38</td><td>13.96</td><td>52.02 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 14190.00	45.90	88.20	-42.30	43.58	40.38	13.96	52.02 --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14190.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>44.95</td><td>40.38</td><td>13.96</td><td>52.02 --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 14190.00	47.27	88.20	-40.93	44.95	40.38	13.96	52.02 --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																					
1 14190.00	45.90	88.20	-42.30	43.58	40.38	13.96	52.02 --- Peak																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																					
1 14190.00	47.27	88.20	-40.93	44.95	40.38	13.96	52.02 --- Peak																																																																					



Mode	25																																																																																																																																																																						
	Band Edge																																																																																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																																																						
ANT	CDD 0+1																																																																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-21  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5906.44</td><td>54.23</td><td>88.20</td><td>-33.97</td><td>40.12</td><td>36.47</td><td>10.40</td><td>32.76</td><td>400</td><td>31 PEAK</td></tr></table> Level (dBuV/m) Date: 2024-08-21  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.21</td><td>-----</td><td>-----</td><td>89.94</td><td>36.54</td><td>10.51</td><td>32.78</td><td>400</td><td>31 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5906.44	54.23	88.20	-33.97	40.12	36.47	10.40	32.76	400	31 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.21	-----	-----	89.94	36.54	10.51	32.78	400	31 PEAK	Avg	Level (dBuV/m) Date: 2024-08-21  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.40</td><td>45.17</td><td>68.20</td><td>-23.03</td><td>31.01</td><td>36.49</td><td>10.44</td><td>32.77</td><td>400</td><td>31 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2024-08-21  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>94.84</td><td>-----</td><td>-----</td><td>80.55</td><td>36.55</td><td>10.53</td><td>32.79</td><td>400</td><td>31 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5923.40	45.17	68.20	-23.03	31.01	36.49	10.44	32.77	400	31 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	94.84	-----	-----	80.55	36.55	10.53	32.79	400	31 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5906.44	54.23	88.20	-33.97	40.12	36.47	10.40	32.76	400	31 PEAK																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5965.00	104.21	-----	-----	89.94	36.54	10.51	32.78	400	31 PEAK																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5923.40	45.17	68.20	-23.03	31.01	36.49	10.44	32.77	400	31 AVERAGE																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5965.00	94.84	-----	-----	80.55	36.55	10.53	32.79	400	31 AVERAGE																																																																																																																																																													



Mode	25	
	Band Edge	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-21	



Mode	25																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																			
ANT	CDD 0+1																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>46.01</td><td>39.37</td><td>13.19</td><td>51.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>49.02</td><td>74.00</td><td>-24.98</td><td>43.20</td><td>42.58</td><td>16.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	47.53	74.00	-26.47	46.01	39.37	13.19	51.04	---	---	Peak	2 17895.00	49.02	74.00	-24.98	43.20	42.58	16.22	52.98	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>46.45</td><td>39.37</td><td>13.19</td><td>51.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 17895.00</td><td>48.70</td><td>74.00</td><td>-25.30</td><td>42.88</td><td>42.58</td><td>16.22</td><td>52.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	47.97	74.00	-26.03	46.45	39.37	13.19	51.04	---	---	Peak	2 17895.00	48.70	74.00	-25.30	42.88	42.58	16.22	52.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1 11930.00	47.53	74.00	-26.47	46.01	39.37	13.19	51.04	---	---	Peak																																																																																																										
2 17895.00	49.02	74.00	-24.98	43.20	42.58	16.22	52.98	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 11930.00	47.97	74.00	-26.03	46.45	39.37	13.19	51.04	---	---	Peak																																																																																																										
2 17895.00	48.70	74.00	-25.30	42.88	42.58	16.22	52.98	---	---	Peak																																																																																																										





Mode	26																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_Full RU_6165MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>43.11</td><td>39.57</td><td>13.35</td><td>51.33</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12330.00	44.70	74.00	-29.30	43.11	39.57	13.35	51.33	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>45.61</td><td>39.57</td><td>13.35</td><td>51.33</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12330.00	47.20	74.00	-26.80	45.61	39.57	13.35	51.33	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12330.00	44.70	74.00	-29.30	43.11	39.57	13.35	51.33	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12330.00	47.20	74.00	-26.80	45.61	39.57	13.35	51.33	---	---	Peak																																																																																	





Mode	27																																																																									
	Harmonic																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																									
ANT	CDD 0+1																																																																									
Pol.	Horizontal					Vertical																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12810.00</td><td>45.49</td><td>88.20</td><td>-42.71</td><td>43.85</td><td>39.81</td><td>13.50</td><td>51.67 --- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 12810.00	45.49	88.20	-42.71	43.85	39.81	13.50	51.67 --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12810.00</td><td>46.39</td><td>88.20</td><td>-41.81</td><td>44.75</td><td>39.81</td><td>13.50</td><td>51.67 --- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 12810.00	46.39	88.20	-41.81	44.75	39.81	13.50	51.67 --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																			
1 12810.00	45.49	88.20	-42.71	43.85	39.81	13.50	51.67 --- Peak																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																			
1 12810.00	46.39	88.20	-41.81	44.75	39.81	13.50	51.67 --- Peak																																																																			





Mode	28																																																																																			
	Harmonic																																																																																			
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																																			
ANT	CDD 0+1																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12890.00</td><td>46.61</td><td>88.20</td><td>-41.59</td><td>44.96</td><td>39.85</td><td>13.52</td><td>51.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12890.00	46.61	88.20	-41.59	44.96	39.85	13.52	51.72	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12890.00</td><td>47.42</td><td>88.20</td><td>-40.78</td><td>45.77</td><td>39.85</td><td>13.52</td><td>51.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12890.00	47.42	88.20	-40.78	45.77	39.85	13.52	51.72	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12890.00	46.61	88.20	-41.59	44.96	39.85	13.52	51.72	---	---	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12890.00	47.42	88.20	-40.78	45.77	39.85	13.52	51.72	---	---	Peak																																																																									





Mode	29																																																																																											
	Harmonic																																																																																											
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>46.98</td><td>88.20</td><td>-41.22</td><td>45.32</td><td>39.89</td><td>13.55</td><td>51.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12970.00	46.98	88.20	-41.22	45.32	39.89	13.55	51.78	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.62</td><td>88.20</td><td>-40.58</td><td>45.96</td><td>39.89</td><td>13.55</td><td>51.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12970.00	47.62	88.20	-40.58	45.96	39.89	13.55	51.78	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12970.00	46.98	88.20	-41.22	45.32	39.89	13.55	51.78	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12970.00	47.62	88.20	-40.58	45.96	39.89	13.55	51.78	---	---	Peak																																																																																	





Mode	30																																																									
	Harmonic																																																									
	U-NII-7_6.425-6.525_802.11be EHT40_CH123_Full RU_6565MHz																																																									
ANT	CDD 0+1																																																									
Pol.	Horizontal					Vertical																																																				
Peak Avg																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13130.00</td><td>46.38</td><td>88.20</td><td>-41.82</td><td>44.64</td><td>39.97</td><td>13.60</td><td>51.83</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13130.00	46.38	88.20	-41.82	44.64	39.97	13.60	51.83	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13130.00</td><td>48.10</td><td>88.20</td><td>-40.10</td><td>46.36</td><td>39.97</td><td>13.60</td><td>51.83</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13130.00	48.10	88.20	-40.10	46.36	39.97	13.60	51.83
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
1 13130.00	46.38	88.20	-41.82	44.64	39.97	13.60	51.83																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
1 13130.00	48.10	88.20	-40.10	46.36	39.97	13.60	51.83																																																			
Peak					Peak																																																					





Mode	31																																																																																										
	Harmonic																																																																																										
	U-NII-7_6.425-6.525_802.11be EHT40_CH147_Full RU_6685MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13370.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>45.44</td><td>40.09</td><td>13.67</td><td>51.87</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	47.33	74.00	-26.67	45.44	40.09	13.67	51.87	---	---	Peak	<table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13370.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>44.75</td><td>40.09</td><td>13.67</td><td>51.87</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	46.64	74.00	-27.36	44.75	40.09	13.67	51.87	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13370.00	47.33	74.00	-26.67	45.44	40.09	13.67	51.87	---	---	Peak																																																																																	
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13370.00	46.64	74.00	-27.36	44.75	40.09	13.67	51.87	---	---	Peak																																																																																	



Mode	32																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.425-6.525_802.11be EHT40_CH179_Full RU_6845MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>45.48</td><td>40.25</td><td>13.78</td><td>51.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13690.00	47.57	88.20	-40.63	45.48	40.25	13.78	51.94	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.45</td><td>88.20</td><td>-40.75</td><td>45.36</td><td>40.25</td><td>13.78</td><td>51.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13690.00	47.45	88.20	-40.75	45.36	40.25	13.78	51.94	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13690.00	47.57	88.20	-40.63	45.48	40.25	13.78	51.94	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13690.00	47.45	88.20	-40.75	45.36	40.25	13.78	51.94	---	---	Peak																																																																																	







Mode	33																																																									
	Harmonic																																																									
	U-NII-8_6.425-6.525_802.11be EHT40_CH195_Full RU_6925MHz																																																									
ANT	CDD 0+1																																																									
Pol.	Horizontal					Vertical																																																				
Peak Avg																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13850.00</td><td>48.07</td><td>88.20</td><td>-40.13</td><td>45.88</td><td>40.33</td><td>13.83</td><td>51.97</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13850.00	48.07	88.20	-40.13	45.88	40.33	13.83	51.97	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1 13850.00</td><td>48.21</td><td>88.20</td><td>-39.99</td><td>46.02</td><td>40.33</td><td>13.83</td><td>51.97</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13850.00	48.21	88.20	-39.99	46.02	40.33	13.83	51.97
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
1 13850.00	48.07	88.20	-40.13	45.88	40.33	13.83	51.97																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
1 13850.00	48.21	88.20	-39.99	46.02	40.33	13.83	51.97																																																			
Peak					Peak																																																					



Mode	34																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.425-6.525_802.11be EHT40_CH203_Full RU_6965MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>48.44</td><td>88.20</td><td>-39.76</td><td>46.21</td><td>40.37</td><td>13.85</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13930.00	48.44	88.20	-39.76	46.21	40.37	13.85	51.99	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>48.07</td><td>88.20</td><td>-40.13</td><td>45.84</td><td>40.37</td><td>13.85</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13930.00	48.07	88.20	-40.13	45.84	40.37	13.85	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13930.00	48.44	88.20	-39.76	46.21	40.37	13.85	51.99	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13930.00	48.07	88.20	-40.13	45.84	40.37	13.85	51.99	---	---	Peak																																																																																	





		35																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.425-6.525_802.11be EHT40_CH227_Full RU_7085MHz																																																																																												
ANT		CDD 0+1																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7134.54</td><td>57.96</td><td>88.20</td><td>-30.24</td><td>44.47</td><td>36.95</td><td>10.19</td><td>33.65</td><td>365</td><td>44</td><td>PEAK</td></tr><tr><td>2</td><td>7346.87</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>39.11</td><td>36.86</td><td>10.18</td><td>33.56</td><td>365</td><td>44</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7134.54	57.96	88.20	-30.24	44.47	36.95	10.19	33.65	365	44	PEAK	2	7346.87	52.59	74.00	-21.41	39.11	36.86	10.18	33.56	365	44	PEAK	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>99.74</td><td>-----</td><td>-----</td><td>86.24</td><td>36.97</td><td>10.20</td><td>33.67</td><td>365</td><td>44</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	99.74	-----	-----	86.24	36.97	10.20	33.67	365	44	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7134.54	57.96	88.20	-30.24	44.47	36.95	10.19	33.65	365	44	PEAK																																																																																			
2	7346.87	52.59	74.00	-21.41	39.11	36.86	10.18	33.56	365	44	PEAK																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	99.74	-----	-----	86.24	36.97	10.20	33.67	365	44	PEAK																																																																																			
Avg	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7130.55</td><td>48.29</td><td>68.20</td><td>-19.91</td><td>34.80</td><td>36.95</td><td>10.19</td><td>33.65</td><td>365</td><td>44</td><td>AVERAGE</td></tr><tr><td>2</td><td>7276.76</td><td>43.31</td><td>54.00</td><td>-10.69</td><td>29.83</td><td>36.89</td><td>10.18</td><td>33.59</td><td>365</td><td>44</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7130.55	48.29	68.20	-19.91	34.80	36.95	10.19	33.65	365	44	AVERAGE	2	7276.76	43.31	54.00	-10.69	29.83	36.89	10.18	33.59	365	44	AVERAGE	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>93.38</td><td>-----</td><td>-----</td><td>79.88</td><td>36.96</td><td>10.20</td><td>33.66</td><td>365</td><td>44</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	93.38	-----	-----	79.88	36.96	10.20	33.66	365	44	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7130.55	48.29	68.20	-19.91	34.80	36.95	10.19	33.65	365	44	AVERAGE																																																																																			
2	7276.76	43.31	54.00	-10.69	29.83	36.89	10.18	33.59	365	44	AVERAGE																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	93.38	-----	-----	79.88	36.96	10.20	33.66	365	44	AVERAGE																																																																																			







Mode	35																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.425-6.525_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																					
ANT	CDD 0+1																																																																																																					
Pol.	Vertical					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.99</td><td>54.94</td><td>88.20</td><td>-33.26</td><td>41.44</td><td>36.95</td><td>10.20</td><td>33.65</td><td>200</td><td>162</td><td>PEAK</td></tr><tr><td>2</td><td>7315.52</td><td>51.55</td><td>74.00</td><td>-22.45</td><td>38.07</td><td>36.87</td><td>10.18</td><td>33.57</td><td>200</td><td>162</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.99	54.94	88.20	-33.26	41.44	36.95	10.20	33.65	200	162	PEAK	2	7315.52	51.55	74.00	-22.45	38.07	36.87	10.18	33.57	200	162	PEAK	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>101.96</td><td>-----</td><td>-----</td><td>88.46</td><td>36.96</td><td>10.20</td><td>33.66</td><td>200</td><td>162</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	101.96	-----	-----	88.46	36.96	10.20	33.66	200	162	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7125.99	54.94	88.20	-33.26	41.44	36.95	10.20	33.65	200	162	PEAK																																																																																											
2	7315.52	51.55	74.00	-22.45	38.07	36.87	10.18	33.57	200	162	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7085.00	101.96	-----	-----	88.46	36.96	10.20	33.66	200	162	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-08-21 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.84</td><td>48.01</td><td>68.20</td><td>-20.19</td><td>34.52</td><td>36.95</td><td>10.19</td><td>33.65</td><td>200</td><td>162</td><td>AVERAGE</td></tr><tr><td>2</td><td>7268.78</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>29.76</td><td>36.89</td><td>10.18</td><td>33.59</td><td>200</td><td>162</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7128.84	48.01	68.20	-20.19	34.52	36.95	10.19	33.65	200	162	AVERAGE	2	7268.78	43.24	54.00	-10.76	29.76	36.89	10.18	33.59	200	162	AVERAGE	Level (dBuV/m) Date: 2024-08-21 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>94.78</td><td>-----</td><td>-----</td><td>81.28</td><td>36.97</td><td>10.20</td><td>33.67</td><td>200</td><td>162</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	94.78	-----	-----	81.28	36.97	10.20	33.67	200	162	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7128.84	48.01	68.20	-20.19	34.52	36.95	10.19	33.65	200	162	AVERAGE																																																																																											
2	7268.78	43.24	54.00	-10.76	29.76	36.89	10.18	33.59	200	162	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7085.00	94.78	-----	-----	81.28	36.97	10.20	33.67	200	162	AVERAGE																																																																																											







Mode	35																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.425-6.525_802.11be EHT40_CH227_Full RU_7085MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>46.62</td><td>88.20</td><td>-41.58</td><td>44.31</td><td>40.38</td><td>13.95</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14170.00	46.62	88.20	-41.58	44.31	40.38	13.95	52.02	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>47.44</td><td>88.20</td><td>-40.76</td><td>45.13</td><td>40.38</td><td>13.95</td><td>52.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14170.00	47.44	88.20	-40.76	45.13	40.38	13.95	52.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14170.00	46.62	88.20	-41.58	44.31	40.38	13.95	52.02	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14170.00	47.44	88.20	-40.76	45.13	40.38	13.95	52.02	---	---	Peak																																																																																	





		36																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_6.425-6.525_802.11be EHT80_CH7_Full RU_5985MHz																																																																																									
ANT		CDD 0+1																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.36</td><td>55.18</td><td>88.20</td><td>-33.02</td><td>41.05</td><td>36.48</td><td>10.41</td><td>32.76</td><td>400</td><td>40 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5912.36	55.18	88.20	-33.02	41.05	36.48	10.41	32.76	400	40 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.75</td><td>-----</td><td>-----</td><td>85.37</td><td>36.61</td><td>10.59</td><td>32.82</td><td>400</td><td>40 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.75	-----	-----	85.37	36.61	10.59	32.82	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5912.36	55.18	88.20	-33.02	41.05	36.48	10.41	32.76	400	40 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	99.75	-----	-----	85.37	36.61	10.59	32.82	400	40 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>45.99</td><td>68.20</td><td>-22.21</td><td>31.83</td><td>36.49</td><td>10.44</td><td>32.77</td><td>400</td><td>40 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	45.99	68.20	-22.21	31.83	36.49	10.44	32.77	400	40 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>90.82</td><td>-----</td><td>-----</td><td>76.53</td><td>36.55</td><td>10.53</td><td>32.79</td><td>400</td><td>40 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	90.82	-----	-----	76.53	36.55	10.53	32.79	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.84	45.99	68.20	-22.21	31.83	36.49	10.44	32.77	400	40 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	90.82	-----	-----	76.53	36.55	10.53	32.79	400	40 AVERAGE																																																																																	



		36																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_6.425-6.525_802.11be EHT80_CH7_Full RU_5985MHz																																																																																							
ANT		CDD 0+1																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5909.00</td><td>55.79</td><td>88.20</td><td>-32.41</td><td>41.67</td><td>36.47</td><td>10.41</td><td>32.76</td><td>262</td><td>0 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5909.00	55.79	88.20	-32.41	41.67	36.47	10.41	32.76	262	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>104.13</td><td>-----</td><td>-----</td><td>89.84</td><td>36.55</td><td>10.53</td><td>32.79</td><td>262</td><td>0 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	104.13	-----	-----	89.84	36.55	10.53	32.79	262
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5909.00	55.79	88.20	-32.41	41.67	36.47	10.41	32.76	262	0 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	104.13	-----	-----	89.84	36.55	10.53	32.79	262	0 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.68</td><td>47.38</td><td>68.20</td><td>-20.82</td><td>33.22</td><td>36.49</td><td>10.44</td><td>32.77</td><td>262</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5924.68	47.38	68.20	-20.82	33.22	36.49	10.44	32.77	262	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>95.17</td><td>-----</td><td>-----</td><td>80.88</td><td>36.55</td><td>10.53</td><td>32.79</td><td>262</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	95.17	-----	-----	80.88	36.55	10.53	32.79	262
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5924.68	47.38	68.20	-20.82	33.22	36.49	10.44	32.77	262	0 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	95.17	-----	-----	80.88	36.55	10.53	32.79	262	0 AVERAGE																																																																																





Mode	36																																																																																					
	Harmonic																																																																																					
	U-NII-5_6.425-6.525_802.11be EHT80_CH7_Full RU_5985MHz																																																																																					
ANT	CDD 0+1																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-08-21  PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-08-21  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>46.53</td><td>39.39</td><td>13.22</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	48.07	74.00	-25.93	46.53	39.39	13.22	51.07	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>46.55</td><td>39.39</td><td>13.22</td><td>51.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	48.09	74.00	-25.91	46.55	39.39	13.22	51.07	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 11970.00	48.07	74.00	-25.93	46.53	39.39	13.22	51.07	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 11970.00	48.09	74.00	-25.91	46.55	39.39	13.22	51.07	---	---	Peak																																																																												



Mode	37																																																																																											
	Harmonic																																																																																											
	U-NII-5_6.525-6.875_802.11be EHT80_CH39_Full RU_6145MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>46.35</td><td>39.55</td><td>13.33</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12290.00	47.93	74.00	-26.07	46.35	39.55	13.33	51.30	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>46.21</td><td>39.55</td><td>13.33</td><td>51.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12290.00	47.79	74.00	-26.21	46.21	39.55	13.33	51.30	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12290.00	47.93	74.00	-26.07	46.35	39.55	13.33	51.30	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12290.00	47.79	74.00	-26.21	46.21	39.55	13.33	51.30	---	---	Peak																																																																																	





Mode	38																																																																											
	Harmonic																																																																											
	U-NII-5_6.525-6.875_802.11be EHT80_CH87_Full RU_6385MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12770.00</td><td>48.99</td><td>88.20</td><td>-39.21</td><td>47.37</td><td>39.78</td><td>13.48</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12770.00	48.99	88.20	-39.21	47.37	39.78	13.48	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12770.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>45.99</td><td>39.78</td><td>13.48</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12770.00	47.61	88.20	-40.59	45.99	39.78	13.48
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	12770.00	48.99	88.20	-39.21	47.37	39.78	13.48																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	12770.00	47.61	88.20	-40.59	45.99	39.78	13.48																																																																					
Avg						Avg																																																																						





		39																																																																																												
Mode		Harmonic																																																																																												
		U-NII-6_6.525-6.875_802.11be EHT80_CH103_Full RU_6465MHz																																																																																												
ANT		CDD 0+1																																																																																												
Pol.		Horizontal										Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>48.11</td><td>88.20</td><td>-40.09</td><td>46.45</td><td>39.87</td><td>13.54</td><td>51.75</td><td>---</td><td>---</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>48.18</td><td>88.20</td><td>-40.02</td><td>46.52</td><td>39.87</td><td>13.54</td><td>51.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12930.00	48.11	88.20	-40.09	46.45	39.87	13.54	51.75	---	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12930.00	48.18	88.20	-40.02	46.52	39.87	13.54	51.75	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	12930.00	48.11	88.20	-40.09	46.45	39.87	13.54	51.75	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	12930.00	48.18	88.20	-40.02	46.52	39.87	13.54	51.75	---	---	Peak																																																																																			





Mode	40																																																																																										
	Harmonic																																																																																										
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>47.29</td><td>40.03</td><td>13.64</td><td>51.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13250.00	49.11	74.00	-24.89	47.29	40.03	13.64	51.85	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>46.16</td><td>40.03</td><td>13.64</td><td>51.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13250.00	47.98	74.00	-26.02	46.16	40.03	13.64	51.85	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13250.00	49.11	74.00	-24.89	47.29	40.03	13.64	51.85	---	---	Peak																																																																																	
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13250.00	47.98	74.00	-26.02	46.16	40.03	13.64	51.85	---	---	Peak																																																																																	





Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13410.00 50.25 88.20 -37.95 48.33 40.11 13.69 51.88 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13410.00 48.43 88.20 -39.77 46.51 40.11 13.69 51.88 --- --- Peak



Mode	42																																																																													
	Harmonic																																																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																													
ANT	CDD 0+1																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13570.00</td><td>49.25</td><td>88.20</td><td>-38.95</td><td>47.23</td><td>40.19</td><td>13.74</td><td>51.91</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13570.00	49.25	88.20	-38.95	47.23	40.19	13.74	51.91	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13570.00</td><td>48.42</td><td>88.20</td><td>-39.78</td><td>46.40</td><td>40.19</td><td>13.74</td><td>51.91</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13570.00	48.42	88.20	-39.78	46.40	40.19	13.74	51.91
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																							
1	13570.00	49.25	88.20	-38.95	47.23	40.19	13.74	51.91																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																							
1	13570.00	48.42	88.20	-39.78	46.40	40.19	13.74	51.91																																																																						
	--- --- Peak						--- --- Peak																																																																							







Mode	43																																																																																																										
	Harmonic																																																																																																										
	U-NII-8_6.525-6.875_802.11be EHT80_CH199_Full RU_6945MHz																																																																																																										
ANT	CDD 0+1																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>49.23</td><td>88.20</td><td>-38.97</td><td>47.02</td><td>40.35</td><td>13.84</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>51.98</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13890.00	49.23	88.20	-38.97	47.02	40.35	13.84						51.98								---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13890.00</td><td>51.26</td><td>88.20</td><td>-36.94</td><td>49.05</td><td>40.35</td><td>13.84</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>51.98</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13890.00	51.26	88.20	-36.94	49.05	40.35	13.84						51.98								---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																				
1	13890.00	49.23	88.20	-38.97	47.02	40.35	13.84																																																																																																				
					51.98																																																																																																						
					---	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																				
1	13890.00	51.26	88.20	-36.94	49.05	40.35	13.84																																																																																																				
					51.98																																																																																																						
					---	---	Peak																																																																																																				





		44																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.525-6.875_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																		
ANT		CDD 0+1																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.26</td><td>54.42</td><td>88.20</td><td>-33.78</td><td>40.92</td><td>36.95</td><td>10.20</td><td>33.65</td><td>300 38 PEAK</td></tr><tr><td>2</td><td>7299.63</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>38.55</td><td>36.88</td><td>10.18</td><td>33.58</td><td>300 38 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7126.26	54.42	88.20	-33.78	40.92	36.95	10.20	33.65	300 38 PEAK	2	7299.63	52.03	74.00	-21.97	38.55	36.88	10.18	33.58	300 38 PEAK	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>99.17</td><td>-----</td><td>-----</td><td>85.65</td><td>37.00</td><td>10.22</td><td>33.70</td><td>300 38 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	99.17	-----	-----	85.65	37.00	10.22	33.70	300 38 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7126.26	54.42	88.20	-33.78	40.92	36.95	10.20	33.65	300 38 PEAK																																																																																											
2	7299.63	52.03	74.00	-21.97	38.55	36.88	10.18	33.58	300 38 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	99.17	-----	-----	85.65	37.00	10.22	33.70	300 38 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.53</td><td>45.17</td><td>68.20</td><td>-23.03</td><td>31.67</td><td>36.95</td><td>10.20</td><td>33.65</td><td>300 38 AVERAGE</td></tr><tr><td>2</td><td>7252.55</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>29.96</td><td>36.90</td><td>10.18</td><td>33.60</td><td>300 38 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.53	45.17	68.20	-23.03	31.67	36.95	10.20	33.65	300 38 AVERAGE	2	7252.55	43.44	54.00	-10.56	29.96	36.90	10.18	33.60	300 38 AVERAGE	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>91.89</td><td>-----</td><td>-----</td><td>78.38</td><td>36.98</td><td>10.21</td><td>33.68</td><td>300 38 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	91.89	-----	-----	78.38	36.98	10.21	33.68	300 38 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7125.53	45.17	68.20	-23.03	31.67	36.95	10.20	33.65	300 38 AVERAGE																																																																																											
2	7252.55	43.44	54.00	-10.56	29.96	36.90	10.18	33.60	300 38 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	91.89	-----	-----	78.38	36.98	10.21	33.68	300 38 AVERAGE																																																																																											







		44																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-8_6.525-6.875_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																								
ANT		CDD 0+1																																																																																																								
Pol.		Vertical					Fundamental																																																																																																			
Peak	 Level (dBuV/m) Date: 2024-08-21 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7131.37</td><td>53.31</td><td>88.20</td><td>-34.89</td><td>39.82</td><td>36.95</td><td>10.19</td><td>33.65</td><td>400</td><td>15</td><td>PEAK</td></tr><tr><td>2</td><td>7261.67</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>38.97</td><td>36.90</td><td>10.18</td><td>33.60</td><td>400</td><td>15</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7131.37	53.31	88.20	-34.89	39.82	36.95	10.19	33.65	400	15	PEAK	2	7261.67	52.45	74.00	-21.55	38.97	36.90	10.18	33.60	400	15	PEAK	 Level (dBuV/m) Date: 2024-08-21 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>98.24</td><td>-----</td><td>-----</td><td>84.73</td><td>36.99</td><td>10.21</td><td>33.69</td><td>400</td><td>15</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	98.24	-----	-----	84.73	36.99	10.21	33.69	400	15	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7131.37	53.31	88.20	-34.89	39.82	36.95	10.19	33.65	400	15	PEAK																																																																																															
2	7261.67	52.45	74.00	-21.55	38.97	36.90	10.18	33.60	400	15	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7025.00	98.24	-----	-----	84.73	36.99	10.21	33.69	400	15	PEAK																																																																																															
Avg	 Level (dBuV/m) Date: 2024-08-21 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7135.02</td><td>44.76</td><td>68.20</td><td>-23.44</td><td>31.27</td><td>36.95</td><td>10.19</td><td>33.65</td><td>400</td><td>15</td><td>AVERAGE</td></tr><tr><td>2</td><td>7252.18</td><td>43.20</td><td>54.00</td><td>-10.80</td><td>29.72</td><td>36.90</td><td>10.18</td><td>33.60</td><td>400</td><td>15</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7135.02	44.76	68.20	-23.44	31.27	36.95	10.19	33.65	400	15	AVERAGE	2	7252.18	43.20	54.00	-10.80	29.72	36.90	10.18	33.60	400	15	AVERAGE	 Level (dBuV/m) Date: 2024-08-21 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>91.96</td><td>-----</td><td>-----</td><td>78.44</td><td>37.00</td><td>10.22</td><td>33.70</td><td>400</td><td>15</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	91.96	-----	-----	78.44	37.00	10.22	33.70	400	15	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7135.02	44.76	68.20	-23.44	31.27	36.95	10.19	33.65	400	15	AVERAGE																																																																																															
2	7252.18	43.20	54.00	-10.80	29.72	36.90	10.18	33.60	400	15	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7025.00	91.96	-----	-----	78.44	37.00	10.22	33.70	400	15	AVERAGE																																																																																															







Mode	44																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT80_CH215_Full RU_7025MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>49.13</td><td>88.20</td><td>-39.07</td><td>46.84</td><td>40.40</td><td>13.90</td><td>52.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	49.13	88.20	-39.07	46.84	40.40	13.90	52.01	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>49.56</td><td>88.20</td><td>-38.64</td><td>47.27</td><td>40.40</td><td>13.90</td><td>52.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	14050.00	49.56	88.20	-38.64	47.27	40.40	13.90	52.01	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14050.00	49.13	88.20	-39.07	46.84	40.40	13.90	52.01	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	14050.00	49.56	88.20	-38.64	47.27	40.40	13.90	52.01	---	---	Peak																																																																																	





Mode	45																																																																																								
	Band Edge																																																																																								
	U-NII-5_6.525-6.875_802.11be EHT160_CH15_Full_6025MHz																																																																																								
ANT	CDD 0+1																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5903.40</td><td>59.13</td><td>88.20</td><td>-29.07</td><td>45.04</td><td>36.46</td><td>10.39</td><td>32.76</td><td>334</td><td>41 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5903.40	59.13	88.20	-29.07	45.04	36.46	10.39	32.76	334	41 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>96.51</td><td>-----</td><td>-----</td><td>82.25</td><td>36.54</td><td>10.50</td><td>32.78</td><td>334</td><td>41 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	96.51	-----	-----	82.25	36.54	10.50	32.78	334
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5903.40	59.13	88.20	-29.07	45.04	36.46	10.39	32.76	334	41 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6025.00	96.51	-----	-----	82.25	36.54	10.50	32.78	334	41 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5892.48</td><td>45.54</td><td>68.20</td><td>-22.66</td><td>31.48</td><td>36.45</td><td>10.37</td><td>32.76</td><td>334</td><td>41 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5892.48	45.54	68.20	-22.66	31.48	36.45	10.37	32.76	334	41 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>87.71</td><td>-----</td><td>-----</td><td>73.33</td><td>36.61</td><td>10.59</td><td>32.82</td><td>334</td><td>41 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6025.00	87.71	-----	-----	73.33	36.61	10.59	32.82	334
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5892.48	45.54	68.20	-22.66	31.48	36.45	10.37	32.76	334	41 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6025.00	87.71	-----	-----	73.33	36.61	10.59	32.82	334	41 AVERAGE																																																																																



		45																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_6.525-6.875_802.11be EHT160_CH15_Full_6025MHz																																																																																						
ANT		CDD 0+1																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	 Date: 2024-08-21 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5865.04</td><td>55.83</td><td>88.20</td><td>-32.37</td><td>41.86</td><td>36.41</td><td>10.31</td><td>32.75</td><td>100</td><td>179</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5865.04	55.83	88.20	-32.37	41.86	36.41	10.31	32.75	100	179	PEAK	 Date: 2024-08-21 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>99.10</td><td>-----</td><td>-----</td><td>84.75</td><td>36.58</td><td>10.56</td><td>32.79</td><td>100</td><td>179</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.10	-----	-----	84.75	36.58	10.56	32.79	100	179	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5865.04	55.83	88.20	-32.37	41.86	36.41	10.31	32.75	100	179	PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6025.00	99.10	-----	-----	84.75	36.58	10.56	32.79	100	179	PEAK																																																																													
Avg	 Date: 2024-08-21 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5889.68</td><td>47.18</td><td>68.20</td><td>-21.02</td><td>33.13</td><td>36.45</td><td>10.36</td><td>32.76</td><td>100</td><td>179</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5889.68	47.18	68.20	-21.02	33.13	36.45	10.36	32.76	100	179	AVERAGE	 Date: 2024-08-21 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>89.92</td><td>-----</td><td>-----</td><td>75.57</td><td>36.58</td><td>10.56</td><td>32.79</td><td>100</td><td>179</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	89.92	-----	-----	75.57	36.58	10.56	32.79	100	179	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5889.68	47.18	68.20	-21.02	33.13	36.45	10.36	32.76	100	179	AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	6025.00	89.92	-----	-----	75.57	36.58	10.56	32.79	100	179	AVERAGE																																																																													





Mode	45																																																																											
	Harmonic																																																																											
	U-NII-5_6.525-6.875_802.11be EHT160_CH15_Full_6025MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12050.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>46.12</td><td>39.43</td><td>13.26</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12050.00	47.68	74.00	-26.32	46.12	39.43	13.26	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12050.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>47.07</td><td>39.43</td><td>13.26</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12050.00	48.63	74.00	-25.37	47.07	39.43	13.26
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	12050.00	47.68	74.00	-26.32	46.12	39.43	13.26																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	12050.00	48.63	74.00	-25.37	47.07	39.43	13.26																																																																					
Peak						Peak																																																																						





Mode	46																																																																																											
	Harmonic																																																																																											
	U-NII-5_6.525-6.875_802.11be EHT160_CH47_Full_6185MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>46.52</td><td>39.59</td><td>13.36</td><td>51.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12370.00	48.11	74.00	-25.89	46.52	39.59	13.36	51.36	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>46.79</td><td>39.59</td><td>13.36</td><td>51.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12370.00	48.38	74.00	-25.62	46.79	39.59	13.36	51.36	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12370.00	48.11	74.00	-25.89	46.52	39.59	13.36	51.36	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12370.00	48.38	74.00	-25.62	46.79	39.59	13.36	51.36	---	---	Peak																																																																																	







Mode	47																																																																																											
	Harmonic																																																																																											
	U-NII-5_6.525-6.875_802.11be EHT160_CH79_Full RU_6345MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>46.03</td><td>39.75</td><td>13.46</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	47.66	74.00	-26.34	46.03	39.75	13.46	51.58	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>46.52</td><td>39.75</td><td>13.46</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12690.00	48.15	74.00	-25.85	46.52	39.75	13.46	51.58	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	47.66	74.00	-26.34	46.03	39.75	13.46	51.58	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12690.00	48.15	74.00	-25.85	46.52	39.75	13.46	51.58	---	---	Peak																																																																																	



Mode	48																																																																											
	Harmonic																																																																											
	U-NII-7_6.875-7.125_802.11be EHT160_CH143_Full RU_6665MHz																																																																											
ANT	CDD 0+1																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13330.00</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>48.52</td><td>40.07</td><td>13.66</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13330.00	50.38	74.00	-23.62	48.52	40.07	13.66	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13330.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>47.31</td><td>40.07</td><td>13.66</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13330.00	49.17	74.00	-24.83	47.31	40.07	13.66
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	13330.00	50.38	74.00	-23.62	48.52	40.07	13.66																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	13330.00	49.17	74.00	-24.83	47.31	40.07	13.66																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13330.00</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>48.52</td><td>40.07</td><td>13.66</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13330.00	50.38	74.00	-23.62	48.52	40.07	13.66	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13330.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>47.31</td><td>40.07</td><td>13.66</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13330.00	49.17	74.00	-24.83	47.31	40.07	13.66	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	13330.00	50.38	74.00	-23.62	48.52	40.07	13.66																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	13330.00	49.17	74.00	-24.83	47.31	40.07	13.66																																																																					





		49																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																		
ANT		CDD 0+1																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7243.75</td><td>54.18</td><td>88.20</td><td>-34.02</td><td>40.70</td><td>36.90</td><td>10.18</td><td>33.60</td><td>314</td><td>33 PEAK</td></tr><tr><td>2 7256.25</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>39.62</td><td>36.90</td><td>10.18</td><td>33.60</td><td>314</td><td>33 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7243.75	54.18	88.20	-34.02	40.70	36.90	10.18	33.60	314	33 PEAK	2 7256.25	53.10	74.00	-20.90	39.62	36.90	10.18	33.60	314	33 PEAK	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>95.81</td><td>-----</td><td>-----</td><td>82.26</td><td>36.99</td><td>10.23</td><td>33.67</td><td>314</td><td>33 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	95.81	-----	-----	82.26	36.99	10.23	33.67	314	33 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7243.75	54.18	88.20	-34.02	40.70	36.90	10.18	33.60	314	33 PEAK																																																																																											
2 7256.25	53.10	74.00	-20.90	39.62	36.90	10.18	33.60	314	33 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 6985.00	95.81	-----	-----	82.26	36.99	10.23	33.67	314	33 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7132.50</td><td>45.46</td><td>68.20</td><td>-22.74</td><td>31.97</td><td>36.95</td><td>10.19</td><td>33.65</td><td>314</td><td>33 AVERAGE</td></tr><tr><td>2 7250.63</td><td>43.51</td><td>54.00</td><td>-10.49</td><td>30.03</td><td>36.90</td><td>10.18</td><td>33.60</td><td>314</td><td>33 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7132.50	45.46	68.20	-22.74	31.97	36.95	10.19	33.65	314	33 AVERAGE	2 7250.63	43.51	54.00	-10.49	30.03	36.90	10.18	33.60	314	33 AVERAGE	 Level (dBuV/m) Date: 2024-08-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>87.91</td><td>-----</td><td>-----</td><td>74.39</td><td>37.00</td><td>10.22</td><td>33.70</td><td>314</td><td>33 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	87.91	-----	-----	74.39	37.00	10.22	33.70	314	33 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7132.50	45.46	68.20	-22.74	31.97	36.95	10.19	33.65	314	33 AVERAGE																																																																																											
2 7250.63	43.51	54.00	-10.49	30.03	36.90	10.18	33.60	314	33 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 6985.00	87.91	-----	-----	74.39	37.00	10.22	33.70	314	33 AVERAGE																																																																																											







		49																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																	
ANT		CDD 0+1																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(U-NII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7143.13</td><td>56.42</td><td>88.20</td><td>-31.78</td><td>42.93</td><td>36.94</td><td>10.19</td><td>33.64</td><td>400</td><td>7 PEAK</td></tr><tr><td>2</td><td>7336.88</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>39.57</td><td>36.87</td><td>10.18</td><td>33.57</td><td>400</td><td>7 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7143.13	56.42	88.20	-31.78	42.93	36.94	10.19	33.64	400	7 PEAK	2	7336.88	53.05	74.00	-20.95	39.57	36.87	10.18	33.57	400	7 PEAK	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(U-NII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>95.75</td><td>-----</td><td>-----</td><td>82.22</td><td>37.00</td><td>10.22</td><td>33.69</td><td>400</td><td>7 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	95.75	-----	-----	82.22	37.00	10.22	33.69	400	7 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7143.13	56.42	88.20	-31.78	42.93	36.94	10.19	33.64	400	7 PEAK																																																																																									
2	7336.88	53.05	74.00	-20.95	39.57	36.87	10.18	33.57	400	7 PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	95.75	-----	-----	82.22	37.00	10.22	33.69	400	7 PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2024-08-21 AVG_BE(U-NII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.88</td><td>45.23</td><td>68.20</td><td>-22.97</td><td>31.74</td><td>36.95</td><td>10.19</td><td>33.65</td><td>400</td><td>7 AVERAGE</td></tr><tr><td>2</td><td>7278.13</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>30.00</td><td>36.89</td><td>10.18</td><td>33.59</td><td>400</td><td>7 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7131.88	45.23	68.20	-22.97	31.74	36.95	10.19	33.65	400	7 AVERAGE	2	7278.13	43.48	54.00	-10.52	30.00	36.89	10.18	33.59	400	7 AVERAGE	Level (dBuV/m) Date: 2024-08-21 AVG_BE(U-NII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>89.16</td><td>-----</td><td>-----</td><td>75.64</td><td>37.00</td><td>10.22</td><td>33.70</td><td>400</td><td>7 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	89.16	-----	-----	75.64	37.00	10.22	33.70	400	7 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7131.88	45.23	68.20	-22.97	31.74	36.95	10.19	33.65	400	7 AVERAGE																																																																																									
2	7278.13	43.48	54.00	-10.52	30.00	36.89	10.18	33.59	400	7 AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	89.16	-----	-----	75.64	37.00	10.22	33.70	400	7 AVERAGE																																																																																									



Mode	49																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-24  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13970.00</td><td>48.70</td><td>88.20</td><td>-39.50</td><td>46.44</td><td>40.39</td><td>13.86</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	48.70	88.20	-39.50	46.44	40.39	13.86	51.99	---	---	Peak	Level (dBuV/m) Date: 2024-08-24  PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13970.00</td><td>48.51</td><td>88.20</td><td>-39.69</td><td>46.25</td><td>40.39</td><td>13.86</td><td>51.99</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	48.51	88.20	-39.69	46.25	40.39	13.86	51.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13970.00	48.70	88.20	-39.50	46.44	40.39	13.86	51.99	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13970.00	48.51	88.20	-39.69	46.25	40.39	13.86	51.99	---	---	Peak																																																																																	



Mode	50																																																																																														
	Band Edge																																																																																														
	U-NII-5_6.875-7.125_802.11be EHT320_CH31_Full RU_6105MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.70</td><td>64.63</td><td>88.20</td><td>-23.57</td><td>51.40</td><td>36.07</td><td>9.81</td><td>32.65</td><td>300</td><td>50</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5624.70	64.63	88.20	-23.57	51.40	36.07	9.81	32.65	300	50	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>92.49</td><td>-----</td><td>-----</td><td>78.11</td><td>36.66</td><td>10.64</td><td>32.92</td><td>300</td><td>50</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.49	-----	-----	78.11	36.66	10.64	32.92	300	50
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5624.70	64.63	88.20	-23.57	51.40	36.07	9.81	32.65	300	50	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6105.00	92.49	-----	-----	78.11	36.66	10.64	32.92	300	50	PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5796.82</td><td>46.82</td><td>68.20</td><td>-21.38</td><td>33.05</td><td>36.32</td><td>10.17</td><td>32.72</td><td>300</td><td>50</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5796.82	46.82	68.20	-21.38	33.05	36.32	10.17	32.72	300	50	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>83.35</td><td>-----</td><td>-----</td><td>69.08</td><td>36.54</td><td>10.51</td><td>32.78</td><td>300</td><td>50</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.35	-----	-----	69.08	36.54	10.51	32.78	300	50
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5796.82	46.82	68.20	-21.38	33.05	36.32	10.17	32.72	300	50	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6105.00	83.35	-----	-----	69.08	36.54	10.51	32.78	300	50	AVERAGE																																																																																				



Mode	50																																																																									
	Band Edge																																																																									
	U-NII-5_6.875-7.125_802.11be EHT320_CH31_Full RU_6105MHz																																																																									
ANT	CDD 0+1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5625.46</td><td>74.24</td><td>88.20</td><td>-13.96</td><td>61.00</td><td>36.08</td><td>9.81</td><td>32.65</td><td>300 204 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5625.46	74.24	88.20	-13.96	61.00	36.08	9.81	32.65	300 204 PEAK	Level (dBuV/m) Date: 2024-08-21 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>91.95</td><td>-----</td><td>-----</td><td>77.57</td><td>36.67</td><td>10.65</td><td>32.94</td><td>300 204 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	91.95	-----	-----	77.57	36.67	10.65	32.94	300 204 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5625.46	74.24	88.20	-13.96	61.00	36.08	9.81	32.65	300 204 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	91.95	-----	-----	77.57	36.67	10.65	32.94	300 204 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-08-21 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5624.70</td><td>52.23</td><td>68.20</td><td>-15.97</td><td>39.00</td><td>36.07</td><td>9.81</td><td>32.65</td><td>300 204 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5624.70	52.23	68.20	-15.97	39.00	36.07	9.81	32.65	300 204 AVERAGE	Level (dBuV/m) Date: 2024-08-21 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>81.86</td><td>-----</td><td>-----</td><td>67.57</td><td>36.70</td><td>10.59</td><td>33.00</td><td>300 204 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	81.86	-----	-----	67.57	36.70	10.59	33.00	300 204 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5624.70	52.23	68.20	-15.97	39.00	36.07	9.81	32.65	300 204 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	81.86	-----	-----	67.57	36.70	10.59	33.00	300 204 AVERAGE																																																																		



Mode	50																																																																																											
	Harmonic																																																																																											
	U-NII-5_6.875-7.125_802.11be EHT320_CH31_Full RU_6105MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>45.04</td><td>39.51</td><td>13.31</td><td>51.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12210.00	46.61	74.00	-27.39	45.04	39.51	13.31	51.25	---	---	Peak	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>46.19</td><td>39.51</td><td>13.31</td><td>51.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12210.00	47.76	74.00	-26.24	46.19	39.51	13.31	51.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12210.00	46.61	74.00	-27.39	45.04	39.51	13.31	51.25	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12210.00	47.76	74.00	-26.24	46.19	39.51	13.31	51.25	---	---	Peak																																																																																	





Mode	51																																																																																											
	Harmonic																																																																																											
	U-NII-5_6.875-7.125_802.11be EHT320_CH63_6265MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-08-21 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>49.40</td><td>74.00</td><td>-24.60</td><td>47.79</td><td>39.67</td><td>13.41</td><td>51.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12530.00	49.40	74.00	-24.60	47.79	39.67	13.41	51.47	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12530.00</td><td>48.82</td><td>74.00</td><td>-25.18</td><td>47.21</td><td>39.67</td><td>13.41</td><td>51.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12530.00	48.82	74.00	-25.18	47.21	39.67	13.41	51.47	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12530.00	49.40	74.00	-24.60	47.79	39.67	13.41	51.47	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12530.00	48.82	74.00	-25.18	47.21	39.67	13.41	51.47	---	---	Peak																																																																																	





Mode	52																																																																																											
	Harmonic																																																																																											
	U-NII-7-8_6.875-7.125_802.11a_CH185_6525MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.76</td><td>88.20</td><td>-40.44</td><td>46.07</td><td>39.93</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	47.76	88.20	-40.44	46.07	39.93	13.57	51.81	---	---	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.62</td><td>88.20</td><td>-40.58</td><td>45.93</td><td>39.93</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	47.62	88.20	-40.58	45.93	39.93	13.57	51.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13050.00	47.76	88.20	-40.44	46.07	39.93	13.57	51.81	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13050.00	47.62	88.20	-40.58	45.93	39.93	13.57	51.81	---	---	Peak																																																																																	





Mode	53																																																																																											
	Harmonic																																																																																											
	U-NII-7-8_6.875-7.125_802.11be EHT20_CH185_6525MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>46.20</td><td>39.93</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	47.89	88.20	-40.31	46.20	39.93	13.57	51.81	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>47.71</td><td>88.20</td><td>-40.49</td><td>46.02</td><td>39.93</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	47.71	88.20	-40.49	46.02	39.93	13.57	51.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13050.00	47.89	88.20	-40.31	46.20	39.93	13.57	51.81	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13050.00	47.71	88.20	-40.49	46.02	39.93	13.57	51.81	---	---	Peak																																																																																	





Mode	54	
	Harmonic	
	U-NII-7-8_6.875-7.125_802.11be EHT40_CH187_Full RU_6885MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13770.00 51.91 88.20 -36.29 49.78 40.28 13.80 51.95 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13770.00 49.98 88.20 -38.22 47.85 40.28 13.80 51.95 --- --- Peak



Mode	55																																																																																																		
	Harmonic																																																																																																		
	U-NII-7-8_6.875-7.125_802.11be EHT80_CH183_Full RU_6865MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>49.42</td><td>88.20</td><td>-38.78</td><td>47.31</td><td>40.27</td><td>13.79</td><td>51.95</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	49.42	88.20	-38.78	47.31	40.27	13.79	51.95	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>50.39</td><td>88.20</td><td>-37.81</td><td>48.28</td><td>40.27</td><td>13.79</td><td>51.95</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	50.39	88.20	-37.81	48.28	40.27	13.79	51.95	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13730.00	49.42	88.20	-38.78	47.31	40.27	13.79	51.95	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13730.00	50.39	88.20	-37.81	48.28	40.27	13.79	51.95	---	---	Peak																																																																																								







Mode	56	
	Harmonic	
	U-NII-7-8_6.875-7.125_802.11be EHT160_CH175_Full RU_6825MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB cm deg 1 13650.00 49.50 88.20 -38.70 47.44 40.23 13.76 51.93 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13650.00 48.29 88.20 -39.91 46.23 40.23 13.76 51.93 --- --- Peak



Mode	57																																																																																											
	Harmonic																																																																																											
	U-NII-7-8_6.875-7.125_802.11be EHT320_CH159_Full RU_6745MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>50.10</td><td>88.20</td><td>-38.10</td><td>48.14</td><td>40.15</td><td>13.71</td><td>51.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13490.00	50.10	88.20	-38.10	48.14	40.15	13.71	51.90	---	---	Peak	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>46.05</td><td>40.15</td><td>13.71</td><td>51.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13490.00	48.01	88.20	-40.19	46.05	40.15	13.71	51.90	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13490.00	50.10	88.20	-38.10	48.14	40.15	13.71	51.90	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13490.00	48.01	88.20	-40.19	46.05	40.15	13.71	51.90	---	---	Peak																																																																																	



		58																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																			
ANT		CDD 0+1																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7210.85</td><td>54.16</td><td>88.20</td><td>-34.04</td><td>40.68</td><td>36.92</td><td>10.18</td><td>33.62</td><td>341</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>7250.78</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>40.33</td><td>36.90</td><td>10.18</td><td>33.60</td><td>341</td><td>38</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7210.85	54.16	88.20	-34.04	40.68	36.92	10.18	33.62	341	38	PEAK	2	7250.78	53.81	74.00	-20.19	40.33	36.90	10.18	33.60	341	38	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>93.31</td><td>-----</td><td>-----</td><td>79.63</td><td>36.92</td><td>10.27</td><td>33.51</td><td>341</td><td>38</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	93.31	-----	-----	79.63	36.92	10.27	33.51	341	38
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7210.85	54.16	88.20	-34.04	40.68	36.92	10.18	33.62	341	38	PEAK																																																																																										
2	7250.78	53.81	74.00	-20.19	40.33	36.90	10.18	33.60	341	38	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	6905.00	93.31	-----	-----	79.63	36.92	10.27	33.51	341	38	PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7217.51</td><td>44.82</td><td>68.20</td><td>-23.38</td><td>31.34</td><td>36.91</td><td>10.18</td><td>33.61</td><td>341</td><td>38</td><td>AVERAGE</td></tr><tr><td>2</td><td>7267.72</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>30.96</td><td>36.89</td><td>10.18</td><td>33.59</td><td>341</td><td>38</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7217.51	44.82	68.20	-23.38	31.34	36.91	10.18	33.61	341	38	AVERAGE	2	7267.72	44.44	54.00	-9.56	30.96	36.89	10.18	33.59	341	38	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>84.20</td><td>-----</td><td>-----</td><td>70.58</td><td>36.95</td><td>10.25</td><td>33.58</td><td>341</td><td>38</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	84.20	-----	-----	70.58	36.95	10.25	33.58	341	38
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	7217.51	44.82	68.20	-23.38	31.34	36.91	10.18	33.61	341	38	AVERAGE																																																																																										
2	7267.72	44.44	54.00	-9.56	30.96	36.89	10.18	33.59	341	38	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	6905.00	84.20	-----	-----	70.58	36.95	10.25	33.58	341	38	AVERAGE																																																																																										





Mode	58																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																											
ANT	CDD 0+1																																																																																																																											
Pol.	Vertical																																																																																																																											
Peak	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7161.24</td><td>54.19</td><td>88.20</td><td>-34.01</td><td>40.70</td><td>36.94</td><td>10.19</td><td>33.64</td><td>200</td><td>163</td><td>PEAK</td></tr><tr><td>2</td><td>7251.39</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>40.87</td><td>36.90</td><td>10.18</td><td>33.60</td><td>200</td><td>163</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7161.24	54.19	88.20	-34.01	40.70	36.94	10.19	33.64	200	163	PEAK	2	7251.39	54.35	74.00	-19.65	40.87	36.90	10.18	33.60	200	163	PEAK	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>90.76</td><td>-----</td><td>-----</td><td>77.21</td><td>36.98</td><td>10.23</td><td>33.66</td><td>200</td><td>163</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6905.00	90.76	-----	-----	77.21	36.98	10.23	33.66	200	163	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	7161.24	54.19	88.20	-34.01	40.70	36.94	10.19	33.64	200	163	PEAK																																																																																																																	
2	7251.39	54.35	74.00	-19.65	40.87	36.90	10.18	33.60	200	163	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	6905.00	90.76	-----	-----	77.21	36.98	10.23	33.66	200	163	PEAK																																																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7209.04</td><td>46.23</td><td>68.20</td><td>-21.97</td><td>32.75</td><td>36.92</td><td>10.18</td><td>33.62</td><td>200</td><td>163</td><td>AVERAGE</td></tr><tr><td>2</td><td>7265.91</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>32.46</td><td>36.89</td><td>10.18</td><td>33.59</td><td>200</td><td>163</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7209.04	46.23	68.20	-21.97	32.75	36.92	10.18	33.62	200	163	AVERAGE	2	7265.91	45.94	54.00	-8.06	32.46	36.89	10.18	33.59	200	163	AVERAGE	Level (dBuV/m) Date: 2024-08-21 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>81.73</td><td>-----</td><td>-----</td><td>68.11</td><td>36.95</td><td>10.25</td><td>33.58</td><td>200</td><td>163</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6905.00	81.73	-----	-----	68.11	36.95	10.25	33.58	200	163	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	7209.04	46.23	68.20	-21.97	32.75	36.92	10.18	33.62	200	163	AVERAGE																																																																																																																	
2	7265.91	45.94	54.00	-8.06	32.46	36.89	10.18	33.59	200	163	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	6905.00	81.73	-----	-----	68.11	36.95	10.25	33.58	200	163	AVERAGE																																																																																																																	





Mode	58																																																																																						
	Harmonic																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																						
ANT	CDD 0+1																																																																																						
Pol.	Horizontal					Vertical																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-08-22 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13810.00</td><td>50.17</td><td>88.20</td><td>-38.03</td><td>48.01</td><td>40.31</td><td>13.81</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13810.00	50.17	88.20	-38.03	48.01	40.31	13.81	51.96	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13810.00</td><td>51.59</td><td>88.20</td><td>-36.61</td><td>49.43</td><td>40.31</td><td>13.81</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13810.00	51.59	88.20	-36.61	49.43	40.31	13.81	51.96	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13810.00	50.17	88.20	-38.03	48.01	40.31	13.81	51.96	---	---	Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13810.00	51.59	88.20	-36.61	49.43	40.31	13.81	51.96	---	---	Peak																																																																													





Mode	59																																																																																															
	Harmonic																																																																																															
	U-NII-6-7_6.875-7.125_802.11be EHT40_CH115_Full RU_6525MHz																																																																																															
ANT	CDD 0+1																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13050.00</td><td>48.10</td><td>88.20</td><td>-40.10</td><td>46.41</td><td>39.93</td><td>13.57 51.81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13050.00	48.10	88.20	-40.10	46.41	39.93	13.57 51.81							cm deg							--- --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13050.00</td><td>49.87</td><td>88.20</td><td>-38.33</td><td>48.18</td><td>39.93</td><td>13.57 51.81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13050.00	49.87	88.20	-38.33	48.18	39.93	13.57 51.81							cm deg							--- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																										
1 13050.00	48.10	88.20	-40.10	46.41	39.93	13.57 51.81																																																																																										
						cm deg																																																																																										
						--- --- Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																										
1 13050.00	49.87	88.20	-38.33	48.18	39.93	13.57 51.81																																																																																										
						cm deg																																																																																										
						--- --- Peak																																																																																										



Mode	60																																																																																			
	Harmonic																																																																																			
	U-NII-6-7_6.875-7.125_802.11be EHT80_CH119_Full RU_6545MHz																																																																																			
ANT	CDD 0+1																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13090.00</td><td>48.82</td><td>88.20</td><td>-39.38</td><td>47.11</td><td>39.94</td><td>13.59</td><td>51.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13090.00	48.82	88.20	-39.38	47.11	39.94	13.59	51.82	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13090.00</td><td>48.90</td><td>88.20</td><td>-39.30</td><td>47.19</td><td>39.94</td><td>13.59</td><td>51.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13090.00	48.90	88.20	-39.30	47.19	39.94	13.59	51.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	13090.00	48.82	88.20	-39.38	47.11	39.94	13.59	51.82	---	---	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	13090.00	48.90	88.20	-39.30	47.19	39.94	13.59	51.82	---	---	Peak																																																																									





Mode	61																																																																																																									
	Harmonic																																																																																																									
	U-NII-6-7_6.875-7.125_802.11be EHT160_CH111_Full RU_6505MHz																																																																																																									
ANT	CDD 0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13010.00</td><td>47.81</td><td>88.20</td><td>-40.39</td><td>46.14</td><td>39.91</td><td>13.56</td><td>51.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13010.00	47.81	88.20	-40.39	46.14	39.91	13.56	51.80	---	---	Peak	Level (dBuV/m) Date: 2024-08-22  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13010.00</td><td>49.75</td><td>88.20</td><td>-38.45</td><td>48.08</td><td>39.91</td><td>13.56</td><td>51.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13010.00	49.75	88.20	-38.45	48.08	39.91	13.56	51.80	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13010.00	47.81	88.20	-40.39	46.14	39.91	13.56	51.80	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13010.00	49.75	88.20	-38.45	48.08	39.91	13.56	51.80	---	---	Peak																																																																																															







Mode	62																																																																																											
	Harmonic																																																																																											
	U-NII-5-6_6.875-7.125_802.11be EHT320_CH95_Full RU_6425MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>49.03</td><td>88.20</td><td>-39.17</td><td>47.38</td><td>39.83</td><td>13.51</td><td>51.69</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12850.00	49.03	88.20	-39.17	47.38	39.83	13.51	51.69	---	---	Peak	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>48.74</td><td>88.20</td><td>-39.46</td><td>47.09</td><td>39.83</td><td>13.51</td><td>51.69</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12850.00	48.74	88.20	-39.46	47.09	39.83	13.51	51.69	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12850.00	49.03	88.20	-39.17	47.38	39.83	13.51	51.69	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12850.00	48.74	88.20	-39.46	47.09	39.83	13.51	51.69	---	---	Peak																																																																																	







Mode	63																																																																																											
	Harmonic																																																																																											
	U-NII-6-7_6.875-7.125_802.11be EHT320_CH127_Full RU_6585MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>50.65</td><td>88.20</td><td>-37.55</td><td>48.88</td><td>39.99</td><td>13.61</td><td>51.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13170.00	50.65	88.20	-37.55	48.88	39.99	13.61	51.83	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>48.14</td><td>88.20</td><td>-40.06</td><td>46.37</td><td>39.99</td><td>13.61</td><td>51.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13170.00	48.14	88.20	-40.06	46.37	39.99	13.61	51.83	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13170.00	50.65	88.20	-37.55	48.88	39.99	13.61	51.83	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13170.00	48.14	88.20	-40.06	46.37	39.99	13.61	51.83	---	---	Peak																																																																																	







Mode	64																																																																																														
	Band Edge																																																																																														
	U-NII-5_6.875-7.125_802.11be EHT20_CH1_Single RU_5955MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.94</td><td>53.40</td><td>88.20</td><td>-34.80</td><td>39.27</td><td>36.48</td><td>10.41</td><td>32.76</td><td>100</td><td>44</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5911.94	53.40	88.20	-34.80	39.27	36.48	10.41	32.76	100	44	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.79</td><td>-----</td><td>-----</td><td>90.55</td><td>36.53</td><td>10.49</td><td>32.78</td><td>100</td><td>44</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.79	-----	-----	90.55	36.53	10.49	32.78	100	44
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5911.94	53.40	88.20	-34.80	39.27	36.48	10.41	32.76	100	44	PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	104.79	-----	-----	90.55	36.53	10.49	32.78	100	44	PEAK																																																																																				
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.78</td><td>43.69</td><td>68.20</td><td>-24.51</td><td>29.58</td><td>36.47</td><td>10.40</td><td>32.76</td><td>100</td><td>44</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5905.78	43.69	68.20	-24.51	29.58	36.47	10.40	32.76	100	44	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.29</td><td>-----</td><td>-----</td><td>82.05</td><td>36.53</td><td>10.49</td><td>32.78</td><td>100</td><td>44</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.29	-----	-----	82.05	36.53	10.49	32.78	100	44
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5905.78	43.69	68.20	-24.51	29.58	36.47	10.40	32.76	100	44	AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5955.00	96.29	-----	-----	82.05	36.53	10.49	32.78	100	44	AVERAGE																																																																																				



Mode	64																																																																																								
	Band Edge																																																																																								
	U-NII-5_6.875-7.125_802.11be EHT20_CH1_Single RU_5955MHz																																																																																								
ANT	CDD 0+1																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5912.08</td><td>53.36</td><td>88.20</td><td>-34.84</td><td>39.23</td><td>36.48</td><td>10.41</td><td>32.76</td><td>100</td><td>0 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5912.08	53.36	88.20	-34.84	39.23	36.48	10.41	32.76	100	0 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>107.65</td><td>-----</td><td>-----</td><td>93.41</td><td>36.53</td><td>10.49</td><td>32.78</td><td>100</td><td>0 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	107.65	-----	-----	93.41	36.53	10.49	32.78	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5912.08	53.36	88.20	-34.84	39.23	36.48	10.41	32.76	100	0 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	107.65	-----	-----	93.41	36.53	10.49	32.78	100	0 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.86</td><td>43.95</td><td>68.20</td><td>-24.25</td><td>29.80</td><td>36.49</td><td>10.43</td><td>32.77</td><td>100</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5922.86	43.95	68.20	-24.25	29.80	36.49	10.43	32.77	100	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>99.87</td><td>-----</td><td>-----</td><td>85.63</td><td>36.53</td><td>10.49</td><td>32.78</td><td>100</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	99.87	-----	-----	85.63	36.53	10.49	32.78	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5922.86	43.95	68.20	-24.25	29.80	36.49	10.43	32.77	100	0 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	99.87	-----	-----	85.63	36.53	10.49	32.78	100	0 AVERAGE																																																																																







Mode	65																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																																										
ANT	CDD 0+1																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-23  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7168.89</td><td>53.45</td><td>88.20</td><td>-34.75</td><td>39.96</td><td>36.93</td><td>10.19</td><td>33.63</td><td>135</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7347.78</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>39.09</td><td>36.86</td><td>10.18</td><td>33.56</td><td>135</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7168.89	53.45	88.20	-34.75	39.96	36.93	10.19	33.63	135	360	PEAK	2	7347.78	52.57	74.00	-21.43	39.09	36.86	10.18	33.56	135	360	PEAK	Level (dBuV/m) Date: 2024-08-23  PEAK_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>91.31</td><td>-----</td><td>-----</td><td>77.81</td><td>36.96</td><td>10.20</td><td>33.66</td><td>135</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	91.31	-----	-----	77.81	36.96	10.20	33.66	135	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7168.89	53.45	88.20	-34.75	39.96	36.93	10.19	33.63	135	360	PEAK																																																																																																
2	7347.78	52.57	74.00	-21.43	39.09	36.86	10.18	33.56	135	360	PEAK																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7095.00	91.31	-----	-----	77.81	36.96	10.20	33.66	135	360	PEAK																																																																																																
Avg	Level (dBuV/m) Date: 2024-08-23  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7220.06</td><td>43.08</td><td>68.20</td><td>-25.12</td><td>29.60</td><td>36.91</td><td>10.18</td><td>33.61</td><td>135</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7273.02</td><td>42.97</td><td>54.00</td><td>-11.03</td><td>29.49</td><td>36.89</td><td>10.18</td><td>33.59</td><td>135</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7220.06	43.08	68.20	-25.12	29.60	36.91	10.18	33.61	135	360	AVERAGE	2	7273.02	42.97	54.00	-11.03	29.49	36.89	10.18	33.59	135	360	AVERAGE	Level (dBuV/m) Date: 2024-08-23  AVG_BE(UNII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>83.77</td><td>-----</td><td>-----</td><td>70.27</td><td>36.96</td><td>10.20</td><td>33.66</td><td>135</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	83.77	-----	-----	70.27	36.96	10.20	33.66	135	360	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7220.06	43.08	68.20	-25.12	29.60	36.91	10.18	33.61	135	360	AVERAGE																																																																																																
2	7273.02	42.97	54.00	-11.03	29.49	36.89	10.18	33.59	135	360	AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7095.00	83.77	-----	-----	70.27	36.96	10.20	33.66	135	360	AVERAGE																																																																																																



Mode	65																																																																
	Band Edge																																																																
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU_7095MHz																																																																
ANT	CDD 0+1																																																																
Pol.	Vertical																																																																
Peak	Level (dBuV/m) Date: 2024-08-23 PEAK_BE(U)01_6E Frequency (MHz)																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7241.42</td><td>52.26</td><td>88.20</td><td>-35.94</td><td>38.78</td><td>36.90</td><td>10.18</td><td>33.60</td><td>100</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>7279.69</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>38.97</td><td>36.89</td><td>10.18</td><td>33.59</td><td>100</td><td>356</td><td>PEAK</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7241.42	52.26	88.20	-35.94	38.78	36.90	10.18	33.60	100	356	PEAK	2	7279.69	52.45	74.00	-21.55	38.97	36.89	10.18	33.59	100	356	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																								
1	7241.42	52.26	88.20	-35.94	38.78	36.90	10.18	33.60	100	356	PEAK																																																						
2	7279.69	52.45	74.00	-21.55	38.97	36.89	10.18	33.59	100	356	PEAK																																																						
Fundamental	Level (dBuV/m) Date: 2024-08-23 PEAK_BE(U)01_6E Frequency (MHz)																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.87</td><td>-----</td><td>-----</td><td>77.37</td><td>36.96</td><td>10.20</td><td>33.66</td><td>100</td><td>356</td><td>PEAK</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	90.87	-----	-----	77.37	36.96	10.20	33.66	100	356	PEAK												
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																								
1	7095.00	90.87	-----	-----	77.37	36.96	10.20	33.66	100	356	PEAK																																																						
Avg	Level (dBuV/m) Date: 2024-08-23 AVG_BE(U)01_6E Frequency (MHz)																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7217.84</td><td>42.92</td><td>68.20</td><td>-25.28</td><td>29.44</td><td>36.91</td><td>10.18</td><td>33.61</td><td>100</td><td>356</td><td>AVERAGE</td></tr><tr><td>2</td><td>7329.53</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>29.42</td><td>36.87</td><td>10.18</td><td>33.57</td><td>100</td><td>356</td><td>AVERAGE</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7217.84	42.92	68.20	-25.28	29.44	36.91	10.18	33.61	100	356	AVERAGE	2	7329.53	42.90	54.00	-11.10	29.42	36.87	10.18	33.57	100	356	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																								
1	7217.84	42.92	68.20	-25.28	29.44	36.91	10.18	33.61	100	356	AVERAGE																																																						
2	7329.53	42.90	54.00	-11.10	29.42	36.87	10.18	33.57	100	356	AVERAGE																																																						
Fundamental	Level (dBuV/m) Date: 2024-08-23 AVG_BE(U)01_6E Frequency (MHz)																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>84.33</td><td>-----</td><td>-----</td><td>70.83</td><td>36.96</td><td>10.20</td><td>33.66</td><td>100</td><td>356</td><td>AVERAGE</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	84.33	-----	-----	70.83	36.96	10.20	33.66	100	356	AVERAGE												
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																								
1	7095.00	84.33	-----	-----	70.83	36.96	10.20	33.66	100	356	AVERAGE																																																						







		66																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_6.875-7.125_802.11be EHT20_CH1_Small RU _5955MHz																																																																																							
ANT		CDD 0+1																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5873.72</td><td>53.63</td><td>88.20</td><td>-34.57</td><td>39.63</td><td>36.42</td><td>10.33</td><td>32.75</td><td>300</td><td>29 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5873.72	53.63	88.20	-34.57	39.63	36.42	10.33	32.75	300	29 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>105.34</td><td>-----</td><td>-----</td><td>91.08</td><td>36.54</td><td>10.50</td><td>32.78</td><td>300</td><td>29 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	105.34	-----	-----	91.08	36.54	10.50	32.78	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5873.72	53.63	88.20	-34.57	39.63	36.42	10.33	32.75	300	29 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	105.34	-----	-----	91.08	36.54	10.50	32.78	300	29 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5885.34</td><td>43.80</td><td>68.20</td><td>-24.40</td><td>29.75</td><td>36.44</td><td>10.36</td><td>32.75</td><td>300</td><td>29 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5885.34	43.80	68.20	-24.40	29.75	36.44	10.36	32.75	300	29 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>96.90</td><td>-----</td><td>-----</td><td>82.66</td><td>36.53</td><td>10.49</td><td>32.78</td><td>300</td><td>29 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	96.90	-----	-----	82.66	36.53	10.49	32.78	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5885.34	43.80	68.20	-24.40	29.75	36.44	10.36	32.75	300	29 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	96.90	-----	-----	82.66	36.53	10.49	32.78	300	29 AVERAGE																																																																																







		66																																																																																
Mode		Band Edge																																																																																
		U-NII-5_6.875-7.125_802.11be EHT20_CH1_Small RU _5955MHz																																																																																
ANT		CDD 0+1																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2024-08-23 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5885.62</td><td>53.72</td><td>88.20</td><td>-34.48</td><td>39.67</td><td>36.44</td><td>10.36</td><td>32.75</td><td>100 358 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5885.62	53.72	88.20	-34.48	39.67	36.44	10.36	32.75	100 358 PEAK	Level (dBuV/m) Date: 2024-08-23 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>106.99</td><td>-----</td><td>-----</td><td>92.75</td><td>36.53</td><td>10.49</td><td>32.78</td><td>100 358 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	106.99	-----	-----	92.75	36.53	10.49	32.78	100 358 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5885.62	53.72	88.20	-34.48	39.67	36.44	10.36	32.75	100 358 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5955.00	106.99	-----	-----	92.75	36.53	10.49	32.78	100 358 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-08-23 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.70</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>30.31</td><td>36.49</td><td>10.44</td><td>32.77</td><td>100 358 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5923.70	44.47	68.20	-23.73	30.31	36.49	10.44	32.77	100 358 AVERAGE	Level (dBuV/m) Date: 2024-08-23 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>100.06</td><td>-----</td><td>-----</td><td>85.80</td><td>36.54</td><td>10.50</td><td>32.78</td><td>100 358 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	100.06	-----	-----	85.80	36.54	10.50	32.78	100 358 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5923.70	44.47	68.20	-23.73	30.31	36.49	10.44	32.77	100 358 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5955.00	100.06	-----	-----	85.80	36.54	10.50	32.78	100 358 AVERAGE																																																																										



Mode	67																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU _7095MHz																																																																																																						
ANT	CDD 0+1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	 Level (dBuV/m) Date: 2024-08-23 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7236.97</td><td>52.23</td><td>88.20</td><td>-35.97</td><td>38.75</td><td>36.91</td><td>10.18</td><td>33.61</td><td>200</td><td>17</td><td>PEAK</td></tr><tr><td>2</td><td>7291.71</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>39.34</td><td>36.88</td><td>10.18</td><td>33.58</td><td>200</td><td>17</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7236.97	52.23	88.20	-35.97	38.75	36.91	10.18	33.61	200	17	PEAK	2	7291.71	52.82	74.00	-21.18	39.34	36.88	10.18	33.58	200	17	PEAK	 Level (dBuV/m) Date: 2024-08-23 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>96.44</td><td>-----</td><td>-----</td><td>82.94</td><td>36.96</td><td>10.20</td><td>33.66</td><td>200</td><td>17</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.44	-----	-----	82.94	36.96	10.20	33.66	200	17	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7236.97	52.23	88.20	-35.97	38.75	36.91	10.18	33.61	200	17	PEAK																																																																																												
2	7291.71	52.82	74.00	-21.18	39.34	36.88	10.18	33.58	200	17	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	96.44	-----	-----	82.94	36.96	10.20	33.66	200	17	PEAK																																																																																												
Avg	 Level (dBuV/m) Date: 2024-08-23 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7226.29</td><td>42.91</td><td>68.20</td><td>-25.29</td><td>29.43</td><td>36.91</td><td>10.18</td><td>33.61</td><td>200</td><td>17</td><td>AVERAGE</td></tr><tr><td>2</td><td>7270.35</td><td>42.96</td><td>54.00</td><td>-11.04</td><td>29.48</td><td>36.89</td><td>10.18</td><td>33.59</td><td>200</td><td>17</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7226.29	42.91	68.20	-25.29	29.43	36.91	10.18	33.61	200	17	AVERAGE	2	7270.35	42.96	54.00	-11.04	29.48	36.89	10.18	33.59	200	17	AVERAGE	 Level (dBuV/m) Date: 2024-08-23 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>87.09</td><td>-----</td><td>-----</td><td>73.59</td><td>36.96</td><td>10.20</td><td>33.66</td><td>200</td><td>17</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.09	-----	-----	73.59	36.96	10.20	33.66	200	17	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7226.29	42.91	68.20	-25.29	29.43	36.91	10.18	33.61	200	17	AVERAGE																																																																																												
2	7270.35	42.96	54.00	-11.04	29.48	36.89	10.18	33.59	200	17	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	87.09	-----	-----	73.59	36.96	10.20	33.66	200	17	AVERAGE																																																																																												







		67																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU _7095MHz																																																																																																								
ANT		CDD 0+1																																																																																																								
Pol.		Vertical					Fundamental																																																																																																			
Peak	 Level (dBuV/m) Date: 2024-08-23 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7166.66</td><td>52.93</td><td>88.20</td><td>-35.27</td><td>39.44</td><td>36.93</td><td>10.19</td><td>33.63</td><td>210</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>7261.45</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>39.19</td><td>36.90</td><td>10.18</td><td>33.60</td><td>210</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7166.66	52.93	88.20	-35.27	39.44	36.93	10.19	33.63	210	0	PEAK	2	7261.45	52.67	74.00	-21.33	39.19	36.90	10.18	33.60	210	0	PEAK	 Level (dBuV/m) Date: 2024-08-23 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.10</td><td>-----</td><td>-----</td><td>83.60</td><td>36.96</td><td>10.20</td><td>33.66</td><td>210</td><td>0</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.10	-----	-----	83.60	36.96	10.20	33.66	210	0	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7166.66	52.93	88.20	-35.27	39.44	36.93	10.19	33.63	210	0	PEAK																																																																																															
2	7261.45	52.67	74.00	-21.33	39.19	36.90	10.18	33.60	210	0	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7095.00	97.10	-----	-----	83.60	36.96	10.20	33.66	210	0	PEAK																																																																																															
Avg	 Level (dBuV/m) Date: 2024-08-23 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.72</td><td>43.04</td><td>68.20</td><td>-25.16</td><td>29.56</td><td>36.91</td><td>10.18</td><td>33.61</td><td>210</td><td>0</td><td>AVERAGE</td></tr><tr><td>2</td><td>7256.11</td><td>42.94</td><td>54.00</td><td>-11.06</td><td>29.46</td><td>36.90</td><td>10.18</td><td>33.60</td><td>210</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7214.72	43.04	68.20	-25.16	29.56	36.91	10.18	33.61	210	0	AVERAGE	2	7256.11	42.94	54.00	-11.06	29.46	36.90	10.18	33.60	210	0	AVERAGE	 Level (dBuV/m) Date: 2024-08-23 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.18</td><td>-----</td><td>-----</td><td>75.68</td><td>36.96</td><td>10.20</td><td>33.66</td><td>210</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	89.18	-----	-----	75.68	36.96	10.20	33.66	210	0	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7214.72	43.04	68.20	-25.16	29.56	36.91	10.18	33.61	210	0	AVERAGE																																																																																															
2	7256.11	42.94	54.00	-11.06	29.46	36.90	10.18	33.60	210	0	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7095.00	89.18	-----	-----	75.68	36.96	10.20	33.66	210	0	AVERAGE																																																																																															







Mode	68																																																																									
	Band Edge																																																																									
	U-NII-5_6.875-7.125_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																																																									
ANT	CDD 0+1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-08-23 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5914.12</td><td>62.20</td><td>88.20</td><td>-26.00</td><td>48.07</td><td>36.48</td><td>10.42</td><td>32.77</td><td>400 52 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5914.12	62.20	88.20	-26.00	48.07	36.48	10.42	32.77	400 52 PEAK	Level (dBuV/m) Date: 2024-08-23 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>100.29</td><td>-----</td><td>-----</td><td>85.92</td><td>36.59</td><td>10.58</td><td>32.80</td><td>400 52 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	100.29	-----	-----	85.92	36.59	10.58	32.80	400 52 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5914.12	62.20	88.20	-26.00	48.07	36.48	10.42	32.77	400 52 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	100.29	-----	-----	85.92	36.59	10.58	32.80	400 52 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-08-23 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.80</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>32.74</td><td>36.48</td><td>10.42</td><td>32.77</td><td>400 52 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5917.80	46.87	68.20	-21.33	32.74	36.48	10.42	32.77	400 52 AVERAGE	Level (dBuV/m) Date: 2024-08-23 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>91.04</td><td>-----</td><td>-----</td><td>76.75</td><td>36.55</td><td>10.53</td><td>32.79</td><td>400 52 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	91.04	-----	-----	76.75	36.55	10.53	32.79	400 52 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5917.80	46.87	68.20	-21.33	32.74	36.48	10.42	32.77	400 52 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5985.00	91.04	-----	-----	76.75	36.55	10.53	32.79	400 52 AVERAGE																																																																		



Mode	68																																									
	Band Edge																																									
	U-NII-5_6.875-7.125_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																									
ANT	CDD 0+1																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-08-23  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5910.12</td><td>65.30</td><td>88.20</td><td>-22.90</td><td>51.18</td><td>36.47</td><td>10.41</td><td>32.76</td><td>230</td><td>0 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5910.12	65.30	88.20	-22.90	51.18	36.47	10.41	32.76	230	0 PEAK	Level (dBuV/m) Date: 2024-08-23  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5985.00</td><td>104.94</td><td>-----</td><td>-----</td><td>90.70</td><td>36.53</td><td>10.49</td><td>32.78</td><td>230</td><td>0 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5985.00	104.94	-----	-----	90.70	36.53	10.49	32.78	230	0 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5910.12	65.30	88.20	-22.90	51.18	36.47	10.41	32.76	230	0 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5985.00	104.94	-----	-----	90.70	36.53	10.49	32.78	230	0 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-08-23  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5909.32</td><td>49.28</td><td>68.20</td><td>-18.92</td><td>35.16</td><td>36.47</td><td>10.41</td><td>32.76</td><td>230</td><td>0 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5909.32	49.28	68.20	-18.92	35.16	36.47	10.41	32.76	230	0 AVERAGE	Level (dBuV/m) Date: 2024-08-23  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5985.00</td><td>95.59</td><td>-----</td><td>-----</td><td>81.30</td><td>36.55</td><td>10.53</td><td>32.79</td><td>230</td><td>0 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5985.00	95.59	-----	-----	81.30	36.55	10.53	32.79	230	0 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5909.32	49.28	68.20	-18.92	35.16	36.47	10.41	32.76	230	0 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5985.00	95.59	-----	-----	81.30	36.55	10.53	32.79	230	0 AVERAGE																																	



		69																																																																																																														
Mode		Band Edge																																																																																																														
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																																														
ANT		CDD 0+1																																																																																																														
Pol.	Horizontal										Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-23  Frequency (MHz)										Level (dBuV/m) Date: 2024-08-23  Frequency (MHz)																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7233.57</td><td>52.85</td><td>88.20</td><td>-35.35</td><td>39.37</td><td>36.91</td><td>10.18</td><td>33.61</td><td>236</td><td>0° PEAK</td></tr><tr><td>2</td><td>7258.39</td><td>52.56</td><td>74.00</td><td>-21.44</td><td>39.08</td><td>36.90</td><td>10.18</td><td>33.60</td><td>236</td><td>0° PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7233.57	52.85	88.20	-35.35	39.37	36.91	10.18	33.61	236	0° PEAK	2	7258.39	52.56	74.00	-21.44	39.08	36.90	10.18	33.60	236	0° PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>93.67</td><td>-----</td><td>-----</td><td>80.16</td><td>36.97</td><td>10.21</td><td>33.67</td><td>236</td><td>0° PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.67	-----	-----	80.16	36.97	10.21	33.67	236
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7233.57	52.85	88.20	-35.35	39.37	36.91	10.18	33.61	236	0° PEAK																																																																																																						
2	7258.39	52.56	74.00	-21.44	39.08	36.90	10.18	33.60	236	0° PEAK																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7025.00	93.67	-----	-----	80.16	36.97	10.21	33.67	236	0° PEAK																																																																																																						
Avg	Level (dBuV/m) Date: 2024-08-23  Frequency (MHz)										Level (dBuV/m) Date: 2024-08-23  Frequency (MHz)																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7212.03</td><td>42.88</td><td>68.20</td><td>-25.32</td><td>29.40</td><td>36.92</td><td>10.18</td><td>33.62</td><td>236</td><td>0° AVERAGE</td></tr><tr><td>2</td><td>7250.72</td><td>42.94</td><td>54.00</td><td>-11.06</td><td>29.46</td><td>36.90</td><td>10.18</td><td>33.60</td><td>236</td><td>0° AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7212.03	42.88	68.20	-25.32	29.40	36.92	10.18	33.62	236	0° AVERAGE	2	7250.72	42.94	54.00	-11.06	29.46	36.90	10.18	33.60	236	0° AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>84.12</td><td>-----</td><td>-----</td><td>70.61</td><td>36.98</td><td>10.21</td><td>33.68</td><td>236</td><td>0° AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	84.12	-----	-----	70.61	36.98	10.21	33.68	236
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7212.03	42.88	68.20	-25.32	29.40	36.92	10.18	33.62	236	0° AVERAGE																																																																																																						
2	7250.72	42.94	54.00	-11.06	29.46	36.90	10.18	33.60	236	0° AVERAGE																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7025.00	84.12	-----	-----	70.61	36.98	10.21	33.68	236	0° AVERAGE																																																																																																						



		69																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																												
ANT		CDD 0+1																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7235.03	52.87	88.20	-35.33	39.39	36.91	10.18	33.61	200 333 PEAK	2	7313.14	52.99	74.00	-21.01	39.51	36.87	10.18	33.57	200 333 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	94.38	-----	-----	80.87	36.99	10.21	33.69	200 333 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7235.03	52.87	88.20	-35.33	39.39	36.91	10.18	33.61	200 333 PEAK																																																																																					
2	7313.14	52.99	74.00	-21.01	39.51	36.87	10.18	33.57	200 333 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7025.00	94.38	-----	-----	80.87	36.99	10.21	33.69	200 333 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7168.23	42.85	68.20	-25.35	29.36	36.93	10.19	33.63	200 333 AVERAGE	2	7324.82	43.04	54.00	-10.96	29.56	36.87	10.18	33.57	200 333 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	85.84	-----	-----	72.33	36.99	10.21	33.69	200 333 AVERAGE				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7168.23	42.85	68.20	-25.35	29.36	36.93	10.19	33.63	200 333 AVERAGE																																																																																					
2	7324.82	43.04	54.00	-10.96	29.56	36.87	10.18	33.57	200 333 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7025.00	85.84	-----	-----	72.33	36.99	10.21	33.69	200 333 AVERAGE																																																																																					



Mode	70										
	Band Edge										
	U-NII-5_6.875-7.125_802.11be EHT160_CH15_Large RU 996+484_6025MHz										
ANT	CDD 0+1										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m) Date: 2024-08-23										