







		24																																																															
Mode		Band Edge - L																																																															
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																															
ANT		CDD 9+15																																																															
Pol.		Vertical					Fundamental																																																										
Peak	Level (dBuV/m) Date: 2024-08-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5436.56</td><td>51.49</td><td>74.00</td><td>-22.51</td><td>37.80</td><td>34.81</td><td>11.02</td><td>32.14</td><td>393</td><td>3 PEAK</td></tr><tr><td>2</td><td>5461.84</td><td>51.86</td><td>68.30</td><td>-16.44</td><td>38.09</td><td>34.81</td><td>11.13</td><td>32.17</td><td>393</td><td>3 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5436.56	51.49	74.00	-22.51	37.80	34.81	11.02	32.14	393	3 PEAK	2	5461.84	51.86	68.30	-16.44	38.09	34.81	11.13	32.17	393	3 PEAK	Level (dBuV/m) Date: 2024-08-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>103.21</td><td>-----</td><td>-----</td><td>88.84</td><td>35.01</td><td>11.69</td><td>32.33</td><td>393</td><td>3 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	103.21	-----	-----	88.84	35.01	11.69	32.33	393	3 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5436.56	51.49	74.00	-22.51	37.80	34.81	11.02	32.14	393	3 PEAK																																																							
2	5461.84	51.86	68.30	-16.44	38.09	34.81	11.13	32.17	393	3 PEAK																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5670.00	103.21	-----	-----	88.84	35.01	11.69	32.33	393	3 PEAK																																																							
Avg	Level (dBuV/m) Date: 2024-08-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.28</td><td>42.06</td><td>54.00</td><td>-11.94</td><td>28.29</td><td>34.81</td><td>11.12</td><td>32.16</td><td>393</td><td>3 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5459.28	42.06	54.00	-11.94	28.29	34.81	11.12	32.16	393	3 AVERAGE	Level (dBuV/m) Date: 2024-08-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>93.45</td><td>-----</td><td>-----</td><td>79.08</td><td>35.01</td><td>11.69</td><td>32.33</td><td>393</td><td>3 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	93.45	-----	-----	79.08	35.01	11.69	32.33	393	3 AVERAGE											
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.28	42.06	54.00	-11.94	28.29	34.81	11.12	32.16	393	3 AVERAGE																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5670.00	93.45	-----	-----	79.08	35.01	11.69	32.33	393	3 AVERAGE																																																							





Mode	24																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																					
ANT	CDD 9+15																																					
Pol.	Vertical	Fundamental																																				
Peak	Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5748.72</td><td>53.40</td><td>68.30</td><td>-14.90</td><td>39.01</td><td>35.15</td><td>11.64</td><td>32.40</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5748.72	53.40	68.30	-14.90	39.01	35.15	11.64	32.40	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																														
1	5748.72	53.40	68.30	-14.90	39.01	35.15	11.64	32.40																														







		25																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																							
ANT		CDD 9+15																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.84</td><td>58.02</td><td>74.00</td><td>-15.98</td><td>43.84</td><td>34.87</td><td>11.09</td><td>31.78</td><td>341 122 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.84	58.02	74.00	-15.98	43.84	34.87	11.09	31.78	341 122 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>105.27</td><td>-----</td><td>-----</td><td>91.14</td><td>34.87</td><td>11.07</td><td>31.81</td><td>341 122 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	105.27	-----	-----	91.14	34.87	11.07	31.81
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.84	58.02	74.00	-15.98	43.84	34.87	11.09	31.78	341 122 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	105.27	-----	-----	91.14	34.87	11.07	31.81	341 122 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.44</td><td>47.66</td><td>54.00</td><td>-6.34</td><td>33.48</td><td>34.87</td><td>11.09</td><td>31.78</td><td>341 122 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.44	47.66	54.00	-6.34	33.48	34.87	11.09	31.78	341 122 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>96.38</td><td>-----</td><td>-----</td><td>82.25</td><td>34.87</td><td>11.07</td><td>31.81</td><td>341 122 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.38	-----	-----	82.25	34.87	11.07	31.81
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.44	47.66	54.00	-6.34	33.48	34.87	11.09	31.78	341 122 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	96.38	-----	-----	82.25	34.87	11.07	31.81	341 122 AVERAGE																																																																																



Mode	25																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																										
ANT	CDD 9+15																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.38</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>39.26</td><td>34.82</td><td>10.94</td><td>32.11</td><td>341</td><td>122 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5416.38	52.91	74.00	-21.09	39.26	34.82	10.94	32.11	341	122 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5416.38	52.91	74.00	-21.09	39.26	34.82	10.94	32.11	341	122 PEAK																																	
Avg	Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5414.88</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>29.31</td><td>34.82</td><td>10.93</td><td>32.11</td><td>341</td><td>122 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5414.88	42.95	54.00	-11.05	29.31	34.82	10.93	32.11	341	122 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5414.88	42.95	54.00	-11.05	29.31	34.82	10.93	32.11	341	122 AVERAGE																																	







		25																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																								
ANT		CDD 9+15																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	 Date: 2024-08-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5147.55</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>39.89</td><td>34.87</td><td>11.09</td><td>31.78</td><td>393</td><td>1 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5147.55	54.07	74.00	-19.93	39.89	34.87	11.09	31.78	393	1 PEAK	 Date: 2024-08-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>98.53</td><td>-----</td><td>-----</td><td>84.40</td><td>34.87</td><td>11.07</td><td>31.81</td><td>393</td><td>1 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	98.53	-----	-----	84.40	34.87	11.07	31.81	393	1 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5147.55	54.07	74.00	-19.93	39.89	34.87	11.09	31.78	393	1 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5210.00	98.53	-----	-----	84.40	34.87	11.07	31.81	393	1 PEAK																																																																																	
Avg	 Date: 2024-08-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5148.79</td><td>44.19</td><td>54.00</td><td>-9.81</td><td>30.01</td><td>34.87</td><td>11.09</td><td>31.78</td><td>393</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5148.79	44.19	54.00	-9.81	30.01	34.87	11.09	31.78	393	1 AVERAGE	 Date: 2024-08-20 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>90.55</td><td>-----</td><td>-----</td><td>76.42</td><td>34.87</td><td>11.07</td><td>31.81</td><td>393</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	90.55	-----	-----	76.42	34.87	11.07	31.81	393	1 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5148.79	44.19	54.00	-9.81	30.01	34.87	11.09	31.78	393	1 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5210.00	90.55	-----	-----	76.42	34.87	11.07	31.81	393	1 AVERAGE																																																																																	



Mode	25																																	
	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																	
ANT	CDD 9+15																																	
Pol.	Vertical	Fundamental																																
Peak	Date: 2024-08-20 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5403.38</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>39.09</td><td>34.82</td><td>10.90</td></tr></table> 1 PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5403.38	52.71	74.00	-21.29	39.09	34.82	10.90	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																											
1	5403.38	52.71	74.00	-21.29	39.09	34.82	10.90																											
Avg	Date: 2024-08-20 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5353.65</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>28.79</td><td>34.83</td><td>10.94</td></tr></table> 1 AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5353.65	42.53	54.00	-11.47	28.79	34.83	10.94	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																											
1	5353.65	42.53	54.00	-11.47	28.79	34.83	10.94																											



		26																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																	
ANT		CDD 9+15																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5115.59</td><td>53.02</td><td>74.00</td><td>-20.98</td><td>38.78</td><td>34.88</td><td>11.10</td><td>31.74</td><td>257 319 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5115.59	53.02	74.00	-20.98	38.78	34.88	11.10	31.74	257 319 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>102.83</td><td>-----</td><td>-----</td><td>89.00</td><td>34.84</td><td>10.97</td><td>31.98</td><td>257 319 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	102.83	-----	-----	89.00	34.84	10.97	31.98
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5115.59	53.02	74.00	-20.98	38.78	34.88	11.10	31.74	257 319 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	102.83	-----	-----	89.00	34.84	10.97	31.98	257 319 PEAK																																																																																										
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>29.36</td><td>34.87</td><td>11.08</td><td>31.78</td><td>257 319 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	43.53	54.00	-10.47	29.36	34.87	11.08	31.78	257 319 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.19</td><td>-----</td><td>-----</td><td>80.37</td><td>34.84</td><td>10.97</td><td>31.99</td><td>257 319 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.19	-----	-----	80.37	34.84	10.97	31.99
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.99	43.53	54.00	-10.47	29.36	34.87	11.08	31.78	257 319 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	94.19	-----	-----	80.37	34.84	10.97	31.99	257 319 AVERAGE																																																																																										



		26																																												
Mode	Band Edge - L																																													
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																													
ANT	CDD 9+15																																													
Pol.	Vertical					Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-08-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5104.23</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>39.77</td><td>34.88</td><td>11.11</td><td>31.72</td><td>300 349 PEAK</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5104.23	54.04	74.00	-19.96	39.77	34.88	11.11	31.72	300 349 PEAK	Level (dBuV/m) Date: 2024-08-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>99.16</td><td>-----</td><td>85.22</td><td>34.85</td><td>11.01</td><td>31.92</td><td>300</td><td>349 PEAK</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	99.16	-----	85.22	34.85	11.01	31.92	300	349 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																					
1 5104.23	54.04	74.00	-19.96	39.77	34.88	11.11	31.72	300 349 PEAK																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																						
1 5290.00	99.16	-----	85.22	34.85	11.01	31.92	300	349 PEAK																																						
Avg	Level (dBuV/m) Date: 2024-08-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5148.05</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>29.12</td><td>34.87</td><td>11.09</td><td>31.78</td><td>300 349 AVERAGE</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5148.05	43.30	54.00	-10.70	29.12	34.87	11.09	31.78	300 349 AVERAGE	Level (dBuV/m) Date: 2024-08-20 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5290.00</td><td>89.10</td><td>-----</td><td>75.14</td><td>34.85</td><td>11.02</td><td>31.91</td><td>300</td><td>349 AVERAGE</td></tr></tbody></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	89.10	-----	75.14	34.85	11.02	31.91	300	349 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																					
1 5148.05	43.30	54.00	-10.70	29.12	34.87	11.09	31.78	300 349 AVERAGE																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																						
1 5290.00	89.10	-----	75.14	34.85	11.02	31.91	300	349 AVERAGE																																						

Mode

27

Band Edge - L

U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz

ANT

CDD 9+15

Pol.

Horizontal

Fundamental

Peak

Level (dBuV/m)

Date: 2024-08-20

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

5350

5386.

5422.

5458.

5494.

5530

Frequency (MHz)

1

2

PART 15.407

	Limit	Read	Ant	Cable	Preamp	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg
1	5450.89	60.85	74.00	-13.15	47.11	34.81	11.08	32.15	370 326 PEAK
2	5467.63	62.21	68.30	-6.09	48.42	34.81	11.15	32.17	370 326 PEAK

Fundamental

Level (dBuV/m)

Date: 2024-08-20

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2200.

3400.

4600.

5800.

7000

Frequency (MHz)

1

PART 15.407

	Limit	Read	Ant	Cable	Preamp	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg
1	5530.00	104.27	-----	-----	90.12	34.88	11.52	32.25	370 326 PEAK

Avg

Level (dBuV/m)

Date: 2024-08-20

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

5350

5386.

5422.

5458.

5494.

5530

Frequency (MHz)

1

PART 15.407 AVG

	Limit	Read	Ant	Cable	Preamp	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg
1	5456.45	49.07	54.00	-4.93	35.31	34.81	11.11	32.16	370 326 AVERAGE

Fundamental

Level (dBuV/m)

Date: 2024-08-20

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

1000

2200.

3400.

4600.

5800.

7000

Frequency (MHz)

1

PART 15.407 AVG

	Limit	Read	Ant	Cable	Preamp	APos	TPos		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg
1	5530.00	94.85	-----	-----	80.70	34.88	11.52	32.25	370 326 AVERAGE



Mode	27																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																
ANT	CDD 9+15																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5732.95</td><td>53.47</td><td>68.30</td><td>-14.83</td><td>39.08</td><td>35.13</td><td>11.65</td><td>32.39</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>370</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>326</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5732.95	53.47	68.30	-14.83	39.08	35.13	11.65	32.39									370									326									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5732.95	53.47	68.30	-14.83	39.08	35.13	11.65	32.39																																																									
								370																																																									
								326																																																									
								PEAK																																																									







		27																																																																																														
Mode		Band Edge - L																																																																																														
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																														
ANT		CDD 9+15																																																																																														
Pol.		Vertical					Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-08-20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.97</td><td>58.24</td><td>74.00</td><td>-15.76</td><td>44.49</td><td>34.81</td><td>11.10</td><td>32.16</td><td>388 12 PEAK</td></tr><tr><td>2</td><td>5465.67</td><td>56.59</td><td>68.30</td><td>-11.71</td><td>42.81</td><td>34.81</td><td>11.14</td><td>32.17</td><td>388 12 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5453.97	58.24	74.00	-15.76	44.49	34.81	11.10	32.16	388 12 PEAK	2	5465.67	56.59	68.30	-11.71	42.81	34.81	11.14	32.17	388 12 PEAK	Level (dBuV/m) Date: 2024-08-20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>101.25</td><td>-----</td><td>-----</td><td>87.07</td><td>34.89</td><td>11.55</td><td>32.26</td><td>388 12 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	101.25	-----	-----	87.07	34.89	11.55	32.26	388 12 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5453.97	58.24	74.00	-15.76	44.49	34.81	11.10	32.16	388 12 PEAK																																																																																							
2	5465.67	56.59	68.30	-11.71	42.81	34.81	11.14	32.17	388 12 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5530.00	101.25	-----	-----	87.07	34.89	11.55	32.26	388 12 PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2024-08-20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.21</td><td>47.61</td><td>54.00</td><td>-6.39</td><td>33.86</td><td>34.81</td><td>11.10</td><td>32.16</td><td>388 12 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.21	47.61	54.00	-6.39	33.86	34.81	11.10	32.16	388 12 AVERAGE	Level (dBuV/m) Date: 2024-08-20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>92.33</td><td>-----</td><td>-----</td><td>78.15</td><td>34.89</td><td>11.55</td><td>32.26</td><td>388 12 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	92.33	-----	-----	78.15	34.89	11.55	32.26	388 12 AVERAGE										
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5455.21	47.61	54.00	-6.39	33.86	34.81	11.10	32.16	388 12 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5530.00	92.33	-----	-----	78.15	34.89	11.55	32.26	388 12 AVERAGE																																																																																							



Mode	28																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																											
ANT	CDD 9+15																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.97</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>41.11</td><td>34.81</td><td>11.02</td><td>32.14</td><td>231</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5469.99</td><td>54.60</td><td>68.30</td><td>-13.70</td><td>40.81</td><td>34.81</td><td>11.16</td><td>32.18</td><td>231</td><td>117</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5436.97	54.80	74.00	-19.20	41.11	34.81	11.02	32.14	231	117	PEAK	2	5469.99	54.60	68.30	-13.70	40.81	34.81	11.16	32.18	231	117	PEAK	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>108.55</td><td>-----</td><td>-----</td><td>94.18</td><td>34.95</td><td>11.71</td><td>32.29</td><td>231</td><td>117</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	108.55	-----	-----	94.18	34.95	11.71	32.29	231	117	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5436.97	54.80	74.00	-19.20	41.11	34.81	11.02	32.14	231	117	PEAK																																																																																	
2	5469.99	54.60	68.30	-13.70	40.81	34.81	11.16	32.18	231	117	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5610.00	108.55	-----	-----	94.18	34.95	11.71	32.29	231	117	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.17</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>30.73</td><td>34.81</td><td>11.10</td><td>32.16</td><td>231</td><td>117</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.17	44.48	54.00	-9.52	30.73	34.81	11.10	32.16	231	117	AVERAGE	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>97.15</td><td>-----</td><td>-----</td><td>82.78</td><td>34.95</td><td>11.71</td><td>32.29</td><td>231</td><td>117</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.15	-----	-----	82.78	34.95	11.71	32.29	231	117	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5455.17	44.48	54.00	-9.52	30.73	34.81	11.10	32.16	231	117	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5610.00	97.15	-----	-----	82.78	34.95	11.71	32.29	231	117	AVERAGE																																																																																	







		28																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																												
ANT		CDD 9+15																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5395.63	53.30	74.00	-20.70	39.66	34.82	10.91	32.09	381	19 PEAK	2 5467.39	52.54	68.30	-15.76	38.75	34.81	11.15	32.17	381	19 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	100.97	-----	-----	86.60	35.00	11.69	32.32	381	19 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5395.63	53.30	74.00	-20.70	39.66	34.82	10.91	32.09	381	19 PEAK																																																																																					
2 5467.39	52.54	68.30	-15.76	38.75	34.81	11.15	32.17	381	19 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5610.00	100.97	-----	-----	86.60	35.00	11.69	32.32	381	19 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5458.32	42.42	54.00	-11.58	28.66	34.81	11.11	32.16	381	19 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	92.42	-----	-----	78.05	35.00	11.69	32.32	381	19 AVERAGE														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5458.32	42.42	54.00	-11.58	28.66	34.81	11.11	32.16	381	19 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5610.00	92.42	-----	-----	78.05	35.00	11.69	32.32	381	19 AVERAGE																																																																																					



Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT	CDD 9+15																																																							
Pol.	Vertical	Fundamental																																																						
Peak	Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5763.23</td><td>53.21</td><td>68.30</td><td>-15.09</td><td>38.82</td><td>35.17</td><td>11.64</td><td>32.42</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>381</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>19 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5763.23	53.21	68.30	-15.09	38.82	35.17	11.64	32.42									381									19 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																
1	5763.23	53.21	68.30	-15.09	38.82	35.17	11.64	32.42																																																
								381																																																
								19 PEAK																																																



		29																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																							
ANT		CDD 9+15																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>64.61</td><td>74.00</td><td>-9.39</td><td>50.44</td><td>34.87</td><td>11.08</td><td>31.78</td><td>309</td><td>123</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.99	64.61	74.00	-9.39	50.44	34.87	11.08	31.78	309	123	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>102.08</td><td>-----</td><td>-----</td><td>88.08</td><td>34.85</td><td>11.03</td><td>31.88</td><td>309</td><td>123</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	102.08	-----	-----	88.08	34.85	11.03	31.88	309	123
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5149.99	64.61	74.00	-9.39	50.44	34.87	11.08	31.78	309	123	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5250.00	102.08	-----	-----	88.08	34.85	11.03	31.88	309	123	PEAK																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.60</td><td>48.55</td><td>54.00</td><td>-5.45</td><td>34.32</td><td>34.88</td><td>11.10</td><td>31.75</td><td>309</td><td>123</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5123.60	48.55	54.00	-5.45	34.32	34.88	11.10	31.75	309	123	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>91.83</td><td>-----</td><td>-----</td><td>77.70</td><td>34.87</td><td>11.07</td><td>31.81</td><td>309</td><td>123</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	91.83	-----	-----	77.70	34.87	11.07	31.81	309	123
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5123.60	48.55	54.00	-5.45	34.32	34.88	11.10	31.75	309	123	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5250.00	91.83	-----	-----	77.70	34.87	11.07	31.81	309	123	AVERAGE																																																																														



Mode	29										
	Band Edge - R										
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz										
ANT	CDD 9+15										
Pol.	Horizontal						Fundamental				
Peak											



		29																																																	
Mode		Band Edge - L																																																	
		U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz																																																	
ANT		CDD 9+15																																																	
Pol.		Fundamental																																																	
Peak	Vertical	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.65</td><td>59.03</td><td>74.00</td><td>-14.97</td><td>44.85</td><td>34.87</td><td>11.09</td><td>31.78</td><td>223</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.65	59.03	74.00	-14.97	44.85	34.87	11.09	31.78	223	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5149.65	59.03	74.00	-14.97	44.85	34.87	11.09	31.78	223	360	PEAK																																								
Fundamental	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>95.82</td><td>-----</td><td>-----</td><td>81.92</td><td>34.84</td><td>11.00</td><td>31.94</td><td>223</td><td>360</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	95.82	-----	-----	81.92	34.84	11.00	31.94	223	360	PEAK	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5250.00	95.82	-----	-----	81.92	34.84	11.00	31.94	223	360	PEAK																																								
Avg	Vertical	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5114.88</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>31.29</td><td>34.88</td><td>11.10</td><td>31.74</td><td>223</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5114.88	45.53	54.00	-8.47	31.29	34.88	11.10	31.74	223	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5114.88	45.53	54.00	-8.47	31.29	34.88	11.10	31.74	223	360	AVERAGE																																								
Fundamental	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>86.80</td><td>-----</td><td>-----</td><td>72.80</td><td>34.85</td><td>11.03</td><td>31.88</td><td>223</td><td>360</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	86.80	-----	-----	72.80	34.85	11.03	31.88	223	360	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5250.00	86.80	-----	-----	72.80	34.85	11.03	31.88	223	360	AVERAGE																																								



Mode	29																																																			
	Band Edge - R																																																			
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz																																																			
ANT	CDD 9+15																																																			
Pol.	Vertical						Fundamental																																													
Peak	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.64</td><td>57.96</td><td>74.00</td><td>-16.04</td><td>44.22</td><td>34.83</td><td>10.94</td><td>32.03</td><td>223</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5353.64	57.96	74.00	-16.04	44.22	34.83	10.94	32.03	223	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	5353.64	57.96	74.00	-16.04	44.22	34.83	10.94	32.03	223	360	PEAK																																									
Avg	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.15</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>31.74</td><td>34.82</td><td>10.90</td><td>32.09</td><td>223</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5402.15	45.37	54.00	-8.63	31.74	34.82	10.90	32.09	223	360	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1	5402.15	45.37	54.00	-8.63	31.74	34.82	10.90	32.09	223	360	AVERAGE																																									







Mode	30																																																																															
	Band Edge - L																																																																															
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Full_5570MHz																																																																															
ANT	CDD 9+15																																																																															
Pol.	Horizontal					Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.77</td><td>58.18</td><td>74.00</td><td>-15.82</td><td>44.44</td><td>34.81</td><td>11.08</td><td>32.15</td><td>237 116 PEAK</td></tr><tr><td>2</td><td>5469.99</td><td>60.11</td><td>68.30</td><td>-8.19</td><td>46.32</td><td>34.81</td><td>11.16</td><td>32.18</td><td>237 116 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5449.77	58.18	74.00	-15.82	44.44	34.81	11.08	32.15	237 116 PEAK	2	5469.99	60.11	68.30	-8.19	46.32	34.81	11.16	32.18	237 116 PEAK	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.85</td><td>-----</td><td>-----</td><td>86.90</td><td>34.82</td><td>11.35</td><td>32.22</td><td>237 116 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5570.00	100.85	-----	-----	86.90	34.82	11.35	32.22	237 116 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																							
1	5449.77	58.18	74.00	-15.82	44.44	34.81	11.08	32.15	237 116 PEAK																																																																							
2	5469.99	60.11	68.30	-8.19	46.32	34.81	11.16	32.18	237 116 PEAK																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																							
1	5570.00	100.85	-----	-----	86.90	34.82	11.35	32.22	237 116 PEAK																																																																							
Avg	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5434.39</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>33.00</td><td>34.81</td><td>11.01</td><td>32.13</td><td>237 116 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5434.39	46.69	54.00	-7.31	33.00	34.81	11.01	32.13	237 116 AVERAGE	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.97</td><td>-----</td><td>-----</td><td>77.79</td><td>34.89</td><td>11.55</td><td>32.26</td><td>237 116 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5570.00	91.97	-----	-----	77.79	34.89	11.55	32.26	237 116 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																							
1	5434.39	46.69	54.00	-7.31	33.00	34.81	11.01	32.13	237 116 AVERAGE																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																							
1	5570.00	91.97	-----	-----	77.79	34.89	11.55	32.26	237 116 AVERAGE																																																																							



Mode	30																																									
	Band Edge - R																																									
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Full_5570MHz																																									
ANT	CDD 9+15																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.39</td><td>56.59</td><td>68.30</td><td>-11.71</td><td>42.21</td><td>35.12</td><td>11.65</td><td>32.39</td><td>237 116 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5729.39	56.59	68.30	-11.71	42.21	35.12	11.65	32.39	237 116 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5729.39	56.59	68.30	-11.71	42.21	35.12	11.65	32.39	237 116 PEAK																																	



		30																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Full_5570MHz																																																																																												
ANT		CDD 9+15																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.39	58.23	74.00	-15.77	44.47	34.81	11.11	32.16	310 3 PEAK	2	5469.59	59.96	68.30	-8.34	46.17	34.81	11.16	32.18	310 3 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>97.42</td><td>-----</td><td>-----</td><td>83.18</td><td>34.91</td><td>11.60</td><td>32.27</td><td>310 3 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	97.42	-----	-----	83.18	34.91	11.60	32.27
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5456.39	58.23	74.00	-15.77	44.47	34.81	11.11	32.16	310 3 PEAK																																																																																					
2	5469.59	59.96	68.30	-8.34	46.17	34.81	11.16	32.18	310 3 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5570.00	97.42	-----	-----	83.18	34.91	11.60	32.27	310 3 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5432.17	44.49	54.00	-9.51	30.81	34.81	11.00	32.13	310 3 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>87.83</td><td>-----</td><td>-----</td><td>73.59</td><td>34.91</td><td>11.60</td><td>32.27</td><td>310 3 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	87.83	-----	-----	73.59	34.91	11.60	32.27	310 3 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5432.17	44.49	54.00	-9.51	30.81	34.81	11.00	32.13	310 3 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5570.00	87.83	-----	-----	73.59	34.91	11.60	32.27	310 3 AVERAGE																																																																																					



Mode	31																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																		
ANT	CDD 9+15																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2024-08-22 PEAK_BEB9_16-24 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5617.04</td><td>53.53</td><td>68.30</td><td>-14.77</td><td>39.17</td><td>34.96</td><td>11.70</td><td>32.30</td><td>391</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5650.24</td><td>53.14</td><td>68.48</td><td>-15.34</td><td>38.77</td><td>35.01</td><td>11.69</td><td>32.33</td><td>391</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>5700.01</td><td>52.23</td><td>105.20</td><td>-52.97</td><td>37.86</td><td>35.08</td><td>11.66</td><td>32.37</td><td>391</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>5720.73</td><td>53.23</td><td>112.46</td><td>-59.23</td><td>38.84</td><td>35.11</td><td>11.66</td><td>32.38</td><td>391</td><td>38</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5617.04	53.53	68.30	-14.77	39.17	34.96	11.70	32.30	391	38	PEAK	2	5650.24	53.14	68.48	-15.34	38.77	35.01	11.69	32.33	391	38	PEAK	3	5700.01	52.23	105.20	-52.97	37.86	35.08	11.66	32.37	391	38	PEAK	4	5720.73	53.23	112.46	-59.23	38.84	35.11	11.66	32.38	391	38	PEAK	Level (dBuV/m) Date: 2024-08-22 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.57</td><td>-----</td><td>-----</td><td>86.19</td><td>35.13</td><td>11.65</td><td>32.40</td><td>391</td><td>38</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.57	-----	-----	86.19	35.13	11.65	32.40	391	38	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5617.04	53.53	68.30	-14.77	39.17	34.96	11.70	32.30	391	38	PEAK																																																																																																																								
2	5650.24	53.14	68.48	-15.34	38.77	35.01	11.69	32.33	391	38	PEAK																																																																																																																								
3	5700.01	52.23	105.20	-52.97	37.86	35.08	11.66	32.37	391	38	PEAK																																																																																																																								
4	5720.73	53.23	112.46	-59.23	38.84	35.11	11.66	32.38	391	38	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5745.00	100.57	-----	-----	86.19	35.13	11.65	32.40	391	38	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2024-08-22 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>93.68</td><td>-----</td><td>-----</td><td>79.30</td><td>35.13</td><td>11.65</td><td>32.40</td><td>391</td><td>38</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	93.68	-----	-----	79.30	35.13	11.65	32.40	391	38	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5745.00	93.68	-----	-----	79.30	35.13	11.65	32.40	391	38	AVERAGE																																																																																																																								





Mode	31																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																												
ANT	CDD 9+15																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-08-22 PEAK_BEB9_16-24 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5641.83</td><td>53.19</td><td>68.30</td><td>-15.11</td><td>38.82</td><td>35.00</td><td>11.69</td><td>32.32</td><td>384</td><td>9 PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>51.64</td><td>68.81</td><td>-17.17</td><td>37.27</td><td>35.01</td><td>11.69</td><td>32.33</td><td>384</td><td>9 PEAK</td></tr><tr><td>3</td><td>5702.60</td><td>52.75</td><td>105.93</td><td>-53.18</td><td>38.38</td><td>35.08</td><td>11.66</td><td>32.37</td><td>384</td><td>9 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>51.54</td><td>111.43</td><td>-59.89</td><td>37.15</td><td>35.11</td><td>11.66</td><td>32.38</td><td>384</td><td>9 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5641.83	53.19	68.30	-15.11	38.82	35.00	11.69	32.32	384	9 PEAK	2	5650.69	51.64	68.81	-17.17	37.27	35.01	11.69	32.33	384	9 PEAK	3	5702.60	52.75	105.93	-53.18	38.38	35.08	11.66	32.37	384	9 PEAK	4	5720.28	51.54	111.43	-59.89	37.15	35.11	11.66	32.38	384	9 PEAK	Level (dBuV/m) Date: 2024-08-22 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.96</td><td>-----</td><td>-----</td><td>88.57</td><td>35.15</td><td>11.64</td><td>32.40</td><td>384</td><td>9 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.96	-----	-----	88.57	35.15	11.64	32.40	384	9 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5641.83	53.19	68.30	-15.11	38.82	35.00	11.69	32.32	384	9 PEAK																																																																																																																			
2	5650.69	51.64	68.81	-17.17	37.27	35.01	11.69	32.33	384	9 PEAK																																																																																																																			
3	5702.60	52.75	105.93	-53.18	38.38	35.08	11.66	32.37	384	9 PEAK																																																																																																																			
4	5720.28	51.54	111.43	-59.89	37.15	35.11	11.66	32.38	384	9 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	102.96	-----	-----	88.57	35.15	11.64	32.40	384	9 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-08-22 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.16</td><td>-----</td><td>-----</td><td>81.77</td><td>35.15</td><td>11.64</td><td>32.40</td><td>384</td><td>9 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.16	-----	-----	81.77	35.15	11.64	32.40	384	9 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	96.16	-----	-----	81.77	35.15	11.64	32.40	384	9 AVERAGE																																																																																																																			



Mode	31																																																															
	Harmonic																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																															
ANT	CDD 9+15																																																															
Pol.	Horizontal																																																															
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz)																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>43.91</td><td>39.79</td><td>14.83</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.07</td><td>68.30</td><td>-20.23</td><td>40.02</td><td>42.41</td><td>17.57</td><td>51.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.83	74.00	-26.17	43.91	39.79	14.83	50.70	--	--	Peak	2	17235.00	48.07	68.30	-20.23	40.02	42.41	17.57	51.93	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	11490.00	47.83	74.00	-26.17	43.91	39.79	14.83	50.70	--	--	Peak																																																					
2	17235.00	48.07	68.30	-20.23	40.02	42.41	17.57	51.93	--	--	Peak																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>43.91</td><td>39.79</td><td>14.83</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.07</td><td>68.30</td><td>-20.23</td><td>40.02</td><td>42.41</td><td>17.57</td><td>51.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.83	74.00	-26.17	43.91	39.79	14.83	50.70	--	--	Peak	2	17235.00	48.07	68.30	-20.23	40.02	42.41	17.57	51.93	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	11490.00	47.83	74.00	-26.17	43.91	39.79	14.83	50.70	--	--	Peak																																																					
2	17235.00	48.07	68.30	-20.23	40.02	42.41	17.57	51.93	--	--	Peak																																																					
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz)																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>43.17</td><td>39.79</td><td>14.83</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.04</td><td>68.30</td><td>-21.26</td><td>38.99</td><td>42.41</td><td>17.57</td><td>51.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.09	74.00	-26.91	43.17	39.79	14.83	50.70	--	--	Peak	2	17235.00	47.04	68.30	-21.26	38.99	42.41	17.57	51.93	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	11490.00	47.09	74.00	-26.91	43.17	39.79	14.83	50.70	--	--	Peak																																																					
2	17235.00	47.04	68.30	-21.26	38.99	42.41	17.57	51.93	--	--	Peak																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>43.17</td><td>39.79</td><td>14.83</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.04</td><td>68.30</td><td>-21.26</td><td>38.99</td><td>42.41</td><td>17.57</td><td>51.93</td><td>--</td><td>--</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.09	74.00	-26.91	43.17	39.79	14.83	50.70	--	--	Peak	2	17235.00	47.04	68.30	-21.26	38.99	42.41	17.57	51.93	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	11490.00	47.09	74.00	-26.91	43.17	39.79	14.83	50.70	--	--	Peak																																																					
2	17235.00	47.04	68.30	-21.26	38.99	42.41	17.57	51.93	--	--	Peak																																																					



Mode	32																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																			
ANT	CDD 9+15																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>43.94</td><td>39.86</td><td>14.88</td><td>50.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.42</td><td>68.30</td><td>-20.88</td><td>39.51</td><td>42.36</td><td>17.60</td><td>52.05</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11570.00	48.02	74.00	-25.98	43.94	39.86	14.88	50.66	--	--	Peak	2	17355.00	47.42	68.30	-20.88	39.51	42.36	17.60	52.05	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>43.78</td><td>39.86</td><td>14.88</td><td>50.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.48</td><td>68.30</td><td>-20.82</td><td>39.57</td><td>42.36</td><td>17.60</td><td>52.05</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11570.00	47.86	74.00	-26.14	43.78	39.86	14.88	50.66	--	--	Peak	2	17355.00	47.48	68.30	-20.82	39.57	42.36	17.60	52.05	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11570.00	48.02	74.00	-25.98	43.94	39.86	14.88	50.66	--	--	Peak																																																																																																									
2	17355.00	47.42	68.30	-20.88	39.51	42.36	17.60	52.05	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11570.00	47.86	74.00	-26.14	43.78	39.86	14.88	50.66	--	--	Peak																																																																																																									
2	17355.00	47.48	68.30	-20.82	39.57	42.36	17.60	52.05	--	--	Peak																																																																																																									





Mode	33																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																												
ANT	CDD 9+15																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.94</td><td>50.80</td><td>110.94</td><td>-60.14</td><td>36.47</td><td>35.30</td><td>11.52</td><td>32.49</td><td>394</td><td>46 PEAK</td></tr><tr><td>2</td><td>5873.19</td><td>52.51</td><td>105.71</td><td>-53.20</td><td>38.20</td><td>35.32</td><td>11.49</td><td>32.50</td><td>394</td><td>46 PEAK</td></tr><tr><td>3</td><td>5924.94</td><td>52.53</td><td>68.25</td><td>-15.72</td><td>38.28</td><td>35.39</td><td>11.40</td><td>32.54</td><td>394</td><td>46 PEAK</td></tr><tr><td>4</td><td>5945.33</td><td>52.33</td><td>68.30</td><td>-15.97</td><td>38.10</td><td>35.42</td><td>11.37</td><td>32.56</td><td>394</td><td>46 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.94	50.80	110.94	-60.14	36.47	35.30	11.52	32.49	394	46 PEAK	2	5873.19	52.51	105.71	-53.20	38.20	35.32	11.49	32.50	394	46 PEAK	3	5924.94	52.53	68.25	-15.72	38.28	35.39	11.40	32.54	394	46 PEAK	4	5945.33	52.33	68.30	-15.97	38.10	35.42	11.37	32.56	394	46 PEAK	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.63</td><td>-----</td><td>-----</td><td>86.26</td><td>35.25</td><td>11.58</td><td>32.46</td><td>394</td><td>46 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.63	-----	-----	86.26	35.25	11.58	32.46	394	46 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5854.94	50.80	110.94	-60.14	36.47	35.30	11.52	32.49	394	46 PEAK																																																																																																																			
2	5873.19	52.51	105.71	-53.20	38.20	35.32	11.49	32.50	394	46 PEAK																																																																																																																			
3	5924.94	52.53	68.25	-15.72	38.28	35.39	11.40	32.54	394	46 PEAK																																																																																																																			
4	5945.33	52.33	68.30	-15.97	38.10	35.42	11.37	32.56	394	46 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	100.63	-----	-----	86.26	35.25	11.58	32.46	394	46 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>93.99</td><td>-----</td><td>-----</td><td>79.62</td><td>35.24</td><td>11.59</td><td>32.46</td><td>394</td><td>46 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	93.99	-----	-----	79.62	35.24	11.59	32.46	394	46 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	93.99	-----	-----	79.62	35.24	11.59	32.46	394	46 AVERAGE																																																																																																																			



Mode	33																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																												
ANT	CDD 9+15																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-08-22 PEAK_BE(B4)_16-24 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>51.46</td><td>111.20</td><td>-59.74</td><td>37.13</td><td>35.30</td><td>11.52</td><td>32.49</td><td>372</td><td>14 PEAK</td></tr><tr><td>2</td><td>5870.94</td><td>52.72</td><td>106.34</td><td>-53.62</td><td>38.41</td><td>35.32</td><td>11.49</td><td>32.50</td><td>372</td><td>14 PEAK</td></tr><tr><td>3</td><td>5924.69</td><td>52.33</td><td>68.43</td><td>-16.10</td><td>38.08</td><td>35.39</td><td>11.40</td><td>32.54</td><td>372</td><td>14 PEAK</td></tr><tr><td>4</td><td>5935.58</td><td>52.58</td><td>68.30</td><td>-15.72</td><td>38.33</td><td>35.41</td><td>11.39</td><td>32.55</td><td>372</td><td>14 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.83	51.46	111.20	-59.74	37.13	35.30	11.52	32.49	372	14 PEAK	2	5870.94	52.72	106.34	-53.62	38.41	35.32	11.49	32.50	372	14 PEAK	3	5924.69	52.33	68.43	-16.10	38.08	35.39	11.40	32.54	372	14 PEAK	4	5935.58	52.58	68.30	-15.72	38.33	35.41	11.39	32.55	372	14 PEAK	Level (dBuV/m) Date: 2024-08-22 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.87</td><td>-----</td><td>-----</td><td>88.51</td><td>35.26</td><td>11.57</td><td>32.47</td><td>372</td><td>14 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.87	-----	-----	88.51	35.26	11.57	32.47	372	14 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5854.83	51.46	111.20	-59.74	37.13	35.30	11.52	32.49	372	14 PEAK																																																																																																																			
2	5870.94	52.72	106.34	-53.62	38.41	35.32	11.49	32.50	372	14 PEAK																																																																																																																			
3	5924.69	52.33	68.43	-16.10	38.08	35.39	11.40	32.54	372	14 PEAK																																																																																																																			
4	5935.58	52.58	68.30	-15.72	38.33	35.41	11.39	32.55	372	14 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	102.87	-----	-----	88.51	35.26	11.57	32.47	372	14 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2024-08-22 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>96.01</td><td>-----</td><td>-----</td><td>81.65</td><td>35.26</td><td>11.57</td><td>32.47</td><td>372</td><td>14 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.01	-----	-----	81.65	35.26	11.57	32.47	372	14 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	96.01	-----	-----	81.65	35.26	11.57	32.47	372	14 AVERAGE																																																																																																																			



Mode	33																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																					
ANT	CDD 9+15																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																
Peak Avg																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>43.39</td><td>39.92</td><td>14.93</td><td>50.61</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.71</td><td>68.30</td><td>-19.59</td><td>40.94</td><td>42.31</td><td>17.63</td><td>52.17</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	47.63	74.00	-26.37	43.39	39.92	14.93	50.61	--	-- Peak	2	17475.00	48.71	68.30	-19.59	40.94	42.31	17.63	52.17	--	-- Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>42.92</td><td>39.92</td><td>14.93</td><td>50.61</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.10</td><td>68.30</td><td>-21.20</td><td>39.33</td><td>42.31</td><td>17.63</td><td>52.17</td><td>--</td><td>-- Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	47.16	74.00	-26.84	42.92	39.92	14.93	50.61	--	-- Peak	2	17475.00	47.10	68.30	-21.20	39.33	42.31	17.63	52.17	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11650.00	47.63	74.00	-26.37	43.39	39.92	14.93	50.61	--	-- Peak																																																																																																												
2	17475.00	48.71	68.30	-19.59	40.94	42.31	17.63	52.17	--	-- Peak																																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11650.00	47.16	74.00	-26.84	42.92	39.92	14.93	50.61	--	-- Peak																																																																																																												
2	17475.00	47.10	68.30	-21.20	39.33	42.31	17.63	52.17	--	-- Peak																																																																																																												





Mode	34																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																			
ANT	CDD 9+15																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5614.07</td><td>53.42</td><td>68.30</td><td>-14.88</td><td>39.06</td><td>34.96</td><td>11.70</td><td>32.30</td><td>100</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>52.86</td><td>68.96</td><td>-16.10</td><td>38.49</td><td>35.01</td><td>11.69</td><td>32.33</td><td>100</td><td>349</td><td>PEAK</td></tr><tr><td>3</td><td>5701.36</td><td>53.05</td><td>105.58</td><td>-52.53</td><td>38.68</td><td>35.08</td><td>11.66</td><td>32.37</td><td>100</td><td>349</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>50.92</td><td>110.94</td><td>-60.02</td><td>36.53</td><td>35.11</td><td>11.66</td><td>32.38</td><td>100</td><td>349</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5614.07	53.42	68.30	-14.88	39.06	34.96	11.70	32.30	100	349	PEAK	2	5650.90	52.86	68.96	-16.10	38.49	35.01	11.69	32.33	100	349	PEAK	3	5701.36	53.05	105.58	-52.53	38.68	35.08	11.66	32.37	100	349	PEAK	4	5720.06	50.92	110.94	-60.02	36.53	35.11	11.66	32.38	100	349	PEAK	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.93</td><td>-----</td><td>-----</td><td>89.55</td><td>35.15</td><td>11.64</td><td>32.41</td><td>100</td><td>349</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.93	-----	-----	89.55	35.15	11.64	32.41	100	349	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5614.07	53.42	68.30	-14.88	39.06	34.96	11.70	32.30	100	349	PEAK																																																																																																																									
2	5650.90	52.86	68.96	-16.10	38.49	35.01	11.69	32.33	100	349	PEAK																																																																																																																									
3	5701.36	53.05	105.58	-52.53	38.68	35.08	11.66	32.37	100	349	PEAK																																																																																																																									
4	5720.06	50.92	110.94	-60.02	36.53	35.11	11.66	32.38	100	349	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	103.93	-----	-----	89.55	35.15	11.64	32.41	100	349	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.52</td><td>-----</td><td>-----</td><td>80.14</td><td>35.15</td><td>11.64</td><td>32.41</td><td>100</td><td>349</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.52	-----	-----	80.14	35.15	11.64	32.41	100	349	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	94.52	-----	-----	80.14	35.15	11.64	32.41	100	349	AVERAGE																																																																																																																									



		34																																																																																																																														
Mode		Harmonic																																																																																																																														
		U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																														
ANT		CDD 9+15																																																																																																																														
Pol.		Horizontal					Vertical																																																																																																																									
Peak Avg	Date: 2024-08-22					Date: 2024-08-22																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>11490.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>43.12</td><td>39.79</td><td>14.83</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.42</td><td>68.30</td><td>-20.88</td><td>39.37</td><td>42.41</td><td>17.57</td><td>51.93</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	47.04	74.00	-26.96	43.12	39.79	14.83	50.70	--	--	Peak	2	17235.00	47.42	68.30	-20.88	39.37	42.41	17.57	51.93	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>11490.00</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>45.07</td><td>39.79</td><td>14.83</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>47.94</td><td>68.30</td><td>-20.36</td><td>39.89</td><td>42.41</td><td>17.57</td><td>51.93</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	48.99	74.00	-25.01	45.07	39.79	14.83	50.70	--	--	Peak	2	17235.00	47.94	68.30	-20.36	39.89	42.41	17.57	51.93	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	11490.00	47.04	74.00	-26.96	43.12	39.79	14.83	50.70	--	--	Peak																																																																																																																					
2	17235.00	47.42	68.30	-20.88	39.37	42.41	17.57	51.93	--	--	Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	11490.00	48.99	74.00	-25.01	45.07	39.79	14.83	50.70	--	--	Peak																																																																																																																					
2	17235.00	47.94	68.30	-20.36	39.89	42.41	17.57	51.93	--	--	Peak																																																																																																																					






Mode		35																																																													
		Harmonic																																																													
		U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																													
ANT		CDD 9+15																																																													
Pol.		Horizontal										Vertical																																																			
Peak Avg	Level (dBuV/m) Date: 2024-08-22  Level (dBuV/m) Date: 2024-08-22 																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11570.00</td><td>48.51</td><td>74.00</td><td>-25.49</td><td>44.43</td><td>39.86</td><td>14.88</td><td>50.66</td></tr><tr><td>2</td><td>17355.00</td><td>47.84</td><td>68.30</td><td>-20.46</td><td>39.93</td><td>42.36</td><td>17.60</td><td>52.05</td></tr></table>																			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	48.51	74.00	-25.49	44.43	39.86	14.88	50.66	2	17355.00	47.84	68.30	-20.46	39.93	42.36	17.60	52.05
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																							
1	11570.00	48.51	74.00	-25.49	44.43	39.86	14.88	50.66																																																							
2	17355.00	47.84	68.30	-20.46	39.93	42.36	17.60	52.05																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11570.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>44.03</td><td>39.86</td><td>14.88</td><td>50.66</td></tr><tr><td>2</td><td>17355.00</td><td>47.37</td><td>68.30</td><td>-20.93</td><td>39.46</td><td>42.36</td><td>17.60</td><td>52.05</td></tr></table>																			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	48.11	74.00	-25.89	44.03	39.86	14.88	50.66	2	17355.00	47.37	68.30	-20.93	39.46	42.36	17.60	52.05	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																							
1	11570.00	48.11	74.00	-25.89	44.03	39.86	14.88	50.66																																																							
2	17355.00	47.37	68.30	-20.93	39.46	42.36	17.60	52.05																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11570.00</td><td>48.51</td><td>74.00</td><td>-25.49</td><td>44.43</td><td>39.86</td><td>14.88</td><td>50.66</td></tr><tr><td>2</td><td>17355.00</td><td>47.84</td><td>68.30</td><td>-20.46</td><td>39.93</td><td>42.36</td><td>17.60</td><td>52.05</td></tr></table>																			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	48.51	74.00	-25.49	44.43	39.86	14.88	50.66	2	17355.00	47.84	68.30	-20.46	39.93	42.36	17.60	52.05	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																							
1	11570.00	48.51	74.00	-25.49	44.43	39.86	14.88	50.66																																																							
2	17355.00	47.84	68.30	-20.46	39.93	42.36	17.60	52.05																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11570.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>44.03</td><td>39.86</td><td>14.88</td><td>50.66</td></tr><tr><td>2</td><td>17355.00</td><td>47.37</td><td>68.30</td><td>-20.93</td><td>39.46</td><td>42.36</td><td>17.60</td><td>52.05</td></tr></table>																			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	48.11	74.00	-25.89	44.03	39.86	14.88	50.66	2	17355.00	47.37	68.30	-20.93	39.46	42.36	17.60	52.05	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																							
1	11570.00	48.11	74.00	-25.89	44.03	39.86	14.88	50.66																																																							
2	17355.00	47.37	68.30	-20.93	39.46	42.36	17.60	52.05																																																							





Mode	36																																																																																																								
	Band Edge																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																								
ANT	CDD 9+15																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5855.00</td><td>52.78</td><td>110.80</td><td>-58.02</td><td>38.45</td><td>35.30</td><td>11.52</td><td>32.49</td><td>393</td><td>73 PEAK</td></tr><tr><td>2</td><td>5873.63</td><td>51.84</td><td>105.58</td><td>-53.74</td><td>37.53</td><td>35.32</td><td>11.49</td><td>32.50</td><td>393</td><td>73 PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>51.08</td><td>68.48</td><td>-17.40</td><td>36.83</td><td>35.39</td><td>11.40</td><td>32.54</td><td>393</td><td>73 PEAK</td></tr><tr><td>4</td><td>5929.25</td><td>52.34</td><td>68.30</td><td>-15.96</td><td>38.09</td><td>35.40</td><td>11.40</td><td>32.55</td><td>393</td><td>73 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				1	5855.00	52.78	110.80	-58.02	38.45	35.30	11.52	32.49	393	73 PEAK	2	5873.63	51.84	105.58	-53.74	37.53	35.32	11.49	32.50	393	73 PEAK	3	5924.63	51.08	68.48	-17.40	36.83	35.39	11.40	32.54	393	73 PEAK	4	5929.25	52.34	68.30	-15.96	38.09	35.40	11.40	32.55	393	73 PEAK	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5825.00</td><td>100.01</td><td>-----</td><td>-----</td><td>85.64</td><td>35.25</td><td>11.58</td><td>32.46</td><td>393</td><td>73 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				1	5825.00	100.01	-----	-----	85.64	35.25	11.58	32.46	393	73 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
1	5855.00	52.78	110.80	-58.02	38.45	35.30	11.52	32.49	393	73 PEAK																																																																																															
2	5873.63	51.84	105.58	-53.74	37.53	35.32	11.49	32.50	393	73 PEAK																																																																																															
3	5924.63	51.08	68.48	-17.40	36.83	35.39	11.40	32.54	393	73 PEAK																																																																																															
4	5929.25	52.34	68.30	-15.96	38.09	35.40	11.40	32.55	393	73 PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
1	5825.00	100.01	-----	-----	85.64	35.25	11.58	32.46	393	73 PEAK																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5825.00</td><td>92.23</td><td>-----</td><td>-----</td><td>77.86</td><td>35.25</td><td>11.58</td><td>32.46</td><td>393</td><td>73 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				1	5825.00	92.23	-----	-----	77.86	35.25	11.58	32.46	393	73 AVERAGE																																																																
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																			
1	5825.00	92.23	-----	-----	77.86	35.25	11.58	32.46	393	73 AVERAGE																																																																																															






Mode	36																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																							
ANT	CDD 9+15																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-20  PEAK_BE(B4)_16-24 582558505875590059255950 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>51.00</td><td>110.80</td><td>-59.80</td><td>36.67</td><td>35.30</td><td>11.52</td><td>32.49</td><td>392 329 PEAK</td></tr><tr><td>2</td><td>5874.38</td><td>51.41</td><td>105.37</td><td>-53.96</td><td>37.10</td><td>35.32</td><td>11.49</td><td>32.50</td><td>392 329 PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>51.09</td><td>68.20</td><td>-17.11</td><td>36.83</td><td>35.40</td><td>11.40</td><td>32.54</td><td>392 329 PEAK</td></tr><tr><td>4</td><td>5936.13</td><td>53.17</td><td>68.30</td><td>-15.13</td><td>38.93</td><td>35.41</td><td>11.38</td><td>32.55</td><td>392 329 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	51.00	110.80	-59.80	36.67	35.30	11.52	32.49	392 329 PEAK	2	5874.38	51.41	105.37	-53.96	37.10	35.32	11.49	32.50	392 329 PEAK	3	5925.00	51.09	68.20	-17.11	36.83	35.40	11.40	32.54	392 329 PEAK	4	5936.13	53.17	68.30	-15.13	38.93	35.41	11.38	32.55	392 329 PEAK	Level (dBuV/m) Date: 2024-08-20  PART 15.407 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.59</td><td>-----</td><td>-----</td><td>90.24</td><td>35.26</td><td>11.56</td><td>32.47</td><td>392 329 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.59	-----	-----	90.24	35.26	11.56	32.47	392 329 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5855.00	51.00	110.80	-59.80	36.67	35.30	11.52	32.49	392 329 PEAK																																																																																																															
2	5874.38	51.41	105.37	-53.96	37.10	35.32	11.49	32.50	392 329 PEAK																																																																																																															
3	5925.00	51.09	68.20	-17.11	36.83	35.40	11.40	32.54	392 329 PEAK																																																																																																															
4	5936.13	53.17	68.30	-15.13	38.93	35.41	11.38	32.55	392 329 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5825.00	104.59	-----	-----	90.24	35.26	11.56	32.47	392 329 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2024-08-20  PART 15.407 AVG 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.26</td><td>-----</td><td>-----</td><td>80.91</td><td>35.27</td><td>11.55</td><td>32.47</td><td>392 329 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.26	-----	-----	80.91	35.27	11.55	32.47	392 329 AVERAGE																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5825.00	95.26	-----	-----	80.91	35.27	11.55	32.47	392 329 AVERAGE																																																																																																															



Mode	36																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																			
ANT	CDD 9+15																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>43.13</td><td>39.92</td><td>14.93</td><td>50.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.61</td><td>68.30</td><td>-19.69</td><td>40.84</td><td>42.31</td><td>17.63</td><td>52.17</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11650.00	47.37	74.00	-26.63	43.13	39.92	14.93	50.61	--	--	Peak	2	17475.00	48.61	68.30	-19.69	40.84	42.31	17.63	52.17	--	--	Peak	Level (dBuV/m) Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>43.63</td><td>39.92</td><td>14.93</td><td>50.61</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.39</td><td>68.30</td><td>-20.91</td><td>39.62</td><td>42.31</td><td>17.63</td><td>52.17</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11650.00	47.87	74.00	-26.13	43.63	39.92	14.93	50.61	--	--	Peak	2	17475.00	47.39	68.30	-20.91	39.62	42.31	17.63	52.17	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11650.00	47.37	74.00	-26.63	43.13	39.92	14.93	50.61	--	--	Peak																																																																																																									
2	17475.00	48.61	68.30	-19.69	40.84	42.31	17.63	52.17	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11650.00	47.87	74.00	-26.13	43.63	39.92	14.93	50.61	--	--	Peak																																																																																																									
2	17475.00	47.39	68.30	-20.91	39.62	42.31	17.63	52.17	--	--	Peak																																																																																																									





Mode	37																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																													
ANT	CDD 9+15																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-08-20 PEAK_BEB[9]_10-24 						Level (dBuV/m) Date: 2024-08-20 PART 15.407 																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.08</td><td>53.26</td><td>68.30</td><td>-15.04</td><td>38.90</td><td>34.95</td><td>11.71</td><td>32.30</td><td>345</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>52.13</td><td>68.35</td><td>-16.22</td><td>37.76</td><td>35.01</td><td>11.69</td><td>32.33</td><td>345</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5700.60</td><td>52.82</td><td>105.37</td><td>-52.55</td><td>38.45</td><td>35.08</td><td>11.66</td><td>32.37</td><td>345</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>51.02</td><td>111.09</td><td>-60.07</td><td>36.63</td><td>35.11</td><td>11.66</td><td>32.38</td><td>345</td><td>50</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.08	53.26	68.30	-15.04	38.90	34.95	11.71	32.30	345	50	PEAK	2	5650.07	52.13	68.35	-16.22	37.76	35.01	11.69	32.33	345	50	PEAK	3	5700.60	52.82	105.37	-52.55	38.45	35.08	11.66	32.37	345	50	PEAK	4	5720.13	51.02	111.09	-60.07	36.63	35.11	11.66	32.38	345	50	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.24</td><td>-----</td><td>-----</td><td>83.85</td><td>35.18</td><td>11.63</td><td>32.42</td><td>345</td><td>50</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	98.24	-----	-----	83.85	35.18	11.63	32.42	345	50
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5610.08	53.26	68.30	-15.04	38.90	34.95	11.71	32.30	345	50	PEAK																																																																																																																			
2	5650.07	52.13	68.35	-16.22	37.76	35.01	11.69	32.33	345	50	PEAK																																																																																																																			
3	5700.60	52.82	105.37	-52.55	38.45	35.08	11.66	32.37	345	50	PEAK																																																																																																																			
4	5720.13	51.02	111.09	-60.07	36.63	35.11	11.66	32.38	345	50	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5755.00	98.24	-----	-----	83.85	35.18	11.63	32.42	345	50	PEAK																																																																																																																			
Avg	Blank						Level (dBuV/m) Date: 2024-08-20 PART 15.407 AVG 																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>89.45</td><td>-----</td><td>-----</td><td>75.06</td><td>35.17</td><td>11.64</td><td>32.42</td><td>345</td><td>50</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	89.45	-----	-----	75.06	35.17	11.64	32.42	345	50	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5755.00	89.45	-----	-----	75.06	35.17	11.64	32.42	345	50	AVERAGE																																																																																																																			






Mode	37											
	Band Edge - L											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz											
ANT	CDD 9+15											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m) Date: 2024-08-20 </											



Mode	37																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																		
ANT	CDD 9+15																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>43.68</td><td>39.81</td><td>14.85</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>48.83</td><td>68.30</td><td>-19.47</td><td>40.82</td><td>42.39</td><td>17.58</td><td>51.96</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11510.00	47.64	74.00	-26.36	43.68	39.81	14.85	50.70	--	--	Peak	2	17265.00	48.83	68.30	-19.47	40.82	42.39	17.58	51.96	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>42.79</td><td>39.81</td><td>14.85</td><td>50.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>47.41</td><td>68.30</td><td>-20.89</td><td>39.40</td><td>42.39</td><td>17.58</td><td>51.96</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11510.00	46.75	74.00	-27.25	42.79	39.81	14.85	50.70	--	--	Peak	2	17265.00	47.41	68.30	-20.89	39.40	42.39	17.58	51.96	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	11510.00	47.64	74.00	-26.36	43.68	39.81	14.85	50.70	--	--	Peak																																																																																																								
2	17265.00	48.83	68.30	-19.47	40.82	42.39	17.58	51.96	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	11510.00	46.75	74.00	-27.25	42.79	39.81	14.85	50.70	--	--	Peak																																																																																																								
2	17265.00	47.41	68.30	-20.89	39.40	42.39	17.58	51.96	--	--	Peak																																																																																																								



Mode	38																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																							
ANT	CDD 9+15																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-20  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5616.97</td><td>52.88</td><td>68.30</td><td>-15.42</td><td>38.52</td><td>34.96</td><td>11.70</td><td>32.30</td><td>393 60 PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>51.76</td><td>68.39</td><td>-16.63</td><td>37.39</td><td>35.01</td><td>11.69</td><td>32.33</td><td>393 60 PEAK</td></tr><tr><td>3</td><td>5701.21</td><td>52.24</td><td>105.54</td><td>-53.30</td><td>37.87</td><td>35.08</td><td>11.66</td><td>32.37</td><td>393 60 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>51.77</td><td>111.07</td><td>-59.30</td><td>37.38</td><td>35.11</td><td>11.66</td><td>32.38</td><td>393 60 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5616.97	52.88	68.30	-15.42	38.52	34.96	11.70	32.30	393 60 PEAK	2	5650.12	51.76	68.39	-16.63	37.39	35.01	11.69	32.33	393 60 PEAK	3	5701.21	52.24	105.54	-53.30	37.87	35.08	11.66	32.37	393 60 PEAK	4	5720.12	51.77	111.07	-59.30	37.38	35.11	11.66	32.38	393 60 PEAK	Level (dBuV/m) Date: 2024-08-20  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>98.20</td><td>-----</td><td>-----</td><td>83.81</td><td>35.19</td><td>11.63</td><td>32.43</td><td>393 60 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	98.20	-----	-----	83.81	35.19	11.63	32.43	393 60 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5616.97	52.88	68.30	-15.42	38.52	34.96	11.70	32.30	393 60 PEAK																																																																																																															
2	5650.12	51.76	68.39	-16.63	37.39	35.01	11.69	32.33	393 60 PEAK																																																																																																															
3	5701.21	52.24	105.54	-53.30	37.87	35.08	11.66	32.37	393 60 PEAK																																																																																																															
4	5720.12	51.77	111.07	-59.30	37.38	35.11	11.66	32.38	393 60 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5795.00	98.20	-----	-----	83.81	35.19	11.63	32.43	393 60 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2024-08-20  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>90.41</td><td>-----</td><td>-----</td><td>76.02</td><td>35.19</td><td>11.63</td><td>32.43</td><td>393 60 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	90.41	-----	-----	76.02	35.19	11.63	32.43	393 60 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5795.00	90.41	-----	-----	76.02	35.19	11.63	32.43	393 60 AVERAGE																																																																																																															



Mode	38																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																									
ANT	CDD 9+15																																																																																																																									
Pol.	Vertical	Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5634.91</td><td>53.40</td><td>68.30</td><td>-14.90</td><td>39.04</td><td>34.99</td><td>11.69</td><td>32.32</td><td>377</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>52.07</td><td>68.39</td><td>-16.32</td><td>37.70</td><td>35.01</td><td>11.69</td><td>32.33</td><td>377</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5703.35</td><td>52.89</td><td>106.14</td><td>-53.25</td><td>38.52</td><td>35.08</td><td>11.66</td><td>32.37</td><td>377</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>50.95</td><td>111.07</td><td>-60.12</td><td>36.56</td><td>35.11</td><td>11.66</td><td>32.38</td><td>377</td><td>360</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5634.91	53.40	68.30	-14.90	39.04	34.99	11.69	32.32	377	360	PEAK	2	5650.12	52.07	68.39	-16.32	37.70	35.01	11.69	32.33	377	360	PEAK	3	5703.35	52.89	106.14	-53.25	38.52	35.08	11.66	32.37	377	360	PEAK	4	5720.12	50.95	111.07	-60.12	36.56	35.11	11.66	32.38	377	360	PEAK	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>100.88</td><td>-----</td><td>-----</td><td>86.50</td><td>35.20</td><td>11.62</td><td>32.44</td><td>377</td><td>360</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	100.88	-----	-----	86.50	35.20	11.62	32.44	377	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5634.91	53.40	68.30	-14.90	39.04	34.99	11.69	32.32	377	360	PEAK																																																																																																															
2	5650.12	52.07	68.39	-16.32	37.70	35.01	11.69	32.33	377	360	PEAK																																																																																																															
3	5703.35	52.89	106.14	-53.25	38.52	35.08	11.66	32.37	377	360	PEAK																																																																																																															
4	5720.12	50.95	111.07	-60.12	36.56	35.11	11.66	32.38	377	360	PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5795.00	100.88	-----	-----	86.50	35.20	11.62	32.44	377	360	PEAK																																																																																																															
Avg	Blank	Level (dBuV/m) Date: 2024-08-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>92.19</td><td>-----</td><td>-----</td><td>77.80</td><td>35.21</td><td>11.62</td><td>32.44</td><td>377</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	92.19	-----	-----	77.80	35.21	11.62	32.44	377	360	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5795.00	92.19	-----	-----	77.80	35.21	11.62	32.44	377	360	AVERAGE																																																																																																															



Mode	38																																																																															
	Band Edge - R																																																																															
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																															
ANT	CDD 9+15																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.68</td><td>51.05</td><td>111.54</td><td>-60.49</td><td>36.72</td><td>35.30</td><td>11.52</td><td>32.49</td><td>377</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5873.59</td><td>52.35</td><td>105.60</td><td>-53.25</td><td>38.04</td><td>35.32</td><td>11.49</td><td>32.50</td><td>377</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>51.21</td><td>68.28</td><td>-17.07</td><td>36.96</td><td>35.39</td><td>11.40</td><td>32.54</td><td>377</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5929.23</td><td>52.64</td><td>68.30</td><td>-15.66</td><td>38.39</td><td>35.40</td><td>11.40</td><td>32.55</td><td>377</td><td>360</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.68	51.05	111.54	-60.49	36.72	35.30	11.52	32.49	377	360	PEAK	2	5873.59	52.35	105.60	-53.25	38.04	35.32	11.49	32.50	377	360	PEAK	3	5924.89	51.21	68.28	-17.07	36.96	35.39	11.40	32.54	377	360	PEAK	4	5929.23	52.64	68.30	-15.66	38.39	35.40	11.40	32.55	377	360	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5854.68	51.05	111.54	-60.49	36.72	35.30	11.52	32.49	377	360	PEAK																																																																					
2	5873.59	52.35	105.60	-53.25	38.04	35.32	11.49	32.50	377	360	PEAK																																																																					
3	5924.89	51.21	68.28	-17.07	36.96	35.39	11.40	32.54	377	360	PEAK																																																																					
4	5929.23	52.64	68.30	-15.66	38.39	35.40	11.40	32.55	377	360	PEAK																																																																					



Mode	39									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz									
ANT	CDD 9+15									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-08-20									



Mode	39																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																															
ANT	CDD 9+15																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	Date: 2024-08-20 Level (dBuV/m) vs Frequency (MHz) from 5600 to 5775 MHz. The plot shows a rising signal with a peak at 5720.40 MHz labeled 'PEAK_BEB9_16-24'. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.60</td><td>53.13</td><td>68.30</td><td>-15.17</td><td>38.76</td><td>35.00</td><td>11.69</td><td>32.32</td><td>393</td><td>360 PEAK</td></tr><tr><td>2 5650.75</td><td>52.45</td><td>68.86</td><td>-16.41</td><td>38.08</td><td>35.01</td><td>11.69</td><td>32.33</td><td>393</td><td>360 PEAK</td></tr><tr><td>3 5702.03</td><td>52.86</td><td>105.77</td><td>-52.91</td><td>38.49</td><td>35.08</td><td>11.66</td><td>32.37</td><td>393</td><td>360 PEAK</td></tr><tr><td>4 5720.40</td><td>54.32</td><td>111.71</td><td>-57.39</td><td>39.93</td><td>35.11</td><td>11.66</td><td>32.38</td><td>393</td><td>360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5640.60	53.13	68.30	-15.17	38.76	35.00	11.69	32.32	393	360 PEAK	2 5650.75	52.45	68.86	-16.41	38.08	35.01	11.69	32.33	393	360 PEAK	3 5702.03	52.86	105.77	-52.91	38.49	35.08	11.66	32.37	393	360 PEAK	4 5720.40	54.32	111.71	-57.39	39.93	35.11	11.66	32.38	393	360 PEAK	Date: 2024-08-20 Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a sharp peak at 5775.00 MHz labeled 'PART 15.407'. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>98.54</td><td>-----</td><td>-----</td><td>84.16</td><td>35.24</td><td>11.59</td><td>32.45</td><td>393</td><td>360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5775.00	98.54	-----	-----	84.16	35.24	11.59	32.45	393	360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5640.60	53.13	68.30	-15.17	38.76	35.00	11.69	32.32	393	360 PEAK																																																																																																							
2 5650.75	52.45	68.86	-16.41	38.08	35.01	11.69	32.33	393	360 PEAK																																																																																																							
3 5702.03	52.86	105.77	-52.91	38.49	35.08	11.66	32.37	393	360 PEAK																																																																																																							
4 5720.40	54.32	111.71	-57.39	39.93	35.11	11.66	32.38	393	360 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5775.00	98.54	-----	-----	84.16	35.24	11.59	32.45	393	360 PEAK																																																																																																							
Avg	Blank	Date: 2024-08-20 Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a sharp peak at 5775.00 MHz labeled 'PART 15.407 AVG'. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>90.19</td><td>-----</td><td>-----</td><td>75.81</td><td>35.24</td><td>11.59</td><td>32.45</td><td>393</td><td>360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5775.00	90.19	-----	-----	75.81	35.24	11.59	32.45	393	360 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5775.00	90.19	-----	-----	75.81	35.24	11.59	32.45	393	360 AVERAGE																																																																																																							





Mode	40																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak	Blank					Date: 2024-08-22 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5412.70</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>39.12</td><td>34.82</td><td>10.92</td><td>32.11</td><td>322</td><td>322</td><td>Peak</td></tr><tr><td>2</td><td>5466.05</td><td>52.17</td><td>68.30</td><td>-16.13</td><td>38.38</td><td>34.81</td><td>11.15</td><td>32.17</td><td>322</td><td>322</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>112.57</td><td>-----</td><td>-----</td><td>98.18</td><td>35.11</td><td>11.66</td><td>32.38</td><td>322</td><td>322</td><td>Peak</td></tr><tr><td>4</td><td>5852.70</td><td>52.70</td><td>68.30</td><td>-15.60</td><td>38.37</td><td>35.29</td><td>11.53</td><td>32.49</td><td>322</td><td>322</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5412.70	52.75	74.00	-21.25	39.12	34.82	10.92	32.11	322	322	Peak	2	5466.05	52.17	68.30	-16.13	38.38	34.81	11.15	32.17	322	322	Peak	3	5720.00	112.57	-----	-----	98.18	35.11	11.66	32.38	322	322	Peak	4	5852.70	52.70	68.30	-15.60	38.37	35.29	11.53	32.49	322	322	Peak
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5412.70	52.75	74.00	-21.25	39.12	34.82	10.92	32.11	322	322	Peak																																																																											
2	5466.05	52.17	68.30	-16.13	38.38	34.81	11.15	32.17	322	322	Peak																																																																											
3	5720.00	112.57	-----	-----	98.18	35.11	11.66	32.38	322	322	Peak																																																																											
4	5852.70	52.70	68.30	-15.60	38.37	35.29	11.53	32.49	322	322	Peak																																																																											
Avg	Blank					Date: 2024-08-22 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5457.80</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>28.60</td><td>34.81</td><td>11.11</td><td>32.16</td><td>322</td><td>322</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>105.32</td><td>-----</td><td>-----</td><td>90.93</td><td>35.11</td><td>11.66</td><td>32.38</td><td>322</td><td>322</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5457.80	42.36	54.00	-11.64	28.60	34.81	11.11	32.16	322	322	Average	2	5720.00	105.32	-----	-----	90.93	35.11	11.66	32.38	322	322	Average																								
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5457.80	42.36	54.00	-11.64	28.60	34.81	11.11	32.16	322	322	Average																																																																											
2	5720.00	105.32	-----	-----	90.93	35.11	11.66	32.38	322	322	Average																																																																											



Mode	40																																																																																				
	Band Edge																																																																																				
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																				
ANT	CDD 9+15																																																																																				
Pol.	Vertical					Fundamental																																																																															
Peak	Blank					Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5402.25</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>37.77</td><td>34.82</td><td>10.90</td><td>32.09</td><td>400</td><td>349</td><td>Peak</td></tr><tr><td>2</td><td>5469.35</td><td>51.25</td><td>68.30</td><td>-17.05</td><td>37.46</td><td>34.81</td><td>11.16</td><td>32.18</td><td>400</td><td>349</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>106.25</td><td>-----</td><td>-----</td><td>91.86</td><td>35.11</td><td>11.66</td><td>32.38</td><td>400</td><td>349</td><td>Peak</td></tr><tr><td>4</td><td>5852.15</td><td>52.36</td><td>68.30</td><td>-15.94</td><td>38.03</td><td>35.29</td><td>11.53</td><td>32.49</td><td>400</td><td>349</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5402.25	51.40	74.00	-22.60	37.77	34.82	10.90	32.09	400	349	Peak	2	5469.35	51.25	68.30	-17.05	37.46	34.81	11.16	32.18	400	349	Peak	3	5720.00	106.25	-----	-----	91.86	35.11	11.66	32.38	400	349	Peak	4	5852.15	52.36	68.30	-15.94	38.03	35.29	11.53	32.49	400	349	Peak
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5402.25	51.40	74.00	-22.60	37.77	34.82	10.90	32.09	400	349	Peak																																																																										
2	5469.35	51.25	68.30	-17.05	37.46	34.81	11.16	32.18	400	349	Peak																																																																										
3	5720.00	106.25	-----	-----	91.86	35.11	11.66	32.38	400	349	Peak																																																																										
4	5852.15	52.36	68.30	-15.94	38.03	35.29	11.53	32.49	400	349	Peak																																																																										
Avg	Blank					Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5460.00</td><td>41.16</td><td>54.00</td><td>-12.84</td><td>27.40</td><td>34.81</td><td>11.12</td><td>32.17</td><td>400</td><td>349</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>98.69</td><td>-----</td><td>-----</td><td>84.30</td><td>35.11</td><td>11.66</td><td>32.38</td><td>400</td><td>349</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5460.00	41.16	54.00	-12.84	27.40	34.81	11.12	32.17	400	349	Average	2	5720.00	98.69	-----	-----	84.30	35.11	11.66	32.38	400	349	Average																								
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																													
1	5460.00	41.16	54.00	-12.84	27.40	34.81	11.12	32.17	400	349	Average																																																																										
2	5720.00	98.69	-----	-----	84.30	35.11	11.66	32.38	400	349	Average																																																																										



Mode	40																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																															
ANT	CDD 9+15																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>44.02</td><td>39.75</td><td>14.80</td></tr><tr><td>2</td><td>17160.00</td><td>47.54</td><td>68.30</td><td>-20.76</td><td>39.41</td><td>42.44</td><td>17.55</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11440.00	47.86	74.00	-26.14	44.02	39.75	14.80	2	17160.00	47.54	68.30	-20.76	39.41	42.44	17.55	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>43.23</td><td>39.75</td><td>14.80</td></tr><tr><td>2</td><td>17160.00</td><td>48.50</td><td>68.30</td><td>-19.80</td><td>40.37</td><td>42.44</td><td>17.55</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11440.00	47.07	74.00	-26.93	43.23	39.75	14.80	2	17160.00	48.50	68.30	-19.80	40.37	42.44	17.55
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11440.00	47.86	74.00	-26.14	44.02	39.75	14.80																																																																																									
2	17160.00	47.54	68.30	-20.76	39.41	42.44	17.55																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11440.00	47.07	74.00	-26.93	43.23	39.75	14.80																																																																																									
2	17160.00	48.50	68.30	-19.80	40.37	42.44	17.55																																																																																									



Mode	41																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.85_802.11be EHT20_CH144_Full_5720MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak						Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5389.05</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>38.24</td><td>34.82</td><td>10.91</td><td>32.08</td><td>320</td><td>323</td><td>Peak</td></tr><tr><td>2</td><td>5460.55</td><td>52.13</td><td>68.30</td><td>-16.17</td><td>38.37</td><td>34.81</td><td>11.12</td><td>32.17</td><td>320</td><td>323</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>113.32</td><td>-----</td><td>-----</td><td>98.93</td><td>35.11</td><td>11.66</td><td>32.38</td><td>320</td><td>323</td><td>Peak</td></tr><tr><td>4</td><td>5867.00</td><td>52.19</td><td>68.30</td><td>-16.11</td><td>37.88</td><td>35.31</td><td>11.50</td><td>32.50</td><td>320</td><td>323</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5389.05	51.89	74.00	-22.11	38.24	34.82	10.91	32.08	320	323	Peak	2	5460.55	52.13	68.30	-16.17	38.37	34.81	11.12	32.17	320	323	Peak	3	5720.00	113.32	-----	-----	98.93	35.11	11.66	32.38	320	323	Peak	4	5867.00	52.19	68.30	-16.11	37.88	35.31	11.50	32.50	320	323	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5389.05	51.89	74.00	-22.11	38.24	34.82	10.91	32.08	320	323	Peak																																																																											
2	5460.55	52.13	68.30	-16.17	38.37	34.81	11.12	32.17	320	323	Peak																																																																											
3	5720.00	113.32	-----	-----	98.93	35.11	11.66	32.38	320	323	Peak																																																																											
4	5867.00	52.19	68.30	-16.11	37.88	35.31	11.50	32.50	320	323	Peak																																																																											
Avg						Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5460.00</td><td>41.19</td><td>54.00</td><td>-12.81</td><td>27.43</td><td>34.81</td><td>11.12</td><td>32.17</td><td>320</td><td>323</td><td>Peak</td></tr><tr><td>2</td><td>5720.00</td><td>102.89</td><td>-----</td><td>-----</td><td>88.50</td><td>35.11</td><td>11.66</td><td>32.38</td><td>320</td><td>323</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5460.00	41.19	54.00	-12.81	27.43	34.81	11.12	32.17	320	323	Peak	2	5720.00	102.89	-----	-----	88.50	35.11	11.66	32.38	320	323	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5460.00	41.19	54.00	-12.81	27.43	34.81	11.12	32.17	320	323	Peak																																																																											
2	5720.00	102.89	-----	-----	88.50	35.11	11.66	32.38	320	323	Average																																																																											



Mode	41																																																																												
	Band Edge																																																																												
	U-NII-2C_5.47-5.85_802.11be EHT20_CH144_Full_5720MHz																																																																												
ANT	CDD 9+15																																																																												
Pol.	Vertical					Fundamental																																																																							
Peak						Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5385.75</td><td>51.76</td><td>74.00</td><td>-22.24</td><td>38.09</td><td>34.82</td><td>10.92</td><td>32.07</td><td>382</td></tr><tr><td>2</td><td>5461.10</td><td>51.47</td><td>68.30</td><td>-16.83</td><td>37.71</td><td>34.81</td><td>11.12</td><td>32.17</td><td>382</td></tr><tr><td>3</td><td>5720.00</td><td>106.93</td><td>-----</td><td>-----</td><td>92.54</td><td>35.11</td><td>11.66</td><td>32.38</td><td>382</td></tr><tr><td>4</td><td>5899.45</td><td>52.41</td><td>68.30</td><td>-15.89</td><td>38.12</td><td>35.36</td><td>11.45</td><td>32.52</td><td>382</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5385.75	51.76	74.00	-22.24	38.09	34.82	10.92	32.07	382	2	5461.10	51.47	68.30	-16.83	37.71	34.81	11.12	32.17	382	3	5720.00	106.93	-----	-----	92.54	35.11	11.66	32.38	382	4	5899.45	52.41	68.30	-15.89	38.12	35.36	11.45	32.52	382
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																					
1	5385.75	51.76	74.00	-22.24	38.09	34.82	10.92	32.07	382																																																																				
2	5461.10	51.47	68.30	-16.83	37.71	34.81	11.12	32.17	382																																																																				
3	5720.00	106.93	-----	-----	92.54	35.11	11.66	32.38	382																																																																				
4	5899.45	52.41	68.30	-15.89	38.12	35.36	11.45	32.52	382																																																																				
Avg						Date: 2024-08-20 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5460.00</td><td>41.10</td><td>54.00</td><td>-12.90</td><td>27.34</td><td>34.81</td><td>11.12</td><td>32.17</td><td>382</td></tr><tr><td>2</td><td>5720.00</td><td>97.45</td><td>-----</td><td>-----</td><td>83.06</td><td>35.11</td><td>11.66</td><td>32.38</td><td>382</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5460.00	41.10	54.00	-12.90	27.34	34.81	11.12	32.17	382	2	5720.00	97.45	-----	-----	83.06	35.11	11.66	32.38	382																				
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																					
1	5460.00	41.10	54.00	-12.90	27.34	34.81	11.12	32.17	382																																																																				
2	5720.00	97.45	-----	-----	83.06	35.11	11.66	32.38	382																																																																				



Mode	41																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.85_802.11be EHT20_CH144_Full_5720MHz																																																																																																			
ANT	CDD 9+15																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>43.67</td><td>39.75</td><td>14.80</td><td>50.71</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>48.15</td><td>68.30</td><td>-20.15</td><td>40.02</td><td>42.44</td><td>17.55</td><td>51.86</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.51	74.00	-26.49	43.67	39.75	14.80	50.71	--	-- Peak	2	17160.00	48.15	68.30	-20.15	40.02	42.44	17.55	51.86	--	-- Peak	Level (dBuV/m) Date: 2024-08-22 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>43.40</td><td>39.75</td><td>14.80</td><td>50.71</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>47.72</td><td>68.30</td><td>-20.58</td><td>39.59</td><td>42.44</td><td>17.55</td><td>51.86</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.24	74.00	-26.76	43.40	39.75	14.80	50.71	--	-- Peak	2	17160.00	47.72	68.30	-20.58	39.59	42.44	17.55	51.86	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11440.00	47.51	74.00	-26.49	43.67	39.75	14.80	50.71	--	-- Peak																																																																																										
2	17160.00	48.15	68.30	-20.15	40.02	42.44	17.55	51.86	--	-- Peak																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11440.00	47.24	74.00	-26.76	43.40	39.75	14.80	50.71	--	-- Peak																																																																																										
2	17160.00	47.72	68.30	-20.58	39.59	42.44	17.55	51.86	--	-- Peak																																																																																										



Mode	42																																																																																						
	Band Edge																																																																																						
	U-NII-2C_5.47-5.85_802.11be EHT40_CH142_Full_5710MHz																																																																																						
ANT	CDD 9+15																																																																																						
Pol.	Horizontal						Fundamental																																																																																
Peak							Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5455.05</td><td>52.60</td><td>74.00</td><td>-21.40</td><td>38.85</td><td>34.81</td><td>11.10</td><td>32.16</td><td>308</td><td>319</td><td>Peak</td></tr><tr><td>2</td><td>5469.90</td><td>50.83</td><td>68.30</td><td>-17.47</td><td>37.04</td><td>34.81</td><td>11.16</td><td>32.18</td><td>308</td><td>319</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>109.14</td><td>-----</td><td>-----</td><td>94.76</td><td>35.09</td><td>11.66</td><td>32.37</td><td>308</td><td>319</td><td>Peak</td></tr><tr><td>4</td><td>5892.85</td><td>52.56</td><td>68.30</td><td>-15.74</td><td>38.27</td><td>35.35</td><td>11.46</td><td>32.52</td><td>308</td><td>319</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5455.05	52.60	74.00	-21.40	38.85	34.81	11.10	32.16	308	319	Peak	2	5469.90	50.83	68.30	-17.47	37.04	34.81	11.16	32.18	308	319	Peak	3	5710.00	109.14	-----	-----	94.76	35.09	11.66	32.37	308	319	Peak	4	5892.85	52.56	68.30	-15.74	38.27	35.35	11.46	32.52	308	319	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																															
1	5455.05	52.60	74.00	-21.40	38.85	34.81	11.10	32.16	308	319	Peak																																																																												
2	5469.90	50.83	68.30	-17.47	37.04	34.81	11.16	32.18	308	319	Peak																																																																												
3	5710.00	109.14	-----	-----	94.76	35.09	11.66	32.37	308	319	Peak																																																																												
4	5892.85	52.56	68.30	-15.74	38.27	35.35	11.46	32.52	308	319	Peak																																																																												
Avg							Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5459.45</td><td>41.15</td><td>54.00</td><td>-12.85</td><td>27.38</td><td>34.81</td><td>11.12</td><td>32.16</td><td>308</td><td>319</td><td>Peak</td></tr><tr><td>2</td><td>5710.00</td><td>99.33</td><td>-----</td><td>-----</td><td>84.95</td><td>35.09</td><td>11.66</td><td>32.37</td><td>308</td><td>319</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5459.45	41.15	54.00	-12.85	27.38	34.81	11.12	32.16	308	319	Peak	2	5710.00	99.33	-----	-----	84.95	35.09	11.66	32.37	308	319	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																															
1	5459.45	41.15	54.00	-12.85	27.38	34.81	11.12	32.16	308	319	Peak																																																																												
2	5710.00	99.33	-----	-----	84.95	35.09	11.66	32.37	308	319	Average																																																																												



Mode	42																																																																																						
	Band Edge																																																																																						
	U-NII-2C_5.47-5.85_802.11be EHT40_CH142_Full_5710MHz																																																																																						
ANT	CDD 9+15																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak						Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.70</td><td>51.60</td><td>74.00</td><td>-22.40</td><td>37.90</td><td>34.81</td><td>11.02</td><td>32.13</td><td>361</td><td>339</td><td>Peak</td></tr><tr><td>2</td><td>5461.10</td><td>51.64</td><td>68.30</td><td>-16.66</td><td>37.88</td><td>34.81</td><td>11.12</td><td>32.17</td><td>361</td><td>339</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>104.57</td><td>-----</td><td>-----</td><td>90.19</td><td>35.09</td><td>11.66</td><td>32.37</td><td>361</td><td>339</td><td>Peak</td></tr><tr><td>4</td><td>5874.15</td><td>52.24</td><td>68.30</td><td>-16.06</td><td>37.93</td><td>35.32</td><td>11.49</td><td>32.50</td><td>361</td><td>339</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.70	51.60	74.00	-22.40	37.90	34.81	11.02	32.13	361	339	Peak	2	5461.10	51.64	68.30	-16.66	37.88	34.81	11.12	32.17	361	339	Peak	3	5710.00	104.57	-----	-----	90.19	35.09	11.66	32.37	361	339	Peak	4	5874.15	52.24	68.30	-16.06	37.93	35.32	11.49	32.50	361	339	Peak
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5434.70	51.60	74.00	-22.40	37.90	34.81	11.02	32.13	361	339	Peak																																																																												
2	5461.10	51.64	68.30	-16.66	37.88	34.81	11.12	32.17	361	339	Peak																																																																												
3	5710.00	104.57	-----	-----	90.19	35.09	11.66	32.37	361	339	Peak																																																																												
4	5874.15	52.24	68.30	-16.06	37.93	35.32	11.49	32.50	361	339	Peak																																																																												
Avg						Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>41.06</td><td>54.00</td><td>-12.94</td><td>27.30</td><td>34.81</td><td>11.12</td><td>32.17</td><td>361</td><td>339</td><td>Peak</td></tr><tr><td>2</td><td>5710.00</td><td>94.42</td><td>-----</td><td>-----</td><td>80.04</td><td>35.09</td><td>11.66</td><td>32.37</td><td>361</td><td>339</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	41.06	54.00	-12.94	27.30	34.81	11.12	32.17	361	339	Peak	2	5710.00	94.42	-----	-----	80.04	35.09	11.66	32.37	361	339	Average																								
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5460.00	41.06	54.00	-12.94	27.30	34.81	11.12	32.17	361	339	Peak																																																																												
2	5710.00	94.42	-----	-----	80.04	35.09	11.66	32.37	361	339	Average																																																																												







Mode	43																																																																																						
	Band Edge																																																																																						
	U-NII-2C_5.47-5.85_802.11be EHT80_CH138_Full_5690MHz																																																																																						
ANT	CDD 9+15																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak						Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>52.66</td><td>68.30</td><td>-15.64</td><td>38.90</td><td>34.81</td><td>11.12</td><td>32.17</td><td>307</td><td>326</td><td>Peak</td></tr><tr><td>2</td><td>5460.00</td><td>52.66</td><td>68.30</td><td>-15.64</td><td>38.90</td><td>34.81</td><td>11.12</td><td>32.17</td><td>307</td><td>326</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>105.75</td><td>-----</td><td>-----</td><td>91.37</td><td>35.07</td><td>11.67</td><td>32.36</td><td>307</td><td>326</td><td>Peak</td></tr><tr><td>4</td><td>5879.10</td><td>54.03</td><td>68.30</td><td>-14.27</td><td>39.73</td><td>35.33</td><td>11.48</td><td>32.51</td><td>307</td><td>326</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	52.66	68.30	-15.64	38.90	34.81	11.12	32.17	307	326	Peak	2	5460.00	52.66	68.30	-15.64	38.90	34.81	11.12	32.17	307	326	Peak	3	5690.00	105.75	-----	-----	91.37	35.07	11.67	32.36	307	326	Peak	4	5879.10	54.03	68.30	-14.27	39.73	35.33	11.48	32.51	307	326	Peak
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5460.00	52.66	68.30	-15.64	38.90	34.81	11.12	32.17	307	326	Peak																																																																												
2	5460.00	52.66	68.30	-15.64	38.90	34.81	11.12	32.17	307	326	Peak																																																																												
3	5690.00	105.75	-----	-----	91.37	35.07	11.67	32.36	307	326	Peak																																																																												
4	5879.10	54.03	68.30	-14.27	39.73	35.33	11.48	32.51	307	326	Peak																																																																												
Avg						Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>42.01</td><td>54.00</td><td>-11.99</td><td>28.25</td><td>34.81</td><td>11.12</td><td>32.17</td><td>307</td><td>326</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>95.93</td><td>-----</td><td>-----</td><td>81.55</td><td>35.07</td><td>11.67</td><td>32.36</td><td>307</td><td>326</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	42.01	54.00	-11.99	28.25	34.81	11.12	32.17	307	326	Average	2	5690.00	95.93	-----	-----	81.55	35.07	11.67	32.36	307	326	Average																								
							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5460.00	42.01	54.00	-11.99	28.25	34.81	11.12	32.17	307	326	Average																																																																												
2	5690.00	95.93	-----	-----	81.55	35.07	11.67	32.36	307	326	Average																																																																												







Mode	43																																																																																						
	Band Edge																																																																																						
	U-NII-2C_5.47-5.85_802.11be EHT80_CH138_Full_5690MHz																																																																																						
ANT	CDD 9+15																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak						Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.10</td><td>52.74</td><td>74.00</td><td>-21.26</td><td>39.04</td><td>34.83</td><td>10.93</td><td>32.06</td><td>342</td><td>344</td><td>Peak</td></tr><tr><td>2</td><td>5466.60</td><td>51.88</td><td>68.30</td><td>-16.42</td><td>38.09</td><td>34.81</td><td>11.15</td><td>32.17</td><td>342</td><td>344</td><td>Peak</td></tr><tr><td>3</td><td>5690.00</td><td>100.86</td><td>-----</td><td>-----</td><td>86.48</td><td>35.07</td><td>11.67</td><td>32.36</td><td>342</td><td>344</td><td>Peak</td></tr><tr><td>4</td><td>5851.60</td><td>52.98</td><td>68.30</td><td>-15.32</td><td>38.65</td><td>35.29</td><td>11.53</td><td>32.49</td><td>342</td><td>344</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.10	52.74	74.00	-21.26	39.04	34.83	10.93	32.06	342	344	Peak	2	5466.60	51.88	68.30	-16.42	38.09	34.81	11.15	32.17	342	344	Peak	3	5690.00	100.86	-----	-----	86.48	35.07	11.67	32.36	342	344	Peak	4	5851.60	52.98	68.30	-15.32	38.65	35.29	11.53	32.49	342	344	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5373.10	52.74	74.00	-21.26	39.04	34.83	10.93	32.06	342	344	Peak																																																																												
2	5466.60	51.88	68.30	-16.42	38.09	34.81	11.15	32.17	342	344	Peak																																																																												
3	5690.00	100.86	-----	-----	86.48	35.07	11.67	32.36	342	344	Peak																																																																												
4	5851.60	52.98	68.30	-15.32	38.65	35.29	11.53	32.49	342	344	Peak																																																																												
Avg						Date: 2024-08-22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.45</td><td>41.60</td><td>54.00</td><td>-12.40</td><td>27.83</td><td>34.81</td><td>11.12</td><td>32.16</td><td>342</td><td>344</td><td>Average</td></tr><tr><td>2</td><td>5690.00</td><td>91.21</td><td>-----</td><td>-----</td><td>76.83</td><td>35.07</td><td>11.67</td><td>32.36</td><td>342</td><td>344</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.45	41.60	54.00	-12.40	27.83	34.81	11.12	32.16	342	344	Average	2	5690.00	91.21	-----	-----	76.83	35.07	11.67	32.36	342	344	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5459.45	41.60	54.00	-12.40	27.83	34.81	11.12	32.16	342	344	Average																																																																												
2	5690.00	91.21	-----	-----	76.83	35.07	11.67	32.36	342	344	Average																																																																												



		44																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 26/0_5180MHz																																																																																																			
ANT		CDD 9+15																																																																																																			
Pol.	Horizontal										Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-08-26 										Level (dBuV/m) Date: 2024-08-26 																																																																																										
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.09</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>40.22</td><td>34.87</td><td>11.10</td><td>31.75</td><td>340</td><td>121 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5126.09	54.44	74.00	-19.56	40.22	34.87	11.10	31.75	340	121 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>114.17</td><td>-----</td><td>-----</td><td>100.02</td><td>34.87</td><td>11.08</td><td>31.80</td><td>340</td><td>121 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	114.17	-----	-----	100.02	34.87	11.08	31.80	340
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5126.09	54.44	74.00	-19.56	40.22	34.87	11.10	31.75	340	121 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5180.00	114.17	-----	-----	100.02	34.87	11.08	31.80	340	121 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-08-26 										Level (dBuV/m) Date: 2024-08-26 																																																																																										
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>43.12</td><td>54.00</td><td>-10.88</td><td>28.95</td><td>34.87</td><td>11.08</td><td>31.78</td><td>340</td><td>121 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	43.12	54.00	-10.88	28.95	34.87	11.08	31.78	340	121 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.61</td><td>-----</td><td>-----</td><td>91.46</td><td>34.87</td><td>11.08</td><td>31.80</td><td>340</td><td>121 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.61	-----	-----	91.46	34.87	11.08	31.80	340
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5149.99	43.12	54.00	-10.88	28.95	34.87	11.08	31.78	340	121 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5180.00	105.61	-----	-----	91.46	34.87	11.08	31.80	340	121 AVERAGE																																																																																											



		44																																																																																								
Mode		Band Edge																																																																																								
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 26/0_5180MHz																																																																																								
ANT		CDD 9+15																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	 Date: 2024-08-26 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5078.39</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>38.81</td><td>34.88</td><td>11.13</td><td>31.69</td><td>372 346 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5078.39	53.13	74.00	-20.87	38.81	34.88	11.13	31.69	372 346 PEAK	 Date: 2024-08-26 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.18</td><td>-----</td><td>-----</td><td>93.03</td><td>34.87</td><td>11.08</td><td>31.80</td><td>372 346 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.18	-----	-----	93.03	34.87	11.08	31.80	372 346 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5078.39	53.13	74.00	-20.87	38.81	34.88	11.13	31.69	372 346 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	107.18	-----	-----	93.03	34.87	11.08	31.80	372 346 PEAK																																																																																	
Avg	 Date: 2024-08-26 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5128.07</td><td>42.20</td><td>54.00</td><td>-11.80</td><td>27.98</td><td>34.87</td><td>11.10</td><td>31.75</td><td>372 346 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5128.07	42.20	54.00	-11.80	27.98	34.87	11.10	31.75	372 346 AVERAGE	 Date: 2024-08-26 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.34</td><td>-----</td><td>-----</td><td>85.19</td><td>34.87</td><td>11.08</td><td>31.80</td><td>372 346 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.34	-----	-----	85.19	34.87	11.08	31.80	372 346 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5128.07	42.20	54.00	-11.80	27.98	34.87	11.10	31.75	372 346 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	99.34	-----	-----	85.19	34.87	11.08	31.80	372 346 AVERAGE																																																																																	



Mode	45																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 52/37_5180MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5125.75</td><td>54.09</td><td>74.00</td><td>-19.91</td><td>39.87</td><td>34.87</td><td>11.10</td><td>31.75</td><td>341 119 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5125.75	54.09	74.00	-19.91	39.87	34.87	11.10	31.75	341 119 PEAK	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>116.35</td><td>-----</td><td>-----</td><td>102.20</td><td>34.87</td><td>11.08</td><td>31.80</td><td>341 119 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	116.35	-----	-----	102.20	34.87	11.08	31.80	341 119 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5125.75	54.09	74.00	-19.91	39.87	34.87	11.10	31.75	341 119 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	116.35	-----	-----	102.20	34.87	11.08	31.80	341 119 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.99</td><td>44.06</td><td>54.00</td><td>-9.94</td><td>29.89</td><td>34.87</td><td>11.08</td><td>31.78</td><td>341 119 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.99	44.06	54.00	-9.94	29.89	34.87	11.08	31.78	341 119 AVERAGE	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>106.10</td><td>-----</td><td>-----</td><td>91.95</td><td>34.87</td><td>11.08</td><td>31.80</td><td>341 119 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	106.10	-----	-----	91.95	34.87	11.08	31.80	341 119 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.99	44.06	54.00	-9.94	29.89	34.87	11.08	31.78	341 119 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	106.10	-----	-----	91.95	34.87	11.08	31.80	341 119 AVERAGE																																																																		



Mode	45																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 52/37_5180MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5133.47</td><td>53.65</td><td>74.00</td><td>-20.35</td><td>39.45</td><td>34.87</td><td>11.09</td><td>31.76</td><td>371 344 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5133.47	53.65	74.00	-20.35	39.45	34.87	11.09	31.76	371 344 PEAK	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>106.93</td><td>-----</td><td>-----</td><td>92.78</td><td>34.87</td><td>11.08</td><td>31.80</td><td>371 344 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	106.93	-----	-----	92.78	34.87	11.08	31.80	371 344 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5133.47	53.65	74.00	-20.35	39.45	34.87	11.09	31.76	371 344 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	106.93	-----	-----	92.78	34.87	11.08	31.80	371 344 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5123.75</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>27.96</td><td>34.88</td><td>11.10</td><td>31.75</td><td>371 344 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5123.75	42.19	54.00	-11.81	27.96	34.88	11.10	31.75	371 344 AVERAGE	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>98.68</td><td>-----</td><td>-----</td><td>84.53</td><td>34.87</td><td>11.08</td><td>31.80</td><td>371 344 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	98.68	-----	-----	84.53	34.87	11.08	31.80	371 344 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5123.75	42.19	54.00	-11.81	27.96	34.88	11.10	31.75	371 344 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	98.68	-----	-----	84.53	34.87	11.08	31.80	371 344 AVERAGE																																																																		



		46																																																																																							
Mode		Band Edge																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 106/53_5180MHz																																																																																							
ANT		CDD 9+15																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz)					Level (dBuV/m) Date: 2024-08-26 Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5139.25</td><td>54.03</td><td>74.00</td><td>-19.97</td><td>39.84</td><td>34.87</td><td>11.09</td><td>31.77</td><td>340</td><td>119 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5139.25	54.03	74.00	-19.97	39.84	34.87	11.09	31.77	340	119 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>114.34</td><td>-----</td><td>-----</td><td>100.19</td><td>34.87</td><td>11.08</td><td>31.80</td><td>340</td><td>119 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	114.34	-----	-----	100.19	34.87	11.08	31.80	340
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5139.25	54.03	74.00	-19.97	39.84	34.87	11.09	31.77	340	119 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5180.00	114.34	-----	-----	100.19	34.87	11.08	31.80	340	119 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz)					Level (dBuV/m) Date: 2024-08-26 Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.67</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>29.85</td><td>34.87</td><td>11.09</td><td>31.78</td><td>340</td><td>119 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5149.67	44.03	54.00	-9.97	29.85	34.87	11.09	31.78	340	119 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>105.99</td><td>-----</td><td>-----</td><td>91.84</td><td>34.87</td><td>11.08</td><td>31.80</td><td>340</td><td>119 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	105.99	-----	-----	91.84	34.87	11.08	31.80	340
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5149.67	44.03	54.00	-9.97	29.85	34.87	11.09	31.78	340	119 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5180.00	105.99	-----	-----	91.84	34.87	11.08	31.80	340	119 AVERAGE																																																																																



Mode	46																																									
	Band Edge																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 106/53_5180MHz																																									
ANT	CDD 9+15																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-08-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5063.27</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>39.69</td><td>34.89</td><td>11.13</td><td>31.67</td><td>374</td><td>344 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5063.27	54.04	74.00	-19.96	39.69	34.89	11.13	31.67	374	344 PEAK	Level (dBuV/m) Date: 2024-08-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>107.91</td><td>-----</td><td>-----</td><td>93.78</td><td>34.87</td><td>11.07</td><td>31.81</td><td>374</td><td>344 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	107.91	-----	-----	93.78	34.87	11.07	31.81	374	344 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5063.27	54.04	74.00	-19.96	39.69	34.89	11.13	31.67	374	344 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5180.00	107.91	-----	-----	93.78	34.87	11.07	31.81	374	344 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-08-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5148.43</td><td>42.48</td><td>54.00</td><td>-11.52</td><td>28.30</td><td>34.87</td><td>11.09</td><td>31.78</td><td>374</td><td>344 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5148.43	42.48	54.00	-11.52	28.30	34.87	11.09	31.78	374	344 AVERAGE	Level (dBuV/m) Date: 2024-08-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5180.00</td><td>98.27</td><td>-----</td><td>-----</td><td>84.14</td><td>34.87</td><td>11.07</td><td>31.81</td><td>374</td><td>344 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5180.00	98.27	-----	-----	84.14	34.87	11.07	31.81	374	344 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5148.43	42.48	54.00	-11.52	28.30	34.87	11.09	31.78	374	344 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5180.00	98.27	-----	-----	84.14	34.87	11.07	31.81	374	344 AVERAGE																																	







		47																																																																																
Mode		Band Edge																																																																																
		U-NII-2A_5.15-5.25_802.11be EHT20_CH64_Single RU 26/8_5320MHz																																																																																
ANT		CDD 9+15																																																																																
Pol.		Horizontal					Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5356.89</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>38.97</td><td>34.83</td><td>10.94</td><td>32.04</td><td>337 116 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5356.89	52.70	74.00	-21.30	38.97	34.83	10.94	32.04	337 116 PEAK	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>111.39</td><td>-----</td><td>-----</td><td>97.59</td><td>34.84</td><td>10.96</td><td>32.00</td><td>337 116 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	111.39	-----	-----	97.59	34.84	10.96	32.00	337 116 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5356.89	52.70	74.00	-21.30	38.97	34.83	10.94	32.04	337 116 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5320.00	111.39	-----	-----	97.59	34.84	10.96	32.00	337 116 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5358.71</td><td>42.03</td><td>54.00</td><td>-11.97</td><td>28.30</td><td>34.83</td><td>10.94</td><td>32.04</td><td>337 116 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5358.71	42.03	54.00	-11.97	28.30	34.83	10.94	32.04	337 116 AVERAGE	Level (dBuV/m) Date: 2024-08-26 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>103.68</td><td>-----</td><td>-----</td><td>89.88</td><td>34.84</td><td>10.96</td><td>32.00</td><td>337 116 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	103.68	-----	-----	89.88	34.84	10.96	32.00	337 116 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5358.71	42.03	54.00	-11.97	28.30	34.83	10.94	32.04	337 116 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5320.00	103.68	-----	-----	89.88	34.84	10.96	32.00	337 116 AVERAGE																																																																										



		47																																																										
Mode		Band Edge																																																										
		U-NII-2A_5.15-5.25_802.11be EHT20_CH64_Single RU 26/8_5320MHz																																																										
ANT		CDD 9+15																																																										
Pol.	Vertical										Fundamental																																																	
Peak	Level (dBuV/m) Date: 2024-08-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5459.66</td><td>52.88</td><td>74.00</td><td>-21.12</td><td>39.11</td><td>34.81</td><td>11.12</td><td>32.16</td><td>371</td><td>349 PEAK</td></tr></table>										MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5459.66	52.88	74.00	-21.12	39.11	34.81	11.12	32.16	371	349 PEAK	Level (dBuV/m) Date: 2024-08-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5320.00</td><td>107.71</td><td>-----</td><td>-----</td><td>93.91</td><td>34.84</td><td>10.96</td><td>32.00</td><td>371</td><td>349 PEAK</td></tr></table>										MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5320.00	107.71	-----	-----	93.91	34.84	10.96	32.00	371	349 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																		
1 5459.66	52.88	74.00	-21.12	39.11	34.81	11.12	32.16	371	349 PEAK																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																			
1 5320.00	107.71	-----	-----	93.91	34.84	10.96	32.00	371	349 PEAK																																																			
Avg	Level (dBuV/m) Date: 2024-08-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5353.53</td><td>41.67</td><td>54.00</td><td>-12.33</td><td>27.93</td><td>34.83</td><td>10.94</td><td>32.03</td><td>371</td><td>349 AVERAGE</td></tr></table>										MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5353.53	41.67	54.00	-12.33	27.93	34.83	10.94	32.03	371	349 AVERAGE	Level (dBuV/m) Date: 2024-08-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5320.00</td><td>100.38</td><td>-----</td><td>-----</td><td>86.58</td><td>34.84</td><td>10.96</td><td>32.00</td><td>371</td><td>349 AVERAGE</td></tr></table>										MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5320.00	100.38	-----	-----	86.58	34.84	10.96	32.00	371	349 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																		
1 5353.53	41.67	54.00	-12.33	27.93	34.83	10.94	32.03	371	349 AVERAGE																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																			
1 5320.00	100.38	-----	-----	86.58	34.84	10.96	32.00	371	349 AVERAGE																																																			



		48																																																																																								
Mode		Band Edge																																																																																								
		U-NII-2A_5.15-5.25_802.11be EHT20_CH64_Single RU 52/40_5320MHz																																																																																								
ANT		CDD 9+15																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-08-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5350.31</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>39.34</td><td>34.83</td><td>10.94</td><td>32.03</td><td>337</td><td>118 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5350.31	53.08	74.00	-20.92	39.34	34.83	10.94	32.03	337	118 PEAK	Level (dBuV/m) Date: 2024-08-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5320.00</td><td>112.08</td><td>-----</td><td>-----</td><td>98.28</td><td>34.84</td><td>10.96</td><td>32.00</td><td>337</td><td>118 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	112.08	-----	-----	98.28	34.84	10.96	32.00	337	118 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5350.31	53.08	74.00	-20.92	39.34	34.83	10.94	32.03	337	118 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5320.00	112.08	-----	-----	98.28	34.84	10.96	32.00	337	118 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5350.70</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>28.79</td><td>34.83</td><td>10.94</td><td>32.03</td><td>337</td><td>118 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5350.70	42.53	54.00	-11.47	28.79	34.83	10.94	32.03	337	118 AVERAGE	Level (dBuV/m) Date: 2024-08-26  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5320.00</td><td>102.79</td><td>-----</td><td>-----</td><td>88.99</td><td>34.84</td><td>10.96</td><td>32.00</td><td>337</td><td>118 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	102.79	-----	-----	88.99	34.84	10.96	32.00	337	118 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5350.70	42.53	54.00	-11.47	28.79	34.83	10.94	32.03	337	118 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5320.00	102.79	-----	-----	88.99	34.84	10.96	32.00	337	118 AVERAGE																																																																																	



		48									
Mode		Band Edge									
		U-NII-2A_5.15-5.25_802.11be EHT20_CH64_Single RU 52/40_5320MHz									
ANT		CDD 9+15									
Pol.		Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2024-08-26 <										



Mode	49																																																																									
	Band Edge																																																																									
	U-NII-2A_5.15-5.25_802.11be EHT20_CH64_Single RU 106/54_5320MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5364.74</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>39.10</td><td>34.83</td><td>10.93</td><td>32.05</td><td>337 121 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5364.74	52.81	74.00	-21.19	39.10	34.83	10.93	32.05	337 121 PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>113.93</td><td>-----</td><td>-----</td><td>100.13</td><td>34.84</td><td>10.96</td><td>32.00</td><td>337 121 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	113.93	-----	-----	100.13	34.84	10.96	32.00	337 121 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5364.74	52.81	74.00	-21.19	39.10	34.83	10.93	32.05	337 121 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	113.93	-----	-----	100.13	34.84	10.96	32.00	337 121 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.72</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>28.96</td><td>34.83</td><td>10.94</td><td>32.03</td><td>337 121 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.72	42.70	54.00	-11.30	28.96	34.83	10.94	32.03	337 121 AVERAGE	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>103.71</td><td>-----</td><td>-----</td><td>89.91</td><td>34.84</td><td>10.96</td><td>32.00</td><td>337 121 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	103.71	-----	-----	89.91	34.84	10.96	32.00	337 121 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.72	42.70	54.00	-11.30	28.96	34.83	10.94	32.03	337 121 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	103.71	-----	-----	89.91	34.84	10.96	32.00	337 121 AVERAGE																																																																		



Mode	49	
	Band Edge	
	U-NII-2A_5.15-5.25_802.11be EHT20_CH64_Single RU 106/54_5320MHz	
ANT	CDD 9+15	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-27 1 5358.71 52.64 74.00 -21.36 38.91 34.83 10.94 32.04 370 356 PEAK	Level (dBuV/m) Date: 2024-08-27 1 5320.00 108.62 94.82 34.84 10.96 32.00 370 356 PEAK
	Level (dBuV/m) Date: 2024-08-27 1 5352.84 42.22 54.00 -11.78 28.48 34.83 10.94 32.03 370 356 AVERAGE	Level (dBuV/m) Date: 2024-08-27 1 5320.00 99.73 85.93 34.84 10.96 32.00 370 356 AVERAGE



		50																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.25-5.35_802.11be EHT20_CH100_Single RU 26/0_5500MHz																																																																																																		
ANT		CDD 9+15																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.54</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>39.65</td><td>34.81</td><td>11.10</td><td>32.16</td><td>316 120 PEAK</td></tr><tr><td>2</td><td>5468.73</td><td>52.36</td><td>68.30</td><td>-15.94</td><td>38.57</td><td>34.81</td><td>11.16</td><td>32.18</td><td>316 120 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5455.54	53.40	74.00	-20.60	39.65	34.81	11.10	32.16	316 120 PEAK	2	5468.73	52.36	68.30	-15.94	38.57	34.81	11.16	32.18	316 120 PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.19</td><td>-----</td><td>-----</td><td>96.34</td><td>34.80</td><td>11.25</td><td>32.20</td><td>316 120 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.19	-----	-----	96.34	34.80	11.25	32.20	316 120 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5455.54	53.40	74.00	-20.60	39.65	34.81	11.10	32.16	316 120 PEAK																																																																																											
2	5468.73	52.36	68.30	-15.94	38.57	34.81	11.16	32.18	316 120 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	110.19	-----	-----	96.34	34.80	11.25	32.20	316 120 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.59</td><td>42.74</td><td>54.00</td><td>-11.26</td><td>28.97</td><td>34.81</td><td>11.12</td><td>32.16</td><td>316 120 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.59	42.74	54.00	-11.26	28.97	34.81	11.12	32.16	316 120 AVERAGE	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.94</td><td>-----</td><td>-----</td><td>89.09</td><td>34.80</td><td>11.25</td><td>32.20</td><td>316 120 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.94	-----	-----	89.09	34.80	11.25	32.20	316 120 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.59	42.74	54.00	-11.26	28.97	34.81	11.12	32.16	316 120 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	102.94	-----	-----	89.09	34.80	11.25	32.20	316 120 AVERAGE																																																																																											



Mode	50																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.25-5.35_802.11be EHT20_CH100_Single RU 26/0_5500MHz																																																																																														
ANT	CDD 9+15																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5410.84</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>38.70</td><td>34.82</td><td>10.92</td><td>32.10</td><td>366</td><td>360° PEAK</td></tr><tr><td>2</td><td>5460.34</td><td>52.30</td><td>68.30</td><td>-16.00</td><td>38.54</td><td>34.81</td><td>11.12</td><td>32.17</td><td>366</td><td>360° PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5410.84	52.34	74.00	-21.66	38.70	34.82	10.92	32.10	366	360° PEAK	2	5460.34	52.30	68.30	-16.00	38.54	34.81	11.12	32.17	366	360° PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.93</td><td>-----</td><td>-----</td><td>94.08</td><td>34.80</td><td>11.25</td><td>32.20</td><td>366</td><td>360° PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.93	-----	-----	94.08	34.80	11.25	32.20	366	360° PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5410.84	52.34	74.00	-21.66	38.70	34.82	10.92	32.10	366	360° PEAK																																																																																					
2	5460.34	52.30	68.30	-16.00	38.54	34.81	11.12	32.17	366	360° PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5500.00	107.93	-----	-----	94.08	34.80	11.25	32.20	366	360° PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.19</td><td>42.27</td><td>54.00</td><td>-11.73</td><td>28.52</td><td>34.81</td><td>11.10</td><td>32.16</td><td>366</td><td>360° AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.19	42.27	54.00	-11.73	28.52	34.81	11.10	32.16	366	360° AVERAGE	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.57</td><td>-----</td><td>-----</td><td>85.72</td><td>34.80</td><td>11.25</td><td>32.20</td><td>366</td><td>360° AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.57	-----	-----	85.72	34.80	11.25	32.20	366	360° AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5456.19	42.27	54.00	-11.73	28.52	34.81	11.10	32.16	366	360° AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5500.00	99.57	-----	-----	85.72	34.80	11.25	32.20	366	360° AVERAGE																																																																																					







Mode	51																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.25-5.35_802.11be EHT20_CH100_Single RU 52/37_5500MHz																																																																																	
ANT	CDD 9+15																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz)					Level (dBuV/m) Date: 2024-08-27 Frequency (MHz)																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.63</td><td>52.22</td><td>74.00</td><td>-21.78</td><td>38.47</td><td>34.81</td><td>11.10</td><td>32.16</td><td>316</td><td>120 PEAK</td></tr><tr><td>2</td><td>5469.48</td><td>52.79</td><td>68.30</td><td>-15.51</td><td>39.00</td><td>34.81</td><td>11.16</td><td>32.18</td><td>316</td><td>120 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5454.63	52.22	74.00	-21.78	38.47	34.81	11.10	32.16	316	120 PEAK	2	5469.48	52.79	68.30	-15.51	39.00	34.81	11.16	32.18	316	120 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.19</td><td>-----</td><td>-----</td><td>97.34</td><td>34.80</td><td>11.25</td><td>32.20</td><td>316</td><td>120 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5500.00	111.19	-----	-----	97.34	34.80	11.25	32.20	316
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																									
1	5454.63	52.22	74.00	-21.78	38.47	34.81	11.10	32.16	316	120 PEAK																																																																								
2	5469.48	52.79	68.30	-15.51	39.00	34.81	11.16	32.18	316	120 PEAK																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																									
1	5500.00	111.19	-----	-----	97.34	34.80	11.25	32.20	316	120 PEAK																																																																								
Avg	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz)					Level (dBuV/m) Date: 2024-08-27 Frequency (MHz)																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.43</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>29.22</td><td>34.81</td><td>11.11</td><td>32.16</td><td>316</td><td>120 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5456.43	42.98	54.00	-11.02	29.22	34.81	11.11	32.16	316	120 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.22</td><td>-----</td><td>-----</td><td>89.37</td><td>34.80</td><td>11.25</td><td>32.20</td><td>316</td><td>120 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5500.00	103.22	-----	-----	89.37	34.80	11.25	32.20	316	120 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																									
1	5456.43	42.98	54.00	-11.02	29.22	34.81	11.11	32.16	316	120 AVERAGE																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																									
1	5500.00	103.22	-----	-----	89.37	34.80	11.25	32.20	316	120 AVERAGE																																																																								



Mode	51																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.25-5.35_802.11be EHT20_CH100_Single RU 52/37_5500MHz																																																																																											
ANT	CDD 9+15																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5429.88</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>38.80</td><td>34.81</td><td>11.00</td><td>32.13</td><td>381 356 PEAK</td></tr><tr><td>2</td><td>5464.98</td><td>53.81</td><td>68.30</td><td>-14.49</td><td>40.03</td><td>34.81</td><td>11.14</td><td>32.17</td><td>381 356 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5429.88	52.48	74.00	-21.52	38.80	34.81	11.00	32.13	381 356 PEAK	2	5464.98	53.81	68.30	-14.49	40.03	34.81	11.14	32.17	381 356 PEAK	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.57</td><td>-----</td><td>-----</td><td>95.72</td><td>34.80</td><td>11.25</td><td>32.20</td><td>381 356 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.57	-----	-----	95.72	34.80	11.25	32.20	381 356 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5429.88	52.48	74.00	-21.52	38.80	34.81	11.00	32.13	381 356 PEAK																																																																																			
2	5464.98	53.81	68.30	-14.49	40.03	34.81	11.14	32.17	381 356 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	109.57	-----	-----	95.72	34.80	11.25	32.20	381 356 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>42.27</td><td>54.00</td><td>-11.73</td><td>28.51</td><td>34.81</td><td>11.12</td><td>32.17</td><td>381 356 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	42.27	54.00	-11.73	28.51	34.81	11.12	32.17	381 356 AVERAGE	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.29</td><td>-----</td><td>-----</td><td>85.44</td><td>34.80</td><td>11.25</td><td>32.20</td><td>381 356 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.29	-----	-----	85.44	34.80	11.25	32.20	381 356 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5460.00	42.27	54.00	-11.73	28.51	34.81	11.12	32.17	381 356 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5500.00	99.29	-----	-----	85.44	34.80	11.25	32.20	381 356 AVERAGE																																																																																			



Mode	52																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.25-5.35_802.11be EHT20_CH100_Single RU 106/53_5500MHz																																																																																																			
ANT	CDD 9+15																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-08-27  PART 15.407 535053805410544054705500 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.98</td><td>51.70</td><td>74.00</td><td>-22.30</td><td>37.96</td><td>34.81</td><td>11.08</td><td>32.15</td><td>350 90 PEAK</td></tr><tr><td>2</td><td>5468.73</td><td>53.01</td><td>68.30</td><td>-15.29</td><td>39.22</td><td>34.81</td><td>11.16</td><td>32.18</td><td>350 90 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5449.98	51.70	74.00	-22.30	37.96	34.81	11.08	32.15	350 90 PEAK	2	5468.73	53.01	68.30	-15.29	39.22	34.81	11.16	32.18	350 90 PEAK	Level (dBuV/m) Date: 2024-08-27  PART 15.407 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.58</td><td>-----</td><td>-----</td><td>97.73</td><td>34.80</td><td>11.25</td><td>32.20</td><td>350 90 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.58	-----	-----	97.73	34.80	11.25	32.20	350 90 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5449.98	51.70	74.00	-22.30	37.96	34.81	11.08	32.15	350 90 PEAK																																																																																											
2	5468.73	53.01	68.30	-15.29	39.22	34.81	11.16	32.18	350 90 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	111.58	-----	-----	97.73	34.80	11.25	32.20	350 90 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-08-27  PART 15.407 AVG 535053805410544054705500 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.89</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>28.49</td><td>34.81</td><td>11.11</td><td>32.16</td><td>350 90 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.89	42.25	54.00	-11.75	28.49	34.81	11.11	32.16	350 90 AVERAGE	Level (dBuV/m) Date: 2024-08-27  PART 15.407 AVG 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.39</td><td>-----</td><td>-----</td><td>89.54</td><td>34.80</td><td>11.25</td><td>32.20</td><td>350 90 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.39	-----	-----	89.54	34.80	11.25	32.20	350 90 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5456.89	42.25	54.00	-11.75	28.49	34.81	11.11	32.16	350 90 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	103.39	-----	-----	89.54	34.80	11.25	32.20	350 90 AVERAGE																																																																																											



		52																																																													
Mode		Band Edge																																																													
		U-NII-2C_5.25-5.35_802.11be EHT20_CH100_Single RU 106/53_5500MHz																																																													
ANT		CDD 9+15																																																													
Pol.		Vertical					Fundamental																																																								
Peak	Level (dBuV/m) Date: 2024-08-27 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5350.09</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>38.72</td><td>34.83</td><td>10.94</td><td>32.03</td><td>381</td><td>356 PEAK</td></tr><tr><td>2</td><td>5466.79</td><td>51.38</td><td>68.30</td><td>-16.92</td><td>37.59</td><td>34.81</td><td>11.15</td><td>32.17</td><td>381</td><td>356 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5350.09	52.46	74.00	-21.54	38.72	34.83	10.94	32.03	381	356 PEAK	2	5466.79	51.38	68.30	-16.92	37.59	34.81	11.15	32.17	381	356 PEAK	Level (dBuV/m) Date: 2024-08-27 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>107.95</td><td>-----</td><td>-----</td><td>94.09</td><td>34.80</td><td>11.27</td><td>32.21</td><td>381</td><td>356 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5500.00	107.95	-----	-----	94.09	34.80	11.27	32.21	381	356 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																					
1	5350.09	52.46	74.00	-21.54	38.72	34.83	10.94	32.03	381	356 PEAK																																																					
2	5466.79	51.38	68.30	-16.92	37.59	34.81	11.15	32.17	381	356 PEAK																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	5500.00	107.95	-----	-----	94.09	34.80	11.27	32.21	381	356 PEAK																																																					
Avg	Level (dBuV/m) Date: 2024-08-27 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5460.00</td><td>42.24</td><td>54.00</td><td>-11.76</td><td>28.48</td><td>34.81</td><td>11.12</td><td>32.17</td><td>381</td><td>356 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5460.00	42.24	54.00	-11.76	28.48	34.81	11.12	32.17	381	356 AVERAGE	Level (dBuV/m) Date: 2024-08-27 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>99.55</td><td>-----</td><td>-----</td><td>85.70</td><td>34.80</td><td>11.25</td><td>32.20</td><td>381</td><td>356 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5500.00	99.55	-----	-----	85.70	34.80	11.25	32.20	381	356 AVERAGE											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																					
1	5460.00	42.24	54.00	-11.76	28.48	34.81	11.12	32.17	381	356 AVERAGE																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	5500.00	99.55	-----	-----	85.70	34.80	11.25	32.20	381	356 AVERAGE																																																					



Mode	53																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.25-5.35_802.11be EHT20_CH140_Single RU 26/8_5700MHz																																																																																			
ANT	CDD 9+15																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.42</td><td>53.44</td><td>68.30</td><td>-14.86</td><td>39.05</td><td>35.15</td><td>11.64</td><td>32.40</td><td>310</td><td>116 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5747.42	53.44	68.30	-14.86	39.05	35.15	11.64	32.40	310	116 PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.37</td><td>-----</td><td>-----</td><td>96.99</td><td>35.09</td><td>11.66</td><td>32.37</td><td>310</td><td>116 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.37	-----	-----	96.99	35.09	11.66	32.37	310	116 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5747.42	53.44	68.30	-14.86	39.05	35.15	11.64	32.40	310	116 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	111.37	-----	-----	96.99	35.09	11.66	32.37	310	116 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.20</td><td>-----</td><td>-----</td><td>89.82</td><td>35.09</td><td>11.66</td><td>32.37</td><td>310</td><td>116 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.20	-----	-----	89.82	35.09	11.66	32.37	310	116 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	104.20	-----	-----	89.82	35.09	11.66	32.37	310	116 AVERAGE																																																																										



Mode	53																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.25-5.35_802.11be EHT20_CH140_Single RU 26/8_5700MHz																																																																																											
ANT	CDD 9+15																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.82</td><td>53.62</td><td>68.30</td><td>-14.68</td><td>39.24</td><td>35.15</td><td>11.64</td><td>32.41</td><td>372</td><td>352 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5749.82	53.62	68.30	-14.68	39.24	35.15	11.64	32.41	372	352 PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.87</td><td>-----</td><td>-----</td><td>91.49</td><td>35.09</td><td>11.66</td><td>32.37</td><td>372</td><td>352 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.87	-----	-----	91.49	35.09	11.66	32.37	372	352 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5749.82	53.62	68.30	-14.68	39.24	35.15	11.64	32.41	372	352 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	105.87	-----	-----	91.49	35.09	11.66	32.37	372	352 PEAK																																																																																		
Avg	Blank					Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.00</td><td>-----</td><td>-----</td><td>83.62</td><td>35.09</td><td>11.66</td><td>32.37</td><td>372</td><td>352 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.00	-----	-----	83.62	35.09	11.66	32.37	372	352 AVERAGE																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	98.00	-----	-----	83.62	35.09	11.66	32.37	372	352 AVERAGE																																																																																		






Mode	54																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.25-5.35_802.11be EHT20_CH140_Single RU 52/40_5700MHz																																																																																			
ANT	CDD 9+15																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.16</td><td>54.62</td><td>68.30</td><td>-13.68</td><td>40.24</td><td>35.12</td><td>11.65</td><td>32.39</td><td>300</td><td>90 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.16	54.62	68.30	-13.68	40.24	35.12	11.65	32.39	300	90 PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.94</td><td>-----</td><td>-----</td><td>97.56</td><td>35.09</td><td>11.66</td><td>32.37</td><td>300</td><td>90 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.94	-----	-----	97.56	35.09	11.66	32.37	300	90 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5726.16	54.62	68.30	-13.68	40.24	35.12	11.65	32.39	300	90 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	111.94	-----	-----	97.56	35.09	11.66	32.37	300	90 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.89</td><td>-----</td><td>-----</td><td>90.51</td><td>35.09</td><td>11.66</td><td>32.37</td><td>300</td><td>90 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.89	-----	-----	90.51	35.09	11.66	32.37	300	90 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	104.89	-----	-----	90.51	35.09	11.66	32.37	300	90 AVERAGE																																																																										



Mode	54																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.25-5.35_802.11be EHT20_CH140_Single RU 52/40_5700MHz																																																																																	
ANT	CDD 9+15																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.77</td><td>53.04</td><td>68.30</td><td>-15.26</td><td>38.66</td><td>35.13</td><td>11.65</td><td>32.40</td><td>371 351 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5738.77	53.04	68.30	-15.26	38.66	35.13	11.65	32.40	371 351 PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.49</td><td>-----</td><td>-----</td><td>92.12</td><td>35.08</td><td>11.66</td><td>32.37</td><td>371 351 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.49	-----	-----	92.12	35.08	11.66	32.37	371 351 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5738.77	53.04	68.30	-15.26	38.66	35.13	11.65	32.40	371 351 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	106.49	-----	-----	92.12	35.08	11.66	32.37	371 351 PEAK																																																																									
Avg	Blank	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.36</td><td>-----</td><td>-----</td><td>83.98</td><td>35.09</td><td>11.66</td><td>32.37</td><td>371 351 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.36	-----	-----	83.98	35.09	11.66	32.37	371 351 AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	98.36	-----	-----	83.98	35.09	11.66	32.37	371 351 AVERAGE																																																																									



Mode	55																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.25-5.35_802.11be EHT20_CH140_Single RU 106/54_5700MHz																																																																																			
ANT	CDD 9+15																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-27  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5753.01</td><td>53.58</td><td>68.30</td><td>-14.72</td><td>39.20</td><td>35.15</td><td>11.64</td><td>32.41</td><td>299</td><td>88 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5753.01	53.58	68.30	-14.72	39.20	35.15	11.64	32.41	299	88 PEAK	Level (dBuV/m) Date: 2024-08-27  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>112.30</td><td>-----</td><td>-----</td><td>97.92</td><td>35.09</td><td>11.66</td><td>32.37</td><td>299</td><td>88 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.30	-----	-----	97.92	35.09	11.66	32.37	299	88 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5753.01	53.58	68.30	-14.72	39.20	35.15	11.64	32.41	299	88 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	112.30	-----	-----	97.92	35.09	11.66	32.37	299	88 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2024-08-27  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.73</td><td>-----</td><td>-----</td><td>90.35</td><td>35.09</td><td>11.66</td><td>32.37</td><td>299</td><td>88 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.73	-----	-----	90.35	35.09	11.66	32.37	299	88 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	104.73	-----	-----	90.35	35.09	11.66	32.37	299	88 AVERAGE																																																																										



Mode	55																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.25-5.35_802.11be EHT20_CH140_Single RU 106/54_5700MHz																																																																																			
ANT	CDD 9+15																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.26</td><td>55.92</td><td>68.30</td><td>-12.38</td><td>41.54</td><td>35.12</td><td>11.65</td><td>32.39</td><td>347</td><td>340 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.26	55.92	68.30	-12.38	41.54	35.12	11.65	32.39	347	340 PEAK	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.95</td><td>-----</td><td>-----</td><td>92.58</td><td>35.08</td><td>11.66</td><td>32.37</td><td>347</td><td>340 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.95	-----	-----	92.58	35.08	11.66	32.37	347	340 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5725.26	55.92	68.30	-12.38	41.54	35.12	11.65	32.39	347	340 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	106.95	-----	-----	92.58	35.08	11.66	32.37	347	340 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.43</td><td>-----</td><td>-----</td><td>84.06</td><td>35.08</td><td>11.66</td><td>32.37</td><td>347</td><td>340 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.43	-----	-----	84.06	35.08	11.66	32.37	347	340 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	98.43	-----	-----	84.06	35.08	11.66	32.37	347	340 AVERAGE																																																																										



Mode	56																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 26/0_5745MHz																																																																																																																									
ANT	CDD 9+15																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	Date: 2024-08-27 Level (dBuV/m) vs Frequency (MHz) plot showing peaks at 5637.85, 5650.03, 5700.63, and 5720.21 MHz. A red line indicates the limit, and a blue line shows the measured signal. A peak is labeled 'PEAK_BEB[9]_16-24'. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.85</td><td>52.61</td><td>68.30</td><td>-15.69</td><td>38.25</td><td>34.99</td><td>11.69</td><td>32.32</td><td>306</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>51.58</td><td>68.32</td><td>-16.74</td><td>37.21</td><td>35.01</td><td>11.69</td><td>32.33</td><td>306</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5700.63</td><td>51.72</td><td>105.38</td><td>-53.66</td><td>37.35</td><td>35.08</td><td>11.66</td><td>32.37</td><td>306</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>52.06</td><td>111.27</td><td>-59.21</td><td>37.67</td><td>35.11</td><td>11.66</td><td>32.38</td><td>306</td><td>116</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5637.85	52.61	68.30	-15.69	38.25	34.99	11.69	32.32	306	116	PEAK	2	5650.03	51.58	68.32	-16.74	37.21	35.01	11.69	32.33	306	116	PEAK	3	5700.63	51.72	105.38	-53.66	37.35	35.08	11.66	32.37	306	116	PEAK	4	5720.21	52.06	111.27	-59.21	37.67	35.11	11.66	32.38	306	116	PEAK	Date: 2024-08-27 Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 5745.00 MHz. A red line indicates the limit, and a blue line shows the measured signal. A peak is labeled 'PART 15.407'. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.41</td><td>-----</td><td>-----</td><td>90.02</td><td>35.13</td><td>11.65</td><td>32.39</td><td>306</td><td>116</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.41	-----	-----	90.02	35.13	11.65	32.39	306	116	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5637.85	52.61	68.30	-15.69	38.25	34.99	11.69	32.32	306	116	PEAK																																																																																																															
2	5650.03	51.58	68.32	-16.74	37.21	35.01	11.69	32.33	306	116	PEAK																																																																																																															
3	5700.63	51.72	105.38	-53.66	37.35	35.08	11.66	32.37	306	116	PEAK																																																																																																															
4	5720.21	52.06	111.27	-59.21	37.67	35.11	11.66	32.38	306	116	PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	104.41	-----	-----	90.02	35.13	11.65	32.39	306	116	PEAK																																																																																																															
Blank	Date: 2024-08-27 Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 5745.00 MHz. A red line indicates the limit, and a blue line shows the measured signal. A peak is labeled 'PART 15.407 AVG'. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.85</td><td>-----</td><td>-----</td><td>82.46</td><td>35.13</td><td>11.65</td><td>32.39</td><td>306</td><td>116</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.85	-----	-----	82.46	35.13	11.65	32.39	306	116	AVERAGE																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	96.85	-----	-----	82.46	35.13	11.65	32.39	306	116	AVERAGE																																																																																																															



Mode	56									
	Band Edge									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 26/0_5745MHz									
ANT	CDD 9+15									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2024-08-27									



Mode	57										
	Band Edge										
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 52/37_5745MHz										
ANT	CDD 9+15										
Pol.	Horizontal										Fundamental
Peak	Level (dBuV/m) Date: 2024-08-27 <										



Mode	57																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 52/37_5745MHz																																																																																																																									
ANT	CDD 9+15																																																																																																																									
Pol.	Vertical	Fundamental																																																																																																																								
Peak	Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5605.37</td><td>53.84</td><td>68.30</td><td>-14.46</td><td>39.47</td><td>34.95</td><td>11.71</td><td>32.29</td><td>303</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>5651.77</td><td>52.29</td><td>69.61</td><td>-17.32</td><td>37.92</td><td>35.01</td><td>11.69</td><td>32.33</td><td>303</td><td>340</td><td>PEAK</td></tr><tr><td>3</td><td>5701.50</td><td>52.68</td><td>105.62</td><td>-52.94</td><td>38.31</td><td>35.08</td><td>11.66</td><td>32.37</td><td>303</td><td>340</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>51.39</td><td>110.94</td><td>-59.55</td><td>37.00</td><td>35.11</td><td>11.66</td><td>32.38</td><td>303</td><td>340</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5605.37	53.84	68.30	-14.46	39.47	34.95	11.71	32.29	303	340	PEAK	2	5651.77	52.29	69.61	-17.32	37.92	35.01	11.69	32.33	303	340	PEAK	3	5701.50	52.68	105.62	-52.94	38.31	35.08	11.66	32.37	303	340	PEAK	4	5720.06	51.39	110.94	-59.55	37.00	35.11	11.66	32.38	303	340	PEAK	Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.90</td><td>-----</td><td>-----</td><td>86.51</td><td>35.13</td><td>11.65</td><td>32.39</td><td>303</td><td>340</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.90	-----	-----	86.51	35.13	11.65	32.39	303	340	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5605.37	53.84	68.30	-14.46	39.47	34.95	11.71	32.29	303	340	PEAK																																																																																																															
2	5651.77	52.29	69.61	-17.32	37.92	35.01	11.69	32.33	303	340	PEAK																																																																																																															
3	5701.50	52.68	105.62	-52.94	38.31	35.08	11.66	32.37	303	340	PEAK																																																																																																															
4	5720.06	51.39	110.94	-59.55	37.00	35.11	11.66	32.38	303	340	PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	100.90	-----	-----	86.51	35.13	11.65	32.39	303	340	PEAK																																																																																																															
Avg	Blank	Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>92.70</td><td>-----</td><td>-----</td><td>78.31</td><td>35.13</td><td>11.65</td><td>32.39</td><td>303</td><td>340</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	92.70	-----	-----	78.31	35.13	11.65	32.39	303	340	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5745.00	92.70	-----	-----	78.31	35.13	11.65	32.39	303	340	AVERAGE																																																																																																															



Mode	58																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 106/53_5745MHz																																																																																																																																		
ANT	CDD 9+15																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak	Date: 2024-08-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.11</td><td>53.08</td><td>68.30</td><td>-15.22</td><td>38.71</td><td>35.00</td><td>11.69</td><td>32.32</td><td>306</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>51.76</td><td>68.32</td><td>-16.56</td><td>37.39</td><td>35.01</td><td>11.69</td><td>32.33</td><td>306</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5700.05</td><td>52.30</td><td>105.21</td><td>-52.91</td><td>37.93</td><td>35.08</td><td>11.66</td><td>32.37</td><td>306</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>51.02</td><td>110.94</td><td>-59.92</td><td>36.63</td><td>35.11</td><td>11.66</td><td>32.38</td><td>306</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5646.11	53.08	68.30	-15.22	38.71	35.00	11.69	32.32	306	116	PEAK	2	5650.03	51.76	68.32	-16.56	37.39	35.01	11.69	32.33	306	116	PEAK	3	5700.05	52.30	105.21	-52.91	37.93	35.08	11.66	32.37	306	116	PEAK	4	5720.06	51.02	110.94	-59.92	36.63	35.11	11.66	32.38	306	116	PEAK	Date: 2024-08-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.07</td><td>-----</td><td>-----</td><td>90.68</td><td>35.13</td><td>11.65</td><td>32.39</td><td>306</td><td>116</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.07	-----	-----	90.68	35.13	11.65	32.39	306	116	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5646.11	53.08	68.30	-15.22	38.71	35.00	11.69	32.32	306	116	PEAK																																																																																																																								
2	5650.03	51.76	68.32	-16.56	37.39	35.01	11.69	32.33	306	116	PEAK																																																																																																																								
3	5700.05	52.30	105.21	-52.91	37.93	35.08	11.66	32.37	306	116	PEAK																																																																																																																								
4	5720.06	51.02	110.94	-59.92	36.63	35.11	11.66	32.38	306	116	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5745.00	105.07	-----	-----	90.68	35.13	11.65	32.39	306	116	PEAK																																																																																																																								
Avg	Blank						Date: 2024-08-27 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.26</td><td>-----</td><td>-----</td><td>82.87</td><td>35.13</td><td>11.65</td><td>32.39</td><td>306</td><td>116</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.26	-----	-----	82.87	35.13	11.65	32.39	306	116	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5745.00	97.26	-----	-----	82.87	35.13	11.65	32.39	306	116	AVERAGE																																																																																																																								



Mode	58																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 106/53_5745MHz																																																																																																																												
ANT	CDD 9+15																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.28</td><td>52.74</td><td>68.30</td><td>-15.56</td><td>38.38</td><td>34.99</td><td>11.69</td><td>32.32</td><td>303</td><td>339 PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>52.27</td><td>68.32</td><td>-16.05</td><td>37.90</td><td>35.01</td><td>11.69</td><td>32.33</td><td>303</td><td>339 PEAK</td></tr><tr><td>3</td><td>5702.81</td><td>54.41</td><td>105.99</td><td>-51.58</td><td>40.04</td><td>35.08</td><td>11.66</td><td>32.37</td><td>303</td><td>339 PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>51.62</td><td>111.27</td><td>-59.65</td><td>37.23</td><td>35.11</td><td>11.66</td><td>32.38</td><td>303</td><td>339 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5638.28	52.74	68.30	-15.56	38.38	34.99	11.69	32.32	303	339 PEAK	2	5650.03	52.27	68.32	-16.05	37.90	35.01	11.69	32.33	303	339 PEAK	3	5702.81	54.41	105.99	-51.58	40.04	35.08	11.66	32.37	303	339 PEAK	4	5720.21	51.62	111.27	-59.65	37.23	35.11	11.66	32.38	303	339 PEAK	Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.88</td><td>-----</td><td>-----</td><td>86.49</td><td>35.13</td><td>11.65</td><td>32.39</td><td>303</td><td>339 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.88	-----	-----	86.49	35.13	11.65	32.39	303	339 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5638.28	52.74	68.30	-15.56	38.38	34.99	11.69	32.32	303	339 PEAK																																																																																																																			
2	5650.03	52.27	68.32	-16.05	37.90	35.01	11.69	32.33	303	339 PEAK																																																																																																																			
3	5702.81	54.41	105.99	-51.58	40.04	35.08	11.66	32.37	303	339 PEAK																																																																																																																			
4	5720.21	51.62	111.27	-59.65	37.23	35.11	11.66	32.38	303	339 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	100.88	-----	-----	86.49	35.13	11.65	32.39	303	339 PEAK																																																																																																																			
Avg	Blank					Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>92.89</td><td>-----</td><td>-----</td><td>78.50</td><td>35.13</td><td>11.65</td><td>32.39</td><td>303</td><td>339 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	92.89	-----	-----	78.50	35.13	11.65	32.39	303	339 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	92.89	-----	-----	78.50	35.13	11.65	32.39	303	339 AVERAGE																																																																																																																			



Mode	59																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 26/8_5825MHz																																																																																																																				
ANT	CDD 9+15																																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>50.88</td><td>110.80</td><td>-59.92</td><td>36.55</td><td>35.30</td><td>11.52</td><td>32.49</td><td>312</td><td>105 PEAK</td></tr><tr><td>2</td><td>5874.38</td><td>51.48</td><td>105.37</td><td>-53.89</td><td>37.17</td><td>35.32</td><td>11.49</td><td>32.50</td><td>312</td><td>105 PEAK</td></tr><tr><td>3</td><td>5923.75</td><td>52.44</td><td>69.12</td><td>-16.68</td><td>38.18</td><td>35.39</td><td>11.41</td><td>32.54</td><td>312</td><td>105 PEAK</td></tr><tr><td>4</td><td>5941.00</td><td>52.88</td><td>68.30</td><td>-15.42</td><td>38.64</td><td>35.42</td><td>11.38</td><td>32.56</td><td>312</td><td>105 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	50.88	110.80	-59.92	36.55	35.30	11.52	32.49	312	105 PEAK	2	5874.38	51.48	105.37	-53.89	37.17	35.32	11.49	32.50	312	105 PEAK	3	5923.75	52.44	69.12	-16.68	38.18	35.39	11.41	32.54	312	105 PEAK	4	5941.00	52.88	68.30	-15.42	38.64	35.42	11.38	32.56	312	105 PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.71</td><td>-----</td><td>-----</td><td>87.36</td><td>35.27</td><td>11.55</td><td>32.47</td><td>312</td><td>105 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.71	-----	-----	87.36	35.27	11.55	32.47	312	105 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5855.00	50.88	110.80	-59.92	36.55	35.30	11.52	32.49	312	105 PEAK																																																																																																											
2	5874.38	51.48	105.37	-53.89	37.17	35.32	11.49	32.50	312	105 PEAK																																																																																																											
3	5923.75	52.44	69.12	-16.68	38.18	35.39	11.41	32.54	312	105 PEAK																																																																																																											
4	5941.00	52.88	68.30	-15.42	38.64	35.42	11.38	32.56	312	105 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	101.71	-----	-----	87.36	35.27	11.55	32.47	312	105 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>94.79</td><td>-----</td><td>-----</td><td>80.44</td><td>35.27</td><td>11.55</td><td>32.47</td><td>312</td><td>105 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	94.79	-----	-----	80.44	35.27	11.55	32.47	312	105 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5825.00	94.79	-----	-----	80.44	35.27	11.55	32.47	312	105 AVERAGE																																																																																																											



Mode	59																																																																																																											
	Band Edge																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 26/8_5825MHz																																																																																																											
ANT	CDD 9+15																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><td>1</td><td>5854.75</td><td>51.88</td><td>111.37</td><td>-59.49</td><td>37.55</td><td>35.30</td><td>11.52</td><td>32.49</td><td>308</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>51.78</td><td>105.20</td><td>-53.42</td><td>37.46</td><td>35.33</td><td>11.49</td><td>32.50</td><td>308</td><td>349</td><td>PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>51.62</td><td>68.29</td><td>-16.67</td><td>37.37</td><td>35.39</td><td>11.40</td><td>32.54</td><td>308</td><td>349</td><td>PEAK</td></tr><tr><td>4</td><td>5948.25</td><td>52.17</td><td>68.30</td><td>-16.13</td><td>37.94</td><td>35.43</td><td>11.36</td><td>32.56</td><td>308</td><td>349</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			1	5854.75	51.88	111.37	-59.49	37.55	35.30	11.52	32.49	308	349	PEAK	2	5875.00	51.78	105.20	-53.42	37.46	35.33	11.49	32.50	308	349	PEAK	3	5924.88	51.62	68.29	-16.67	37.37	35.39	11.40	32.54	308	349	PEAK	4	5948.25	52.17	68.30	-16.13	37.94	35.43	11.36	32.56	308	349	PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><td>1</td><td>5825.00</td><td>98.65</td><td>-----</td><td>-----</td><td>84.30</td><td>35.27</td><td>11.55</td><td>32.47</td><td>308</td><td>349</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			1	5825.00	98.65	-----	-----	84.30	35.27	11.55	32.47	308	349	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																						
1	5854.75	51.88	111.37	-59.49	37.55	35.30	11.52	32.49	308	349	PEAK																																																																																																	
2	5875.00	51.78	105.20	-53.42	37.46	35.33	11.49	32.50	308	349	PEAK																																																																																																	
3	5924.88	51.62	68.29	-16.67	37.37	35.39	11.40	32.54	308	349	PEAK																																																																																																	
4	5948.25	52.17	68.30	-16.13	37.94	35.43	11.36	32.56	308	349	PEAK																																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																						
1	5825.00	98.65	-----	-----	84.30	35.27	11.55	32.47	308	349	PEAK																																																																																																	
Avg	Blank						Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><td>1</td><td>5825.00</td><td>91.05</td><td>-----</td><td>-----</td><td>76.70</td><td>35.27</td><td>11.55</td><td>32.47</td><td>308</td><td>349</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			1	5825.00	91.05	-----	-----	76.70	35.27	11.55	32.47	308	349	AVERAGE																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																						
1	5825.00	91.05	-----	-----	76.70	35.27	11.55	32.47	308	349	AVERAGE																																																																																																	






Mode	60																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 52/40_5825MHz																																																																																																																														
ANT	CDD 9+15																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>50.75</td><td>110.80</td><td>-60.05</td><td>36.42</td><td>35.30</td><td>11.52</td><td>32.49</td><td>312</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5872.50</td><td>51.98</td><td>105.90</td><td>-53.92</td><td>37.67</td><td>35.32</td><td>11.49</td><td>32.50</td><td>312</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>5924.50</td><td>51.46</td><td>68.57</td><td>-17.11</td><td>37.21</td><td>35.39</td><td>11.40</td><td>32.54</td><td>312</td><td>105</td><td>PEAK</td></tr><tr><td>4</td><td>5927.88</td><td>52.69</td><td>68.30</td><td>-15.61</td><td>38.43</td><td>35.40</td><td>11.40</td><td>32.54</td><td>312</td><td>105</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	50.75	110.80	-60.05	36.42	35.30	11.52	32.49	312	105	PEAK	2	5872.50	51.98	105.90	-53.92	37.67	35.32	11.49	32.50	312	105	PEAK	3	5924.50	51.46	68.57	-17.11	37.21	35.39	11.40	32.54	312	105	PEAK	4	5927.88	52.69	68.30	-15.61	38.43	35.40	11.40	32.54	312	105	PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.71</td><td>-----</td><td>-----</td><td>91.36</td><td>35.26</td><td>11.56</td><td>32.47</td><td>312</td><td>105</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.71	-----	-----	91.36	35.26	11.56	32.47	312	105	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5855.00	50.75	110.80	-60.05	36.42	35.30	11.52	32.49	312	105	PEAK																																																																																																																				
2	5872.50	51.98	105.90	-53.92	37.67	35.32	11.49	32.50	312	105	PEAK																																																																																																																				
3	5924.50	51.46	68.57	-17.11	37.21	35.39	11.40	32.54	312	105	PEAK																																																																																																																				
4	5927.88	52.69	68.30	-15.61	38.43	35.40	11.40	32.54	312	105	PEAK																																																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	105.71	-----	-----	91.36	35.26	11.56	32.47	312	105	PEAK																																																																																																																				
Avg	Blank						Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>96.61</td><td>-----</td><td>-----</td><td>82.26</td><td>35.26</td><td>11.56</td><td>32.47</td><td>312</td><td>105</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.61	-----	-----	82.26	35.26	11.56	32.47	312	105	AVERAGE																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	96.61	-----	-----	82.26	35.26	11.56	32.47	312	105	AVERAGE																																																																																																																				



Mode	60																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 52/40_5825MHz																																																																																																																							
ANT	CDD 9+15																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.38</td><td>51.95</td><td>112.22</td><td>-60.27</td><td>37.62</td><td>35.30</td><td>11.52</td><td>32.49</td><td>308 349 PEAK</td></tr><tr><td>2</td><td>5874.13</td><td>51.37</td><td>105.44</td><td>-54.07</td><td>37.06</td><td>35.32</td><td>11.49</td><td>32.50</td><td>308 349 PEAK</td></tr><tr><td>3</td><td>5924.50</td><td>51.44</td><td>68.57</td><td>-17.13</td><td>37.19</td><td>35.39</td><td>11.40</td><td>32.54</td><td>308 349 PEAK</td></tr><tr><td>4</td><td>5927.50</td><td>52.20</td><td>68.30</td><td>-16.10</td><td>37.94</td><td>35.40</td><td>11.40</td><td>32.54</td><td>308 349 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.38	51.95	112.22	-60.27	37.62	35.30	11.52	32.49	308 349 PEAK	2	5874.13	51.37	105.44	-54.07	37.06	35.32	11.49	32.50	308 349 PEAK	3	5924.50	51.44	68.57	-17.13	37.19	35.39	11.40	32.54	308 349 PEAK	4	5927.50	52.20	68.30	-16.10	37.94	35.40	11.40	32.54	308 349 PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.12</td><td>-----</td><td>-----</td><td>86.77</td><td>35.27</td><td>11.55</td><td>32.47</td><td>308 349 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.12	-----	-----	86.77	35.27	11.55	32.47	308 349 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5854.38	51.95	112.22	-60.27	37.62	35.30	11.52	32.49	308 349 PEAK																																																																																																															
2	5874.13	51.37	105.44	-54.07	37.06	35.32	11.49	32.50	308 349 PEAK																																																																																																															
3	5924.50	51.44	68.57	-17.13	37.19	35.39	11.40	32.54	308 349 PEAK																																																																																																															
4	5927.50	52.20	68.30	-16.10	37.94	35.40	11.40	32.54	308 349 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5825.00	101.12	-----	-----	86.77	35.27	11.55	32.47	308 349 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>92.42</td><td>-----</td><td>-----</td><td>78.07</td><td>35.26</td><td>11.56</td><td>32.47</td><td>308 349 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	92.42	-----	-----	78.07	35.26	11.56	32.47	308 349 AVERAGE																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5825.00	92.42	-----	-----	78.07	35.26	11.56	32.47	308 349 AVERAGE																																																																																																															







Mode	61																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 106/54_5825MHz																																																																																																																							
ANT	CDD 9+15																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	Level (dBuV/m)  Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>51.15</td><td>110.80</td><td>-59.65</td><td>36.82</td><td>35.30</td><td>11.52</td><td>32.49</td><td>312</td><td>118 PEAK</td></tr><tr><td>2 5875.00</td><td>51.51</td><td>105.20</td><td>-53.69</td><td>37.19</td><td>35.33</td><td>11.49</td><td>32.50</td><td>312</td><td>118 PEAK</td></tr><tr><td>3 5924.63</td><td>51.84</td><td>68.48</td><td>-16.64</td><td>37.59</td><td>35.39</td><td>11.40</td><td>32.54</td><td>312</td><td>118 PEAK</td></tr><tr><td>4 5932.63</td><td>52.83</td><td>68.30</td><td>-15.47</td><td>38.58</td><td>35.41</td><td>11.39</td><td>32.55</td><td>312</td><td>118 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5855.00	51.15	110.80	-59.65	36.82	35.30	11.52	32.49	312	118 PEAK	2 5875.00	51.51	105.20	-53.69	37.19	35.33	11.49	32.50	312	118 PEAK	3 5924.63	51.84	68.48	-16.64	37.59	35.39	11.40	32.54	312	118 PEAK	4 5932.63	52.83	68.30	-15.47	38.58	35.41	11.39	32.55	312	118 PEAK	Level (dBuV/m)  Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.93</td><td>-----</td><td>-----</td><td>90.58</td><td>35.26</td><td>11.56</td><td>32.47</td><td>312</td><td>118 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	104.93	-----	-----	90.58	35.26	11.56	32.47	312	118 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5855.00	51.15	110.80	-59.65	36.82	35.30	11.52	32.49	312	118 PEAK																																																																																																															
2 5875.00	51.51	105.20	-53.69	37.19	35.33	11.49	32.50	312	118 PEAK																																																																																																															
3 5924.63	51.84	68.48	-16.64	37.59	35.39	11.40	32.54	312	118 PEAK																																																																																																															
4 5932.63	52.83	68.30	-15.47	38.58	35.41	11.39	32.55	312	118 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	104.93	-----	-----	90.58	35.26	11.56	32.47	312	118 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m)  Date: 2024-08-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.84</td><td>-----</td><td>-----</td><td>82.49</td><td>35.26</td><td>11.56</td><td>32.47</td><td>312</td><td>118 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	96.84	-----	-----	82.49	35.26	11.56	32.47	312	118 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	96.84	-----	-----	82.49	35.26	11.56	32.47	312	118 AVERAGE																																																																																																															



Mode	61																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 106/54_5825MHz																																																																																																																																		
ANT	CDD 9+15																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>50.08</td><td>110.80</td><td>-60.72</td><td>35.75</td><td>35.30</td><td>11.52</td><td>32.49</td><td>308</td><td>350</td><td>PEAK</td></tr><tr><td>2</td><td>5872.88</td><td>52.52</td><td>105.79</td><td>-53.27</td><td>38.21</td><td>35.32</td><td>11.49</td><td>32.50</td><td>308</td><td>350</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>51.07</td><td>68.20</td><td>-17.13</td><td>36.81</td><td>35.40</td><td>11.40</td><td>32.54</td><td>308</td><td>350</td><td>PEAK</td></tr><tr><td>4</td><td>5942.88</td><td>52.45</td><td>68.30</td><td>-15.85</td><td>38.22</td><td>35.42</td><td>11.37</td><td>32.56</td><td>308</td><td>350</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	50.08	110.80	-60.72	35.75	35.30	11.52	32.49	308	350	PEAK	2	5872.88	52.52	105.79	-53.27	38.21	35.32	11.49	32.50	308	350	PEAK	3	5925.00	51.07	68.20	-17.13	36.81	35.40	11.40	32.54	308	350	PEAK	4	5942.88	52.45	68.30	-15.85	38.22	35.42	11.37	32.56	308	350	PEAK	Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.69</td><td>-----</td><td>-----</td><td>85.34</td><td>35.26</td><td>11.56</td><td>32.47</td><td>308</td><td>350</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.69	-----	-----	85.34	35.26	11.56	32.47	308	350	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5855.00	50.08	110.80	-60.72	35.75	35.30	11.52	32.49	308	350	PEAK																																																																																																																								
2	5872.88	52.52	105.79	-53.27	38.21	35.32	11.49	32.50	308	350	PEAK																																																																																																																								
3	5925.00	51.07	68.20	-17.13	36.81	35.40	11.40	32.54	308	350	PEAK																																																																																																																								
4	5942.88	52.45	68.30	-15.85	38.22	35.42	11.37	32.56	308	350	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	99.69	-----	-----	85.34	35.26	11.56	32.47	308	350	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2024-08-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>91.58</td><td>-----</td><td>-----</td><td>77.23</td><td>35.26</td><td>11.56</td><td>32.47</td><td>308</td><td>350</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	91.58	-----	-----	77.23	35.26	11.56	32.47	308	350	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	91.58	-----	-----	77.23	35.26	11.56	32.47	308	350	AVERAGE																																																																																																																								







Mode	62																																																																																					
	Band Edge																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU 52+26_38+1_5180MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-24  1 5144.27 54.67 74.00 -19.33 40.48 34.87 11.09 31.77 392 119 PEAK <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.27</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>40.48</td><td>34.87</td><td>11.09</td><td>31.77</td><td>392</td><td>119</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5144.27	54.67	74.00	-19.33	40.48	34.87	11.09	31.77	392	119	PEAK	Level (dBuV/m) Date: 2024-08-24  1 5180.00 113.04 ----- ----- 98.91 34.87 11.07 31.81 392 119 PEAK <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>113.04</td><td>-----</td><td>-----</td><td>98.91</td><td>34.87</td><td>11.07</td><td>31.81</td><td>392</td><td>119</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.04	-----	-----	98.91	34.87	11.07	31.81	392	119	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5144.27	54.67	74.00	-19.33	40.48	34.87	11.09	31.77	392	119	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5180.00	113.04	-----	-----	98.91	34.87	11.07	31.81	392	119	PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-08-24  1 5149.83 44.30 54.00 -9.70 30.12 34.87 11.09 31.78 392 119 AVERAGE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.83</td><td>44.30</td><td>54.00</td><td>-9.70</td><td>30.12</td><td>34.87</td><td>11.09</td><td>31.78</td><td>392</td><td>119</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.83	44.30	54.00	-9.70	30.12	34.87	11.09	31.78	392	119	AVERAGE	Level (dBuV/m) Date: 2024-08-24  1 5180.00 104.40 ----- ----- 90.27 34.87 11.07 31.81 392 119 AVERAGE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.40</td><td>-----</td><td>-----</td><td>90.27</td><td>34.87</td><td>11.07</td><td>31.81</td><td>392</td><td>119</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.40	-----	-----	90.27	34.87	11.07	31.81	392	119	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5149.83	44.30	54.00	-9.70	30.12	34.87	11.09	31.78	392	119	AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5180.00	104.40	-----	-----	90.27	34.87	11.07	31.81	392	119	AVERAGE																																																																											







		62																																																																																			
Mode		Band Edge																																																																																			
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU 52+26_38+1_5180MHz																																																																																			
ANT		CDD 9+15																																																																																			
Pol.		Vertical					Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2024-08-24 Frequency (MHz)					Level (dBuV/m) Date: 2024-08-24 Frequency (MHz)																																																																															
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5063.09</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>38.77</td><td>34.89</td><td>11.13</td><td>31.67</td><td>364</td><td>20 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5063.09	53.12	74.00	-20.88	38.77	34.89	11.13	31.67	364	20 PEAK	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>108.12</td><td>-----</td><td>-----</td><td>93.99</td><td>34.87</td><td>11.07</td><td>31.81</td><td>364</td><td>20 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	108.12	-----	-----	93.99	34.87	11.07	31.81	364
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5063.09	53.12	74.00	-20.88	38.77	34.89	11.13	31.67	364	20 PEAK																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5180.00	108.12	-----	-----	93.99	34.87	11.07	31.81	364	20 PEAK																																																																												
Avg	Level (dBuV/m) Date: 2024-08-24 Frequency (MHz)					Level (dBuV/m) Date: 2024-08-24 Frequency (MHz)																																																																															
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5142.13</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>28.97</td><td>34.87</td><td>11.09</td><td>31.77</td><td>364</td><td>20 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5142.13	43.16	54.00	-10.84	28.97	34.87	11.09	31.77	364	20 AVERAGE	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>98.64</td><td>-----</td><td>-----</td><td>84.51</td><td>34.87</td><td>11.07</td><td>31.81</td><td>364</td><td>20 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5180.00	98.64	-----	-----	84.51	34.87	11.07	31.81	364
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5142.13	43.16	54.00	-10.84	28.97	34.87	11.09	31.77	364	20 AVERAGE																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																												
1 5180.00	98.64	-----	-----	84.51	34.87	11.07	31.81	364	20 AVERAGE																																																																												







Mode	63																																																																																										
	Band Edge																																																																																										
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU 106+26_53+4_5180MHz																																																																																										
ANT	CDD 9+15																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.67</td><td>56.40</td><td>74.00</td><td>-17.60</td><td>42.22</td><td>34.87</td><td>11.09</td><td>31.78</td><td>393</td><td>118 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.67	56.40	74.00	-17.60	42.22	34.87	11.09	31.78	393	118 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.62</td><td>-----</td><td>-----</td><td>98.49</td><td>34.87</td><td>11.07</td><td>31.81</td><td>393</td><td>118 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.62	-----	-----	98.49	34.87	11.07	31.81	393
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.67	56.40	74.00	-17.60	42.22	34.87	11.09	31.78	393	118 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	112.62	-----	-----	98.49	34.87	11.07	31.81	393	118 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.67</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>31.30</td><td>34.87</td><td>11.09</td><td>31.78</td><td>393</td><td>118 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.67	45.48	54.00	-8.52	31.30	34.87	11.09	31.78	393	118 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.39</td><td>-----</td><td>-----</td><td>90.24</td><td>34.87</td><td>11.08</td><td>31.80</td><td>393</td><td>118 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.39	-----	-----	90.24	34.87	11.08	31.80	393
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.67	45.48	54.00	-8.52	31.30	34.87	11.09	31.78	393	118 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	104.39	-----	-----	90.24	34.87	11.08	31.80	393	118 AVERAGE																																																																																	



		63																																																																																									
Mode		Band Edge																																																																																									
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU 106+26_53+4_5180MHz																																																																																									
ANT		CDD 9+15																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5047.81</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>39.18</td><td>34.89</td><td>11.14</td><td>31.65</td><td>360</td><td>23 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5047.81	53.56	74.00	-20.44	39.18	34.89	11.14	31.65	360	23 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.76</td><td>-----</td><td>-----</td><td>93.65</td><td>34.86</td><td>11.07</td><td>31.82</td><td>360</td><td>23 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.76	-----	-----	93.65	34.86	11.07	31.82	360
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5047.81	53.56	74.00	-20.44	39.18	34.89	11.14	31.65	360	23 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	107.76	-----	-----	93.65	34.86	11.07	31.82	360	23 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>43.71</td><td>54.00</td><td>-10.29</td><td>29.54</td><td>34.87</td><td>11.08</td><td>31.78</td><td>360</td><td>23 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	43.71	54.00	-10.29	29.54	34.87	11.08	31.78	360	23 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.35</td><td>-----</td><td>-----</td><td>85.24</td><td>34.86</td><td>11.07</td><td>31.82</td><td>360</td><td>23 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.35	-----	-----	85.24	34.86	11.07	31.82	360
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.99	43.71	54.00	-10.29	29.54	34.87	11.08	31.78	360	23 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	99.35	-----	-----	85.24	34.86	11.07	31.82	360	23 AVERAGE																																																																																	







		64																																																																																								
Mode		Band Edge																																																																																								
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 52+26_39+7_5320MHz																																																																																								
ANT		CDD 9+15																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-08-24  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5352.42</td><td>52.96</td><td>74.00</td><td>-21.04</td><td>39.22</td><td>34.83</td><td>10.94</td><td>32.03</td><td>389</td><td>122 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5352.42	52.96	74.00	-21.04	39.22	34.83	10.94	32.03	389	122 PEAK	Level (dBuV/m) Date: 2024-08-24  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>112.47</td><td>-----</td><td>-----</td><td>98.67</td><td>34.84</td><td>10.96</td><td>32.00</td><td>389</td><td>122 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	112.47	-----	-----	98.67	34.84	10.96	32.00	389	122 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5352.42	52.96	74.00	-21.04	39.22	34.83	10.94	32.03	389	122 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5320.00	112.47	-----	-----	98.67	34.84	10.96	32.00	389	122 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-24  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.17</td><td>43.23</td><td>54.00</td><td>-10.77</td><td>29.49</td><td>34.83</td><td>10.94</td><td>32.03</td><td>389</td><td>122 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5350.17	43.23	54.00	-10.77	29.49	34.83	10.94	32.03	389	122 AVERAGE	Level (dBuV/m) Date: 2024-08-24  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>103.43</td><td>-----</td><td>-----</td><td>89.63</td><td>34.84</td><td>10.96</td><td>32.00</td><td>389</td><td>122 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	103.43	-----	-----	89.63	34.84	10.96	32.00	389	122 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5350.17	43.23	54.00	-10.77	29.49	34.83	10.94	32.03	389	122 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5320.00	103.43	-----	-----	89.63	34.84	10.96	32.00	389	122 AVERAGE																																																																																	







		64																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 52+26_39+7_5320MHz																																																																																																		
ANT		CDD 9+15																																																																																																		
Pol.	Vertical										Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-08-24 532053485376540454325460 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5449.01</td><td>52.39</td><td>74.00</td><td>-21.61</td><td>38.66</td><td>34.81</td><td>11.07</td><td>32.15</td><td>354</td><td>13 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5449.01	52.39	74.00	-21.61	38.66	34.81	11.07	32.15	354	13 PEAK	Level (dBuV/m) Date: 2024-08-24 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>109.55</td><td>-----</td><td>-----</td><td>95.75</td><td>34.84</td><td>10.96</td><td>32.00</td><td>354</td><td>13 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	109.55	-----	-----	95.75	34.84	10.96	32.00	354	13 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5449.01	52.39	74.00	-21.61	38.66	34.81	11.07	32.15	354	13 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5320.00	109.55	-----	-----	95.75	34.84	10.96	32.00	354	13 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-08-24 532053485376540454325460 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5358.85</td><td>42.59</td><td>54.00</td><td>-11.41</td><td>28.86</td><td>34.83</td><td>10.94</td><td>32.04</td><td>354</td><td>13 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5358.85	42.59	54.00	-11.41	28.86	34.83	10.94	32.04	354	13 AVERAGE	Level (dBuV/m) Date: 2024-08-24 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>100.04</td><td>-----</td><td>-----</td><td>86.24</td><td>34.84</td><td>10.96</td><td>32.00</td><td>354</td><td>13 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	100.04	-----	-----	86.24	34.84	10.96	32.00	354	13 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5358.85	42.59	54.00	-11.41	28.86	34.83	10.94	32.04	354	13 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5320.00	100.04	-----	-----	86.24	34.84	10.96	32.00	354	13 AVERAGE																																																																																											



		65																																																																																							
Mode	Band Edge																																																																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 106+26_54+4_5320MHz																																																																																								
ANT	CDD 9+15																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.74</td><td>67.51</td><td>74.00</td><td>-6.49</td><td>53.77</td><td>34.83</td><td>10.94</td><td>32.03</td><td>291 312 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.74	67.51	74.00	-6.49	53.77	34.83	10.94	32.03	291 312 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.50</td><td>-----</td><td>99.70</td><td>34.84</td><td>10.96</td><td>32.00</td><td>291</td><td>313 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.50	-----	99.70	34.84	10.96	32.00	291
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5350.74	67.51	74.00	-6.49	53.77	34.83	10.94	32.03	291 312 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	113.50	-----	99.70	34.84	10.96	32.00	291	313 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.03</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>34.87</td><td>34.83</td><td>10.94</td><td>32.03</td><td>291 312 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.03	48.61	54.00	-5.39	34.87	34.83	10.94	32.03	291 312 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.26</td><td>-----</td><td>90.46</td><td>34.84</td><td>10.96</td><td>32.00</td><td>291</td><td>312 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.26	-----	90.46	34.84	10.96	32.00	291
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5350.03	48.61	54.00	-5.39	34.87	34.83	10.94	32.03	291 312 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	104.26	-----	90.46	34.84	10.96	32.00	291	312 AVERAGE																																																																																



		65																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 106+26_54+4_5320MHz																																																																																							
ANT		CDD 9+15																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5351.01</td><td>65.81</td><td>74.00</td><td>-8.19</td><td>52.07</td><td>34.83</td><td>10.94</td><td>32.03</td><td>354</td><td>10 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5351.01	65.81	74.00	-8.19	52.07	34.83	10.94	32.03	354	10 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>107.94</td><td>-----</td><td>-----</td><td>94.14</td><td>34.84</td><td>10.96</td><td>32.00</td><td>354</td><td>10 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	107.94	-----	-----	94.14	34.84	10.96	32.00	354
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5351.01	65.81	74.00	-8.19	52.07	34.83	10.94	32.03	354	10 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	107.94	-----	-----	94.14	34.84	10.96	32.00	354	10 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.17</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>33.39</td><td>34.83</td><td>10.94</td><td>32.03</td><td>354</td><td>10 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5350.17	47.13	54.00	-6.87	33.39	34.83	10.94	32.03	354	10 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>99.74</td><td>-----</td><td>-----</td><td>85.94</td><td>34.84</td><td>10.96</td><td>32.00</td><td>354</td><td>10 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	99.74	-----	-----	85.94	34.84	10.96	32.00	354
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5350.17	47.13	54.00	-6.87	33.39	34.83	10.94	32.03	354	10 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	99.74	-----	-----	85.94	34.84	10.96	32.00	354	10 AVERAGE																																																																																