

Report No.: SUAR/2021/C000307

Rev.: 01 Page: 1 of 28

## **TEST REPORT**

Application No: AR/2021/C0003

**Applicant:** Xiaomi Communications Co., Ltd.

Address of Applicant: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

Manufacturer: Xiaomi Communications Co., Ltd.

Address of Manufacturer: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,

China, 100085

**EUT Description:** Mobile Phone **Model No.:** 22021211RG

Brand Name: POCO

FCC ID: 2AFZZ211RG

Standard(s): 47 CFR Part 15, Subpart B

**Date of Receipt**: 2022/1/14

**Date of Test**: 2022/1/18 to 2022/2/16

**Date of Issue**: 2022/2/18

Test Result: Pass\*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx.and">http://www.sgs.com/en/Terms-and-Conditions.spx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excended except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Gradin Land December (des 5.2.COM ) (3.00m (des file) (1.00m (d

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: SUAR/2021/C000307

Rev.: 01

2 of 28 Page:

	Revision Record									
Version Chapter Date Modifier Remark										
01		2022/2/18		Original						

Prepared By	Weller Lin / Engineer
Checked By	(Weller Liu) / Engineer  (Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 3 of 28

### **Test Summary**

Emission Part									
Item	Standard	Method	Requirement	Result					
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (30MHz-1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (above 1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 4 of 28

### **Contents**

1	GENI	ERAL INFORMATION	5
	1.1	DESCRIPTION OF SUPPORT UNITS	6
	1.2	TEST LOCATION	6
		TEST FACILITY	
		DEVIATION FROM STANDARDS	
	1.5	ABNORMALITIES FROM STANDARD CONDITIONS	6
2	EMIS	SION TEST RESULTS	7
	2.1	CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz)	7
	2.1.1		
	2.1.2	Test Setup Procedures	8
	2.1.3		
	2.2	RADIATED EMISSIONS (30MHz-1GHz)	13
	2.2.1	_ · · · · · · · · · · · · · · · · · · ·	
	2.2.2		
	2.2.3		
		RADIATED EMISSIONS (ABOVE 1GHz)	
	2.3.1	=	
	2.3.2		
	2.3.3	Measurement Data	20
3	EQUI	PMENT LIST	25
4	MEA	SUREMENT UNCERTAINTY	27
5	PHO	TOGRAPHS	28
	5.1	TEST SETUP	28
	5.2	EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	28



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed evertest, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to a subject to a subject to the first process of the control of t

or email: CM. Docetheck (愛Sgs.com South of No. Flort, No.1, Fundering Rose, Subroul undard Park, Subrou Area, Clinte (Jargsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州/F区苏州工业园区河胜路1号か6号厂房南部 邮第: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 5 of 28

### 1 General Information

Product Name:	Mobile Phone										
Model No.(EUT):	22021211RG										
Brand Name:	POCO P2										
Hardware Version:											
Software Version:	MIUI 13										
Contrare versions	Band	Tx (MHz)	Rx (MHz)								
	GSM850	824~849	869~894								
	GSM1900	1850~1910	1930~1990								
	WCDMA Band II	1850~1910	1930~1990								
	WCDMA Band IV	1710~1755	2110~2155								
	WCDMA Band V	824~849	869~894								
	LTE Band 2	1850~1910	1930~1990								
	LTE Band 4	1710~1755	2110~2155								
	LTE Band 5	824~849	869~894								
	LTE Band 7	2500~2570	2620~2690								
	LTE Band 12	699~716	729~746								
	LTE Band 17	704~716	734~746								
	LTE Band 26	814~849	859~894								
	LTE Band 38	2570~2620	2570~2620								
Frequency Bands:	LTE Band 41	2496~2690	2496~2690								
Trequency Bands.	LTE CA_7C	2500~2570	2620~2690								
	LTE CA_38C	2570~2620	2570~2620								
	NR Band n5	824~849	869~894								
	NR Band n7	2500~2570	2620~2690								
	NR Band n38	2570~2620	2570~2620								
	NR Band n41	2496~2690	2496~2690								
	NR Band n77	3700~3980	3700~3980								
		3450~3550 3700~3800	3450~3550 3700~3800								
	NR Band n78	3450~3550	3450~3550								
	Wi-Fi 2.4G	2412~2462	2412~2462								
	Bluetooth	2402~2480	2402~2480								
	Wi-Fi 5G	5150~5850	5150~5850								
	NFC	13.56									
	GNSS (GPS+Glonass +	1559~16									
	Beidou+Galileo+SBAS+QZSS)	1164~12	15								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed evertest, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to a subject to a subject to the first process of the control of t

South of No. O Plant, No. 1, Runshang Road, Suchou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 6 of 28

### 1.1 Description of Support Units

Description	Manufacturer	Model No.	Inventory No.
Router	Smavwave Technology Co.,Ltd	SRT 421	SUWI-04-34-01
Computer	Lenovo	T14	SUWI-03-33-04
Mouse	Lenovo	3D optical Mouse	SUWI-03-33-05
Adaptor	Huawei	HW-050200C02	SUWI-03-33-06

#### 1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd	
Address: South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Suzhou Area, China (Jiangsu) Pilot Free Trade Zone		
Post code:	215000	
Test engineer:	Weller Liu, King-p Li, Nature Shen, Tizzy Song	

### 1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### • FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327

### 1.4 Deviation from Standards

None

### 1.5 Abnormalities from Standard Conditions

None



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer, werleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents with the conditions of the state of the st

Studnif No. Flort, No. 1, Runsheng Rose, Subou Industral Park, Sudnou Area, Chine (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易減強区苏州 F 区苏州工业関区河胜路 1号か6 F 房南部 邮集: 215000

t (86–512) 62992980 www.sgsgroup.com.cr t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 7 of 28

### 2 Emission Test Results

### 2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 150kHz to 30MHz

Limit:

0.15M-0.5MHz 66dB( $\mu$ V)-56dB( $\mu$ V) quasi-peak, 56dB( $\mu$ V)-46dB( $\mu$ V) average

0.5M-5MHz 56dB( $\mu$ V) quasi-peak, 46dB( $\mu$ V) average 5M-30MHz 60dB( $\mu$ V) quasi-peak, 50dB( $\mu$ V) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

#### 2.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22~23°C Humidity: 44~46% RH Atmospheric Pressure:101 KPa

Pretest these modes to find the worst case:

a: Adaptor+USB+BT Idle+WLAN(2.4G)+Camera(Rear)+GSM850 8+256G b: Adaptor+USB+BT Idle+WLAN(5G)+Camera(Front)+WCDMA 5 8+256G

c: Adaptor+USB+BT Idle+WLAN(2.4G)+MP4+LTE Band 5 8+256G

d: Adaptor+USB+BT Idle+WLAN(5G)+NFC On+LTE Band 12 8+256G

e: Adaptor+USB+BT Idle+WLAN(2.4G)+Camera(Rear)+LTE Band 17 6+128G f: Transfer data between the EUT and the PC+USB+WLAN(5G)+GPS RX+LTE

Band 26 6+128G

g: Transfer data between the EUT and the PC+USB+WLAN(2.4G)+GPS RX+SA

Band 5 8+256G

The worst case for final test:

b: Adaptor+USB+BT Idle+WLAN(5G)+Camera(Front)+WCDMA 5 8+256G

g: Transfer data between the EUT and the PC+USB+WLAN(2.4G)+GPS RX+SA

Band 5 8+256G



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as that this printed in the conditions for Terms and Conditions of Terms and Conditions for Terms-and-Conditions/Terms-e-Document as year. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$307,1443.




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 8 of 28

### 2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



#### 2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as that this printed in the conditions for Terms and Conditions of Terms and Conditions for Terms-and-Conditions/Terms-e-Document as year. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$307,1443.




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 9 of 28

#### Mode:b; Line:Live Line



Fina	Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.2940	10.65	29.52	60.41	30.89	24.01	50.41	26.40	PASS	
2	0.7035	10.58	31.23	56.00	24.77	23.90	46.00	22.10	PASS	
3	2.0445	10.68	37.19	56.00	18.81	29.30	46.00	16.70	PASS	
4	4.6095	10.68	31.47	56.00	24.53	23.66	46.00	22.34	PASS	
5	11.9850	10.59	39.03	60.00	20.97	31.14	50.00	18.86	PASS	
6	22.0245	10.36	25.95	60.00	34.05	20.15	50.00	29.85	PASS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 10 of 28

### Mode:b; Line:Neutral Line



Fina	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	ΑV Value [dBμV]	ΑV Limit [dBμV]	AV Margin [dB]	Verdict		
1	0.3390	10.80	30.64	59.23	28.59	23.80	49.23	25.43	PASS		
2	1.1940	10.78	34.01	56.00	21.99	25.86	46.00	20.14	PASS		
3	2.5440	10.77	35.21	56.00	20.79	26.46	46.00	19.54	PASS		
4	9.6270	10.66	34.95	60.00	25.05	28.81	50.00	21.19	PASS		
5	11.8365	10.65	40.28	60.00	19.72	33.30	50.00	16.70	PASS		
6	17.1285	10.52	29.53	60.00	30.47	22.59	50.00	27.41	PASS		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 11 of 28

### Mode:g; Line:Live Line



Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1680	10.71	46.57	65.06	18.49	27.88	55.06	27.18	PASS
2	0.5100	10.61	44.90	56.00	11.10	32.34	46.00	13.66	PASS
3	1.0725	10.60	41.12	56.00	14.88	29.25	46.00	16.75	PASS
4	2.1570	10.68	41.68	56.00	14.32	29.04	46.00	16.96	PASS
5	3.2145	10.68	40.05	56.00	15.95	27.77	46.00	18.23	PASS
6	11.0895	10.61	34.62	60.00	25.38	26.55	50.00	23.45	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pliot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 12 of 28

### Mode:g; Line:Neutral Line



Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	ΑV Limit [dBμV]	AV Margin [dB]	Verdict
1	0.1905	10.67	43.34	64.01	20.67	27.45	54.01	26.56	PASS
2	0.5100	10.80	47.95	56.00	8.05	36.82	46.00	9.18	PASS
3	1.1670	10.75	44.81	56.00	11.19	34.31	46.00	11.69	PASS
4	1.3920	10.78	39.26	56.00	16.74	27.47	46.00	18.53	PASS
5	3.4260	10.65	40.35	56.00	15.65	27.82	46.00	18.18	PASS
6	13.8480	10.61	32.82	60.00	27.18	21.88	50.00	28.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pliot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 13 of 28

### 2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 30MHz to 1GHz

Measurement Distance: 3m

Limit:

30 MHz - 88 MHz  $40.0 (\text{dB}\mu\text{V/m})$  quasi-peak 88 MHz - 216 MHz  $43.5 (\text{dB}\mu\text{V/m})$  quasi-peak 216 MHz - 960 MHz  $46.0 (\text{dB}\mu\text{V/m})$  quasi-peak 960 MHz - 1000 MHz  $54.0 (\text{dB}\mu\text{V/m})$  quasi-peak

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz

### 2.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22~23°C Humidity: 44~46% RH Atmospheric Pressure:101 KPa

Pretest these modes to find the worst case:

a: Adaptor+USB+BT Idle+WLAN(2.4G)+Camera(Rear)+GSM850 8+256G b: Adaptor+USB+BT Idle+WLAN(5G)+Camera(Front)+WCDMA 5 8+256G

b. Adaptor+OSB+BT idle+WLAIN(SG)+Camera(Front)+WCDIVIA 5 6+250

c: Adaptor+USB+BT Idle+WLAN(2.4G)+MP4+LTE Band 5 8+256G d: Adaptor+USB+BT Idle+WLAN(5G)+NFC On+LTE Band 12 8+256G

e: Adaptor+USB+BT Idle+WLAN(2.4G)+Camera(Rear)+LTE Band 17 6+128G f: Transfer data between the EUT and the PC+USB+WLAN(5G)+GPS RX+LTE

Band 26 6+128G

g: Transfer data between the EUT and the PC+USB+WLAN(2.4G)+GPS RX+SA

Band 5 8+256G

The worst case for final test:

a: Adaptor+USB+BT Idle+WLAN(2.4G)+Camera(Rear)+GSM850 8+256G

g: Transfer data between the EUT and the PC+USB+WLAN(2.4G)+GPS RX+SA

Band 5 8+256G



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents-apx-Attention">https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx-Attention</a> is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgr t (86–512) 62992980 sgs.china@




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 14 of 28

#### 2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



#### 2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasipeak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx.">http://www.sgs.com/en/Terms-and-Conditions.spx.</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a> attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expert a reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 15 of 28

#### Mode:a; Polarization:Horizontal



Final	Final Data List								
NO.	Frequency	Reading	Factor	QP Value	QP Limit	QP Margin	Height	Angle	Polarity
NO.	[MHz]	[dBµV]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polatity
1	53.0375	35.52	-14.82	20.70	40.00	19.30	162	357	Horizontal
2	64.1925	38.65	-17.41	21.24	40.00	18.76	151	357	Horizontal
3	135.9725	38.26	-19.36	18.90	43.50	24.60	145	10	Horizontal
4	231.5175	36.15	-14.73	21.42	46.00	24.58	126	28	Horizontal
5	311.0575	35.75	-12.96	22.79	46.00	23.21	261	357	Horizontal
6	722.095	30.12	-3.33	26.79	46.00	19.21	185	3	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pllot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湘畦路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 16 of 28

#### Mode:a; Polarization:Vertical



Final	Data List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	45.7625	42.52	-14.83	27.69	40.00	12.31	162	107	Vertical
2	55.22	48.68	-15.26	33.42	40.00	6.58	185	357	Vertical
3	63.95	45.02	-17.34	27.68	40.00	12.32	168	357	Vertical
4	139.125	42.15	-19.58	22.57	43.50	20.93	152	321	Vertical
5	161.6775	38.65	-18.90	19.75	43.50	23.75	254	311	Vertical
6	927.4925	29.15	-1.06	28.09	46.00	17.91	175	1	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上国区海胜路 | 号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 17 of 28

### Mode:g; Polarization:Horizontal



	tecto

Final [	Data List								
NO.	Frequenc y [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/ m]	QP Margin [dB]	Heigh t [cm]	Angle [°]	Polarity
1	62.2525	43.65	-16.86	26.79	40.00	13.21	162	4	Horizontal
2	99.84	31.25	-16.59	14.66	43.50	28.84	185	215	Horizontal
3	247.28	36.86	-14.18	22.68	46.00	23.32	175	294	Horizontal
4	331.67	36.45	-11.74	24.71	46.00	21.29	264	99	Horizontal
5	498.995	32.52	-7.77	24.75	46.00	21.25	188	264	Horizontal
6	951.5	29.12	-0.17	28.95	46.00	17.05	101	332	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUAR/2021/C000307


Rev.: 01

Page: 18 of 28

### Mode:g; Polarization:Vertical



Final	Data List							
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Ang [°]
1	62.01	47.85	-16.79	31.06	40.00	8.94	162	264





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 19 of 28

### 2.3 Radiated Emissions (above 1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: Above 1GHz

Measurement Distance: 3m

Limit:

Above 1GHz 74(dBµV/m) peak, 54(dBµV/m) average

Detector: Peak for pre-scan (1000kHz resolution bandwidth) 1000M to 40000MHz

### 2.3.1 E.U.T. Operation

**Operating Environment:** 

Temperature: 22~23°C Humidity: 44~46% RH Atmospheric Pressure:101 KPa

Pretest these modes to find the worst case:

a: Adaptor+USB+BT Idle+WLAN(2.4G)+Camera(Rear)+GSM850 8+256G b: Adaptor+USB+BT Idle+WLAN(5G)+Camera(Front)+WCDMA 5 8+256G

c: Adaptor+USB+BT Idle+WLAN(2.4G)+MP4+LTE Band 5 8+256G

d: Adaptor+USB+BT Idle+WLAN(5G)+NFC On+LTE Band 12 8+256G

e: Adaptor+USB+BT Idle+WLAN(2.4G)+Camera(Rear)+LTE Band 17 6+128G f: Transfer data between the EUT and the PC+USB+WLAN(5G)+GPS RX+LTE

Band 26 6+128G

g: Transfer data between the EUT and the PC+USB+WLAN(2.4G)+GPS RX+SA

Band 5 8+256G

The worst case for final test:

d: Adaptor+USB+BT Idle+WLAN(5G)+NFC On+LTE Band 12 8+256G

f: Transfer data between the EUT and the PC+USB+WLAN(5G)+GPS RX+LTE

Band 26 6+128G



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湾胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sg t (86–512) 62992980 sgs.chi




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 20 of 28

#### 2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.



#### 2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed. Scan from 1GHz to 30GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at their dot list intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) lease creatined for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection records.\*\*

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Phot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 21 of 28

#### Mode:d; Polarization:Horizontal



Data	List								
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1824.5	54.09	31.69	-22.40	74.00	42.31	142	195	Horizontal
2	1935	45.25	23.50	-21.75	54.00	30.50	236	305	Horizontal
3	4930.5	43.72	30.76	-12.96	54.00	23.24	254	140	Horizontal
4	7395	51.47	44.69	-6.78	74.00	29.31	188	25	Horizontal
5	11222	36.87	38.44	1.57	54.00	15.56	196	31	Horizontal
6	12907.5	44.97	47.81	2.84	74.00	26.19	234	199	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上回区消胜路1号的6号厂房南部 鄭编: 215000 t (86–512) 62992980 www.sgsgroup.com.d t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 22 of 28

#### Mode:d; Polarization:Vertical



Data	List								
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1929.5	53.82	32.03	-21.79	74.00	41.97	239	302	Vertical
2	2284	45.09	24.94	-20.15	54.00	29.06	184	330	Vertical
3	4933.5	52.47	39.51	-12.96	74.00	34.49	194	248	Vertical
4	5848	42.85	31.88	-10.97	54.00	22.12	127	81	Vertical
5	9410.5	47.22	45.97	-1.25	74.00	28.03	142	81	Vertical
6	11245.5	36.63	38.25	1.62	54.00	15.75	235	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 18 Part. No. 1, Runshang Road, Suzhou Industrial Part, Suzhou Area, China (Liangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.d t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 23 of 28

#### Mode:f; Polarization:Horizontal



Data	List								
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1988.5	45.80	24.45	-21.35	54.00	29.55	185	334	Horizontal
2	2174	53.84	33.40	-20.44	74.00	40.60	239	1	Horizontal
3	3247.5	54.18	37.33	-16.85	74.00	36.67	142	306	Horizontal
4	4789	43.95	30.58	-13.37	54.00	23.42	203	86	Horizontal
5	8326	51.03	46.23	-4.80	74.00	27.77	266	250	Horizontal
6	13750	36.39	40.08	3.69	54.00	13.92	144	1	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsherg Road, Suchou Industrial Park, Suchou Area, Chira (Jiangsu) Pilot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SUAR/2021/C000307

Rev.: 01

Page: 24 of 28

#### Mode:f; Polarization:Vertical



Data I	List								
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2135.5	44.98	24.39	-20.59	54.00	29.61	288	139	Vertical
2	2245	54.09	33.85	-20.24	74.00	40.15	194	360	Vertical
3	4147.5	43.77	28.86	-14.91	54.00	25.14	172	139	Vertical
4	4456	51.54	37.38	-14.16	74.00	36.62	145	248	Vertical
5	9362	48.88	47.40	-1.48	74.00	26.60	286	110	Vertical
6	10670.5	36.74	37.65	0.91	54.00	16.35	230	302	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 I 上型国区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 25 of 28

## 3 Equipment List

		CE Test System			
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021-05-08	2024-05-07
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2021-02-20	2022-02-19
5G UXM	Keysight	E7515B	SUWI-01-04-01	2021-02-20	2022-02-19
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2021-02-20	2022-02-19
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-01	2021-02-20	2022-02-19
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2021-02-20	2022-02-19
Measurement Software	Tonscend	JS32-CE	SUWI-02-09-05	NCR	NCR
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2021-02-20	2022-02-19



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上國民國政治性路 | 号的 - 号广房南部 鄭編: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 26 of 28

	F	RE Test Equipm	ent		
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/5/8	2024/5/7
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2021/2/20	2022/2/19
Signal Analyzer	ROHDE&SCHW ARZ	FSW43	SUWI-01-02-04	2021/5/28	2022/5/27
Test receiver	ROHDE&SCHW ARZ	ESR7	SUWI-01-10-01	2021/2/20	2022/2/19
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2021/2/20	2022/2/19
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/5/16	2022/5/15
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/5/16	2022/5/15
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/5/14	2022/5/13
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2021/2/20	2022/2/19
Amplifier	Tonscend	TAP0101805 0	SUWI-01-14-02	2021/2/20	2022/2/19
Amplifier	Tonscend	TAP1804004 8	SUWI-01-14-03	2021/2/20	2022/2/19
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/6/10	2022/6/9
Measurement Software	Tonscend	JS32-RE V4.0.0.0	SUWI-02-09-04	NCR	NCR
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2021/2/20	2022/2/19
Wideband Radio Communication Tester	Anritsu	MT8821C	SUWI-01-26-03	2021/12/4	2022/12/3
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	SUWI-01-04-01	2021/2/20	2022/2/19



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SUAR/2021/C000307

Rev.: 01

27 of 28 Page:

### **Measurement Uncertainty**

No.	Item	Measurement Uncertainty
1	Conduction Emission	± 2.9dB (150kHz to 30MHz)
		± 4.8dB (Below 1GHz)
2	Radiated Emission	± 4.8dB (1GHz to 18GHz)
		± 4.8dB (Above 18GHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SUAR/2021/C000307

Rev.: 01

Page: 28 of 28

#### **Photographs** 5

### 5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

### 5.2 EUT Constructional Details (EUT Photos)

Refer to Photographs of EUT Constructional Details

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI.Doccheck@sas.com</a>