

Report No.: SEWM2207000111RG02

Rev.: 1 of 77 Page:

TEST REPORT

SEWM2207000111RG **Application No.:**

Applicant: Xiaomi Communications Co., Ltd.

#019, 9th Floor, Building 6, 33 Xi'ergi Middle Road, Haidian District, Beijing, **Address of Applicant:**

China, 100085

Xiaomi Communications Co., Ltd. Manufacturer:

#019, 9th Floor, Building 6, 33 Xi'ergi Middle Road, Haidian District, Beijing, Address of Manufacturer:

China, 100085

EUT Description: Tablet Computer

Model No.: 22081283G

Trade Mark: Redmi

FCC ID: 2AFZZ283G

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

Date of Receipt: 2022/07/07

Date of Test: 2022/07/11 to 2022/07/21

Date of Issue: 2022/08/17

Test Result: PASS *

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service p overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx.and, and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the lin Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate partie transaction from exercising all their rights and obligations under the transaction document. This document cannot be repro except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the company appearance of this document is unlawfull and offendars may be prospected to the fullest start of the fallest the lakes otherwise sets.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国•苏州•中国(汀苏)自由贸易试验区苏州片区苏州丁业园区油胜路1号的6号厂房南部

t (86-512) 62992980 www.sasgroup.com.cn sgs.china@sgs.com t (86-512) 62992980



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 2 of 77

Version 1

Revision Record							
Version	Chapter	Date	Modifier	Remark			
01		2022/07/21		Original			
02		2022/08/17		Revised the Bluetooth Version on page 6			

This report supersedes our previous report SEWM2207000111RG02, issued on 2022/07/21, which is hereby deemed null and void.

Prepared By	weller lin				
	(Weller Liu) / Test Supervisor				
Checked By	well wei				
	(Well Wei) / Reviewer				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agxx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443,



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 3 of 77

2 Test Summary

Test Item	FCC Rule No.	Test Method	Test Result	Result
Antenna Requirement	15.203/15.247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013 Section 6.2	Clause 4.2	PASS
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013 Section11.9.2.3	Clause 4.4	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10 2013 Section 11.8 Option 2 / 6.9.3	Clause 4.5	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10 2013 Section 11.10.2	Clause 4.6	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013 Section 11.11	Clause 4.7	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013 Section 11.11	Clause 4.8	PASS
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10 2013 Section 11.12	Clause 4.9	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	5.209 ANSI C63.10 2013 Clause 4.10		PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 4 of 77

Contents

1	Versio	on	2
2	Test S	Summary	3
3		al Information	
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment	8
	3.6	Description of Support Units	8
4	Test re	esults and Measurement Data	9
	4.1	Antenna Requirement	9
	4.2	AC Power Line Conducted Emissions	10
	4.3	Duty Cycle	14
	4.4	Conducted Output Power	15
	4.5	DTS (6 dB) Bandwidth	16
	4.6	Power Spectral Density	17
	4.7	Band-edge for RF Conducted Emissions	18
	4.8	RF Conducted Spurious Emissions	19
	4.9	Radiated Spurious Emissions	20
	4.10	Restricted bands around fundamental frequency	23
5	Measu	urement Uncertainty (95% confidence levels, k=2)	25
6	Equipr	ment List	26
7	Photog	graphs - EUT Constructional Details	28



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 5 of 77

3 General Information

3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Lves Cheng, King-p Li

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 6 of 77

3.4 General Description of EUT

EUT Description:	Tablet Computer			
Model No.:	22081283G			
Trade Mark:	Redmi			
Hardware Version:	P1.1			
Software Version:	MIUI 13			
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.			
Bluetooth version:	Bluetooth V5.3			
Modulation Type:	GFSK			
Number of Channel:	40			
Detec Time*	⊠Provided by client			
Rates Type*:	1M PHY 2M PHY			
Antenna Type:	PIFA Antenna			
Antonno Coin*	⊠Provided by client			
Antenna Gain*:	-1.1dBi			
RF Cable:	1dB			

Note: *Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information , SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 7 of 77

	Operation Frequency of each channel								
Channel	nnel Frequency Channel		Frequency	Channel	Frequency	Channel	Frequency		
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz		
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz		
2	2406MHz	12	2426MHz	22 2446MHz		32	2466MHz		
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz		
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz		
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz		
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz		
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz		
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz		
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz		

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.ags, and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en/Document.ags.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 8 of 77

3.5 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests				
Relative Humidity	44-60 % RH Ambient				
Value	Temperature(°C) Voltage(V)				
NTNV	22~25	3.87			
LTNV	0	3.87			
HTNV	40	3.87			

Remark:

NV: Normal Voltage NT: Normal Temperature

LT: Low Extreme Test Temperature HT: High Extreme Test Temperature

3.6 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.ags, and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en/Document.ags.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,



Report No.: SEWM2207000111RG02

Rev.: 02 9 of 77 Page:

Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated and no consideration of replacement. The best case gain of the antenna is -1.1dBi. (Provided by client)*.

Note: *Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information, SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



nless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic focuments,
between the printed and the service of the service

t (86-512) 62992980



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 10 of 77

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013 Section 6.2				
Test Frequency Range:	150kHz to 30MHz				
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz			
Limit:	Frequency range(MHz)	Limit (d	BuV)		
	rrequerity range(MH2)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	room. 2) The EUT was connot Impedance Stabilizat impedance. The positive connected to a second plane in the same of multiple socket outlet single LISN provided. 3) The tabletop EUT was ground reference plane placed on the horizon. 4) The test was perform the EUT shall be 0 vertical ground reference plane. The unit under test and mounted on top of the closest points of and associated equip. 5) In order to find the mand all of the interface.	ected to AC power source to ion Network) which provides ower cables of all other und LISN 2, which was bonded way as the LISN 1 for the statip was used to connect methe rating of the LISN was not as placed upon a non-metall ne. And for floor-standing arrotal ground reference plane. The was bonded to be LISN 1 was placed 0.8 m for a ground reference plane. The LISN 1 and the EUT. Allowent was at least 0.8 m from aximum emission, the relative ce cables must be changed as an conducted measurement.	through a LISN 1 (Line a 50Ω/50μH + 5Ω linear nits of the EUT were to the ground reference unit being measured. A ultiple power cables to a of exceeded. In the EUT was rence plane. The rear of the reference plane. The rence plane for LISNs is distance was between I other units of the EUT in the LISN 2.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jursidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lines states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsteing Rosal, Suzhou Industrial Park, Suzhou Area, Chime (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号厂房商部 鄉鄉: 215000


t (86-512) 62992980

t (86–512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 11 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-




Report No.: SEWM2207000111RG02

Rev.: 02 Page: 12 of 77

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission



Fina	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.4380	10.55	18.38	28.93	57.10	28.17	11.48	22.03	47.10	25.07	PASS
2	1.1715	10.74	22.85	33.59	56.00	22.41	13.27	24.01	46.00	21.99	PASS
3	3.5970	10.71	13.93	24.64	56.00	31.36	4.80	15.51	46.00	30.49	PASS
4	6.0945	10.68	27.83	38.51	60.00	21.49	12.81	23.49	50.00	26.51	PASS
5	11.3955	10.60	25.57	36.17	60.00	23.83	18.76	29.36	50.00	20.64	PASS
6	18.3795	10.46	19.99	30.45	60.00	29.55	10.19	20.65	50.00	29.35	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value = Reading + Factor(Lisn factor(dB) + cable loss(dB)).
- 3. Margin = Limit($dB\mu V$) Valued $B\mu V$)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$3071443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Kiangsu) Plot Friee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2207000111RG02

Rev.: 02 13 of 77 Page:



Fin	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1860	10.68	30.66	41.34	64.21	22.87	22.96	33.64	54.21	20.57	PASS
2	1.1400	10.73	23.93	34.66	56.00	21.34	15.29	26.02	46.00	19.98	PASS
3	3.3090	10.63	17.31	27.94	56.00	28.06	11.13	21.76	46.00	24.24	PASS
4	5.8875	10.58	28.31	38.89	60.00	21.11	12.91	23.49	50.00	26.51	PASS
5	11.7015	10.65	19.82	30.47	60.00	29.53	11.04	21.69	50.00	28.31	PASS
6	17.9115	10.49	18.71	29.20	60.00	30.80	11.27	21.76	50.00	28.24	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading + Factor(Lisn factor(dB) + cable loss(dB)).
- 3. Margin = Limit($dB\mu V$) Valued $B\mu V$)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 14 of 77

4.3 Duty Cycle

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 15 of 77

4.4 Conducted Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.ago; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions [Terms-en-Document as place]. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection reports & certificate please contact us at telephone (86-755183071443.




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 16 of 77

4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 17 of 77

4.6 Power Spectral Density





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-and-C




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 18 of 77

4.7 Band-edge for RF Conducted Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 19 of 77

4.8 RF Conducted Spurious Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law longer of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extend of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be prosecuted to the fullest extender of the lawfull and offenders may be pro




Report No.: SEWM2207000111RG02

Rev.: 02 Page: 20 of 77

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10 :2013 Section 11.12							
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)							
Test Frequency:	9kHz ~ 25GHz	9kHz ~ 25GHz						
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)			
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz	30	-	-	30			
	30MHz-88MHz	100	40.0	Quasi-peak	3			
	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz	500	54.0	Average	3			
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.							

Test Setup:






Figure 2. 30MHz to 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-en/Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: Or check the authenticity of testing inspection records exertificate please contact us at telephone; (86-755) \$30.71443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 21 of 77




Figure 3. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- i. Repeat above procedures until all frequencies measured was complete.
- j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
- k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
- I. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

Test Configuration:

Measurements Below 1000MHz

- RBW = 120 kHz
- VBW = 300 kHz
- Detector = Peak
- Trace mode = max hold



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions [Felectronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Sudhou Industrial Park, Sudhou Area, China (Jiangsu) Pikot Free Trade Zone 215000 中国 - 苏州 - 中国 (汀苏) 自由贸易试验区苏州比区苏州丁學园区滋胜路(号的0号厂房亩器 邮编: 215000

t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 22 of 77

-	Fage. 22 01 11					
	Peak Measurements Above 1000 MHz					
	• RBW = 1 MHz					
	• VBW ≥ 3 MHz					
	Detector = Peak					
	Sweep time = auto					
	Trace mode = max hold					
	Average Measurements Above 1000MHz					
	• RBW = 1 MHz					
	• VBW ≥ [3 *RBW]					
	• Detector = RMS (power averaging), if span / (# of points in sweep) ≤ (RBW / 2). Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.					
	Sweep time = auto					
	Perform a trace average of at least 100 traces.					
Exploratory Test	Transmitting with GFSK modulation.					
Mode:	Charge + Transmitting mode.					
Final Test Mode:	Transmitting with GFSK modulation.					
	Pretest the EUT at Charge + Transmitting mode,					
	For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.					
Instruments Used:	Refer to section 6 for details					
Test Results:	Pass					
The detailed test data	see: Appendix					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com




Report No.: SEWM2207000111RG02

Rev.: 02 Page: 23 of 77

4.10Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10: 2013 Section 11.12						
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)						
Limit:	Frequency	Limit (dBuV/m)	Remark				
	30MHz-88MHz	40.0	Quasi-peak				
	88MHz-216MHz	43.5	Quasi-peak				
	216MHz-960MHz	46.0	Quasi-peak				
	960MHz-1GHz	54.0	Quasi-peak				
	Above 1GHz	54.0	Average Value				
	Above IGHZ	74.0	Peak Value				

Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agox and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.agox. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 24 of 77

	. ago: : a
	 bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	j. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Peak • Trace mode = max hold
	Peak Measurements Above 1000 MHz
	RBW = 1 MHz
	VBW ≥ 3 MHz
	• Detector = Peak
	Sweep time = auto Trace mode = max hold
	Average Measurements Above 1000MHz
	RBW = 1 MHz
	• VBW ≥ [3 *RBW]
	 Detector = RMS (power averaging), if span / (# of points in sweep) ≤ (RBW / 2). Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak. Sweep time = auto
	Perform a trace average of at least 100 traces.
Exploratory Test Mode:	Transmitting with GFSK modulation.
	Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode.
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data see	e: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 25 of 77

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±1.0 GHz
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±1.0 GHz
7	Conduction Emission	± 2.90dB (150kHz to 30MHz)
		± 3.13dB (9k -30MHz)
0	Radiated Emission	± 4.80dB (30M -1GHz)
8	Radiated Effission	± 4.80dB (1GHz to 18GHz)
		± 4.80dB (Above 18GHz)

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 26 of 77

6 Equipment List

	RF Test Equipment								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date				
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2022/02/16	2023/02/15				
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2022/05/17	2023/05/16				
Measurement Software	Tonscend	JS1120-3 Test System V3.1.55	SUWI-02-09-09	NCR	NCR				
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2022/02/15	2023/02/14				
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2021/12/04	2022/12/03				
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2021/12/04	2022/12/03				
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2022/02/15	2023/02/14				
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-16-05	2022/02/14	2023/02/13				
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2022/02/14	2023/02/13				

CE Test System								
Equipment	Equipment Manufacturer		Inventory No.	Cal Date	Cal Due Date			
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/05/08	2024/05/07			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-01	2022/02/16	2023/02/15			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2022/02/16	2023/02/15			
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/02/16	2023/02/15			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2022/02/16	2023/02/15			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 27 of 77

	RSE Test Equipment								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date				
Semi-Anechoic Chamber	I Brilliant-Amc I		SUWI-04-02-01	2021/05/08	2024/05/07				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2022/02/16	2023/02/15				
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27				
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2021/12/04	2022/12/03				
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/02/19	2023/02/18				
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/05/16	2023/05/15				
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/05/16	2023/05/15				
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/05/14	2023/05/13				
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2022/02/14	2023/02/13				
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2022/02/14	2023/02/13				
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2022/02/19	2023/02/18				
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/06/10	2023/06/09				
Measurement Software	Tonscend	JS32-RSE V4.0.0.1	SUWI-02-09-06	NCR	NCR				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 28 of 77

7 **Photographs - Setup Photos**

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 29 of 77

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 30 of 77

DTS Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.70	2401.64	2402.34	≥0.5	PASS
BLE_1M	Ant1	2440	0.70	2439.64	2440.34	≥0.5	PASS
		2480	0.70	2479.64	2480.34	≥0.5	PASS
		2402	1.18	2401.41	2402.59	≥0.5	PASS
BLE_2M	Ant1	2440	1.19	2439.40	2440.59	≥0.5	PASS
		2480	1.19	2479.40	2480.59	≥0.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 31 of 77

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Cond



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 32 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Cond

or email: CN_DocCheck(図sgs_com | Sound vNa. Five, No. | Runshang Road, Suchou Indastale Park, Suchou Area, China (Jiangsu) Plxt Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业国区海胜数1号的6号厂房南部 - 邮線: 215000





Rev.: 02

33 of 77 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 34 of 77

Occupied Channel Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	1.035	2401.485	2402.520		
BLE_1M	Ant1	2440	1.036	2439.486	2440.521		
		2480	1.035	2479.486	2480.521		
		2402	2.055	2400.986	2403.041		
BLE_2M	Ant1	2440	2.056	2438.987	2441.042		
		2480	2.055	2478.986	2481.041		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 35 of 77

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) \$307 1443,

or email: CN_Doccheck@sgs_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 36 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agpx and, for electronic Document as flutti///www.ags.com/en/Terms-and-Conditions/Terms-e-Document.agpx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:** To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 37 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agpx and, for electronic Document as flutti///www.ags.com/en/Terms-and-Conditions/Terms-e-Document.agpx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:** To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

or email: CN_Doccheck@sgs_com Subnit Vla. Filtr. th. 1, Rursheng Rout, Subnou Indastel Park, Subnou Area, China (Jängsa) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号「房南部 鄭塢: 215000



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 38 of 77

Maximum conducted output power Test Result Peak

TestMode	Antenna	Frequency[MHz]	Conducted Peak Powert[dBm]	Conducted Limit[dBm]	Verdict
		2402	-2.01	≤30	PASS
BLE_1M	Ant1	2440	-2.81	≤30	PASS
_		2480	-3.12	≤30	PASS
		2402	-2.01	≤30	PASS
BLE_2M	Ant1	2440	-2.78	≤30	PASS
		2480	-3.18	≤30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 39 of 77

Maximum power spectral density **Test Result**

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
		2402	-17.85	≤8.00	PASS
BLE_1M	Ant1	2440	-18.56	≤8.00	PASS
		2480	-18.79	≤8.00	PASS
		2402	-19.7	≤8.00	PASS
BLE_2M	Ant1	2440	-20.6	≤8.00	PASS
_		2480	-20.95	≤8.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 40 of 77

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law lunes stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:Doceack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**Doceack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**Doceack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***Doceack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***Contact us at telephone:**Certificate, please contact us at telephone:**Certificate, please contact us at telephone:**Certificate, please contact us at





Rev.: 02 Page: 41 of 77






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law lunes stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:Doceack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**Doceack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**Doceack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***Doceack the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, ***Contact us at telephone:**Certificate, please contact us at telephone:**Certificate, please contact us at telephone:**Certificate, please contact us at





Rev.: 02 Page: 42 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lunes softenies stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Tocheck the authenticity of test

or email: CM. Doccheck(図5gs_6.com Sound No. Fighta, No. 1, Runshang Rook, Outhoul ndustaile Park, Suchou Area, Chine (Jiangsu) Plxt Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州上公园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 43 of 77

Band edge measurements Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject


or email: CN_Doccheck@sgs_com John d/Na. Fiyek, th. Flunsheng Road, Suchou Indastell Park, Suchou Area, China (Jángsa) Plk Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000




Report No.: SEWM2207000111RG02

Rev.: 02





BLE 2M Ant1 High 2480





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 45 of 77

Conducted Spurious Emission Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Lunes softenies stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Tocheck the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Tocheck the authenticity of test


or email: CN_Doccheck@sgs_com Subnit Vla. Filtr. th. 1, Rursheng Rout, Subnou Indastel Park, Subnou Area, China (Jängsa) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号「房南部 鄭塢: 215000



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 46 of 77






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C

or email: CN_Doccheck@sgs_com John d/Na. Fiyek, th. Flunsheng Road, Suchou Indastell Park, Suchou Area, China (Jángsa) Plk Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 47 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C



Report No.: SEWM2207000111RG02

Rev.: 02

48 of 77 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980



Report No.: SEWM2207000111RG02

Rev.: 02






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C

or email: CM. Doccheck@sgs.com Sound Mo.R Phart, No.1, Runshang Pool, Outhou Industrial Park, Suchou Area, China (Jiangsu) Plxt Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州上公园区河胜路1号的6号厂房南部 邮集: 215000



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 50 of 77






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C

or email: CN. Doccheck @sgs.com Scutio No. Fleat, No. 1, Runsheng Road, Suzbu Industrial Park, Suzhou Area, Chine (Jängsu) Plat Free Trade Zone 中国・苏州・中国(江苏)自由贸易は禁区苏州ト区苏州工业区区河胜路1号的6号「房南部 郎塢: 215000





Rev.: 02






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000





Rev.: 02 Page: 52 of 77






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C

or email: CN_Doccheck@sgs_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000



Report No.: SEWM2207000111RG02

Rev.: 02 Page: 53 of 77





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C

or email: CN_DocCheck(図sgs_com | Sound vNa. Fixe, No. | Runshang Road, Suchou Indastale Park, Suchou Area, China (Jiangsu) Plxt Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业国区海胜数1号的6号厂房南部 - 邮線: 215000



Report No.: SEWM2207000111RG02

Rev.: 02

Page: 54 of 77

Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	0.38	0.63	60.32	2.20
BLE 2M	Ant1	2402	0.20	0.63	31.75	4.98



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 55 of 77

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com



Report No.: SEWM2207000111RG02


Rev.: 02

Page: 56 of 77

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: BLE 1M_Channel 39




Fina	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	39.6265	53.06	-28.11	11.95	36.90	40.00	3.10	110	164	Horizontal			
2	52.3222	47.01	-27.93	13.30	32.38	40.00	7.62	116	225	Horizontal			
3	100.9106	38.63	-27.37	10.79	22.05	43.50	21.45	218	336	Horizontal			
4	199.4766	40.87	-26.98	10.62	24.51	43.50	18.99	100	29.4	Horizontal			
5	318.7169	41.38	-26.42	13.69	28.65	46.00	17.35	106	360	Horizontal			
6	739.0176	24.76	-23.91	20.19	21.04	46.00	24.96	106	300	Horizontal			





Report No.: SEWM2207000111RG02

Rev.: 02 Page: 57 of 77



٠	QP	Det	tecto

Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	44.2149	44.69	-28.05	12.91	29.55	40.00	10.45	106	251	Vertical
2	52.2499	41.93	-27.93	13.30	27.30	40.00	12.70	119	182	Vertical
3	108.0766	25.91	-27.41	10.72	9.22	43.50	34.28	362	86	Vertical
4	164.0616	37.49	-26.65	7.84	18.68	43.50	24.82	219	234	Vertical
5	319.0936	31.35	-26.41	13.69	18.63	46.00	27.37	214	246	Vertical
6	854.1198	24.62	-23.62	21.22	22.22	46.00	23.78	120	220	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions-and-Conditions-a

or email: CM.Doccheck@sgs.com South th & Petru N. I, Narhering most, Suthou Indastiel Park, Suzhou Area, China (Mangsu) Phot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的9斤 房南部 単編: 215000




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 58 of 77

Transmitter emission Above 1GHz BLE 1M Channel 00



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4804	49.18	32.13	-44.46	36.85	74.00	37.15	126	327	Horizontal		
2	7206	48.86	36.32	-42.23	42.95	74.00	31.05	265	349	Horizontal		
3	9608	43.23	38.54	-38.05	43.72	74.00	30.28	241	327	Horizontal		
4	4804	43.28	32.13	-44.46	30.95	54.00	23.05	175	360	Horizontal		
5	7206	41.49	36.32	-42.23	35.58	54.00	18.42	284	51	Horizontal		
6	9608	35.74	38.54	-38.05	36.23	54.00	17.77	122	130	Horizontal		






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 59 of 77

BLE 1M_Channel 00



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4804	49.38	32.13	-44.46	37.05	74.00	36.95	185	129	Vertical			
2	7206	47.95	36.32	-42.23	42.04	74.00	31.96	263	230	Vertical			
3	9608	43.40	38.54	-38.05	43.89	74.00	30.11	265	334	Vertical			
4	4804	43.51	32.13	-44.46	31.18	54.00	22.82	296	156	Vertical			
5	7206	41.51	36.32	-42.23	35.60	54.00	18.40	241	359	Vertical			
6	9608	36.64	38.54	-38.05	37.13	54.00	16.87	105	3	Vertical			






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 60 of 77

BLE 1M_Channel 19



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4880	49.11	32.31	-44.79	36.63	74.00	37.37	185	3	Horizontal		
2	7320	46.94	36.39	-41.80	41.53	74.00	32.47	263	180	Horizontal		
3	9760	44.32	38.52	-37.51	45.34	74.00	28.66	265	352	Horizontal		
4	4880	43.39	32.31	-44.79	30.91	54.00	23.09	298	131	Horizontal		
5	7320	40.45	36.39	-41.80	35.04	54.00	18.96	176	180	Horizontal		
6	9760	36.24	38.52	-37.51	37.26	54.00	16.74	177	354	Horizontal		






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 61 of 77

BLE 1M_Channel 19



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4880	48.86	32.31	-44.79	36.38	74.00	37.62	182	28	Vertical		
2	7320	47.70	36.39	-41.80	42.29	74.00	31.71	263	353	Vertical		
3	9760	44.13	38.52	-37.51	45.15	74.00	28.85	268	3	Vertical		
4	4880	42.82	32.31	-44.79	30.34	54.00	23.66	241	3	Vertical		
5	7320	40.42	36.39	-41.80	35.01	54.00	18.99	178	278	Vertical		
6	9760	36.61	38.52	-37.51	37.63	54.00	16.37	269	300	Vertical		






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 62 of 77

BLE 1M_Channel 39



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4960	50.10	32.50	-44.92	37.69	74.00	36.31	185	284	Horizontal		
2	7440	48.70	36.46	-41.83	43.34	74.00	30.66	263	181	Horizontal		
3	9920	43.10	38.51	-37.22	44.39	74.00	29.61	265	206	Horizontal		
4	4960	42.45	32.50	-44.92	30.04	54.00	23.96	241	54	Horizontal		
5	7440	40.46	36.46	-41.83	35.10	54.00	18.90	175	256	Horizontal		
6	9920	36.31	38.51	-37.22	37.60	54.00	16.40	296	360	Horizontal		






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 63 of 77

BLE 1M_Channel 39



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4960	52.11	32.50	-44.92	39.70	74.00	34.30	142	242	Vertical			
2	7440	48.57	36.46	-41.83	43.21	74.00	30.79	265	44	Vertical			
3	9920	43.24	38.51	-37.22	44.53	74.00	29.47	284	179	Vertical			
4	4960	42.31	32.50	-44.92	29.90	54.00	24.10	177	3	Vertical			
5	7440	39.68	36.46	-41.83	34.32	54.00	19.68	152	353	Vertical			
6	9920	36.46	38.51	-37.22	37.75	54.00	16.25	263	168	Vertical			






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 64 of 77

BLE 2M_Channel 0



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804	50.90	32.13	-44.46	38.57	74.00	35.43	163	180	Horizontal
2	7206	49.07	36.32	-42.23	43.16	74.00	30.84	254	307	Horizontal
3	9608	43.27	38.54	-38.05	43.76	74.00	30.24	175	24	Horizontal
4	4804	42.74	32.13	-44.46	30.41	54.00	23.59	263	0	Horizontal
5	7206	41.09	36.32	-42.23	35.18	54.00	18.82	265	157	Horizontal
6	9608	36.25	38.54	-38.05	36.74	54.00	17.26	284	1	Horizontal






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 65 of 77

BLE 2M_Channel 0



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804	50.53	32.13	-44.46	38.20	74.00	35.80	142	5	Vertical
2	7206	47.80	36.32	-42.23	41.89	74.00	32.11	263	182	Vertical
3	9608	43.69	38.54	-38.05	44.18	74.00	29.82	265	332	Vertical
4	4804	42.84	32.13	-44.46	30.51	54.00	23.49	241	5	Vertical
5	7206	42.18	36.32	-42.23	36.27	54.00	17.73	175	357	Vertical
6	9608	36.52	38.54	-38.05	37.01	54.00	16.99	264	5	Vertical






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 66 of 77

BLE 2M_Channel 19



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4880	49.27	32.31	-44.79	36.79	74.00	37.21	241	77	Horizontal
2	7320	47.73	36.39	-41.80	42.32	74.00	31.68	175	255	Horizontal
3	9760	43.74	38.52	-37.51	44.76	74.00	29.24	288	153	Horizontal
4	4880	42.24	32.31	-44.79	29.76	54.00	24.24	142	0	Horizontal
5	7320	40.68	36.39	-41.80	35.27	54.00	18.73	286	307	Horizontal
6	9760	36.38	38.52	-37.51	37.40	54.00	16.60	265	280	Horizontal






Report No.: SEWM2207000111RG02

Rev.: 02 Page: 67 of 77

BLE 2M_Channel 19



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4880	49.84	32.31	-44.79	37.36	74.00	36.64	288	280	Vertical				
2	7320	49.51	36.39	-41.80	44.10	74.00	29.90	241	8	Vertical				
3	9760	44.87	38.52	-37.51	45.89	74.00	28.11	177	0	Vertical				
4	4880	42.00	32.31	-44.79	29.52	54.00	24.48	285	101	Vertical				
5	7320	41.16	36.39	-41.80	35.75	54.00	18.25	265	333	Vertical				
6	9760	37.83	38.52	-37.51	38.85	54.00	15.15	174	50	Vertical				






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 68 of 77

BLE 2M_Channel 39



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960	49.92	32.50	-44.92	37.51	74.00	36.49	142	357	Horizontal
2	7440	47.57	36.46	-41.83	42.21	74.00	31.79	275	0	Horizontal
3	9920	42.64	38.51	-37.22	43.93	74.00	30.07	263	128	Horizontal
4	4960	41.64	32.50	-44.92	29.23	54.00	24.77	268	52	Horizontal
5	7440	38.80	36.46	-41.83	33.44	54.00	20.56	241	182	Horizontal
6	9920	36.98	38.51	-37.22	38.27	54.00	15.73	177	102	Horizontal






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 69 of 77

BLE 2M_Channel 39



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960	50.09	32.50	-44.92	37.68	74.00	36.32	175	57	Vertical
2	7440	45.83	36.46	-41.83	40.47	74.00	33.53	268	1	Vertical
3	9920	42.96	38.51	-37.22	44.25	74.00	29.75	241	256	Vertical
4	4960	43.23	32.50	-44.92	30.82	54.00	23.18	175	8	Vertical
5	7440	39.58	36.46	-41.83	34.22	54.00	19.78	288	108	Vertical
6	9920	36.25	38.51	-37.22	37.54	54.00	16.46	284	206	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

Level = Reading Level + AF(dB/m) + Factor(dB)

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain (dB)

Margin = Limit($dB\mu V/m$) - Level($dB\mu V/m$)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Comments/Terms




Report No.: SEWM2207000111RG02

Rev.: 02

Page: 70 of 77

Restricted bands around fundamental frequency BLE 1M Channel 00



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2373.1475	42.77	27.65	-24.46	45.96	74.00	28.04	166	45	Horizontal
2	2388.2275	42.89	27.68	-24.43	46.14	74.00	27.86	166	45	Horizontal
3	2377.4375	30.99	27.65	-24.45	34.20	54.00	19.80	166	45	Horizontal
4	2384.8475	31.17	27.67	-24.43	34.41	54.00	19.59	166	45	Horizontal






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 71 of 77

BLE 1M_Channel 00



Data	a List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2375.8775	43.11	27.65	-24.45	46.31	74.00	27.69	332	126	Vertical
2	2388.975	43.09	27.68	-24.42	46.34	74.00	27.66	332	126	Vertical
3	2377.6	31.22	27.66	-24.45	34.43	54.00	19.57	332	126	Vertical
4	2387.285	31.09	27.67	-24.43	34.34	54.00	19.66	332	126	Vertical






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 72 of 77

BLE 1M_Channel 39



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2484.04	42.07	27.87	-23.95	45.98	74.00	28.02	142	57	Horizontal
2	2485.735	44.21	27.87	-23.95	48.14	74.00	25.86	142	57	Horizontal
3	2483.785	31.05	27.87	-23.96	34.96	54.00	19.04	142	57	Horizontal
4	2487.16	31.45	27.87	-23.94	35.39	54.00	18.61	142	57	Horizontal






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 73 of 77

BLE 1M_Channel 39



Data	a List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.605	42.32	27.87	-23.96	46.23	74.00	27.77	362	142	Vertical
2	2490.25	43.81	27.88	-23.92	47.77	74.00	26.23	362	142	Vertical
3	2483.71	31.03	27.87	-23.96	34.94	54.00	19.06	362	142	Vertical
4	2491.585	31.07	27.88	-23.91	35.04	54.00	18.96	362	142	Vertical






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 74 of 77

BLE 2M_Channel 0



Data	ı List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2375.0325	43.40	27.65	-24.45	46.60	74.00	27.40	126	49	Horizontal
2	2389.04	42.83	27.68	-24.42	46.08	74.00	27.92	126	49	Horizontal
3	2377.3075	31.04	27.65	-24.45	34.24	54.00	19.76	126	49	Horizontal
4	2389.495	31.33	27.68	-24.42	34.59	54.00	19.41	126	49	Horizontal






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 75 of 77

BLE 2M_Channel 0



Data	a List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2367.2	42.72	27.63	-24.47	45.88	74.00	28.12	321	145	Vertical
2	2384.945	43.00	27.67	-24.43	46.24	74.00	27.76	321	145	Vertical
3	2371.3275	31.16	27.64	-24.46	34.34	54.00	19.66	321	145	Vertical
4	2388.9425	31.21	27.68	-24.42	34.46	54.00	19.54	321	145	Vertical






Report No.: SEWM2207000111RG02

Rev.: 02

Page: 76 of 77

BLE 2M_Channel 39



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2484.76	43.10	27.87	-23.95	47.02	74.00	26.98	144	51	Horizontal
2	2487.745	43.24	27.88	-23.93	47.18	74.00	26.82	144	51	Horizontal
3	2483.56	31.82	27.87	-23.96	35.73	54.00	18.27	144	51	Horizontal
4	2486.575	31.38	27.87	-23.94	35.31	54.00	18.69	144	51	Horizontal






Report No.: SEWM2207000111RG02

Rev.: 02 Page: 77 of 77

BLE 2M_Channel 39



Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2484.55	43.01	27.87	-23.95	46.93	74.00	27.07	332	161	Vertical	
2	2486.845	43.18	27.87	-23.94	47.11	74.00	26.89	332	161	Vertical	
3	2484.64	31.45	27.87	-23.95	35.37	54.00	18.63	332	161	Vertical	
4	2488	31.47	27.88	-23.93	35.41	54.00	18.59	332	161	Vertical	

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

Level = Reading Level + AF(dB/m) + Factor(dB)

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain (dB)

Margin = Limit($dB\mu V/m$) - Level($dB\mu V/m$)

The End

