




**18.27. Peak to Average Ratio for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**18.28. Peak to Average Ratio for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**



**18.29. Peak to Average Ratio for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**




**18.30. Peak to Average Ratio for SA(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**






## 19. n7


### 19.1. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




**19.2. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**



**19.3. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**19.4. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**







**19.5. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




**19.6. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**



**19.7. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**



**19.8. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**





**19.9. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.72	13	Pass


  

The screenshot displays the 'General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172' window. The main plot shows a Cumulative Distribution Function (CDF) graph with 'Probability[%]' on the y-axis (log scale from 0.000001 to 100) and 'dB' on the x-axis (linear scale from 0 to 20). Two curves are shown: a red line for 'AWGN' and a blue line for 'Current'. The 'Current' curve shows a sharp drop-off around 6 dB, while the 'AWGN' curve is much flatter. Below the plot, a statistics table provides the following data:


Statistic	Value	Probability	Value (dB)
Sample Count	999112	10,000%	2.953
Sample Time	9.996 ms	1,0000%	4.969
Avg Power	18.225 dBm	0,1000%	5.719
Max Power	24.118 dBm	0,0010%	5.859
PAR	5.892 dB	0,0001%	5.859

Additional interface elements include a 'GPRF' status bar, a 'Power' section with 'RDY' indicator, and a 'Statistic' button highlighted in blue. The bottom of the window has 'Go To Local' and 'Show Remote Screen' buttons.


**19.10. Peak to Average Ratio for SA(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**



**19.11. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**




**19.12. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**







**19.13. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**19.14. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**



**19.15. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




**19.16. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**







**19.17. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**19.18. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**



**19.19. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**




**19.20. Peak to Average Ratio for SA(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**







**19.21. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**




**19.22. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**



**19.23. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**19.24. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**







**19.25. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




**19.26. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**



**19.27. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**19.28. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**





**19.29. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**



**19.30. Peak to Average Ratio for SA(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.42	13	Pass


Statistic Count		Probability	
Sample Count	998912	10,000%	2.953 dB
Sample Time	9.994 ms	1,0000%	5.109 dB
Avg Power	18.697 dBm	0,1000%	6.422 dB
Max Power	26.769 dBm	0,0100%	7.219 dB
PAR	8.072 dB	0,0010%	7.688 dB
		0,0001%	8.063 dB

## 20. n66

20.1. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




**20.2. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**







**20.3. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**20.4. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**



**20.5. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




**20.6. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**







**20.7. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**20.8. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**



**20.9. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**




**20.10. Peak to Average Ratio for SA(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**





**20.11. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**



**20.12. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.03	13	Pass


  

The screenshot displays the 'General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172' interface. The main plot shows 'Probability[%]' on the y-axis (log scale from 0.000001 to 100) versus 'dB' on the x-axis (linear scale from 0 to 20). Two curves are shown: a red line for 'AWGN' and a blue line for 'Current'. The 'Current' curve shows a sharp drop-off around 5 dB, while the 'AWGN' curve is much broader. Below the plot is a statistics table:


Statistic	Value	Probability	Value
Sample Count	998912	10,000%	1.781 dB
Sample Time	9.994 ms	1,0000%	3.281 dB
Avg Power	23.282 dBm	0,1000%	4.031 dB
Max Power	28.282 dBm	0,0100%	4.594 dB
PAR	4.999 dB	0,0010%	4.781 dB
		0,0001%	4.828 dB

At the bottom of the interface, there are buttons for 'Go To Local' and 'Show Remote Screen'.

**20.13. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**20.14. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**







**20.15. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




**20.16. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**



**20.17. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**20.18. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**







**20.19. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**



**20.20. Peak to Average Ratio for SA(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**



**20.21. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**



**20.22. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	3.94	13	Pass

**General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172**

Frequency: 1770.00000 Ref. Level: 30.00 Connector:RF1COM

Probability[%]

Probability	AWGN (dB)	Current (dB)
10,000%	1.781	1.781
1,000%	3.281	3.281
0,100%	3.938	3.938
0,010%	4.453	4.453
0,001%	4.641	4.641
0,0001%	4.781	4.781


Statistic Count: 1 / 1

Sample Count	998912
Sample Time	9.994 ms
Avg Power	23.242 dBm
Max Power	28.061 dBm
PAR	4.819 dB


Go To Local      Show Remote Screen




**20.23. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**20.24. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**



**20.25. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




**20.26. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**







**20.27. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**20.28. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**



**20.29. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**




**20.30. Peak to Average Ratio for SA(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**






## 21. n38


21.1. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




**21.2. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**



**21.3. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**21.4. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**







**21.5. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




**21.6. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**



**21.7. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**21.8. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**







**21.9. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**




**21.10. Peak to Average Ratio for SA(NTNV)(Channel:516000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**



**21.11. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**




**21.12. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**







**21.13. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**




**21.14. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**



**21.15. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**




**21.16. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**







**21.17. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**




**21.18. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**



**21.19. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**




**21.20. Peak to Average Ratio for SA(NTNV)(Channel:519000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**







**21.21. Peak to Average Ratio for SA(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**



**21.22. Peak to Average Ratio for SA(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**



**21.23. Peak to Average Ratio for SA(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**



**21.24. Peak to Average Ratio for SA(NTNV)(Channel:522000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

