


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.52	-13	Pass	401
0.15	30	0.01	Peak	0.38	-54.43	-13	Pass	2986
30	500	0.1	Peak	450.7	-43.64	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.73	-13	N/A	5001
1000	10000	1	Peak	7181	-19.8	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.29	-13	Pass	401
0.15	30	0.01	Peak	0.39	-55.17	-13	Pass	2986
30	500	0.1	Peak	493.7	-43.51	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.8	-13	N/A	5001
1000	10000	1	Peak	7349	-19.67	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-56.88	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.33	-13	Pass	2986
30	500	0.1	Peak	487.7	-43.9	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.65	-13	N/A	5001
1000	10000	1	Peak	6974	-20.05	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.36	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.6	-13	Pass	2986
30	1000	0.1	Peak	499.3	-49.08	-13	Pass	9701
1000	3000	1	Peak	1850	29.32	-13	N/A	2001
3000	20000	1	Peak	19340	-40.57	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.15	-13	Pass	401
0.15	30	0.01	Peak	0.2	-60.12	-13	Pass	2986
30	1000	0.1	Peak	833.8	-47.91	-13	Pass	9701
1000	3000	1	Peak	1880	29.43	-13	N/A	2001
3000	20000	1	Peak	19726	-40.61	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.76	-13	Pass	401
0.15	30	0.01	Peak	0.26	-59.29	-13	Pass	2986
30	1000	0.1	Peak	762.4	-49.07	-13	Pass	9701
1000	3000	1	Peak	1910	29.58	-13	N/A	2001
3000	20000	1	Peak	19389	-40.47	-13	Pass	17003



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.51	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.53	-13	Pass	2986
30	500	0.1	Peak	497.1	-44.02	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.81	-13	N/A	5001
1000	10000	1	Peak	7205	-19.97	-13	Pass	9002




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.63	-13	Pass	401
0.15	30	0.01	Peak	0.33	-55.21	-13	Pass	2986
30	500	0.1	Peak	393.1	-43.55	-13	Pass	4701
500	1000	0.1	Peak	836.5	26.32	-13	N/A	5001
1000	10000	1	Peak	7355	-19.24	-13	Pass	9002



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.64	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.93	-13	Pass	2986
30	500	0.1	Peak	370.1	-42.79	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.88	-13	N/A	5001
1000	10000	1	Peak	7254	-19.31	-13	Pass	9002



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.15	-13	Pass	401
0.15	30	0.01	Peak	0.31	-60.25	-13	Pass	2986
30	1000	0.1	Peak	650.5	-49.28	-13	Pass	9701
1000	3000	1	Peak	1850	27.66	-13	N/A	2001
3000	20000	1	Peak	19722	-41.07	-13	Pass	17003




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.82	-13	Pass	401
0.15	30	0.01	Peak	0.17	-61.38	-13	Pass	2986
30	1000	0.1	Peak	808.6	-48.37	-13	Pass	9701
1000	3000	1	Peak	1881	21.83	-13	N/A	2001
3000	20000	1	Peak	19661	-41.22	-13	Pass	17003



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.88	-13	Pass	401
0.15	30	0.01	Peak	0.22	-59.86	-13	Pass	2986
30	1000	0.1	Peak	860.808	-48.9	-13	Pass	9701
1000	3000	1	Peak	1910	28.02	-13	N/A	2001
3000	20000	1	Peak	19391	-40.5	-13	Pass	17003



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.28	-13	Pass	401
0.15	30	0.01	Peak	0.25	-64.31	-13	Pass	2986
30	1000	0.1	Peak	978.286	-53.18	-13	Pass	9701
1000	3000	1	Peak	1851	24.16	-13	N/A	2001
3000	20000	1	Peak	19398	-21.54	-13	Pass	17003




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.04	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.61	-13	Pass	2986
30	1000	0.1	Peak	948.766	-53.09	-13	Pass	9701
1000	3000	1	Peak	1879	24.12	-13	N/A	2001
3000	20000	1	Peak	19399	-20.64	-13	Pass	17003



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-68.77	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.81	-13	Pass	2986
30	1000	0.1	Peak	832	-53.05	-13	Pass	9701
1000	3000	1	Peak	1906	24.39	-13	N/A	2001
3000	20000	1	Peak	19782	-21.58	-13	Pass	17003



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.93	-13	Pass	401
0.15	30	0.01	Peak	0.33	-63.84	-13	Pass	2986
30	1000	0.1	Peak	815.7	-52.83	-13	Pass	9701
1000	3000	1	Peak	1711	24.56	-13	N/A	2001
3000	20000	1	Peak	19955	-22.05	-13	Pass	17003




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.88	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.3	-13	Pass	2986
30	1000	0.1	Peak	859.407	-52.86	-13	Pass	9701
1000	3000	1	Peak	1731	24.51	-13	N/A	2001
3000	20000	1	Peak	19451	-21.78	-13	Pass	17003



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.09	-13	Pass	2986
30	1000	0.1	Peak	987.292	-52.98	-13	Pass	9701
1000	3000	1	Peak	1751	24.35	-13	N/A	2001
3000	20000	1	Peak	19900	-21.27	-13	Pass	17003



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.51	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.79	-13	Pass	2986
30	500	0.1	Peak	484.6	-54.18	-13	Pass	4701
500	1000	0.1	Peak	825.5	20.02	-13	N/A	5001
1000	10000	1	Peak	6958	-30.17	-13	Pass	9002




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.94	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.15	-13	Pass	2986
30	500	0.1	Peak	361.8	-54.31	-13	Pass	4701
500	1000	0.1	Peak	837.1	18.64	-13	N/A	5001
1000	10000	1	Peak	7188	-30.5	-13	Pass	9002



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.91	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.8	-13	Pass	2986
30	500	0.1	Peak	463.7	-53.69	-13	Pass	4701
500	1000	0.1	Peak	847.3	18.7	-13	N/A	5001
1000	10000	1	Peak	7204	-30.42	-13	Pass	9002



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.77	-13	Pass	2986
30	1000	0.1	RMS	926	-62.37	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1920	1	RMS	1850.2	23.52	60	Pass	401
1920	3000	1	RMS	2653	-46.96	-13	Pass	1081
3000	12000	1	RMS	11959	-40.54	-13	Pass	9001
12000	20000	1	RMS	19998	-28.72	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-56.65	-13	Pass	2986
30	1000	0.1	RMS	918.4	-62.36	-13	Pass	9701
1000	1840	1	RMS	1839	-50.72	-13	Pass	841
1840	1920	1	RMS	1850.2	22.68	60	Pass	401
1920	3000	1	RMS	2651	-47.06	-13	Pass	1081
3000	12000	1	RMS	11955	-40.56	-13	Pass	9001
12000	20000	1	RMS	19996	-28.71	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-13	Pass	2986
30	1000	0.1	RMS	949.3	-62.12	-13	Pass	9701
1000	1840	1	RMS	1837	-50.87	-13	Pass	841
1840	1920	1	RMS	1879.6	23.55	60	Pass	401
1920	3000	1	RMS	2644	-47.01	-13	Pass	1081
3000	12000	1	RMS	11998	-40.49	-13	Pass	9001
12000	20000	1	RMS	19999	-28.71	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-56.46	-13	Pass	2986
30	1000	0.1	RMS	929.3	-62.33	-13	Pass	9701
1000	1840	1	RMS	1839	-50.93	-13	Pass	841
1840	1920	1	RMS	1879.6	22.68	60	Pass	401
1920	3000	1	RMS	2650	-47	-13	Pass	1081
3000	12000	1	RMS	11956	-40.61	-13	Pass	9001
12000	20000	1	RMS	19998	-28.76	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.05	-13	Pass	2986
30	1000	0.1	RMS	915.3	-62.35	-13	Pass	9701
1000	1840	1	RMS	1839	-50.89	-13	Pass	841
1840	1920	1	RMS	1908.8	23.63	60	Pass	401
1920	3000	1	RMS	2647	-47.06	-13	Pass	1081
3000	12000	1	RMS	11952	-40.6	-13	Pass	9001
12000	20000	1	RMS	19995	-28.77	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	900.7	-62.3	-13	Pass	9701
1000	1840	1	RMS	1839	-50.92	-13	Pass	841
1840	1920	1	RMS	1908.8	22.7	60	Pass	401
1920	3000	1	RMS	2647	-47.02	-13	Pass	1081
3000	12000	1	RMS	11964	-40.56	-13	Pass	9001
12000	20000	1	RMS	20000	-28.77	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-13	Pass	2986
30	1000	0.1	RMS	910.5	-62.39	-13	Pass	9701
1000	1840	1	RMS	1840	-50.61	-13	Pass	841
1840	1920	1	RMS	1850.2	23.61	60	Pass	401
1920	3000	1	RMS	2651	-47	-13	Pass	1081
3000	12000	1	RMS	11986	-40.54	-13	Pass	9001
12000	20000	1	RMS	19999	-28.67	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.47	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.37	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1920	1	RMS	1850.2	22.74	60	Pass	401
1920	3000	1	RMS	2649	-46.95	-13	Pass	1081
3000	12000	1	RMS	11993	-40.51	-13	Pass	9001
12000	20000	1	RMS	19996	-28.75	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	1000	0.1	RMS	909.7	-62.31	-13	Pass	9701
1000	1840	1	RMS	1839	-50.87	-13	Pass	841
1840	1920	1	RMS	1878.8	23.65	60	Pass	401
1920	3000	1	RMS	2655	-47.02	-13	Pass	1081
3000	12000	1	RMS	11978	-40.55	-13	Pass	9001
12000	20000	1	RMS	20000	-28.71	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-13	Pass	2986
30	1000	0.1	RMS	931.3	-62.29	-13	Pass	9701
1000	1840	1	RMS	1832	-50.91	-13	Pass	841
1840	1920	1	RMS	1878.8	22.67	60	Pass	401
1920	3000	1	RMS	2660	-47.02	-13	Pass	1081
3000	12000	1	RMS	11994	-40.61	-13	Pass	9001
12000	20000	1	RMS	19996	-28.77	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.32	-13	Pass	9701
1000	1840	1	RMS	1835	-50.86	-13	Pass	841
1840	1920	1	RMS	1907.2	23.63	60	Pass	401
1920	3000	1	RMS	2647	-46.99	-13	Pass	1081
3000	12000	1	RMS	11963	-40.59	-13	Pass	9001
12000	20000	1	RMS	19998	-28.72	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.53	-13	Pass	2986
30	1000	0.1	RMS	913.8	-62.27	-13	Pass	9701
1000	1840	1	RMS	1839	-50.89	-13	Pass	841
1840	1920	1	RMS	1907.2	22.86	60	Pass	401
1920	3000	1	RMS	2650	-47.02	-13	Pass	1081
3000	12000	1	RMS	11962	-40.61	-13	Pass	9001
12000	20000	1	RMS	19996	-28.73	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1850.4	23.67	60	Pass	401
1920	3000	1	RMS	2649	-47.01	-13	Pass	1081
3000	12000	1	RMS	11968	-40.62	-13	Pass	9001
12000	20000	1	RMS	19998	-28.83	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	1000	0.1	RMS	939.9	-62.33	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1920	1	RMS	1850.4	22.63	60	Pass	401
1920	3000	1	RMS	2657	-47.03	-13	Pass	1081
3000	12000	1	RMS	11993	-40.59	-13	Pass	9001
12000	20000	1	RMS	20000	-28.71	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-13	Pass	2986
30	1000	0.1	RMS	907.1	-62.23	-13	Pass	9701
1000	1840	1	RMS	1838	-50.9	-13	Pass	841
1840	1920	1	RMS	1877.8	23.71	60	Pass	401
1920	3000	1	RMS	2652	-47.04	-13	Pass	1081
3000	12000	1	RMS	11997	-40.55	-13	Pass	9001
12000	20000	1	RMS	19999	-28.73	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.4	-13	Pass	9701
1000	1840	1	RMS	1838	-50.91	-13	Pass	841
1840	1920	1	RMS	1877.8	22.83	60	Pass	401
1920	3000	1	RMS	2657	-46.97	-13	Pass	1081
3000	12000	1	RMS	11952	-40.57	-13	Pass	9001
12000	20000	1	RMS	19998	-28.75	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	1000	0.1	RMS	926	-62.28	-13	Pass	9701
1000	1840	1	RMS	1837	-50.86	-13	Pass	841
1840	1920	1	RMS	1905.4	23.65	60	Pass	401
1920	3000	1	RMS	2658	-47.02	-13	Pass	1081
3000	12000	1	RMS	11978	-40.59	-13	Pass	9001
12000	20000	1	RMS	19999	-28.72	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	935	-62.27	-13	Pass	9701
1000	1840	1	RMS	1838	-50.94	-13	Pass	841
1840	1920	1	RMS	1905.4	22.8	60	Pass	401
1920	3000	1	RMS	2650	-47.01	-13	Pass	1081
3000	12000	1	RMS	11977	-40.59	-13	Pass	9001
12000	20000	1	RMS	20000	-28.75	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.47	-13	Pass	9701
1000	1840	1	RMS	1833	-48.83	-13	Pass	841
1840	1920	1	RMS	1850.6	23.62	60	Pass	401
1920	3000	1	RMS	2656	-47.03	-13	Pass	1081
3000	12000	1	RMS	11933	-40.63	-13	Pass	9001
12000	20000	1	RMS	19999	-28.79	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	897.7	-62.3	-13	Pass	9701
1000	1840	1	RMS	1833	-49.3	-13	Pass	841
1840	1920	1	RMS	1850.6	22.78	60	Pass	401
1920	3000	1	RMS	2642	-47.03	-13	Pass	1081
3000	12000	1	RMS	11998	-40.5	-13	Pass	9001
12000	20000	1	RMS	19999	-28.74	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.32	-13	Pass	9701
1000	1840	1	RMS	1838	-50.88	-13	Pass	841
1840	1920	1	RMS	1875.6	23.68	60	Pass	401
1920	3000	1	RMS	2656	-47.05	-13	Pass	1081
3000	12000	1	RMS	11961	-40.61	-13	Pass	9001
12000	20000	1	RMS	20000	-28.7	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	1000	0.1	RMS	948.2	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-50.92	-13	Pass	841
1840	1920	1	RMS	1875.6	22.74	60	Pass	401
1920	3000	1	RMS	2651	-47.04	-13	Pass	1081
3000	12000	1	RMS	11962	-40.58	-13	Pass	9001
12000	20000	1	RMS	19998	-28.81	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.21	-13	Pass	2986
30	1000	0.1	RMS	930.6	-62.36	-13	Pass	9701
1000	1840	1	RMS	1834	-50.85	-13	Pass	841
1840	1920	1	RMS	1900.6	23.61	60	Pass	401
1920	3000	1	RMS	2659	-47.02	-13	Pass	1081
3000	12000	1	RMS	11961	-40.59	-13	Pass	9001
12000	20000	1	RMS	20000	-28.81	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-13	Pass	2986
30	1000	0.1	RMS	925.7	-62.22	-13	Pass	9701
1000	1840	1	RMS	1836	-50.89	-13	Pass	841
1840	1920	1	RMS	1900.6	22.77	60	Pass	401
1920	3000	1	RMS	2659	-47.03	-13	Pass	1081
3000	12000	1	RMS	11986	-40.54	-13	Pass	9001
12000	20000	1	RMS	19992	-28.74	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.42	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-48.17	-13	Pass	841
1840	1920	1	RMS	1850.8	23.57	60	Pass	401
1920	3000	1	RMS	2650	-47.02	-13	Pass	1081
3000	12000	1	RMS	11940	-40.59	-13	Pass	9001
12000	20000	1	RMS	19997	-28.75	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	1000	0.1	RMS	938.7	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-47.46	-13	Pass	841
1840	1920	1	RMS	1850.8	22.65	60	Pass	401
1920	3000	1	RMS	2652	-47.02	-13	Pass	1081
3000	12000	1	RMS	11939	-40.6	-13	Pass	9001
12000	20000	1	RMS	19999	-28.78	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	972.6	-62.32	-13	Pass	9701
1000	1840	1	RMS	1839	-50.8	-13	Pass	841
1840	1920	1	RMS	1873.4	23.6	60	Pass	401
1920	3000	1	RMS	2659	-46.99	-13	Pass	1081
3000	12000	1	RMS	11986	-40.57	-13	Pass	9001
12000	20000	1	RMS	19996	-28.72	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.35	-13	Pass	9701
1000	1840	1	RMS	1833	-50.9	-13	Pass	841
1840	1920	1	RMS	1873.4	22.63	60	Pass	401
1920	3000	1	RMS	2640	-47.04	-13	Pass	1081
3000	12000	1	RMS	11962	-40.57	-13	Pass	9001
12000	20000	1	RMS	19996	-28.66	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	1000	0.1	RMS	942.4	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.91	-13	Pass	841
1840	1920	1	RMS	1895.8	23.57	60	Pass	401
1920	3000	1	RMS	1922	-41.24	-13	Pass	1081
3000	12000	1	RMS	11992	-40.63	-13	Pass	9001
12000	20000	1	RMS	19996	-28.69	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	1000	0.1	RMS	927.5	-62.29	-13	Pass	9701
1000	1840	1	RMS	1839	-50.9	-13	Pass	841
1840	1920	1	RMS	1895.8	22.74	60	Pass	401
1920	3000	1	RMS	1922	-42.25	-13	Pass	1081
3000	12000	1	RMS	11950	-40.57	-13	Pass	9001
12000	20000	1	RMS	19999	-28.72	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.34	-13	Pass	9701
1000	1840	1	RMS	1840	-48.86	-13	Pass	841
1840	1920	1	RMS	1851	23.45	60	Pass	401
1920	3000	1	RMS	2655	-47.01	-13	Pass	1081
3000	12000	1	RMS	11981	-40.57	-13	Pass	9001
12000	20000	1	RMS	19998	-28.8	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	937.4	-62.39	-13	Pass	9701
1000	1840	1	RMS	1840	-49.04	-13	Pass	841
1840	1920	1	RMS	1851	22.62	60	Pass	401
1920	3000	1	RMS	2649	-47.03	-13	Pass	1081
3000	12000	1	RMS	11992	-40.62	-13	Pass	9001
12000	20000	1	RMS	19999	-28.73	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2986
30	1000	0.1	RMS	936.9	-62.27	-13	Pass	9701
1000	1840	1	RMS	1835	-46.96	-13	Pass	841
1840	1920	1	RMS	1871	23.51	60	Pass	401
1920	3000	1	RMS	2643	-47.06	-13	Pass	1081
3000	12000	1	RMS	11953	-40.62	-13	Pass	9001
12000	20000	1	RMS	19997	-28.75	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	1000	0.1	RMS	900.5	-62.25	-13	Pass	9701
1000	1840	1	RMS	1836	-48.52	-13	Pass	841
1840	1920	1	RMS	1871	22.58	60	Pass	401
1920	3000	1	RMS	2658	-47.03	-13	Pass	1081
3000	12000	1	RMS	11968	-40.56	-13	Pass	9001
12000	20000	1	RMS	19999	-28.68	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	Pass	2986
30	1000	0.1	RMS	944.6	-62.37	-13	Pass	9701
1000	1840	1	RMS	1839	-50.91	-13	Pass	841
1840	1920	1	RMS	1891	23.44	60	Pass	401
1920	3000	1	RMS	2651	-46.99	-13	Pass	1081
3000	12000	1	RMS	11980	-40.54	-13	Pass	9001
12000	20000	1	RMS	19995	-28.68	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62.31	-13	Pass	9701
1000	1840	1	RMS	1837	-50.93	-13	Pass	841
1840	1920	1	RMS	1891	22.53	60	Pass	401
1920	3000	1	RMS	2650	-47.02	-13	Pass	1081
3000	12000	1	RMS	11982	-40.55	-13	Pass	9001
12000	20000	1	RMS	20000	-28.76	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	931.6	-62.34	-13	Pass	9701
1000	1700	1	RMS	1700	-51.34	-13	Pass	701
1700	1765	1	RMS	1710.238	24.03	60	Pass	401
1765	3000	1	RMS	2652	-46.99	-13	Pass	1236
3000	12000	1	RMS	11951	-40.61	-13	Pass	9001
12000	20000	1	RMS	20000	-28.78	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-13	Pass	2986
30	1000	0.1	RMS	933	-62.46	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1765	1	RMS	1710.238	23.19	60	Pass	401
1765	3000	1	RMS	2652	-47.04	-13	Pass	1236
3000	12000	1	RMS	11955	-40.64	-13	Pass	9001
12000	20000	1	RMS	19996	-28.76	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	918.6	-62.34	-13	Pass	9701
1000	1700	1	RMS	1699	-51.44	-13	Pass	701
1700	1765	1	RMS	1732.013	23.91	60	Pass	401
1765	3000	1	RMS	2654	-46.96	-13	Pass	1236
3000	12000	1	RMS	11996	-40.56	-13	Pass	9001
12000	20000	1	RMS	20000	-28.78	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	1000	0.1	RMS	933.6	-62.3	-13	Pass	9701
1000	1700	1	RMS	1690	-51.48	-13	Pass	701
1700	1765	1	RMS	1732.013	23	60	Pass	401
1765	3000	1	RMS	2655	-47.02	-13	Pass	1236
3000	12000	1	RMS	11993	-40.58	-13	Pass	9001
12000	20000	1	RMS	19998	-28.81	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	917.4	-62.39	-13	Pass	9701
1000	1700	1	RMS	1580	-51.45	-13	Pass	701
1700	1765	1	RMS	1753.788	23.97	60	Pass	401
1765	3000	1	RMS	2647	-47	-13	Pass	1236
3000	12000	1	RMS	11937	-40.58	-13	Pass	9001
12000	20000	1	RMS	20000	-28.79	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.66	-13	Pass	2986
30	1000	0.1	RMS	942.8	-62.26	-13	Pass	9701
1000	1700	1	RMS	1584	-51.46	-13	Pass	701
1700	1765	1	RMS	1753.788	23.07	60	Pass	401
1765	3000	1	RMS	2651	-46.95	-13	Pass	1236
3000	12000	1	RMS	11999	-40.58	-13	Pass	9001
12000	20000	1	RMS	19996	-28.77	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-13	Pass	2986
30	1000	0.1	RMS	939.1	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.28	-13	Pass	701
1700	1765	1	RMS	1710.238	24.11	60	Pass	401
1765	3000	1	RMS	2657	-47	-13	Pass	1236
3000	12000	1	RMS	11998	-40.66	-13	Pass	9001
12000	20000	1	RMS	19998	-28.7	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.49	-13	Pass	2986
30	1000	0.1	RMS	959.7	-62.39	-13	Pass	9701
1000	1700	1	RMS	1700	-51.36	-13	Pass	701
1700	1765	1	RMS	1710.238	23.25	60	Pass	401
1765	3000	1	RMS	2647	-47.03	-13	Pass	1236
3000	12000	1	RMS	11980	-40.55	-13	Pass	9001
12000	20000	1	RMS	19999	-28.75	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	925.9	-62.27	-13	Pass	9701
1000	1700	1	RMS	1613	-51.45	-13	Pass	701
1700	1765	1	RMS	1731.2	23.97	60	Pass	401
1765	3000	1	RMS	2649	-47.03	-13	Pass	1236
3000	12000	1	RMS	11977	-40.53	-13	Pass	9001
12000	20000	1	RMS	20000	-28.8	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2986
30	1000	0.1	RMS	897.1	-62.35	-13	Pass	9701
1000	1700	1	RMS	1698	-51.46	-13	Pass	701
1700	1765	1	RMS	1731.2	23.04	60	Pass	401
1765	3000	1	RMS	2648	-47.03	-13	Pass	1236
3000	12000	1	RMS	11955	-40.55	-13	Pass	9001
12000	20000	1	RMS	19999	-28.69	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	1000	0.1	RMS	920.6	-62.4	-13	Pass	9701
1000	1700	1	RMS	1684	-51.4	-13	Pass	701
1700	1765	1	RMS	1752.163	23.95	60	Pass	401
1765	3000	1	RMS	2653	-46.95	-13	Pass	1236
3000	12000	1	RMS	11993	-40.6	-13	Pass	9001
12000	20000	1	RMS	19999	-28.76	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.87	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.21	-13	Pass	9701
1000	1700	1	RMS	1695	-51.47	-13	Pass	701
1700	1765	1	RMS	1752.163	23.08	60	Pass	401
1765	3000	1	RMS	2652	-46.97	-13	Pass	1236
3000	12000	1	RMS	11949	-40.58	-13	Pass	9001
12000	20000	1	RMS	20000	-28.7	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	1000	0.1	RMS	924.3	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1765	1	RMS	1710.4	24.17	60	Pass	401
1765	3000	1	RMS	2649	-46.97	-13	Pass	1236
3000	12000	1	RMS	11975	-40.6	-13	Pass	9001
12000	20000	1	RMS	20000	-28.74	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	1000	0.1	RMS	920.2	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-51.29	-13	Pass	701
1700	1765	1	RMS	1710.4	23.14	60	Pass	401
1765	3000	1	RMS	2651	-47	-13	Pass	1236
3000	12000	1	RMS	11975	-40.54	-13	Pass	9001
12000	20000	1	RMS	19998	-28.84	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.34	-13	Pass	9701
1000	1700	1	RMS	1695	-51.42	-13	Pass	701
1700	1765	1	RMS	1730.388	24.02	60	Pass	401
1765	3000	1	RMS	2657	-46.97	-13	Pass	1236
3000	12000	1	RMS	11983	-40.55	-13	Pass	9001
12000	20000	1	RMS	19998	-28.59	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.98	-13	Pass	2986
30	1000	0.1	RMS	933.6	-62.28	-13	Pass	9701
1000	1700	1	RMS	1698	-51.41	-13	Pass	701
1700	1765	1	RMS	1730.388	23.17	60	Pass	401
1765	3000	1	RMS	2652	-46.98	-13	Pass	1236
3000	12000	1	RMS	11972	-40.59	-13	Pass	9001
12000	20000	1	RMS	19995	-28.65	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.05	-13	Pass	2986
30	1000	0.1	RMS	929.7	-62.24	-13	Pass	9701
1000	1700	1	RMS	1586	-51.46	-13	Pass	701
1700	1765	1	RMS	1750.375	24.05	60	Pass	401
1765	3000	1	RMS	2657	-47	-13	Pass	1236
3000	12000	1	RMS	11954	-40.63	-13	Pass	9001
12000	20000	1	RMS	19996	-28.79	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.31	-13	Pass	9701
1000	1700	1	RMS	1661	-51.49	-13	Pass	701
1700	1765	1	RMS	1750.375	23.27	60	Pass	401
1765	3000	1	RMS	2650	-47	-13	Pass	1236
3000	12000	1	RMS	11970	-40.63	-13	Pass	9001
12000	20000	1	RMS	20000	-28.66	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2986
30	1000	0.1	RMS	910.4	-62.3	-13	Pass	9701
1000	1700	1	RMS	1693	-49.88	-13	Pass	701
1700	1765	1	RMS	1710.563	24.1	60	Pass	401
1765	3000	1	RMS	2653	-47.04	-13	Pass	1236
3000	12000	1	RMS	11965	-40.59	-13	Pass	9001
12000	20000	1	RMS	19999	-28.76	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	925.7	-62.31	-13	Pass	9701
1000	1700	1	RMS	1693	-50.06	-13	Pass	701
1700	1765	1	RMS	1710.563	23.23	60	Pass	401
1765	3000	1	RMS	2658	-47.02	-13	Pass	1236
3000	12000	1	RMS	11948	-40.59	-13	Pass	9001
12000	20000	1	RMS	19994	-28.75	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.41	-13	Pass	701
1700	1765	1	RMS	1728.113	23.97	60	Pass	401
1765	3000	1	RMS	2650	-46.98	-13	Pass	1236
3000	12000	1	RMS	11986	-40.64	-13	Pass	9001
12000	20000	1	RMS	19993	-28.79	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	1000	0.1	RMS	943.6	-62.4	-13	Pass	9701
1000	1700	1	RMS	1608	-51.45	-13	Pass	701
1700	1765	1	RMS	1728.113	23	60	Pass	401
1765	3000	1	RMS	2648	-47.04	-13	Pass	1236
3000	12000	1	RMS	11956	-40.55	-13	Pass	9001
12000	20000	1	RMS	19994	-28.76	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	907.7	-62.29	-13	Pass	9701
1000	1700	1	RMS	1590	-51.45	-13	Pass	701
1700	1765	1	RMS	1745.663	23.9	60	Pass	401
1765	3000	1	RMS	2655	-46.98	-13	Pass	1236
3000	12000	1	RMS	11987	-40.59	-13	Pass	9001
12000	20000	1	RMS	19996	-28.76	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	917.4	-62.44	-13	Pass	9701
1000	1700	1	RMS	1699	-51.51	-13	Pass	701
1700	1765	1	RMS	1745.663	23.05	60	Pass	401
1765	3000	1	RMS	2654	-47	-13	Pass	1236
3000	12000	1	RMS	11985	-40.57	-13	Pass	9001
12000	20000	1	RMS	19996	-28.78	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	935.7	-62.39	-13	Pass	9701
1000	1700	1	RMS	1700	-49.66	-13	Pass	701
1700	1765	1	RMS	1710.888	23.99	60	Pass	401
1765	3000	1	RMS	2653	-47.04	-13	Pass	1236
3000	12000	1	RMS	11959	-40.6	-13	Pass	9001
12000	20000	1	RMS	20000	-28.75	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	1000	0.1	RMS	927.3	-62.4	-13	Pass	9701
1000	1700	1	RMS	1700	-49.99	-13	Pass	701
1700	1765	1	RMS	1710.888	23.14	60	Pass	401
1765	3000	1	RMS	2649	-47	-13	Pass	1236
3000	12000	1	RMS	11979	-40.55	-13	Pass	9001
12000	20000	1	RMS	19999	-28.76	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	921.2	-62.21	-13	Pass	9701
1000	1700	1	RMS	1699	-48.67	-13	Pass	701
1700	1765	1	RMS	1725.838	23.97	60	Pass	401
1765	3000	1	RMS	2658	-47.04	-13	Pass	1236
3000	12000	1	RMS	11951	-40.59	-13	Pass	9001
12000	20000	1	RMS	19997	-28.8	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	1000	0.1	RMS	913.8	-62.47	-13	Pass	9701
1000	1700	1	RMS	1699	-49.35	-13	Pass	701
1700	1765	1	RMS	1725.838	22.98	60	Pass	401
1765	3000	1	RMS	2659	-47.06	-13	Pass	1236
3000	12000	1	RMS	11971	-40.58	-13	Pass	9001
12000	20000	1	RMS	20000	-28.79	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	917.1	-62.4	-13	Pass	9701
1000	1700	1	RMS	1696	-51.46	-13	Pass	701
1700	1765	1	RMS	1740.788	23.88	60	Pass	401
1765	3000	1	RMS	1767	-38.28	-13	Pass	1236
3000	12000	1	RMS	11950	-40.6	-13	Pass	9001
12000	20000	1	RMS	19995	-28.75	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	959.9	-62.38	-13	Pass	9701
1000	1700	1	RMS	1695	-51.48	-13	Pass	701
1700	1765	1	RMS	1740.788	23.06	60	Pass	401
1765	3000	1	RMS	1767	-38.78	-13	Pass	1236
3000	12000	1	RMS	11986	-40.63	-13	Pass	9001
12000	20000	1	RMS	19999	-28.69	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.35	-13	Pass	9701
1000	1700	1	RMS	1700	-50.09	-13	Pass	701
1700	1765	1	RMS	1711.05	23.95	60	Pass	401
1765	3000	1	RMS	2650	-47.02	-13	Pass	1236
3000	12000	1	RMS	11972	-40.6	-13	Pass	9001
12000	20000	1	RMS	19993	-28.77	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.26	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-50.2	-13	Pass	701
1700	1765	1	RMS	1711.05	23.06	60	Pass	401
1765	3000	1	RMS	2656	-46.99	-13	Pass	1236
3000	12000	1	RMS	11995	-40.61	-13	Pass	9001
12000	20000	1	RMS	19997	-28.79	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.61	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.43	-13	Pass	9701
1000	1700	1	RMS	1688	-50.96	-13	Pass	701
1700	1765	1	RMS	1723.563	23.86	60	Pass	401
1765	3000	1	RMS	2650	-47.04	-13	Pass	1236
3000	12000	1	RMS	11979	-40.61	-13	Pass	9001
12000	20000	1	RMS	19998	-28.73	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	1000	0.1	RMS	989.2	-62.39	-13	Pass	9701
1000	1700	1	RMS	1688	-51.15	-13	Pass	701
1700	1765	1	RMS	1723.563	22.94	60	Pass	401
1765	3000	1	RMS	2648	-47.01	-13	Pass	1236
3000	12000	1	RMS	11986	-40.57	-13	Pass	9001
12000	20000	1	RMS	19997	-28.76	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	883.9	-62.29	-13	Pass	9701
1000	1700	1	RMS	1700	-48.61	-13	Pass	701
1700	1765	1	RMS	1736.075	23.83	60	Pass	401
1765	3000	1	RMS	1772	-40.79	-13	Pass	1236
3000	12000	1	RMS	11964	-40.6	-13	Pass	9001
12000	20000	1	RMS	20000	-28.69	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.38	-13	Pass	9701
1000	1700	1	RMS	1700	-49.36	-13	Pass	701
1700	1765	1	RMS	1736.075	22.93	60	Pass	401
1765	3000	1	RMS	1772	-41.38	-13	Pass	1236
3000	12000	1	RMS	11999	-40.59	-13	Pass	9001
12000	20000	1	RMS	19996	-28.72	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.32	-13	Pass	7841
814	860	0.1	RMS	824.2	20.82	60	Pass	461
860	1000	0.1	RMS	931.7	-62.56	-13	Pass	1401
1000	3000	1	RMS	2651	-47.01	-13	Pass	2001
3000	10000	1	RMS	7711	-42.92	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.4	-13	Pass	7841
814	860	0.1	RMS	824.2	19.85	60	Pass	461
860	1000	0.1	RMS	937.1	-62.56	-13	Pass	1401
1000	3000	1	RMS	2656	-47.04	-13	Pass	2001
3000	10000	1	RMS	7707	-42.83	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.52	-13	Pass	7841
814	860	0.1	RMS	836.1	20.88	60	Pass	461
860	1000	0.1	RMS	922.8	-62.68	-13	Pass	1401
1000	3000	1	RMS	2653	-47.01	-13	Pass	2001
3000	10000	1	RMS	7712	-42.91	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2986
30	814	0.1	RMS	795.4	-62.53	-13	Pass	7841
814	860	0.1	RMS	836.1	19.97	60	Pass	461
860	1000	0.1	RMS	929.7	-62.65	-13	Pass	1401
1000	3000	1	RMS	2655	-47.06	-13	Pass	2001
3000	10000	1	RMS	7710	-42.9	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	814	0.1	RMS	801.8	-62.64	-13	Pass	7841
814	860	0.1	RMS	847.9	20.54	60	Pass	461
860	1000	0.1	RMS	909.9	-62.7	-13	Pass	1401
1000	3000	1	RMS	2656	-47.05	-13	Pass	2001
3000	10000	1	RMS	7712	-42.97	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2986
30	814	0.1	RMS	805.5	-62.8	-13	Pass	7841
814	860	0.1	RMS	847.8	20.09	60	Pass	461
860	1000	0.1	RMS	918.5	-62.66	-13	Pass	1401
1000	3000	1	RMS	2651	-47.05	-13	Pass	2001
3000	10000	1	RMS	7722	-42.96	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2986
30	814	0.1	RMS	814	-62.04	-13	Pass	7841
814	860	0.1	RMS	824.2	20.63	60	Pass	461
860	1000	0.1	RMS	951.2	-62.6	-13	Pass	1401
1000	3000	1	RMS	2651	-47.06	-13	Pass	2001
3000	10000	1	RMS	7702	-42.91	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.96	-13	Pass	2986
30	814	0.1	RMS	814	-62	-13	Pass	7841
814	860	0.1	RMS	824.2	20.27	60	Pass	461
860	1000	0.1	RMS	937	-62.65	-13	Pass	1401
1000	3000	1	RMS	2648	-47.03	-13	Pass	2001
3000	10000	1	RMS	7698	-42.93	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	814	0.1	RMS	811.5	-62.46	-13	Pass	7841
814	860	0.1	RMS	835.2	21.19	60	Pass	461
860	1000	0.1	RMS	926.6	-62.58	-13	Pass	1401
1000	3000	1	RMS	2652	-47.04	-13	Pass	2001
3000	10000	1	RMS	7729	-42.9	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	814	0.1	RMS	809.2	-62.58	-13	Pass	7841
814	860	0.1	RMS	835.2	20.18	60	Pass	461
860	1000	0.1	RMS	900.2	-62.59	-13	Pass	1401
1000	3000	1	RMS	2651	-47.01	-13	Pass	2001
3000	10000	1	RMS	7701	-42.83	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2986
30	814	0.1	RMS	778.9	-62.66	-13	Pass	7841
814	860	0.1	RMS	846.2	21.25	60	Pass	461
860	1000	0.1	RMS	959.6	-62.51	-13	Pass	1401
1000	3000	1	RMS	2648	-47.01	-13	Pass	2001
3000	10000	1	RMS	7708	-42.89	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.68	-13	Pass	2986
30	814	0.1	RMS	794.6	-62.68	-13	Pass	7841
814	860	0.1	RMS	846.2	20.26	60	Pass	461
860	1000	0.1	RMS	951.1	-62.61	-13	Pass	1401
1000	3000	1	RMS	2654	-47.03	-13	Pass	2001
3000	10000	1	RMS	7727	-42.94	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	814	0.1	RMS	814	-62.09	-13	Pass	7841
814	860	0.1	RMS	824.3	21.07	60	Pass	461
860	1000	0.1	RMS	915.6	-62.48	-13	Pass	1401
1000	3000	1	RMS	2658	-47.05	-13	Pass	2001
3000	10000	1	RMS	7707	-42.85	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.28	-13	Pass	7841
814	860	0.1	RMS	824.3	19.61	60	Pass	461
860	1000	0.1	RMS	928.7	-62.61	-13	Pass	1401
1000	3000	1	RMS	2651	-47.02	-13	Pass	2001
3000	10000	1	RMS	7710	-42.95	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2986
30	814	0.1	RMS	810.5	-62.63	-13	Pass	7841
814	860	0.1	RMS	834.3	21.17	60	Pass	461
860	1000	0.1	RMS	882.7	-62.59	-13	Pass	1401
1000	3000	1	RMS	2660	-47.03	-13	Pass	2001
3000	10000	1	RMS	7733	-42.96	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-13	Pass	2986
30	814	0.1	RMS	793.3	-62.64	-13	Pass	7841
814	860	0.1	RMS	834.3	20.33	60	Pass	461
860	1000	0.1	RMS	947.3	-62.7	-13	Pass	1401
1000	3000	1	RMS	2649	-47.06	-13	Pass	2001
3000	10000	1	RMS	7718	-42.97	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.8	-13	Pass	7841
814	860	0.1	RMS	844.3	21.2	60	Pass	461
860	1000	0.1	RMS	910.9	-62.62	-13	Pass	1401
1000	3000	1	RMS	2533	-46.88	-13	Pass	2001
3000	10000	1	RMS	7718	-42.9	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.6	-13	Pass	7841
814	860	0.1	RMS	844.3	20.5	60	Pass	461
860	1000	0.1	RMS	900.3	-62.65	-13	Pass	1401
1000	3000	1	RMS	2650	-47.06	-13	Pass	2001
3000	10000	1	RMS	7704	-42.87	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.5	-13	Pass	7841
814	860	0.1	RMS	824.6	21.16	60	Pass	461
860	1000	0.1	RMS	933.5	-62.61	-13	Pass	1401
1000	3000	1	RMS	2651	-47.03	-13	Pass	2001
3000	10000	1	RMS	7718	-42.89	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.37	-13	Pass	2986
30	814	0.1	RMS	814	-60.68	-13	Pass	7841
814	860	0.1	RMS	824.6	20.26	60	Pass	461
860	1000	0.1	RMS	928.6	-62.66	-13	Pass	1401
1000	3000	1	RMS	2653	-47	-13	Pass	2001
3000	10000	1	RMS	7700	-42.86	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.31	-13	Pass	7841
814	860	0.1	RMS	832.1	21.53	60	Pass	461
860	1000	0.1	RMS	933.6	-62.52	-13	Pass	1401
1000	3000	1	RMS	2656	-47.04	-13	Pass	2001
3000	10000	1	RMS	7707	-42.95	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	814	0.1	RMS	812.3	-62.5	-13	Pass	7841
814	860	0.1	RMS	832.1	20.51	60	Pass	461
860	1000	0.1	RMS	884.4	-62.7	-13	Pass	1401
1000	3000	1	RMS	2655	-47.06	-13	Pass	2001
3000	10000	1	RMS	7704	-42.96	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.66	-13	Pass	7841
814	860	0.1	RMS	839.6	21.58	60	Pass	461
860	1000	0.1	RMS	898.6	-62.65	-13	Pass	1401
1000	3000	1	RMS	2649	-47.01	-13	Pass	2001
3000	10000	1	RMS	7720	-42.91	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	814	0.1	RMS	810.9	-62.54	-13	Pass	7841
814	860	0.1	RMS	839.6	20.72	60	Pass	461
860	1000	0.1	RMS	996.5	-62.71	-13	Pass	1401
1000	3000	1	RMS	2651	-47.06	-13	Pass	2001
3000	10000	1	RMS	7725	-42.89	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-25	Pass	2986
30	1000	0.1	RMS	923.7	-62.41	-25	Pass	9701
1000	2490	1	RMS	2483	-48.05	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.64	60	Pass	401
2580	3000	1	RMS	2655	-47.08	-25	Pass	421
3000	12000	1	RMS	7501	-63.3	-25	Pass	9001
12000	26000	1	RMS	25012	-42.77	-25	Pass	14001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-25	Pass	2986
30	1000	0.1	RMS	949.1	-62.45	-25	Pass	9701
1000	2490	1	RMS	2490	-48.09	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.66	60	Pass	401
2580	3000	1	RMS	2657	-47.07	-25	Pass	421
3000	12000	1	RMS	11843	-64.25	-25	Pass	9001
12000	26000	1	RMS	25011	-41.17	-25	Pass	14001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-25	Pass	2986
30	1000	0.1	RMS	910.2	-62.19	-25	Pass	9701
1000	2490	1	RMS	2484	-48.28	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.49	60	Pass	401
2580	3000	1	RMS	2653	-47.08	-25	Pass	421
3000	12000	1	RMS	11863	-64.26	-25	Pass	9001
12000	26000	1	RMS	25012	-41.24	-25	Pass	14001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.22	-25	Pass	2986
30	1000	0.1	RMS	931.2	-62.42	-25	Pass	9701
1000	2490	1	RMS	2490	-48.32	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.79	60	Pass	401
2580	3000	1	RMS	2649	-47.08	-25	Pass	421
3000	12000	1	RMS	11849	-64.26	-25	Pass	9001
12000	26000	1	RMS	25011	-41.2	-25	Pass	14001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-25	Pass	2986
30	1000	0.1	RMS	908.3	-62.42	-25	Pass	9701
1000	2490	1	RMS	2486	-48.23	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.23	60	Pass	401
2580	3000	1	RMS	2652	-47.07	-25	Pass	421
3000	12000	1	RMS	11850	-64.19	-25	Pass	9001
12000	26000	1	RMS	25012	-41.19	-25	Pass	14001



11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.1	-25	Pass	2986
30	1000	0.1	RMS	922.7	-62.25	-25	Pass	9701
1000	2490	1	RMS	2486	-48.35	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.97	60	Pass	401
2580	3000	1	RMS	2652	-47.08	-25	Pass	421
3000	12000	1	RMS	11971	-64.24	-25	Pass	9001
12000	26000	1	RMS	25011	-41.18	-25	Pass	14001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-25	Pass	2986
30	1000	0.1	RMS	919.1	-62.45	-25	Pass	9701
1000	2490	1	RMS	2490	-47.65	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.56	60	Pass	401
2580	3000	1	RMS	2651	-47.09	-25	Pass	421
3000	12000	1	RMS	7502	-63.43	-25	Pass	9001
12000	26000	1	RMS	25012	-41.22	-25	Pass	14001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.53	-25	Pass	2986
30	1000	0.1	RMS	925.2	-62.38	-25	Pass	9701
1000	2490	1	RMS	2490	-47.6	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.71	60	Pass	401
2580	3000	1	RMS	2650	-47.09	-25	Pass	421
3000	12000	1	RMS	11726	-64.24	-25	Pass	9001
12000	26000	1	RMS	25011	-41.19	-25	Pass	14001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-25	Pass	2986
30	1000	0.1	RMS	914.3	-62.36	-25	Pass	9701
1000	2490	1	RMS	2488	-48.23	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.34	60	Pass	401
2580	3000	1	RMS	2650	-47.09	-25	Pass	421
3000	12000	1	RMS	11989	-64.22	-25	Pass	9001
12000	26000	1	RMS	25008	-41.23	-25	Pass	14001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-25	Pass	2986
30	1000	0.1	RMS	934.5	-62.29	-25	Pass	9701
1000	2490	1	RMS	2488	-48.3	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.53	60	Pass	401
2580	3000	1	RMS	2656	-47.1	-25	Pass	421
3000	12000	1	RMS	11996	-64.21	-25	Pass	9001
12000	26000	1	RMS	25011	-41.26	-25	Pass	14001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-25	Pass	2986
30	1000	0.1	RMS	913.1	-62.38	-25	Pass	9701
1000	2490	1	RMS	2490	-48.32	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.38	60	Pass	401
2580	3000	1	RMS	2654	-47.03	-25	Pass	421
3000	12000	1	RMS	11880	-64.19	-25	Pass	9001
12000	26000	1	RMS	25019	-41.16	-25	Pass	14001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.27	-25	Pass	2986
30	1000	0.1	RMS	912	-62.4	-25	Pass	9701
1000	2490	1	RMS	2490	-48.29	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.77	60	Pass	401
2580	3000	1	RMS	2654	-47.09	-25	Pass	421
3000	12000	1	RMS	11951	-64.26	-25	Pass	9001
12000	26000	1	RMS	25014	-41.18	-25	Pass	14001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-25	Pass	2986
30	1000	0.1	RMS	908.2	-62.34	-25	Pass	9701
1000	2490	1	RMS	2488	-46.69	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.51	60	Pass	401
2580	3000	1	RMS	2655	-47.08	-25	Pass	421
3000	12000	1	RMS	11992	-64.26	-25	Pass	9001
12000	26000	1	RMS	25013	-41.26	-25	Pass	14001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.48	-25	Pass	2986
30	1000	0.1	RMS	922.3	-62.19	-25	Pass	9701
1000	2490	1	RMS	2490	-46.85	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.65	60	Pass	401
2580	3000	1	RMS	2651	-47.06	-25	Pass	421
3000	12000	1	RMS	11984	-64.09	-25	Pass	9001
12000	26000	1	RMS	25013	-41.24	-25	Pass	14001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-25	Pass	2986
30	1000	0.1	RMS	916.4	-62.45	-25	Pass	9701
1000	2490	1	RMS	2490	-48.28	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.48	60	Pass	401
2580	3000	1	RMS	2646	-47.08	-25	Pass	421
3000	12000	1	RMS	11976	-64.18	-25	Pass	9001
12000	26000	1	RMS	25013	-41.23	-25	Pass	14001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-25	Pass	2986
30	1000	0.1	RMS	918.6	-62.35	-25	Pass	9701
1000	2490	1	RMS	2489	-48.28	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.53	60	Pass	401
2580	3000	1	RMS	2650	-47.09	-25	Pass	421
3000	12000	1	RMS	11985	-64.26	-25	Pass	9001
12000	26000	1	RMS	25008	-41.26	-25	Pass	14001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-25	Pass	2986
30	1000	0.1	RMS	926.7	-62.35	-25	Pass	9701
1000	2490	1	RMS	2488	-48.31	-25	Pass	1491
2490	2580	1	RMS	2555.925	23.54	60	Pass	401
2580	3000	1	RMS	2582	-46.49	-25	Pass	421
3000	12000	1	RMS	11845	-64.2	-25	Pass	9001
12000	26000	1	RMS	25013	-41.13	-25	Pass	14001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.73	-25	Pass	2986
30	1000	0.1	RMS	959.4	-62.4	-25	Pass	9701
1000	2490	1	RMS	2489	-48.33	-25	Pass	1491
2490	2580	1	RMS	2555.925	22.79	60	Pass	401
2580	3000	1	RMS	2582	-46.08	-25	Pass	421
3000	12000	1	RMS	11860	-64.22	-25	Pass	9001
12000	26000	1	RMS	25015	-41.18	-25	Pass	14001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-25	Pass	2986
30	1000	0.1	RMS	940.4	-62.32	-25	Pass	9701
1000	2490	1	RMS	2486	-46.93	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.43	60	Pass	401
2580	3000	1	RMS	2658	-47.06	-25	Pass	421
3000	12000	1	RMS	7503	-64.25	-25	Pass	9001
12000	26000	1	RMS	25006	-41.22	-25	Pass	14001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-25	Pass	2986
30	1000	0.1	RMS	920	-62.47	-25	Pass	9701
1000	2490	1	RMS	2490	-47.12	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.56	60	Pass	401
2580	3000	1	RMS	2646	-47.09	-25	Pass	421
3000	12000	1	RMS	11988	-64.17	-25	Pass	9001
12000	26000	1	RMS	25011	-41.25	-25	Pass	14001

