



24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	1000	0.1	RMS	992.995	-62.68	-13	Pass	9701
1000	1700	1	RMS	1694	-51.84	-13	Pass	701
1700	1790	1	RMS	1779.425	21.08	60	Pass	401
1790	3000	1	RMS	2963	-48.04	-13	Pass	1211
3000	6500	1	RMS	3389	-64.46	-13	Pass	3501
6500	20000	1	RMS	18095	-51.92	-13	Pass	13502




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.63	-13	Pass	2986
30	1000	0.1	RMS	993.195	-62.78	-13	Pass	9701
1000	1700	1	RMS	1700	-34.4	-13	Pass	701
1700	1790	1	RMS	1713.275	8.87	60	Pass	401
1790	3000	1	RMS	2960	-48.04	-13	Pass	1211
3000	6500	1	RMS	3390	-64.5	-13	Pass	3501
6500	20000	1	RMS	18095	-51.95	-13	Pass	13502




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	894.53	-62.8	-13	Pass	9701
1000	1700	1	RMS	1700	-48.45	-13	Pass	701
1700	1790	1	RMS	1710.35	20.9	60	Pass	401
1790	3000	1	RMS	2957	-48.01	-13	Pass	1211
3000	6500	1	RMS	3306	-62.29	-13	Pass	3501
6500	20000	1	RMS	19883	-49.92	-13	Pass	13502




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.86	-13	Pass	2986
30	1000	0.1	RMS	997.298	-62.8	-13	Pass	9701
1000	1700	1	RMS	1692	-47.72	-13	Pass	701
1700	1790	1	RMS	1729.25	20.84	60	Pass	401
1790	3000	1	RMS	2965	-48.05	-13	Pass	1211
3000	6500	1	RMS	3401	-64.51	-13	Pass	3501
6500	20000	1	RMS	18113	-52.01	-13	Pass	13502




24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.65	-13	Pass	2986
30	1000	0.1	RMS	901.635	-62.61	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1790	1	RMS	1738.925	8.69	60	Pass	401
1790	3000	1	RMS	2960	-48.02	-13	Pass	1211
3000	6500	1	RMS	3387	-64.52	-13	Pass	3501
6500	20000	1	RMS	18102	-51.95	-13	Pass	13502




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	890.127	-62.66	-13	Pass	9701
1000	1700	1	RMS	1698	-51.38	-13	Pass	701
1700	1790	1	RMS	1735.325	20.76	60	Pass	401
1790	3000	1	RMS	2940	-48.06	-13	Pass	1211
3000	6500	1	RMS	3393	-64.41	-13	Pass	3501
6500	20000	1	RMS	18103	-51.99	-13	Pass	13502




24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	1000	0.1	RMS	888.626	-62.67	-13	Pass	9701
1000	1700	1	RMS	1696	-51.81	-13	Pass	701
1700	1790	1	RMS	1754.225	20.78	60	Pass	401
1790	3000	1	RMS	2970	-48.1	-13	Pass	1211
3000	6500	1	RMS	3396	-64.48	-13	Pass	3501
6500	20000	1	RMS	18106	-51.92	-13	Pass	13502




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	Pass	2986
30	1000	0.1	RMS	895.231	-62.85	-13	Pass	9701
1000	1700	1	RMS	1697	-51.69	-13	Pass	701
1700	1790	1	RMS	1763.675	9.35	60	Pass	401
1790	3000	1	RMS	1790	-31.21	-13	Pass	1211
3000	6500	1	RMS	3305	-61.76	-13	Pass	3501
6500	20000	1	RMS	19880	-49.79	-13	Pass	13502




24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.28	-70.82	-13	Pass	2986
30	1000	0.1	RMS	904.337	-62.63	-13	Pass	9701
1000	1700	1	RMS	1699	-51.75	-13	Pass	701
1700	1790	1	RMS	1760.525	20.78	60	Pass	401
1790	3000	1	RMS	1790	-47.37	-13	Pass	1211
3000	6500	1	RMS	3394	-64.41	-13	Pass	3501
6500	20000	1	RMS	18098	-51.95	-13	Pass	13502




24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.42	-71.41	-13	Pass	2986
30	1000	0.1	RMS	905.337	-62.65	-13	Pass	9701
1000	1700	1	RMS	1696	-51.79	-13	Pass	701
1700	1790	1	RMS	1779.425	20.93	60	Pass	401
1790	3000	1	RMS	1790	-46.85	-13	Pass	1211
3000	6500	1	RMS	3400	-64.57	-13	Pass	3501
6500	20000	1	RMS	18111	-52.02	-13	Pass	13502




24.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.36	-71.74	-13	Pass	2986
30	1000	0.1	RMS	891.928	-62.73	-13	Pass	9701
1000	1700	1	RMS	1700	-35.61	-13	Pass	701
1700	1790	1	RMS	1729.475	5.6	60	Pass	401
1790	3000	1	RMS	1790	-43.89	-13	Pass	1211
3000	6500	1	RMS	3385	-64.52	-13	Pass	3501
6500	20000	1	RMS	18121	-51.94	-13	Pass	13502




24.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	1000	0.1	RMS	898.032	-62.84	-13	Pass	9701
1000	1700	1	RMS	1700	-49.34	-13	Pass	701
1700	1790	1	RMS	1710.575	20.53	60	Pass	401
1790	3000	1	RMS	2981	-48	-13	Pass	1211
3000	6500	1	RMS	3399	-64.52	-13	Pass	3501
6500	20000	1	RMS	18096	-51.92	-13	Pass	13502




24.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.74	-13	Pass	2986
30	1000	0.1	RMS	899.633	-62.56	-13	Pass	9701
1000	1700	1	RMS	1700	-49.04	-13	Pass	701
1700	1790	1	RMS	1749.275	20.51	60	Pass	401
1790	3000	1	RMS	2956	-48.03	-13	Pass	1211
3000	6500	1	RMS	3309	-62.26	-13	Pass	3501
6500	20000	1	RMS	19887	-50.27	-13	Pass	13502




24.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	911.942	-62.87	-13	Pass	9701
1000	1700	1	RMS	1700	-40.93	-13	Pass	701
1700	1790	1	RMS	1758.5	5.63	60	Pass	401
1790	3000	1	RMS	1790	-36.47	-13	Pass	1211
3000	6500	1	RMS	3397	-64.51	-13	Pass	3501
6500	20000	1	RMS	18092	-51.92	-13	Pass	13502




24.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.69	-71.44	-13	Pass	2986
30	1000	0.1	RMS	901.134	-62.68	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1790	1	RMS	1725.425	20.43	60	Pass	401
1790	3000	1	RMS	2957	-48.09	-13	Pass	1211
3000	6500	1	RMS	3392	-64.46	-13	Pass	3501
6500	20000	1	RMS	18090	-51.99	-13	Pass	13502




24.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.48	-13	Pass	401
0.15	30	0.01	RMS	0.31	-71.43	-13	Pass	2986
30	1000	0.1	RMS	909.34	-62.84	-13	Pass	9701
1000	1700	1	RMS	1687	-48.52	-13	Pass	701
1700	1790	1	RMS	1764.125	20.36	60	Pass	401
1790	3000	1	RMS	2957	-48.07	-13	Pass	1211
3000	6500	1	RMS	3391	-64.52	-13	Pass	3501
6500	20000	1	RMS	18102	-51.95	-13	Pass	13502




24.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.87	-13	Pass	2986
30	1000	0.1	RMS	879.72	-62.74	-13	Pass	9701
1000	1700	1	RMS	1700	-48.06	-13	Pass	701
1700	1790	1	RMS	1759.175	5.83	60	Pass	401
1790	3000	1	RMS	1790	-32.96	-13	Pass	1211
3000	6500	1	RMS	3391	-64.56	-13	Pass	3501
6500	20000	1	RMS	18104	-51.83	-13	Pass	13502




24.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2986
30	1000	0.1	RMS	871.515	-62.75	-13	Pass	9701
1000	1700	1	RMS	1698	-51.66	-13	Pass	701
1700	1790	1	RMS	1740.5	20.43	60	Pass	401
1790	3000	1	RMS	1790	-47.52	-13	Pass	1211
3000	6500	1	RMS	3309	-61.65	-13	Pass	3501
6500	20000	1	RMS	19886	-50.31	-13	Pass	13502



24.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.6	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.36	-13	Pass	2986
30	1000	0.1	RMS	978.786	-62.72	-13	Pass	9701
1000	1700	1	RMS	1700	-51.63	-13	Pass	701
1700	1790	1	RMS	1779.2	20.6	60	Pass	401
1790	3000	1	RMS	1791	-47.77	-13	Pass	1211
3000	6500	1	RMS	3403	-64.47	-13	Pass	3501
6500	20000	1	RMS	18086	-51.99	-13	Pass	13502



25. n38


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	Pass	401
0.15	30	0.01	RMS	1.08	-68.16	-13	Pass	2986
30	1000	0.1	RMS	899.433	-60.41	-13	Pass	9701
1000	2560	1	RMS	2560	-45.34	-13	Pass	1561
2560	2630	1	RMS	2571.9	15.02	60	Pass	401
2630	3000	1	RMS	2963.925	-47.62	-13	Pass	401
3000	6500	1	RMS	3366	-62.07	-13	Pass	3501
6500	26500	1	RMS	21130	-47.09	-13	Pass	20003




25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.16	-13	Pass	2986
30	1000	0.1	RMS	839.1	-60.5	-13	Pass	9701
1000	2560	1	RMS	2508	-48.48	-13	Pass	1561
2560	2630	1	RMS	2570.325	21.1	60	Pass	401
2630	3000	1	RMS	2981.5	-47.68	-13	Pass	401
3000	6500	1	RMS	6243	-63.58	-13	Pass	3501
6500	26500	1	RMS	24112	-49.35	-13	Pass	20003




25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.42	-69.3	-13	Pass	2986
30	1000	0.1	RMS	976.985	-59.91	-13	Pass	9701
1000	2560	1	RMS	2497	-48.74	-13	Pass	1561
2560	2630	1	RMS	2574.7	21.11	60	Pass	401
2630	3000	1	RMS	2962.075	-47.63	-13	Pass	401
3000	6500	1	RMS	3383	-63.75	-13	Pass	3501
6500	26500	1	RMS	24092	-49.34	-13	Pass	20003




25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.43	-69.5	-13	Pass	2986
30	1000	0.1	RMS	802.7	-60.35	-13	Pass	9701
1000	2560	1	RMS	2497	-48.52	-13	Pass	1561
2560	2630	1	RMS	2591.15	15.08	60	Pass	401
2630	3000	1	RMS	2957.45	-47.62	-13	Pass	401
3000	6500	1	RMS	6366	-63.32	-13	Pass	3501
6500	26500	1	RMS	25065	-49.13	-13	Pass	20003




25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.58	-13	Pass	2986
30	1000	0.1	RMS	920.647	-59.66	-13	Pass	9701
1000	2560	1	RMS	2501	-48.73	-13	Pass	1561
2560	2630	1	RMS	2590.275	21.12	60	Pass	401
2630	3000	1	RMS	2969.475	-47.65	-13	Pass	401
3000	6500	1	RMS	3404	-63.15	-13	Pass	3501
6500	26500	1	RMS	25094	-49.35	-13	Pass	20003




25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.38	-68.04	-13	Pass	2986
30	1000	0.1	RMS	903.036	-60.37	-13	Pass	9701
1000	2560	1	RMS	2504	-48.78	-13	Pass	1561
2560	2630	1	RMS	2594.65	21.16	60	Pass	401
2630	3000	1	RMS	2973.175	-47.71	-13	Pass	401
3000	6500	1	RMS	3373	-60.43	-13	Pass	3501
6500	26500	1	RMS	21131	-47.54	-13	Pass	20003




25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.69	-13	Pass	2986
30	1000	0.1	RMS	900.234	-60.19	-13	Pass	9701
1000	2560	1	RMS	2501	-48.69	-13	Pass	1561
2560	2630	1	RMS	2616.7	15.33	60	Pass	401
2630	3000	1	RMS	2630	-43.37	-13	Pass	401
3000	6500	1	RMS	6397	-63.26	-13	Pass	3501
6500	26500	1	RMS	24074	-49.22	-13	Pass	20003




25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.38	-69.34	-13	Pass	2986
30	1000	0.1	RMS	867.012	-60.41	-13	Pass	9701
1000	2560	1	RMS	2501	-48.57	-13	Pass	1561
2560	2630	1	RMS	2615.3	21.36	60	Pass	401
2630	3000	1	RMS	2968.55	-47.67	-13	Pass	401
3000	6500	1	RMS	6499	-63.56	-13	Pass	3501
6500	26500	1	RMS	25468	-49.36	-13	Pass	20003




25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.28	-68.21	-13	Pass	2986
30	1000	0.1	RMS	970.781	-60.28	-13	Pass	9701
1000	2560	1	RMS	2508	-48.75	-13	Pass	1561
2560	2630	1	RMS	2619.675	21.4	60	Pass	401
2630	3000	1	RMS	2977.8	-47.63	-13	Pass	401
3000	6500	1	RMS	6393	-63.34	-13	Pass	3501
6500	26500	1	RMS	24101	-49.49	-13	Pass	20003




25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.89	-68.23	-13	Pass	2986
30	1000	0.1	RMS	931.054	-59.84	-13	Pass	9701
1000	2560	1	RMS	2560	-30.72	-13	Pass	1561
2560	2630	1	RMS	2575.575	8.97	60	Pass	401
2630	3000	1	RMS	2630	-46.96	-13	Pass	401
3000	6500	1	RMS	3328	-59.87	-13	Pass	3501
6500	26500	1	RMS	20934	-48.94	-13	Pass	20003




25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.96	-69.49	-13	Pass	2986
30	1000	0.1	RMS	838.2	-59.62	-13	Pass	9701
1000	2560	1	RMS	2560	-44.03	-13	Pass	1561
2560	2630	1	RMS	2570.5	21.17	60	Pass	401
2630	3000	1	RMS	2954.675	-47.59	-13	Pass	401
3000	6500	1	RMS	6493	-63.53	-13	Pass	3501
6500	26500	1	RMS	25119	-49.23	-13	Pass	20003




25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.73	-69.28	-13	Pass	2986
30	1000	0.1	RMS	985.691	-60.2	-13	Pass	9701
1000	2560	1	RMS	2560	-43.82	-13	Pass	1561
2560	2630	1	RMS	2589.4	21.23	60	Pass	401
2630	3000	1	RMS	2962.075	-47.5	-13	Pass	401
3000	6500	1	RMS	3388	-63.38	-13	Pass	3501
6500	26500	1	RMS	25086	-49.29	-13	Pass	20003




25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.29	-69.35	-13	Pass	2986
30	1000	0.1	RMS	913.743	-59.96	-13	Pass	9701
1000	2560	1	RMS	2560	-41.6	-13	Pass	1561
2560	2630	1	RMS	2587.825	8.96	60	Pass	401
2630	3000	1	RMS	2630	-39.27	-13	Pass	401
3000	6500	1	RMS	3321	-61.02	-13	Pass	3501
6500	26500	1	RMS	24123	-49.16	-13	Pass	20003




25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.14	-13	Pass	2986
30	1000	0.1	RMS	915.244	-59.92	-13	Pass	9701
1000	2560	1	RMS	2499	-48.58	-13	Pass	1561
2560	2630	1	RMS	2585.55	21.28	60	Pass	401
2630	3000	1	RMS	2971.325	-47.46	-13	Pass	401
3000	6500	1	RMS	6222	-63.7	-13	Pass	3501
6500	26500	1	RMS	25466	-49.66	-13	Pass	20003




25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	Pass	401
0.15	30	0.01	RMS	1.31	-68.46	-13	Pass	2986
30	1000	0.1	RMS	867.512	-59.88	-13	Pass	9701
1000	2560	1	RMS	2516	-48.72	-13	Pass	1561
2560	2630	1	RMS	2604.45	21.34	60	Pass	401
2630	3000	1	RMS	2963.925	-47.51	-13	Pass	401
3000	6500	1	RMS	3398	-63.51	-13	Pass	3501
6500	26500	1	RMS	25069	-49.56	-13	Pass	20003




25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-13	Pass	401
0.15	30	0.01	RMS	19.31	-69.45	-13	Pass	2986
30	1000	0.1	RMS	903.836	-59.61	-13	Pass	9701
1000	2560	1	RMS	2559	-46.48	-13	Pass	1561
2560	2630	1	RMS	2606.025	9.13	60	Pass	401
2630	3000	1	RMS	2630	-28.07	-13	Pass	401
3000	6500	1	RMS	6395	-63.35	-13	Pass	3501
6500	26500	1	RMS	25115	-49.45	-13	Pass	20003




25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.71	-69.21	-13	Pass	2986
30	1000	0.1	RMS	899.633	-59.82	-13	Pass	9701
1000	2560	1	RMS	2508	-48.68	-13	Pass	1561
2560	2630	1	RMS	2600.6	21.31	60	Pass	401
2630	3000	1	RMS	2630	-44.13	-13	Pass	401
3000	6500	1	RMS	3336	-61.93	-13	Pass	3501
6500	26500	1	RMS	20952	-48.68	-13	Pass	20003




25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	Pass	401
0.15	30	0.01	RMS	21.65	-68.97	-13	Pass	2986
30	1000	0.1	RMS	992.495	-60.23	-13	Pass	9701
1000	2560	1	RMS	2509	-48.6	-13	Pass	1561
2560	2630	1	RMS	2619.5	21.43	60	Pass	401
2630	3000	1	RMS	2630	-43.99	-13	Pass	401
3000	6500	1	RMS	6492	-63.6	-13	Pass	3501
6500	26500	1	RMS	24140	-48.66	-13	Pass	20003




25.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.38	-13	Pass	2986
30	1000	0.1	RMS	679.4	-59.61	-13	Pass	9701
1000	2560	1	RMS	2560	-31.95	-13	Pass	1561
2560	2630	1	RMS	2577.85	5.92	60	Pass	401
2630	3000	1	RMS	2630	-30.7	-13	Pass	401
3000	6500	1	RMS	6222	-63.67	-13	Pass	3501
6500	26500	1	RMS	25085	-49.41	-13	Pass	20003




25.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.51	-13	Pass	2986
30	1000	0.1	RMS	847.9	-60.25	-13	Pass	9701
1000	2560	1	RMS	2559	-45.45	-13	Pass	1561
2560	2630	1	RMS	2570.675	20.75	60	Pass	401
2630	3000	1	RMS	2648.5	-47.04	-13	Pass	401
3000	6500	1	RMS	6314	-63.66	-13	Pass	3501
6500	26500	1	RMS	24093	-49.29	-13	Pass	20003




25.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	Pass	401
0.15	30	0.01	RMS	11.85	-68.11	-13	Pass	2986
30	1000	0.1	RMS	922.148	-60.33	-13	Pass	9701
1000	2560	1	RMS	2560	-43.98	-13	Pass	1561
2560	2630	1	RMS	2609.35	20.86	60	Pass	401
2630	3000	1	RMS	2633.7	-46.13	-13	Pass	401
3000	6500	1	RMS	6495	-63.56	-13	Pass	3501
6500	26500	1	RMS	24099	-49.57	-13	Pass	20003




25.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.55	-68.61	-13	Pass	2986
30	1000	0.1	RMS	466.3	-59.87	-13	Pass	9701
1000	2560	1	RMS	2560	-32.63	-13	Pass	1561
2560	2630	1	RMS	2579.95	6.03	60	Pass	401
2630	3000	1	RMS	2630	-29.12	-13	Pass	401
3000	6500	1	RMS	3337	-61.2	-13	Pass	3501
6500	26500	1	RMS	25064	-49.04	-13	Pass	20003




25.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.92	-13	Pass	2986
30	1000	0.1	RMS	729.2	-60.15	-13	Pass	9701
1000	2560	1	RMS	2551	-45.67	-13	Pass	1561
2560	2630	1	RMS	2575.575	20.83	60	Pass	401
2630	3000	1	RMS	2630	-45.4	-13	Pass	401
3000	6500	1	RMS	6358	-63.38	-13	Pass	3501
6500	26500	1	RMS	24089	-49.29	-13	Pass	20003




25.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-13	Pass	401
0.15	30	0.01	RMS	1.79	-69.13	-13	Pass	2986
30	1000	0.1	RMS	870.314	-59.38	-13	Pass	9701
1000	2560	1	RMS	2537	-43.92	-13	Pass	1561
2560	2630	1	RMS	2614.25	20.86	60	Pass	401
2630	3000	1	RMS	2638.325	-45.21	-13	Pass	401
3000	6500	1	RMS	6482	-63.78	-13	Pass	3501
6500	26500	1	RMS	25777	-49.36	-13	Pass	20003




25.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	Pass	401
0.15	30	0.01	RMS	1.24	-69.7	-13	Pass	2986
30	1000	0.1	RMS	894.33	-59.68	-13	Pass	9701
1000	2560	1	RMS	2560	-33.8	-13	Pass	1561
2560	2630	1	RMS	2582.05	6.05	60	Pass	401
2630	3000	1	RMS	2630	-28.19	-13	Pass	401
3000	6500	1	RMS	6215	-63.5	-13	Pass	3501
6500	26500	1	RMS	25117	-49.14	-13	Pass	20003




25.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.51	-68.47	-13	Pass	2986
30	1000	0.1	RMS	900.834	-60.06	-13	Pass	9701
1000	2560	1	RMS	2557	-45.59	-13	Pass	1561
2560	2630	1	RMS	2580.65	20.84	60	Pass	401
2630	3000	1	RMS	2633.7	-44.53	-13	Pass	401
3000	6500	1	RMS	6406	-63.71	-13	Pass	3501
6500	26500	1	RMS	25111	-49.25	-13	Pass	20003



25.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.59	-69.14	-13	Pass	2986
30	1000	0.1	RMS	860.107	-59.88	-13	Pass	9701
1000	2560	1	RMS	2560	-46.04	-13	Pass	1561
2560	2630	1	RMS	2619.325	20.96	60	Pass	401
2630	3000	1	RMS	2638.325	-45.3	-13	Pass	401
3000	6500	1	RMS	3341	-62.72	-13	Pass	3501
6500	26500	1	RMS	20975	-47.39	-13	Pass	20003



26. n41


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.84	-67.68	-13	Pass	2986
30	1000	0.1	RMS	860.307	-60.31	-13	Pass	9701
1000	2486	1	RMS	2486	-39.76	-13	Pass	1487
2486	2700	1	RMS	2503.12	12.03	60	Pass	401
2700	3000	1	RMS	2960.25	-47.58	-13	Pass	401
3000	6500	1	RMS	6364	-63.52	-13	Pass	3501
6500	26500	1	RMS	25035	-49.55	-13	Pass	20003




26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	Pass	401
0.15	30	0.01	RMS	2.44	-69.19	-13	Pass	2986
30	1000	0.1	RMS	716.1	-60.35	-13	Pass	9701
1000	2486	1	RMS	2486	-46.78	-13	Pass	1487
2486	2700	1	RMS	2496.165	20.43	60	Pass	401
2700	3000	1	RMS	2967.75	-47.53	-13	Pass	401
3000	6500	1	RMS	4993	-61.43	-13	Pass	3501
6500	26500	1	RMS	24147	-49.51	-13	Pass	20003




26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.97	-13	Pass	401
0.15	30	0.01	RMS	0.28	-69.27	-13	Pass	2986
30	1000	0.1	RMS	924.05	-59.63	-13	Pass	9701
1000	2486	1	RMS	2486	-46.49	-13	Pass	1487
2486	2700	1	RMS	2505.795	20.62	60	Pass	401
2700	3000	1	RMS	2966.25	-47.53	-13	Pass	401
3000	6500	1	RMS	3374	-63.78	-13	Pass	3501
6500	26500	1	RMS	25104	-49.14	-13	Pass	20003




26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.53	-68.75	-13	Pass	2986
30	1000	0.1	RMS	734.5	-60.12	-13	Pass	9701
1000	2486	1	RMS	2478	-49.03	-13	Pass	1487
2486	2700	1	RMS	2589.79	11.76	60	Pass	401
2700	3000	1	RMS	2956.5	-47.55	-13	Pass	401
3000	6500	1	RMS	6357	-63.79	-13	Pass	3501
6500	26500	1	RMS	24091	-49.3	-13	Pass	20003




26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.36	-13	Pass	2986
30	1000	0.1	RMS	928.453	-58.45	-13	Pass	9701
1000	2486	1	RMS	2476	-49	-13	Pass	1487
2486	2700	1	RMS	2588.185	20.31	60	Pass	401
2700	3000	1	RMS	2958.75	-47.57	-13	Pass	401
3000	6500	1	RMS	3320	-62.57	-13	Pass	3501
6500	26500	1	RMS	20858	-48.43	-13	Pass	20003




26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	Pass	401
0.15	30	0.01	RMS	13.4	-69.69	-13	Pass	2986
30	1000	0.1	RMS	868.613	-60.18	-13	Pass	9701
1000	2486	1	RMS	2486	-49.03	-13	Pass	1487
2486	2700	1	RMS	2597.815	20.27	60	Pass	401
2700	3000	1	RMS	2958.75	-47.55	-13	Pass	401
3000	6500	1	RMS	6292	-63.57	-13	Pass	3501
6500	26500	1	RMS	24101	-49.15	-13	Pass	20003




26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.2	-13	Pass	401
0.15	30	0.01	RMS	19.88	-69.41	-13	Pass	2986
30	1000	0.1	RMS	852.602	-59.86	-13	Pass	9701
1000	2486	1	RMS	2486	-48.69	-13	Pass	1487
2486	2700	1	RMS	2681.81	12.08	60	Pass	401
2700	3000	1	RMS	2700	-35.44	-13	Pass	401
3000	6500	1	RMS	6397	-63.48	-13	Pass	3501
6500	26500	1	RMS	24103	-49.15	-13	Pass	20003




26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.14	-13	Pass	2986
30	1000	0.1	RMS	905.137	-59.87	-13	Pass	9701
1000	2486	1	RMS	2486	-49.02	-13	Pass	1487
2486	2700	1	RMS	2680.205	20.62	60	Pass	401
2700	3000	1	RMS	2700	-46.54	-13	Pass	401
3000	6500	1	RMS	3389	-63.68	-13	Pass	3501
6500	26500	1	RMS	25100	-49.44	-13	Pass	20003




26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.77	-13	Pass	2986
30	1000	0.1	RMS	366.8	-60.4	-13	Pass	9701
1000	2486	1	RMS	2484	-48.94	-13	Pass	1487
2486	2700	1	RMS	2689.835	20.3	60	Pass	401
2700	3000	1	RMS	2700	-46.75	-13	Pass	401
3000	6500	1	RMS	6252	-63.62	-13	Pass	3501
6500	26500	1	RMS	25100	-49.26	-13	Pass	20003




26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.54	-13	Pass	401
0.15	30	0.01	RMS	1.53	-69.04	-13	Pass	2986
30	1000	0.1	RMS	996.798	-60.04	-13	Pass	9701
1000	2486	1	RMS	2486	-33.83	-13	Pass	1487
2486	2700	1	RMS	2534.15	4.19	60	Pass	401
2700	3000	1	RMS	2967.75	-47.51	-13	Pass	401
3000	6500	1	RMS	3318	-62.44	-13	Pass	3501
6500	26500	1	RMS	20842	-48.21	-13	Pass	20003




26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.27	-67.41	-13	Pass	2986
30	1000	0.1	RMS	911.241	-60.45	-13	Pass	9701
1000	2486	1	RMS	2486	-46.56	-13	Pass	1487
2486	2700	1	RMS	2497.235	20.09	60	Pass	401
2700	3000	1	RMS	2961	-47.51	-13	Pass	401
3000	6500	1	RMS	4994	-61.97	-13	Pass	3501
6500	26500	1	RMS	25090	-49.44	-13	Pass	20003




26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.41	-69.62	-13	Pass	2986
30	1000	0.1	RMS	865.011	-59.5	-13	Pass	9701
1000	2486	1	RMS	2486	-47.21	-13	Pass	1487
2486	2700	1	RMS	2555.015	20.59	60	Pass	401
2700	3000	1	RMS	2964	-47.49	-13	Pass	401
3000	6500	1	RMS	6384	-63.81	-13	Pass	3501
6500	26500	1	RMS	25742	-49.47	-13	Pass	20003




26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.6	-13	Pass	2986
30	1000	0.1	RMS	958.673	-59.8	-13	Pass	9701
1000	2486	1	RMS	2486	-45.68	-13	Pass	1487
2486	2700	1	RMS	2577.485	4.15	60	Pass	401
2700	3000	1	RMS	2700	-43.63	-13	Pass	401
3000	6500	1	RMS	6363	-63.49	-13	Pass	3501
6500	26500	1	RMS	25106	-49.2	-13	Pass	20003




26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.67	-13	Pass	2986
30	1000	0.1	RMS	894.33	-60.2	-13	Pass	9701
1000	2486	1	RMS	2485	-49	-13	Pass	1487
2486	2700	1	RMS	2564.11	20.3	60	Pass	401
2700	3000	1	RMS	2962.5	-47.52	-13	Pass	401
3000	6500	1	RMS	3392	-63.65	-13	Pass	3501
6500	26500	1	RMS	25436	-49.14	-13	Pass	20003




26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.74	-13	Pass	401
0.15	30	0.01	RMS	22.14	-69.58	-13	Pass	2986
30	1000	0.1	RMS	893.129	-59.96	-13	Pass	9701
1000	2486	1	RMS	2481	-48.82	-13	Pass	1487
2486	2700	1	RMS	2621.89	20.58	60	Pass	401
2700	3000	1	RMS	2955	-47.56	-13	Pass	401
3000	6500	1	RMS	3323	-62.91	-13	Pass	3501
6500	26500	1	RMS	20885	-46.12	-13	Pass	20003




26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.64	-13	Pass	2986
30	1000	0.1	RMS	972.982	-59.45	-13	Pass	9701
1000	2486	1	RMS	2484	-48.85	-13	Pass	1487
2486	2700	1	RMS	2668.435	4.1	60	Pass	401
2700	3000	1	RMS	2700	-30.61	-13	Pass	401
3000	6500	1	RMS	6477	-63.35	-13	Pass	3501
6500	26500	1	RMS	25129	-49.68	-13	Pass	20003




26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.42	-13	Pass	2986
30	1000	0.1	RMS	931.054	-59.74	-13	Pass	9701
1000	2486	1	RMS	2486	-49.04	-13	Pass	1487
2486	2700	1	RMS	2630.985	20.59	60	Pass	401
2700	3000	1	RMS	2700	-47.3	-13	Pass	401
3000	6500	1	RMS	6494	-63.43	-13	Pass	3501
6500	26500	1	RMS	25095	-49.31	-13	Pass	20003




26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.31	-13	Pass	2986
30	1000	0.1	RMS	868.313	-59.95	-13	Pass	9701
1000	2486	1	RMS	2480	-48.97	-13	Pass	1487
2486	2700	1	RMS	2688.765	20.43	60	Pass	401
2700	3000	1	RMS	2700	-46.78	-13	Pass	401
3000	6500	1	RMS	6386	-63.57	-13	Pass	3501
6500	26500	1	RMS	25129	-48.99	-13	Pass	20003




26.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-13	Pass	2986
30	1000	0.1	RMS	463.1	-59.65	-13	Pass	9701
1000	2486	1	RMS	2486	-34.38	-13	Pass	1487
2486	2700	1	RMS	2555.015	1.9	60	Pass	401
2700	3000	1	RMS	2700	-39.62	-13	Pass	401
3000	6500	1	RMS	3390	-63.64	-13	Pass	3501
6500	26500	1	RMS	24114	-49.35	-13	Pass	20003




26.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.36	-13	Pass	401
0.15	30	0.01	RMS	11.62	-69.28	-13	Pass	2986
30	1000	0.1	RMS	721.3	-59.64	-13	Pass	9701
1000	2486	1	RMS	2485	-44.82	-13	Pass	1487
2486	2700	1	RMS	2497.235	19.77	60	Pass	401
2700	3000	1	RMS	2959.5	-47.53	-13	Pass	401
3000	6500	1	RMS	3329	-60.5	-13	Pass	3501
6500	26500	1	RMS	20917	-49.1	-13	Pass	20003




26.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-13	Pass	401
0.15	30	0.01	RMS	10.9	-68.58	-13	Pass	2986
30	1000	0.1	RMS	878.92	-59.66	-13	Pass	9701
1000	2486	1	RMS	2486	-43.48	-13	Pass	1487
2486	2700	1	RMS	2595.14	19.69	60	Pass	401
2700	3000	1	RMS	2946.75	-47.56	-13	Pass	401
3000	6500	1	RMS	6219	-63.41	-13	Pass	3501
6500	26500	1	RMS	24782	-49.33	-13	Pass	20003




26.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.74	-13	Pass	2986
30	1000	0.1	RMS	937.258	-59.7	-13	Pass	9701
1000	2486	1	RMS	2486	-35.63	-13	Pass	1487
2486	2700	1	RMS	2557.69	2.15	60	Pass	401
2700	3000	1	RMS	2700	-33.76	-13	Pass	401
3000	6500	1	RMS	6208	-63.56	-13	Pass	3501
6500	26500	1	RMS	24106	-48.95	-13	Pass	20003




26.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.28	-69.3	-13	Pass	2986
30	1000	0.1	RMS	909.74	-60.15	-13	Pass	9701
1000	2486	1	RMS	2485	-48.88	-13	Pass	1487
2486	2700	1	RMS	2543.78	19.61	60	Pass	401
2700	3000	1	RMS	2958.75	-47.52	-13	Pass	401
3000	6500	1	RMS	6243	-63.16	-13	Pass	3501
6500	26500	1	RMS	25082	-49.34	-13	Pass	20003




26.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.19	-13	Pass	2986
30	1000	0.1	RMS	563.3	-59.81	-13	Pass	9701
1000	2486	1	RMS	2484	-48.74	-13	Pass	1487
2486	2700	1	RMS	2641.685	19.48	60	Pass	401
2700	3000	1	RMS	2958	-47.59	-13	Pass	401
3000	6500	1	RMS	3393	-63.13	-13	Pass	3501
6500	26500	1	RMS	25115	-49.03	-13	Pass	20003




26.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.29	-13	Pass	2986
30	1000	0.1	RMS	961.274	-60.01	-13	Pass	9701
1000	2486	1	RMS	2486	-41.52	-13	Pass	1487
2486	2700	1	RMS	2606.91	2.1	60	Pass	401
2700	3000	1	RMS	2700	-30.71	-13	Pass	401
3000	6500	1	RMS	3335	-62.79	-13	Pass	3501
6500	26500	1	RMS	20943	-48.3	-13	Pass	20003




26.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.77	-69.77	-13	Pass	2986
30	1000	0.1	RMS	889.527	-59.63	-13	Pass	9701
1000	2486	1	RMS	2485	-48.77	-13	Pass	1487
2486	2700	1	RMS	2590.86	19.79	60	Pass	401
2700	3000	1	RMS	2700	-44.11	-13	Pass	401
3000	6500	1	RMS	6250	-63.62	-13	Pass	3501
6500	26500	1	RMS	25108	-49.6	-13	Pass	20003



26.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	Pass	401
0.15	30	0.01	RMS	1.09	-69	-13	Pass	2986
30	1000	0.1	RMS	985.891	-59.61	-13	Pass	9701
1000	2486	1	RMS	2484	-48.97	-13	Pass	1487
2486	2700	1	RMS	2688.765	19.95	60	Pass	401
2700	3000	1	RMS	2700	-44.62	-13	Pass	401
3000	6500	1	RMS	6496	-63.65	-13	Pass	3501
6500	26500	1	RMS	25143	-49.22	-13	Pass	20003



27. n77_(3450-3550MHz)


27.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.66	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.74	-13	Pass	2986
30	1000	0.1	RMS	874.417	-60.45	-13	Pass	9701
1000	3000	1	RMS	2939	-47.49	-13	Pass	2001
3000	3440	1	RMS	3440	-38.22	-13	Pass	441
3440	3560	1	RMS	3457.1	14.49	60	Pass	401
3560	6500	1	RMS	6256	-63.41	-13	Pass	2941
6500	26500	1	RMS	20932	-48.4	-13	Pass	20003




27.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.45	-13	Pass	2986
30	1000	0.1	RMS	955.07	-60.4	-13	Pass	9701
1000	3000	1	RMS	2964	-47.23	-13	Pass	2001
3000	3440	1	RMS	3440	-43.5	-13	Pass	441
3440	3560	1	RMS	3450.5	22.9	60	Pass	401
3560	6500	1	RMS	6479	-63.76	-13	Pass	2941
6500	26500	1	RMS	24119	-49.56	-13	Pass	20003




27.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.67	-13	Pass	401
0.15	30	0.01	RMS	7.23	-69.53	-13	Pass	2986
30	1000	0.1	RMS	721.5	-59.57	-13	Pass	9701
1000	3000	1	RMS	2974	-47.61	-13	Pass	2001
3000	3440	1	RMS	3440	-43.43	-13	Pass	441
3440	3560	1	RMS	3459.5	22.99	60	Pass	401
3560	6500	1	RMS	3563	-63.64	-13	Pass	2941
6500	26500	1	RMS	24108	-49.48	-13	Pass	20003




27.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.71	-13	Pass	401
0.15	30	0.01	RMS	0.27	-69.31	-13	Pass	2986
30	1000	0.1	RMS	814.4	-60.21	-13	Pass	9701
1000	3000	1	RMS	2935	-47.48	-13	Pass	2001
3000	3440	1	RMS	3400	-44.07	-13	Pass	441
3440	3560	1	RMS	3496.7	14.71	60	Pass	401
3560	6500	1	RMS	3719	-63.82	-13	Pass	2941
6500	26500	1	RMS	24108	-49.24	-13	Pass	20003




27.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.94	-13	Pass	401
0.15	30	0.01	RMS	0.87	-69.66	-13	Pass	2986
30	1000	0.1	RMS	714.6	-60.31	-13	Pass	9701
1000	3000	1	RMS	2984	-47.4	-13	Pass	2001
3000	3440	1	RMS	3390	-44.15	-13	Pass	441
3440	3560	1	RMS	3495.5	23.31	60	Pass	401
3560	6500	1	RMS	6216	-63.74	-13	Pass	2941
6500	26500	1	RMS	24110	-49.31	-13	Pass	20003




27.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.51	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.15	-13	Pass	2986
30	1000	0.1	RMS	861.208	-59.68	-13	Pass	9701
1000	3000	1	RMS	2962	-47.47	-13	Pass	2001
3000	3440	1	RMS	3394	-44.03	-13	Pass	441
3440	3560	1	RMS	3504.5	23.35	60	Pass	401
3560	6500	1	RMS	6222	-63.77	-13	Pass	2941
6500	26500	1	RMS	26142	-49.53	-13	Pass	20003




27.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.02	-13	Pass	2986
30	1000	0.1	RMS	918.346	-60.01	-13	Pass	9701
1000	3000	1	RMS	2990	-47.55	-13	Pass	2001
3000	3440	1	RMS	3399	-44.05	-13	Pass	441
3440	3560	1	RMS	3547.1	14.63	60	Pass	401
3560	6500	1	RMS	3560	-36.46	-13	Pass	2941
6500	26500	1	RMS	25109	-49.3	-13	Pass	20003




27.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.86	-13	Pass	401
0.15	30	0.01	RMS	27.29	-69.76	-13	Pass	2986
30	1000	0.1	RMS	984.89	-59.68	-13	Pass	9701
1000	3000	1	RMS	2958	-47.44	-13	Pass	2001
3000	3440	1	RMS	3397	-44.02	-13	Pass	441
3440	3560	1	RMS	3540.5	23.26	60	Pass	401
3560	6500	1	RMS	3560	-47.48	-13	Pass	2941
6500	26500	1	RMS	25066	-49.54	-13	Pass	20003




27.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.71	-13	Pass	401
0.15	30	0.01	RMS	0.67	-69.46	-13	Pass	2986
30	1000	0.1	RMS	382.4	-60.16	-13	Pass	9701
1000	3000	1	RMS	2956	-47.5	-13	Pass	2001
3000	3440	1	RMS	3398	-44.09	-13	Pass	441
3440	3560	1	RMS	3549.5	23.28	60	Pass	401
3560	6500	1	RMS	3560	-48.31	-13	Pass	2941
6500	26500	1	RMS	25456	-49.56	-13	Pass	20003




27.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-58.08	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.97	-13	Pass	2986
30	1000	0.1	RMS	890.928	-59.63	-13	Pass	9701
1000	3000	1	RMS	2953	-47.35	-13	Pass	2001
3000	3440	1	RMS	3440	-29.13	-13	Pass	441
3440	3560	1	RMS	3470.3	8.81	60	Pass	401
3560	6500	1	RMS	3560	-44.85	-13	Pass	2941
6500	26500	1	RMS	20944	-48.59	-13	Pass	20003




27.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-57.15	-13	Pass	401
0.15	30	0.01	RMS	0.56	-69.81	-13	Pass	2986
30	1000	0.1	RMS	886.125	-59.99	-13	Pass	9701
1000	3000	1	RMS	2955	-47.35	-13	Pass	2001
3000	3440	1	RMS	3440	-38.56	-13	Pass	441
3440	3560	1	RMS	3450.8	24.33	60	Pass	401
3560	6500	1	RMS	3569	-51.63	-13	Pass	2941
6500	26500	1	RMS	25725	-49.42	-13	Pass	20003




27.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.12	-13	Pass	401
0.15	30	0.01	RMS	0.85	-68.66	-13	Pass	2986
30	1000	0.1	RMS	930.754	-60.06	-13	Pass	9701
1000	3000	1	RMS	2965	-47.1	-13	Pass	2001
3000	3440	1	RMS	3402	-40.27	-13	Pass	441
3440	3560	1	RMS	3499.1	23.75	60	Pass	401
3560	6500	1	RMS	3560	-54.6	-13	Pass	2941
6500	26500	1	RMS	25486	-49.31	-13	Pass	20003




27.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-57.46	-13	Pass	401
0.15	30	0.01	RMS	0.46	-69.31	-13	Pass	2986
30	1000	0.1	RMS	898.433	-60.06	-13	Pass	9701
1000	3000	1	RMS	2961	-47.09	-13	Pass	2001
3000	3440	1	RMS	3440	-37.45	-13	Pass	441
3440	3560	1	RMS	3490.1	8.26	60	Pass	401
3560	6500	1	RMS	3560	-36.91	-13	Pass	2941
6500	26500	1	RMS	25111	-49.07	-13	Pass	20003




27.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-57.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-13	Pass	2986
30	1000	0.1	RMS	868.613	-60.14	-13	Pass	9701
1000	3000	1	RMS	2990	-47.52	-13	Pass	2001
3000	3440	1	RMS	3427	-43.42	-13	Pass	441
3440	3560	1	RMS	3475.7	23.9	60	Pass	401
3560	6500	1	RMS	3573	-42.71	-13	Pass	2941
6500	26500	1	RMS	24114	-49.38	-13	Pass	20003




27.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57	-13	Pass	401
0.15	30	0.01	RMS	1.22	-68.88	-13	Pass	2986
30	1000	0.1	RMS	409.7	-60.32	-13	Pass	9701
1000	3000	1	RMS	2983	-47.47	-13	Pass	2001
3000	3440	1	RMS	3427	-40.8	-13	Pass	441
3440	3560	1	RMS	3524.3	23.48	60	Pass	401
3560	6500	1	RMS	3573	-47.89	-13	Pass	2941
6500	26500	1	RMS	20991	-49.54	-13	Pass	20003




27.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.16	-13	Pass	401
0.15	30	0.01	RMS	1.54	-68.4	-13	Pass	2986
30	1000	0.1	RMS	900.434	-60.22	-13	Pass	9701
1000	3000	1	RMS	2956	-47.51	-13	Pass	2001
3000	3440	1	RMS	3439	-43.08	-13	Pass	441
3440	3560	1	RMS	3530.9	7.93	60	Pass	401
3560	6500	1	RMS	3562	-30.86	-13	Pass	2941
6500	26500	1	RMS	25838	-49.39	-13	Pass	20003




27.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.25	-13	Pass	401
0.15	30	0.01	RMS	2.23	-69.47	-13	Pass	2986
30	1000	0.1	RMS	852.402	-60.17	-13	Pass	9701
1000	3000	1	RMS	2960	-47.49	-13	Pass	2001
3000	3440	1	RMS	3398	-43.98	-13	Pass	441
3440	3560	1	RMS	3500.9	23.39	60	Pass	401
3560	6500	1	RMS	3598	-40.94	-13	Pass	2941
6500	26500	1	RMS	25120	-49.31	-13	Pass	20003




27.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.75	-13	Pass	401
0.15	30	0.01	RMS	1.38	-69.46	-13	Pass	2986
30	1000	0.1	RMS	852.302	-59.99	-13	Pass	9701
1000	3000	1	RMS	2970	-47.49	-13	Pass	2001
3000	3440	1	RMS	3397	-44	-13	Pass	441
3440	3560	1	RMS	3549.2	23.41	60	Pass	401
3560	6500	1	RMS	3560	-40.96	-13	Pass	2941
6500	26500	1	RMS	25935	-49.54	-13	Pass	20003




27.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.44	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.48	-13	Pass	2986
30	1000	0.1	RMS	680.5	-59.55	-13	Pass	9701
1000	3000	1	RMS	2943	-47.57	-13	Pass	2001
3000	3440	1	RMS	3440	-35.1	-13	Pass	441
3440	3560	1	RMS	3492.5	4.52	60	Pass	401
3560	6500	1	RMS	3562	-33.1	-13	Pass	2941
6500	26500	1	RMS	25856	-49.3	-13	Pass	20003




27.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-58.46	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.77	-13	Pass	2986
30	1000	0.1	RMS	730.5	-59.36	-13	Pass	9701
1000	3000	1	RMS	2976	-47.47	-13	Pass	2001
3000	3440	1	RMS	3429	-40.96	-13	Pass	441
3440	3560	1	RMS	3451.1	21.82	60	Pass	401
3560	6500	1	RMS	3567	-39.38	-13	Pass	2941
6500	26500	1	RMS	25875	-49.44	-13	Pass	20003



27.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.26	-13	Pass	401
0.15	30	0.01	RMS	1.41	-69.59	-13	Pass	2986
30	1000	0.1	RMS	832.1	-60.15	-13	Pass	9701
1000	3000	1	RMS	2957	-47.49	-13	Pass	2001
3000	3440	1	RMS	3440	-40.69	-13	Pass	441
3440	3560	1	RMS	3548.9	22.64	60	Pass	401
3560	6500	1	RMS	3570	-41.53	-13	Pass	2941
6500	26500	1	RMS	24108	-49.27	-13	Pass	20003



28. n77_(3700-3980MHz)


28.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.06	-13	Pass	2986
30	1000	0.1	RMS	804.2	-60.22	-13	Pass	9701
1000	3000	1	RMS	2941	-47.54	-13	Pass	2001
3000	3690	1	RMS	3690	-35.61	-13	Pass	691
3690	3990	1	RMS	3702	13.85	60	Pass	401
3990	6500	1	RMS	6365	-63.99	-13	Pass	2511
6500	26500	1	RMS	21019	-48.47	-13	Pass	20003




28.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-66.69	-13	Pass	2986
30	1000	0.1	RMS	845.4	-60.13	-13	Pass	9701
1000	3000	1	RMS	2959	-47.42	-13	Pass	2001
3000	3690	1	RMS	3387	-43.97	-13	Pass	691
3690	3990	1	RMS	3700.5	22.01	60	Pass	401
3990	6500	1	RMS	6396	-63.81	-13	Pass	2511
6500	26500	1	RMS	24110	-49.45	-13	Pass	20003




28.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-65.77	-13	Pass	2986
30	1000	0.1	RMS	721.3	-60.21	-13	Pass	9701
1000	3000	1	RMS	2953	-47.41	-13	Pass	2001
3000	3690	1	RMS	3690	-43.65	-13	Pass	691
3690	3990	1	RMS	3709.5	22.25	60	Pass	401
3990	6500	1	RMS	6389	-63.74	-13	Pass	2511
6500	26500	1	RMS	24157	-49.26	-13	Pass	20003




28.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.47	-13	Pass	2986
30	1000	0.1	RMS	987.892	-60.25	-13	Pass	9701
1000	3000	1	RMS	2949	-47.41	-13	Pass	2001
3000	3690	1	RMS	3395	-44.03	-13	Pass	691
3690	3990	1	RMS	3841.5	14.06	60	Pass	401
3990	6500	1	RMS	6256	-63.99	-13	Pass	2511
6500	26500	1	RMS	25080	-49.42	-13	Pass	20003




28.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.7	-13	Pass	2986
30	1000	0.1	RMS	907.739	-59.86	-13	Pass	9701
1000	3000	1	RMS	2971	-47.37	-13	Pass	2001
3000	3690	1	RMS	3397	-44.03	-13	Pass	691
3690	3990	1	RMS	3835.5	22.27	60	Pass	401
3990	6500	1	RMS	6215	-64.01	-13	Pass	2511
6500	26500	1	RMS	25105	-49.47	-13	Pass	20003




28.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.69	-13	Pass	2986
30	1000	0.1	RMS	981.488	-60.17	-13	Pass	9701
1000	3000	1	RMS	2948	-47.49	-13	Pass	2001
3000	3690	1	RMS	3389	-44.03	-13	Pass	691
3690	3990	1	RMS	3844.5	22.29	60	Pass	401
3990	6500	1	RMS	6402	-63.72	-13	Pass	2511
6500	26500	1	RMS	25105	-49.5	-13	Pass	20003




28.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.19	-67.67	-13	Pass	2986
30	1000	0.1	RMS	889.527	-60.2	-13	Pass	9701
1000	3000	1	RMS	2966	-47.36	-13	Pass	2001
3000	3690	1	RMS	3401	-43.98	-13	Pass	691
3690	3990	1	RMS	3972.75	13.84	60	Pass	401
3990	6500	1	RMS	3990	-35.36	-13	Pass	2511
6500	26500	1	RMS	24108	-49.58	-13	Pass	20003




28.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.19	-13	Pass	2986
30	1000	0.1	RMS	915.544	-59.73	-13	Pass	9701
1000	3000	1	RMS	2967	-47.46	-13	Pass	2001
3000	3690	1	RMS	3400	-43.98	-13	Pass	691
3690	3990	1	RMS	3970.5	22.23	60	Pass	401
3990	6500	1	RMS	3990	-47.77	-13	Pass	2511
6500	26500	1	RMS	24105	-49.35	-13	Pass	20003




28.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.91	-13	Pass	2986
30	1000	0.1	RMS	827.2	-60.64	-13	Pass	9701
1000	3000	1	RMS	2960	-47.44	-13	Pass	2001
3000	3690	1	RMS	3398	-44	-13	Pass	691
3690	3990	1	RMS	3979.5	22.24	60	Pass	401
3990	6500	1	RMS	3990	-48.37	-13	Pass	2511
6500	26500	1	RMS	25462	-49.05	-13	Pass	20003




28.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.42	-13	Pass	2986
30	1000	0.1	RMS	958.773	-59.87	-13	Pass	9701
1000	3000	1	RMS	2964	-47.36	-13	Pass	2001
3000	3690	1	RMS	3690	-31.48	-13	Pass	691
3690	3990	1	RMS	3730.5	7	60	Pass	401
3990	6500	1	RMS	6262	-63.74	-13	Pass	2511
6500	26500	1	RMS	25097	-49.23	-13	Pass	20003




28.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68	-13	Pass	2986
30	1000	0.1	RMS	990.093	-60.17	-13	Pass	9701
1000	3000	1	RMS	2976	-47.42	-13	Pass	2001
3000	3690	1	RMS	3690	-40.02	-13	Pass	691
3690	3990	1	RMS	3700.5	21.38	60	Pass	401
3990	6500	1	RMS	6470	-63.83	-13	Pass	2511
6500	26500	1	RMS	24113	-48.89	-13	Pass	20003




28.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.9	-13	Pass	401
0.15	30	0.01	RMS	2.67	-68.28	-13	Pass	2986
30	1000	0.1	RMS	902.435	-60.2	-13	Pass	9701
1000	3000	1	RMS	2960	-47.4	-13	Pass	2001
3000	3690	1	RMS	3690	-41.97	-13	Pass	691
3690	3990	1	RMS	3749.25	22.26	60	Pass	401
3990	6500	1	RMS	6222	-63.86	-13	Pass	2511
6500	26500	1	RMS	24081	-49.22	-13	Pass	20003




28.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.14	-13	Pass	401
0.15	30	0.01	RMS	0.88	-69.54	-13	Pass	2986
30	1000	0.1	RMS	956.471	-60.59	-13	Pass	9701
1000	3000	1	RMS	2967	-47.38	-13	Pass	2001
3000	3690	1	RMS	3394	-43.78	-13	Pass	691
3690	3990	1	RMS	3842.25	7.2	60	Pass	401
3990	6500	1	RMS	3990	-61.87	-13	Pass	2511
6500	26500	1	RMS	25105	-49.53	-13	Pass	20003




28.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.63	-13	Pass	2986
30	1000	0.1	RMS	879.92	-60.12	-13	Pass	9701
1000	3000	1	RMS	2945	-47.29	-13	Pass	2001
3000	3690	1	RMS	3401	-43.9	-13	Pass	691
3690	3990	1	RMS	3816	21.89	60	Pass	401
3990	6500	1	RMS	6225	-63.8	-13	Pass	2511
6500	26500	1	RMS	25440	-48.99	-13	Pass	20003




28.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.56	-13	Pass	2986
30	1000	0.1	RMS	909.74	-60.3	-13	Pass	9701
1000	3000	1	RMS	2993	-47.4	-13	Pass	2001
3000	3690	1	RMS	3396	-43.96	-13	Pass	691
3690	3990	1	RMS	3864	22.2	60	Pass	401
3990	6500	1	RMS	6388	-63.64	-13	Pass	2511
6500	26500	1	RMS	25105	-49	-13	Pass	20003




28.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.51	-69.26	-13	Pass	2986
30	1000	0.1	RMS	480.2	-59.36	-13	Pass	9701
1000	3000	1	RMS	2978	-47.46	-13	Pass	2001
3000	3690	1	RMS	3399	-44.04	-13	Pass	691
3690	3990	1	RMS	3951	7.39	60	Pass	401
3990	6500	1	RMS	3990	-31.14	-13	Pass	2511
6500	26500	1	RMS	25063	-49.65	-13	Pass	20003




28.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-13	Pass	2986
30	1000	0.1	RMS	728.3	-59.35	-13	Pass	9701
1000	3000	1	RMS	2981	-47.32	-13	Pass	2001
3000	3690	1	RMS	3402	-44.06	-13	Pass	691
3690	3990	1	RMS	3930.75	22.78	60	Pass	401
3990	6500	1	RMS	4028	-42.71	-13	Pass	2511
6500	26500	1	RMS	25097	-49.14	-13	Pass	20003




28.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.05	-13	Pass	2986
30	1000	0.1	RMS	722.9	-60.29	-13	Pass	9701
1000	3000	1	RMS	2942	-47.27	-13	Pass	2001
3000	3690	1	RMS	3403	-44.03	-13	Pass	691
3690	3990	1	RMS	3979.5	21.37	60	Pass	401
3990	6500	1	RMS	3990	-41.72	-13	Pass	2511
6500	26500	1	RMS	25105	-49.38	-13	Pass	20003




28.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-72.4	-13	Pass	401
0.15	30	0.01	RMS	13.8	-69.72	-13	Pass	2986
30	1000	0.1	RMS	903.136	-59.68	-13	Pass	9701
1000	3000	1	RMS	2953	-47.45	-13	Pass	2001
3000	3690	1	RMS	3687	-33.83	-13	Pass	691
3690	3990	1	RMS	3783	3.98	60	Pass	401
3990	6500	1	RMS	3991	-58.3	-13	Pass	2511
6500	26500	1	RMS	25095	-49.31	-13	Pass	20003




28.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.76	-13	Pass	2986
30	1000	0.1	RMS	887.125	-59.52	-13	Pass	9701
1000	3000	1	RMS	2970	-47.38	-13	Pass	2001
3000	3690	1	RMS	3680	-40.69	-13	Pass	691
3690	3990	1	RMS	3701.25	21.07	60	Pass	401
3990	6500	1	RMS	4325	-57.09	-13	Pass	2511
6500	26500	1	RMS	25760	-49.68	-13	Pass	20003




28.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.2	-65.95	-13	Pass	2986
30	1000	0.1	RMS	471.9	-59.34	-13	Pass	9701
1000	3000	1	RMS	2941	-47.55	-13	Pass	2001
3000	3690	1	RMS	3690	-40.42	-13	Pass	691
3690	3990	1	RMS	3798.75	21.46	60	Pass	401
3990	6500	1	RMS	6200	-63.94	-13	Pass	2511
6500	26500	1	RMS	21141	-49.32	-13	Pass	20003




28.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.45	-67.86	-13	Pass	2986
30	1000	0.1	RMS	987.392	-59.85	-13	Pass	9701
1000	3000	1	RMS	2984	-47.42	-13	Pass	2001
3000	3690	1	RMS	3690	-42.43	-13	Pass	691
3690	3990	1	RMS	3873.75	4.35	60	Pass	401
3990	6500	1	RMS	3990	-42.85	-13	Pass	2511
6500	26500	1	RMS	25169	-49.57	-13	Pass	20003




28.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-65.75	-13	Pass	2986
30	1000	0.1	RMS	994.096	-59.68	-13	Pass	9701
1000	3000	1	RMS	2960	-47.18	-13	Pass	2001
3000	3690	1	RMS	3389	-43.93	-13	Pass	691
3690	3990	1	RMS	3791.25	21.15	60	Pass	401
3990	6500	1	RMS	4415	-58.3	-13	Pass	2511
6500	26500	1	RMS	26217	-49.45	-13	Pass	20003




28.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-66.08	-13	Pass	2986
30	1000	0.1	RMS	850.801	-60.48	-13	Pass	9701
1000	3000	1	RMS	2970	-47.38	-13	Pass	2001
3000	3690	1	RMS	3403	-43.98	-13	Pass	691
3690	3990	1	RMS	3888.75	21.84	60	Pass	401
3990	6500	1	RMS	3993	-62.42	-13	Pass	2511
6500	26500	1	RMS	25089	-49.1	-13	Pass	20003




28.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.61	-13	Pass	2986
30	1000	0.1	RMS	658.4	-60.19	-13	Pass	9701
1000	3000	1	RMS	2959	-47.34	-13	Pass	2001
3000	3690	1	RMS	3397	-44.01	-13	Pass	691
3690	3990	1	RMS	3897.75	4.39	60	Pass	401
3990	6500	1	RMS	3995	-33.39	-13	Pass	2511
6500	26500	1	RMS	24169	-49.06	-13	Pass	20003




28.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.18	-66.79	-13	Pass	2986
30	1000	0.1	RMS	726.2	-60.22	-13	Pass	9701
1000	3000	1	RMS	2960	-47.48	-13	Pass	2001
3000	3690	1	RMS	3378	-44.02	-13	Pass	691
3690	3990	1	RMS	3881.25	21.63	60	Pass	401
3990	6500	1	RMS	3990	-41.73	-13	Pass	2511
6500	26500	1	RMS	24116	-48.95	-13	Pass	20003



28.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.19	-65.97	-13	Pass	2986
30	1000	0.1	RMS	999.099	-59.78	-13	Pass	9701
1000	3000	1	RMS	2967	-47.48	-13	Pass	2001
3000	3690	1	RMS	3355	-43.79	-13	Pass	691
3690	3990	1	RMS	3978.75	21.46	60	Pass	401
3990	6500	1	RMS	4001	-42.31	-13	Pass	2511
6500	26500	1	RMS	25064	-48.92	-13	Pass	20003



29. n78_(3450-3550MHz)


29.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.96	-13	Pass	2986
30	1000	0.1	RMS	939.16	-60.14	-13	Pass	9701
1000	3000	1	RMS	2957	-47.43	-13	Pass	2001
3000	3440	1	RMS	3440	-37.89	-13	Pass	441
3440	3560	1	RMS	3458	14.68	60	Pass	401
3560	6500	1	RMS	6488	-63.74	-13	Pass	2941
6500	26500	1	RMS	21000	-48.03	-13	Pass	20003




29.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.97	-13	Pass	401
0.15	30	0.01	RMS	6.66	-68.42	-13	Pass	2986
30	1000	0.1	RMS	486.6	-59.79	-13	Pass	9701
1000	3000	1	RMS	2975	-47.35	-13	Pass	2001
3000	3440	1	RMS	3440	-43.66	-13	Pass	441
3440	3560	1	RMS	3450.5	22.98	60	Pass	401
3560	6500	1	RMS	6483	-63.52	-13	Pass	2941
6500	26500	1	RMS	25156	-49.34	-13	Pass	20003




29.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.9	-13	Pass	2986
30	1000	0.1	RMS	492.3	-60.01	-13	Pass	9701
1000	3000	1	RMS	2941	-47.4	-13	Pass	2001
3000	3440	1	RMS	3440	-43.45	-13	Pass	441
3440	3560	1	RMS	3459.5	22.85	60	Pass	401
3560	6500	1	RMS	6230	-63.5	-13	Pass	2941
6500	26500	1	RMS	25078	-49.5	-13	Pass	20003




29.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.64	-13	Pass	2986
30	1000	0.1	RMS	968.079	-60.19	-13	Pass	9701
1000	3000	1	RMS	2980	-47.61	-13	Pass	2001
3000	3440	1	RMS	3391	-44.11	-13	Pass	441
3440	3560	1	RMS	3497.6	14.41	60	Pass	401
3560	6500	1	RMS	6425	-63.79	-13	Pass	2941
6500	26500	1	RMS	25110	-49.18	-13	Pass	20003




29.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.38	-68.8	-13	Pass	2986
30	1000	0.1	RMS	982.689	-59.54	-13	Pass	9701
1000	3000	1	RMS	2953	-47.33	-13	Pass	2001
3000	3440	1	RMS	3388	-44.04	-13	Pass	441
3440	3560	1	RMS	3495.5	23.07	60	Pass	401
3560	6500	1	RMS	6235	-63.77	-13	Pass	2941
6500	26500	1	RMS	24104	-49.6	-13	Pass	20003




29.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.74	-13	Pass	401
0.15	30	0.01	RMS	1.08	-68.84	-13	Pass	2986
30	1000	0.1	RMS	793.1	-59.72	-13	Pass	9701
1000	3000	1	RMS	2965	-47.19	-13	Pass	2001
3000	3440	1	RMS	3396	-44.04	-13	Pass	441
3440	3560	1	RMS	3504.5	23	60	Pass	401
3560	6500	1	RMS	6060	-63.73	-13	Pass	2941
6500	26500	1	RMS	25118	-49.59	-13	Pass	20003




29.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-72.77	-13	Pass	401
0.15	30	0.01	RMS	4.52	-68.77	-13	Pass	2986
30	1000	0.1	RMS	900.734	-60.09	-13	Pass	9701
1000	3000	1	RMS	2962	-47.5	-13	Pass	2001
3000	3440	1	RMS	3389	-43.98	-13	Pass	441
3440	3560	1	RMS	3541.7	14.26	60	Pass	401
3560	6500	1	RMS	3560	-37.3	-13	Pass	2941
6500	26500	1	RMS	25385	-49.56	-13	Pass	20003




29.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.89	-68.92	-13	Pass	2986
30	1000	0.1	RMS	918.446	-59.84	-13	Pass	9701
1000	3000	1	RMS	2950	-47.4	-13	Pass	2001
3000	3440	1	RMS	3392	-44.04	-13	Pass	441
3440	3560	1	RMS	3540.5	22.82	60	Pass	401
3560	6500	1	RMS	3560	-47.46	-13	Pass	2941
6500	26500	1	RMS	25090	-49.49	-13	Pass	20003




29.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.21	-13	Pass	2986
30	1000	0.1	RMS	483.7	-60.05	-13	Pass	9701
1000	3000	1	RMS	2953	-47.51	-13	Pass	2001
3000	3440	1	RMS	3399	-44.04	-13	Pass	441
3440	3560	1	RMS	3549.5	22.93	60	Pass	401
3560	6500	1	RMS	3560	-49.55	-13	Pass	2941
6500	26500	1	RMS	25438	-49.64	-13	Pass	20003




29.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.71	-69.6	-13	Pass	2986
30	1000	0.1	RMS	974.783	-60.03	-13	Pass	9701
1000	3000	1	RMS	2980	-47.48	-13	Pass	2001
3000	3440	1	RMS	3440	-32.12	-13	Pass	441
3440	3560	1	RMS	3476.9	7.83	60	Pass	401
3560	6500	1	RMS	3560	-45.35	-13	Pass	2941
6500	26500	1	RMS	24097	-49.15	-13	Pass	20003




29.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.56	-69.65	-13	Pass	2986
30	1000	0.1	RMS	817.1	-59.32	-13	Pass	9701
1000	3000	1	RMS	2980	-47.52	-13	Pass	2001
3000	3440	1	RMS	3440	-40.21	-13	Pass	441
3440	3560	1	RMS	3450.8	23.11	60	Pass	401
3560	6500	1	RMS	3560	-54.39	-13	Pass	2941
6500	26500	1	RMS	21095	-48.74	-13	Pass	20003




29.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.51	-13	Pass	2986
30	1000	0.1	RMS	900.034	-60.38	-13	Pass	9701
1000	3000	1	RMS	2964	-47.56	-13	Pass	2001
3000	3440	1	RMS	3440	-41.9	-13	Pass	441
3440	3560	1	RMS	3499.1	23.05	60	Pass	401
3560	6500	1	RMS	3561	-55.1	-13	Pass	2941
6500	26500	1	RMS	25086	-49.37	-13	Pass	20003




29.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.21	-13	Pass	401
0.15	30	0.01	RMS	0.65	-67.98	-13	Pass	2986
30	1000	0.1	RMS	866.411	-59.49	-13	Pass	9701
1000	3000	1	RMS	2951	-47.58	-13	Pass	2001
3000	3440	1	RMS	3440	-39.38	-13	Pass	441
3440	3560	1	RMS	3490.1	7.63	60	Pass	401
3560	6500	1	RMS	3560	-37.79	-13	Pass	2941
6500	26500	1	RMS	24100	-49.64	-13	Pass	20003




29.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.18	-13	Pass	401
0.15	30	0.01	RMS	0.33	-68.19	-13	Pass	2986
30	1000	0.1	RMS	932.555	-59.69	-13	Pass	9701
1000	3000	1	RMS	2943	-47.59	-13	Pass	2001
3000	3440	1	RMS	3433	-43.65	-13	Pass	441
3440	3560	1	RMS	3475.7	23.2	60	Pass	401
3560	6500	1	RMS	3572	-44.86	-13	Pass	2941
6500	26500	1	RMS	24097	-49.43	-13	Pass	20003




29.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-57.62	-13	Pass	401
0.15	30	0.01	RMS	0.43	-69.58	-13	Pass	2986
30	1000	0.1	RMS	876.218	-59.63	-13	Pass	9701
1000	3000	1	RMS	2957	-47.6	-13	Pass	2001
3000	3440	1	RMS	3427	-41.54	-13	Pass	441
3440	3560	1	RMS	3524.3	23.02	60	Pass	401
3560	6500	1	RMS	3567	-48.85	-13	Pass	2941
6500	26500	1	RMS	24132	-49.36	-13	Pass	20003




29.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.32	-69.48	-13	Pass	2986
30	1000	0.1	RMS	910.341	-60.07	-13	Pass	9701
1000	3000	1	RMS	2971	-47.38	-13	Pass	2001
3000	3440	1	RMS	3440	-43.42	-13	Pass	441
3440	3560	1	RMS	3534.8	7.36	60	Pass	401
3560	6500	1	RMS	3560	-32.29	-13	Pass	2941
6500	26500	1	RMS	21144	-48.81	-13	Pass	20003




29.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.3	-13	Pass	2986
30	1000	0.1	RMS	891.828	-60.25	-13	Pass	9701
1000	3000	1	RMS	2944	-47.38	-13	Pass	2001
3000	3440	1	RMS	3401	-43.94	-13	Pass	441
3440	3560	1	RMS	3500.9	22.87	60	Pass	401
3560	6500	1	RMS	3598	-42.64	-13	Pass	2941
6500	26500	1	RMS	26232	-49.21	-13	Pass	20003




29.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.31	-13	Pass	401
0.15	30	0.01	RMS	0.41	-69.32	-13	Pass	2986
30	1000	0.1	RMS	999.8	-60.26	-13	Pass	9701
1000	3000	1	RMS	2960	-47.39	-13	Pass	2001
3000	3440	1	RMS	3431	-43.89	-13	Pass	441
3440	3560	1	RMS	3549.2	22.94	60	Pass	401
3560	6500	1	RMS	3560	-41.47	-13	Pass	2941
6500	26500	1	RMS	25079	-49.23	-13	Pass	20003




29.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.78	-13	Pass	2986
30	1000	0.1	RMS	876.518	-60.42	-13	Pass	9701
1000	3000	1	RMS	2943	-47.36	-13	Pass	2001
3000	3440	1	RMS	3440	-35.73	-13	Pass	441
3440	3560	1	RMS	3533	4.28	60	Pass	401
3560	6500	1	RMS	3561	-33.99	-13	Pass	2941
6500	26500	1	RMS	21026	-47.27	-13	Pass	20003




29.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.48	-13	Pass	401
0.15	30	0.01	RMS	4.69	-69.94	-13	Pass	2986
30	1000	0.1	RMS	790.3	-60.14	-13	Pass	9701
1000	3000	1	RMS	2939	-47.38	-13	Pass	2001
3000	3440	1	RMS	3430	-41.18	-13	Pass	441
3440	3560	1	RMS	3451.1	21.7	60	Pass	401
3560	6500	1	RMS	3560	-41.6	-13	Pass	2941
6500	26500	1	RMS	25445	-49.37	-13	Pass	20003



29.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.99	-13	Pass	2986
30	1000	0.1	RMS	867.212	-59.57	-13	Pass	9701
1000	3000	1	RMS	2942	-47.33	-13	Pass	2001
3000	3440	1	RMS	3440	-41.01	-13	Pass	441
3440	3560	1	RMS	3548.9	22.36	60	Pass	401
3560	6500	1	RMS	3570	-42.05	-13	Pass	2941
6500	26500	1	RMS	25766	-49.62	-13	Pass	20003



30. n78_(3700-3800MHz)


30.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.77	-68.56	-13	Pass	2986
30	1000	0.1	RMS	919.046	-60.22	-13	Pass	9701
1000	3000	1	RMS	2974	-47.52	-13	Pass	2001
3000	3690	1	RMS	3690	-36.48	-13	Pass	691
3690	3810	1	RMS	3708.3	13.53	60	Pass	401
3810	6500	1	RMS	3858	-63.78	-13	Pass	2691
6500	26500	1	RMS	21114	-48.49	-13	Pass	20003




30.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-13	Pass	2986
30	1000	0.1	RMS	629.7	-60.28	-13	Pass	9701
1000	3000	1	RMS	2948	-47.47	-13	Pass	2001
3000	3690	1	RMS	3399	-43.92	-13	Pass	691
3690	3810	1	RMS	3700.5	22.09	60	Pass	401
3810	6500	1	RMS	6223	-63.61	-13	Pass	2691
6500	26500	1	RMS	25108	-49.46	-13	Pass	20003




30.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-65.58	-13	Pass	2986
30	1000	0.1	RMS	828.1	-59.86	-13	Pass	9701
1000	3000	1	RMS	2943	-47.41	-13	Pass	2001
3000	3690	1	RMS	3690	-43.73	-13	Pass	691
3690	3810	1	RMS	3709.5	22.38	60	Pass	401
3810	6500	1	RMS	3851	-63.65	-13	Pass	2691
6500	26500	1	RMS	24110	-49.42	-13	Pass	20003




30.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-72.09	-13	Pass	401
0.15	30	0.01	RMS	1.32	-68.44	-13	Pass	2986
30	1000	0.1	RMS	916.945	-60.21	-13	Pass	9701
1000	3000	1	RMS	2970	-47.34	-13	Pass	2001
3000	3690	1	RMS	3395	-43.98	-13	Pass	691
3690	3810	1	RMS	3746.7	13.51	60	Pass	401
3810	6500	1	RMS	3827	-63.67	-13	Pass	2691
6500	26500	1	RMS	25712	-49.38	-13	Pass	20003




30.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-13	Pass	2986
30	1000	0.1	RMS	988.693	-60	-13	Pass	9701
1000	3000	1	RMS	2959	-47.24	-13	Pass	2001
3000	3690	1	RMS	3407	-44.02	-13	Pass	691
3690	3810	1	RMS	3745.5	22.27	60	Pass	401
3810	6500	1	RMS	3850	-63.45	-13	Pass	2691
6500	26500	1	RMS	24094	-49.43	-13	Pass	20003




30.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.01	-13	Pass	2986
30	1000	0.1	RMS	825.4	-60.05	-13	Pass	9701
1000	3000	1	RMS	2964	-47.44	-13	Pass	2001
3000	3690	1	RMS	3393	-44.01	-13	Pass	691
3690	3810	1	RMS	3754.5	22.18	60	Pass	401
3810	6500	1	RMS	3859	-63.42	-13	Pass	2691
6500	26500	1	RMS	21162	-48.79	-13	Pass	20003




30.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.3	-13	Pass	401
0.15	30	0.01	RMS	0.25	-68.97	-13	Pass	2986
30	1000	0.1	RMS	958.272	-60.03	-13	Pass	9701
1000	3000	1	RMS	2988	-47.45	-13	Pass	2001
3000	3690	1	RMS	3390	-44.04	-13	Pass	691
3690	3810	1	RMS	3796.8	13.74	60	Pass	401
3810	6500	1	RMS	3810	-35.24	-13	Pass	2691
6500	26500	1	RMS	25748	-49.05	-13	Pass	20003




30.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-65.41	-13	Pass	2986
30	1000	0.1	RMS	918.046	-58.99	-13	Pass	9701
1000	3000	1	RMS	2968	-47.39	-13	Pass	2001
3000	3690	1	RMS	3386	-44.04	-13	Pass	691
3690	3810	1	RMS	3790.5	22.31	60	Pass	401
3810	6500	1	RMS	3810	-46.9	-13	Pass	2691
6500	26500	1	RMS	25045	-48.7	-13	Pass	20003




30.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.26	-66.52	-13	Pass	2986
30	1000	0.1	RMS	926.551	-59.99	-13	Pass	9701
1000	3000	1	RMS	2954	-47.32	-13	Pass	2001
3000	3690	1	RMS	3396	-44.12	-13	Pass	691
3690	3810	1	RMS	3799.5	22.48	60	Pass	401
3810	6500	1	RMS	3810	-48.28	-13	Pass	2691
6500	26500	1	RMS	24102	-48.87	-13	Pass	20003



30.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.65	-67.44	-13	Pass	2986
30	1000	0.1	RMS	827.9	-60.15	-13	Pass	9701
1000	3000	1	RMS	2961	-47.29	-13	Pass	2001
3000	3690	1	RMS	3690	-32.17	-13	Pass	691
3690	3810	1	RMS	3730.5	6.73	60	Pass	401
3810	6500	1	RMS	3810	-44	-13	Pass	2691
6500	26500	1	RMS	25076	-49.39	-13	Pass	20003



30.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.87	-69.15	-13	Pass	2986
30	1000	0.1	RMS	987.091	-60.13	-13	Pass	9701
1000	3000	1	RMS	2956	-47.26	-13	Pass	2001
3000	3690	1	RMS	3690	-40.28	-13	Pass	691
3690	3810	1	RMS	3700.8	22.3	60	Pass	401
3810	6500	1	RMS	3819	-53.67	-13	Pass	2691
6500	26500	1	RMS	25394	-49.41	-13	Pass	20003

