


18.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.79	-25	Pass	2986
30	1000	0.1	RMS	834.3	-60.09	-25	Pass	9701
1000	2486	1	RMS	2485	-47.08	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.98	60	Pass	401
2700	3000	1	RMS	2943.75	-45.59	-25	Pass	401
3000	12000	1	RMS	11700	-46.4	-25	Pass	9002
12000	27000	1	RMS	26009	-31.62	-25	Pass	15002



18.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.79	-25	Pass	2986
30	1000	0.1	RMS	854.003	-60.23	-25	Pass	9701
1000	2486	1	RMS	2484	-47.15	-25	Pass	1487
2486	2700	1	RMS	2670.575	23.19	60	Pass	401
2700	3000	1	RMS	2706.75	-43.81	-25	Pass	401
3000	12000	1	RMS	11697	-46.38	-25	Pass	9002
12000	27000	1	RMS	26007	-31.54	-25	Pass	15002



18.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.99	-25	Pass	2986
30	1000	0.1	RMS	847.3	-60.28	-25	Pass	9701
1000	2486	1	RMS	2463	-47.09	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.59	60	Pass	401
2700	3000	1	RMS	2706.75	-44.08	-25	Pass	401
3000	12000	1	RMS	11708	-46.39	-25	Pass	9002
12000	27000	1	RMS	26005	-31.56	-25	Pass	15002



19. LTE_Band66


19.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2986
30	1000	0.1	RMS	841.5	-64.32	-13	Pass	9701
1000	1700	1	RMS	1700	-52.12	-13	Pass	701
1700	1790	1	RMS	1710.125	22.9	60	Pass	401
1790	3000	1	RMS	2962	-49.49	-13	Pass	1211
3000	12000	1	RMS	12000	-40.4	-13	Pass	9002
12000	20000	1	RMS	19400	-33.14	-13	Pass	8001




19.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-13	Pass	2986
30	1000	0.1	RMS	839.1	-64.25	-13	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	Pass	701
1700	1790	1	RMS	1710.125	22.01	60	Pass	401
1790	3000	1	RMS	2949	-49.47	-13	Pass	1211
3000	12000	1	RMS	11994	-40.46	-13	Pass	9002
12000	20000	1	RMS	19392	-33.19	-13	Pass	8001




19.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2986
30	1000	0.1	RMS	833.9	-64.2	-13	Pass	9701
1000	1700	1	RMS	1700	-53.07	-13	Pass	701
1700	1790	1	RMS	1744.325	22.75	60	Pass	401
1790	3000	1	RMS	2959	-49.49	-13	Pass	1211
3000	12000	1	RMS	11991	-40.51	-13	Pass	9002
12000	20000	1	RMS	19401	-33.19	-13	Pass	8001




19.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.34	-13	Pass	2986
30	1000	0.1	RMS	838.9	-64.29	-13	Pass	9701
1000	1700	1	RMS	1700	-53.09	-13	Pass	701
1700	1790	1	RMS	1744.325	21.77	60	Pass	401
1790	3000	1	RMS	2967	-49.46	-13	Pass	1211
3000	12000	1	RMS	12000	-40.5	-13	Pass	9002
12000	20000	1	RMS	19415	-33.18	-13	Pass	8001




19.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.66	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.4	-13	Pass	2986
30	1000	0.1	RMS	844.6	-64.27	-13	Pass	9701
1000	1700	1	RMS	1697	-53.09	-13	Pass	701
1700	1790	1	RMS	1778.75	22.83	60	Pass	401
1790	3000	1	RMS	2955	-49.51	-13	Pass	1211
3000	12000	1	RMS	11995	-40.47	-13	Pass	9002
12000	20000	1	RMS	19401	-33.07	-13	Pass	8001




19.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	Pass	2986
30	1000	0.1	RMS	860.207	-64.24	-13	Pass	9701
1000	1700	1	RMS	1696	-53.1	-13	Pass	701
1700	1790	1	RMS	1778.75	22	60	Pass	401
1790	3000	1	RMS	2957	-49.43	-13	Pass	1211
3000	12000	1	RMS	12000	-40.49	-13	Pass	9002
12000	20000	1	RMS	19410	-33.12	-13	Pass	8001




19.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2986
30	1000	0.1	RMS	850.801	-64.2	-13	Pass	9701
1000	1700	1	RMS	1700	-52.08	-13	Pass	701
1700	1790	1	RMS	1710.125	23.03	60	Pass	401
1790	3000	1	RMS	2964	-49.47	-13	Pass	1211
3000	12000	1	RMS	11995	-40.49	-13	Pass	9002
12000	20000	1	RMS	19397	-33.15	-13	Pass	8001




19.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	Pass	2986
30	1000	0.1	RMS	851.101	-64.18	-13	Pass	9701
1000	1700	1	RMS	1700	-52.25	-13	Pass	701
1700	1790	1	RMS	1710.125	22.18	60	Pass	401
1790	3000	1	RMS	2960	-49.48	-13	Pass	1211
3000	12000	1	RMS	11988	-40.53	-13	Pass	9002
12000	20000	1	RMS	19405	-33.17	-13	Pass	8001



19.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2986
30	1000	0.1	RMS	835.4	-64.22	-13	Pass	9701
1000	1700	1	RMS	1699	-52.98	-13	Pass	701
1700	1790	1	RMS	1743.65	22.85	60	Pass	401
1790	3000	1	RMS	2960	-49.52	-13	Pass	1211
3000	12000	1	RMS	11999	-40.42	-13	Pass	9002
12000	20000	1	RMS	19407	-33.15	-13	Pass	8001



19.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.92	-13	Pass	2986
30	1000	0.1	RMS	840.7	-64.3	-13	Pass	9701
1000	1700	1	RMS	1697	-53.08	-13	Pass	701
1700	1790	1	RMS	1743.65	21.94	60	Pass	401
1790	3000	1	RMS	2969	-49.49	-13	Pass	1211
3000	12000	1	RMS	12000	-40.34	-13	Pass	9002
12000	20000	1	RMS	19400	-33.15	-13	Pass	8001



19.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	Pass	2986
30	1000	0.1	RMS	840.3	-64.12	-13	Pass	9701
1000	1700	1	RMS	1699	-53.09	-13	Pass	701
1700	1790	1	RMS	1777.175	22.83	60	Pass	401
1790	3000	1	RMS	2951	-49.46	-13	Pass	1211
3000	12000	1	RMS	11993	-40.38	-13	Pass	9002
12000	20000	1	RMS	19395	-33.16	-13	Pass	8001



19.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-13	Pass	2986
30	1000	0.1	RMS	860.407	-64.07	-13	Pass	9701
1000	1700	1	RMS	1700	-53.06	-13	Pass	701
1700	1790	1	RMS	1777.175	22.03	60	Pass	401
1790	3000	1	RMS	2957	-49.49	-13	Pass	1211
3000	12000	1	RMS	11999	-40.43	-13	Pass	9002
12000	20000	1	RMS	19411	-33.17	-13	Pass	8001



19.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2986
30	1000	0.1	RMS	989.493	-64.19	-13	Pass	9701
1000	1700	1	RMS	1700	-50.47	-13	Pass	701
1700	1790	1	RMS	1710.125	23	60	Pass	401
1790	3000	1	RMS	2946	-49.42	-13	Pass	1211
3000	12000	1	RMS	11982	-40.47	-13	Pass	9002
12000	20000	1	RMS	19404	-33.11	-13	Pass	8001



19.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.12	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.94	-13	Pass	2986
30	1000	0.1	RMS	834.6	-64.25	-13	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	Pass	701
1700	1790	1	RMS	1710.125	21.96	60	Pass	401
1790	3000	1	RMS	2946	-49.48	-13	Pass	1211
3000	12000	1	RMS	11991	-40.51	-13	Pass	9002
12000	20000	1	RMS	19399	-33.18	-13	Pass	8001



19.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	Pass	2986
30	1000	0.1	RMS	825.9	-64.27	-13	Pass	9701
1000	1700	1	RMS	1700	-53.02	-13	Pass	701
1700	1790	1	RMS	1742.75	22.93	60	Pass	401
1790	3000	1	RMS	2957	-49.51	-13	Pass	1211
3000	12000	1	RMS	11992	-40.54	-13	Pass	9002
12000	20000	1	RMS	19408	-33.06	-13	Pass	8001



19.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.05	-13	Pass	2986
30	1000	0.1	RMS	843.2	-64.27	-13	Pass	9701
1000	1700	1	RMS	1700	-53.05	-13	Pass	701
1700	1790	1	RMS	1742.75	22.02	60	Pass	401
1790	3000	1	RMS	2969	-49.46	-13	Pass	1211
3000	12000	1	RMS	11994	-40.42	-13	Pass	9002
12000	20000	1	RMS	19906	-33.19	-13	Pass	8001



19.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	Pass	2986
30	1000	0.1	RMS	840	-64.15	-13	Pass	9701
1000	1700	1	RMS	1700	-53.05	-13	Pass	701
1700	1790	1	RMS	1775.15	22.81	60	Pass	401
1790	3000	1	RMS	2944	-49.48	-13	Pass	1211
3000	12000	1	RMS	11998	-40.42	-13	Pass	9002
12000	20000	1	RMS	19402	-33.18	-13	Pass	8001



19.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	Pass	2986
30	1000	0.1	RMS	856.805	-64.3	-13	Pass	9701
1000	1700	1	RMS	1700	-53.06	-13	Pass	701
1700	1790	1	RMS	1775.15	22.01	60	Pass	401
1790	3000	1	RMS	2965	-49.49	-13	Pass	1211
3000	12000	1	RMS	12000	-40.43	-13	Pass	9002
12000	20000	1	RMS	19415	-33.17	-13	Pass	8001



19.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	840.7	-64.12	-13	Pass	9701
1000	1700	1	RMS	1693	-49.47	-13	Pass	701
1700	1790	1	RMS	1710.575	22.95	60	Pass	401
1790	3000	1	RMS	2955	-49.45	-13	Pass	1211
3000	12000	1	RMS	11993	-40.45	-13	Pass	9002
12000	20000	1	RMS	19401	-33.17	-13	Pass	8001



19.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2986
30	1000	0.1	RMS	834.1	-64.26	-13	Pass	9701
1000	1700	1	RMS	1693	-50.18	-13	Pass	701
1700	1790	1	RMS	1710.35	22.07	60	Pass	401
1790	3000	1	RMS	2966	-49.44	-13	Pass	1211
3000	12000	1	RMS	12000	-40.47	-13	Pass	9002
12000	20000	1	RMS	19405	-33.13	-13	Pass	8001



19.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2986
30	1000	0.1	RMS	845.3	-64.19	-13	Pass	9701
1000	1700	1	RMS	1699	-53.06	-13	Pass	701
1700	1790	1	RMS	1740.5	22.86	60	Pass	401
1790	3000	1	RMS	2951	-49.49	-13	Pass	1211
3000	12000	1	RMS	11996	-40.44	-13	Pass	9002
12000	20000	1	RMS	19401	-33.14	-13	Pass	8001



19.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2986
30	1000	0.1	RMS	843.8	-64.26	-13	Pass	9701
1000	1700	1	RMS	1700	-53.07	-13	Pass	701
1700	1790	1	RMS	1740.5	21.87	60	Pass	401
1790	3000	1	RMS	2951	-49.47	-13	Pass	1211
3000	12000	1	RMS	12000	-40.41	-13	Pass	9002
12000	20000	1	RMS	19399	-33.16	-13	Pass	8001



19.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	Pass	2986
30	1000	0.1	RMS	838.3	-64.31	-13	Pass	9701
1000	1700	1	RMS	1689	-53.08	-13	Pass	701
1700	1790	1	RMS	1770.425	22.8	60	Pass	401
1790	3000	1	RMS	2950	-49.48	-13	Pass	1211
3000	12000	1	RMS	11989	-40.47	-13	Pass	9002
12000	20000	1	RMS	19402	-33.05	-13	Pass	8001



19.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.37	-13	Pass	2986
30	1000	0.1	RMS	865.011	-64.19	-13	Pass	9701
1000	1700	1	RMS	1699	-53.11	-13	Pass	701
1700	1790	1	RMS	1770.425	21.93	60	Pass	401
1790	3000	1	RMS	2966	-49.51	-13	Pass	1211
3000	12000	1	RMS	12000	-40.48	-13	Pass	9002
12000	20000	1	RMS	19402	-33.21	-13	Pass	8001



19.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	Pass	2986
30	1000	0.1	RMS	840.8	-64.22	-13	Pass	9701
1000	1700	1	RMS	1700	-48.51	-13	Pass	701
1700	1790	1	RMS	1710.8	22.9	60	Pass	401
1790	3000	1	RMS	2960	-49.46	-13	Pass	1211
3000	12000	1	RMS	11998	-40.53	-13	Pass	9002
12000	20000	1	RMS	19403	-33.17	-13	Pass	8001



19.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.69	-13	Pass	2986
30	1000	0.1	RMS	837.9	-64.3	-13	Pass	9701
1000	1700	1	RMS	1700	-48.73	-13	Pass	701
1700	1790	1	RMS	1710.8	22.06	60	Pass	401
1790	3000	1	RMS	2972	-49.5	-13	Pass	1211
3000	12000	1	RMS	11999	-40.49	-13	Pass	9002
12000	20000	1	RMS	19403	-33.1	-13	Pass	8001



19.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	Pass	2986
30	1000	0.1	RMS	868.213	-64.28	-13	Pass	9701
1000	1700	1	RMS	1699	-53.11	-13	Pass	701
1700	1790	1	RMS	1738.25	22.84	60	Pass	401
1790	3000	1	RMS	2965	-49.47	-13	Pass	1211
3000	12000	1	RMS	11995	-40.48	-13	Pass	9002
12000	20000	1	RMS	19406	-33.17	-13	Pass	8001



19.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.75	-13	Pass	2986
30	1000	0.1	RMS	855.304	-64.24	-13	Pass	9701
1000	1700	1	RMS	1698	-53.07	-13	Pass	701
1700	1790	1	RMS	1738.25	21.88	60	Pass	401
1790	3000	1	RMS	2944	-49.51	-13	Pass	1211
3000	12000	1	RMS	11998	-40.45	-13	Pass	9002
12000	20000	1	RMS	19401	-33.17	-13	Pass	8001



19.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	Pass	2986
30	1000	0.1	RMS	993.296	-64.19	-13	Pass	9701
1000	1700	1	RMS	1692	-53.09	-13	Pass	701
1700	1790	1	RMS	1765.7	22.76	60	Pass	401
1790	3000	1	RMS	1792	-44.46	-13	Pass	1211
3000	12000	1	RMS	11992	-40.5	-13	Pass	9002
12000	20000	1	RMS	19399	-33.2	-13	Pass	8001



19.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	858.206	-64.27	-13	Pass	9701
1000	1700	1	RMS	1697	-53.09	-13	Pass	701
1700	1790	1	RMS	1765.7	21.92	60	Pass	401
1790	3000	1	RMS	1792	-44.93	-13	Pass	1211
3000	12000	1	RMS	11995	-40.5	-13	Pass	9002
12000	20000	1	RMS	19397	-33.13	-13	Pass	8001



19.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2986
30	1000	0.1	RMS	837.8	-64.15	-13	Pass	9701
1000	1700	1	RMS	1700	-48.99	-13	Pass	701
1700	1790	1	RMS	1711.025	22.87	60	Pass	401
1790	3000	1	RMS	2949	-49.51	-13	Pass	1211
3000	12000	1	RMS	11996	-40.55	-13	Pass	9002
12000	20000	1	RMS	19410	-33.19	-13	Pass	8001



19.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.52	-13	Pass	2986
30	1000	0.1	RMS	836	-64.23	-13	Pass	9701
1000	1700	1	RMS	1700	-49.24	-13	Pass	701
1700	1790	1	RMS	1711.025	22.02	60	Pass	401
1790	3000	1	RMS	2951	-49.47	-13	Pass	1211
3000	12000	1	RMS	12000	-40.49	-13	Pass	9002
12000	20000	1	RMS	19402	-33.18	-13	Pass	8001



19.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	Pass	2986
30	1000	0.1	RMS	852.002	-64.17	-13	Pass	9701
1000	1700	1	RMS	1700	-41.8	-13	Pass	701
1700	1790	1	RMS	1736	22.8	60	Pass	401
1790	3000	1	RMS	2958	-49.52	-13	Pass	1211
3000	12000	1	RMS	11996	-40.5	-13	Pass	9002
12000	20000	1	RMS	19401	-33.09	-13	Pass	8001



19.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.52	-13	Pass	2986
30	1000	0.1	RMS	845.8	-64.23	-13	Pass	9701
1000	1700	1	RMS	1700	-43.22	-13	Pass	701
1700	1790	1	RMS	1736	21.87	60	Pass	401
1790	3000	1	RMS	2957	-49.53	-13	Pass	1211
3000	12000	1	RMS	11999	-40.51	-13	Pass	9002
12000	20000	1	RMS	19401	-33.16	-13	Pass	8001



19.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2986
30	1000	0.1	RMS	838.7	-64.27	-13	Pass	9701
1000	1700	1	RMS	1697	-53.1	-13	Pass	701
1700	1790	1	RMS	1760.975	22.78	60	Pass	401
1790	3000	1	RMS	1790	-49.3	-13	Pass	1211
3000	12000	1	RMS	11997	-40.45	-13	Pass	9002
12000	20000	1	RMS	19399	-33.08	-13	Pass	8001



19.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.64	-13	Pass	2986
30	1000	0.1	RMS	986.491	-64.25	-13	Pass	9701
1000	1700	1	RMS	1699	-53.09	-13	Pass	701
1700	1790	1	RMS	1760.975	21.87	60	Pass	401
1790	3000	1	RMS	1790	-49.34	-13	Pass	1211
3000	12000	1	RMS	11999	-40.4	-13	Pass	9002
12000	20000	1	RMS	19401	-33.11	-13	Pass	8001




20. CA_7C

20.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.16	-25	Pass	2986
30	1000	0.1	RMS	850.601	-64.24	-25	Pass	9701
1000	2475	1	RMS	2473	-45.48	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.28	60	Pass	401
2735	3000	1	RMS	2956.275	-49.53	-25	Pass	401
3000	12000	1	RMS	11697	-50.46	-25	Pass	9002
12000	26000	1	RMS	25999	-35.76	-25	Pass	14002



20.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-25	Pass	2986
30	1000	0.1	RMS	850.101	-64.21	-25	Pass	9701
1000	2475	1	RMS	2475	-44.44	-25	Pass	1476
2475	2735	1	RMS	2523.75	9.87	60	Pass	401
2735	3000	1	RMS	2955.613	-49.54	-25	Pass	401
3000	12000	1	RMS	11703	-50.4	-25	Pass	9002
12000	26000	1	RMS	25993	-35.73	-25	Pass	14002



20.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-25	Pass	2986
30	1000	0.1	RMS	850.901	-64.24	-25	Pass	9701
1000	2475	1	RMS	2473	-45.54	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.2	60	Pass	401
2735	3000	1	RMS	2962.9	-49.54	-25	Pass	401
3000	12000	1	RMS	11702	-50.38	-25	Pass	9002
12000	26000	1	RMS	25994	-35.71	-25	Pass	14002



20.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	Pass	2986
30	1000	0.1	RMS	849.7	-64.28	-25	Pass	9701
1000	2475	1	RMS	2475	-46.51	-25	Pass	1476
2475	2735	1	RMS	2522.45	8.94	60	Pass	401
2735	3000	1	RMS	2956.275	-49.49	-25	Pass	401
3000	12000	1	RMS	11699	-50.41	-25	Pass	9002
12000	26000	1	RMS	26000	-35.64	-25	Pass	14002



20.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.76	-25	Pass	2986
30	1000	0.1	RMS	847	-64.14	-25	Pass	9701
1000	2475	1	RMS	2475	-51.19	-25	Pass	1476
2475	2735	1	RMS	2521.15	11.16	60	Pass	401
2735	3000	1	RMS	2959.588	-49.56	-25	Pass	401
3000	12000	1	RMS	11709	-50.46	-25	Pass	9002
12000	26000	1	RMS	25996	-35.63	-25	Pass	14002



20.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.15	-25	Pass	2986
30	1000	0.1	RMS	988.492	-64.17	-25	Pass	9701
1000	2475	1	RMS	2475	-50.07	-25	Pass	1476
2475	2735	1	RMS	2543.25	9.6	60	Pass	401
2735	3000	1	RMS	2966.213	-49.52	-25	Pass	401
3000	12000	1	RMS	11698	-50.4	-25	Pass	9002
12000	26000	1	RMS	25989	-35.71	-25	Pass	14002



20.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-25	Pass	2986
30	1000	0.1	RMS	854.103	-64.38	-25	Pass	9701
1000	2475	1	RMS	2473	-51.26	-25	Pass	1476
2475	2735	1	RMS	2521.15	11.25	60	Pass	401
2735	3000	1	RMS	2943.688	-49.54	-25	Pass	401
3000	12000	1	RMS	11699	-50.46	-25	Pass	9002
12000	26000	1	RMS	25996	-35.63	-25	Pass	14002



20.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-25	Pass	2986
30	1000	0.1	RMS	853.903	-64.22	-25	Pass	9701
1000	2475	1	RMS	2475	-50.71	-25	Pass	1476
2475	2735	1	RMS	2542.6	8.67	60	Pass	401
2735	3000	1	RMS	2963.563	-49.55	-25	Pass	401
3000	12000	1	RMS	11695	-50.46	-25	Pass	9002
12000	26000	1	RMS	25997	-35.54	-25	Pass	14002



20.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-25	Pass	2986
30	1000	0.1	RMS	852.002	-64.21	-25	Pass	9701
1000	2475	1	RMS	2471	-51.29	-25	Pass	1476
2475	2735	1	RMS	2540.65	11.52	60	Pass	401
2735	3000	1	RMS	2954.95	-49.56	-25	Pass	401
3000	12000	1	RMS	11702	-50.43	-25	Pass	9002
12000	26000	1	RMS	25997	-35.65	-25	Pass	14002



20.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.36	-25	Pass	401
0.15	30	0.01	RMS	0.29	-72.75	-25	Pass	2986
30	1000	0.1	RMS	848.3	-64.17	-25	Pass	9701
1000	2475	1	RMS	2475	-51.14	-25	Pass	1476
2475	2735	1	RMS	2562.75	9.82	60	Pass	401
2735	3000	1	RMS	2951.638	-49.55	-25	Pass	401
3000	12000	1	RMS	11707	-50.41	-25	Pass	9002
12000	26000	1	RMS	25995	-35.69	-25	Pass	14002



20.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.54	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-25	Pass	2986
30	1000	0.1	RMS	837.3	-64.14	-25	Pass	9701
1000	2475	1	RMS	2475	-51.25	-25	Pass	1476
2475	2735	1	RMS	2540.65	11.43	60	Pass	401
2735	3000	1	RMS	2956.938	-49.53	-25	Pass	401
3000	12000	1	RMS	11701	-50.44	-25	Pass	9002
12000	26000	1	RMS	25995	-35.72	-25	Pass	14002



20.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.2	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.94	-25	Pass	2986
30	1000	0.1	RMS	843.6	-64.2	-25	Pass	9701
1000	2475	1	RMS	2474	-51.25	-25	Pass	1476
2475	2735	1	RMS	2563.4	8.83	60	Pass	401
2735	3000	1	RMS	2971.513	-49.56	-25	Pass	401
3000	12000	1	RMS	11699	-50.35	-25	Pass	9002
12000	26000	1	RMS	25995	-35.63	-25	Pass	14002



20.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.62	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.86	-25	Pass	2986
30	1000	0.1	RMS	850.701	-64.25	-25	Pass	9701
1000	2475	1	RMS	2471	-51.25	-25	Pass	1476
2475	2735	1	RMS	2501	10.81	60	Pass	401
2735	3000	1	RMS	2950.313	-49.53	-25	Pass	401
3000	12000	1	RMS	11708	-50.44	-25	Pass	9002
12000	26000	1	RMS	25996	-35.65	-25	Pass	14002



20.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.57	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.79	-25	Pass	2986
30	1000	0.1	RMS	834.6	-64.34	-25	Pass	9701
1000	2475	1	RMS	2475	-40.67	-25	Pass	1476
2475	2735	1	RMS	2514.65	6.91	60	Pass	401
2735	3000	1	RMS	2944.35	-49.55	-25	Pass	401
3000	12000	1	RMS	11709	-50.47	-25	Pass	9002
12000	26000	1	RMS	25991	-35.75	-25	Pass	14002



20.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.89	-25	Pass	2986
30	1000	0.1	RMS	838.1	-64.17	-25	Pass	9701
1000	2475	1	RMS	2475	-51.22	-25	Pass	1476
2475	2735	1	RMS	2501	10.79	60	Pass	401
2735	3000	1	RMS	2957.6	-49.56	-25	Pass	401
3000	12000	1	RMS	11701	-50.44	-25	Pass	9002
12000	26000	1	RMS	25997	-35.74	-25	Pass	14002



20.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-25	Pass	2986
30	1000	0.1	RMS	837.3	-64.18	-25	Pass	9701
1000	2475	1	RMS	2475	-43.28	-25	Pass	1476
2475	2735	1	RMS	2514.65	5.93	60	Pass	401
2735	3000	1	RMS	2967.538	-49.54	-25	Pass	401
3000	12000	1	RMS	11698	-50.39	-25	Pass	9002
12000	26000	1	RMS	25996	-35.66	-25	Pass	14002



20.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-25	Pass	2986
30	1000	0.1	RMS	949.867	-64.24	-25	Pass	9701
1000	2475	1	RMS	2473	-51.2	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.73	60	Pass	401
2735	3000	1	RMS	2956.938	-49.54	-25	Pass	401
3000	12000	1	RMS	11698	-50.41	-25	Pass	9002
12000	26000	1	RMS	25996	-35.66	-25	Pass	14002



20.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-25	Pass	2986
30	1000	0.1	RMS	841.9	-64.27	-25	Pass	9701
1000	2475	1	RMS	2475	-45.55	-25	Pass	1476
2475	2735	1	RMS	2522.45	7.25	60	Pass	401
2735	3000	1	RMS	2952.963	-49.54	-25	Pass	401
3000	12000	1	RMS	11705	-50.46	-25	Pass	9002
12000	26000	1	RMS	26000	-35.7	-25	Pass	14002



20.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.07	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.59	-25	Pass	2986
30	1000	0.1	RMS	836.7	-64.34	-25	Pass	9701
1000	2475	1	RMS	2475	-51.21	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.83	60	Pass	401
2735	3000	1	RMS	2971.513	-49.57	-25	Pass	401
3000	12000	1	RMS	11711	-50.45	-25	Pass	9002
12000	26000	1	RMS	25998	-35.69	-25	Pass	14002



20.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.67	-25	Pass	2986
30	1000	0.1	RMS	859.007	-64.28	-25	Pass	9701
1000	2475	1	RMS	2475	-47.7	-25	Pass	1476
2475	2735	1	RMS	2523.1	6.24	60	Pass	401
2735	3000	1	RMS	2954.288	-49.54	-25	Pass	401
3000	12000	1	RMS	11705	-50.39	-25	Pass	9002
12000	26000	1	RMS	25998	-35.7	-25	Pass	14002



20.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.16	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.71	-25	Pass	2986
30	1000	0.1	RMS	847.3	-64.25	-25	Pass	9701
1000	2475	1	RMS	2470	-51.27	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.94	60	Pass	401
2735	3000	1	RMS	2956.275	-49.52	-25	Pass	401
3000	12000	1	RMS	11715	-50.47	-25	Pass	9002
12000	26000	1	RMS	26000	-35.74	-25	Pass	14002



20.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-25	Pass	2986
30	1000	0.1	RMS	845.1	-64.21	-25	Pass	9701
1000	2475	1	RMS	2475	-49.51	-25	Pass	1476
2475	2735	1	RMS	2536.1	7.22	60	Pass	401
2735	3000	1	RMS	2956.275	-49.55	-25	Pass	401
3000	12000	1	RMS	11700	-50.43	-25	Pass	9002
12000	26000	1	RMS	25989	-35.72	-25	Pass	14002



20.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.5	-25	Pass	2986
30	1000	0.1	RMS	997.498	-64.26	-25	Pass	9701
1000	2475	1	RMS	2462	-51.24	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.81	60	Pass	401
2735	3000	1	RMS	2948.325	-49.56	-25	Pass	401
3000	12000	1	RMS	11702	-50.38	-25	Pass	9002
12000	26000	1	RMS	25999	-35.67	-25	Pass	14002



20.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.74	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.81	-25	Pass	2986
30	1000	0.1	RMS	833.8	-64.23	-25	Pass	9701
1000	2475	1	RMS	2475	-50.56	-25	Pass	1476
2475	2735	1	RMS	2536.75	6.18	60	Pass	401
2735	3000	1	RMS	2956.938	-49.56	-25	Pass	401
3000	12000	1	RMS	11698	-50.47	-25	Pass	9002
12000	26000	1	RMS	25997	-35.68	-25	Pass	14002




21. CA_38C

21.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.92	-25	Pass	2986
30	1000	0.1	RMS	847.2	-60.2	-25	Pass	9701
1000	2525	1	RMS	2514	-41.42	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.06	60	Pass	401
2665	3000	1	RMS	2955.613	-45.57	-25	Pass	401
3000	12000	1	RMS	11706	-50.38	-25	Pass	9002
12000	26500	1	RMS	26000	-35.58	-25	Pass	14502



21.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-25	Pass	2986
30	1000	0.1	RMS	998.999	-60.31	-25	Pass	9701
1000	2525	1	RMS	2524	-40.87	-25	Pass	1526
2525	2665	1	RMS	2576.8	8.32	60	Pass	401
2665	3000	1	RMS	2948.913	-45.56	-25	Pass	401
3000	12000	1	RMS	11998	-50.46	-25	Pass	9002
12000	26500	1	RMS	26002	-35.6	-25	Pass	14502



21.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.34	-25	Pass	2986
30	1000	0.1	RMS	840.9	-60.31	-25	Pass	9701
1000	2525	1	RMS	2514	-42.38	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.11	60	Pass	401
2665	3000	1	RMS	2946.4	-45.56	-25	Pass	401
3000	12000	1	RMS	11714	-50.46	-25	Pass	9002
12000	26500	1	RMS	26004	-35.58	-25	Pass	14502



21.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.7	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.03	-25	Pass	2986
30	1000	0.1	RMS	840.2	-60.32	-25	Pass	9701
1000	2525	1	RMS	2525	-42.04	-25	Pass	1526
2525	2665	1	RMS	2576.45	7.44	60	Pass	401
2665	3000	1	RMS	2963.15	-45.54	-25	Pass	401
3000	12000	1	RMS	11702	-50.37	-25	Pass	9002
12000	26500	1	RMS	26010	-35.54	-25	Pass	14502



21.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.3	-25	Pass	2986
30	1000	0.1	RMS	879.02	-60.13	-25	Pass	9701
1000	2525	1	RMS	2524	-41.41	-25	Pass	1526
2525	2665	1	RMS	2580.65	12.98	60	Pass	401
2665	3000	1	RMS	2665.838	-43.23	-25	Pass	401
3000	12000	1	RMS	11699	-50.48	-25	Pass	9002
12000	26500	1	RMS	26013	-35.54	-25	Pass	14502



21.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.81	-25	Pass	401
0.15	30	0.01	RMS	0.41	-69.09	-25	Pass	2986
30	1000	0.1	RMS	831.7	-60.19	-25	Pass	9701
1000	2525	1	RMS	2525	-42.91	-25	Pass	1526
2525	2665	1	RMS	2586.95	9.02	60	Pass	401
2665	3000	1	RMS	2665	-44.67	-25	Pass	401
3000	12000	1	RMS	11703	-50.4	-25	Pass	9002
12000	26500	1	RMS	26004	-35.56	-25	Pass	14502



21.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.89	-25	Pass	2986
30	1000	0.1	RMS	828.1	-60.11	-25	Pass	9701
1000	2525	1	RMS	2524	-42.97	-25	Pass	1526
2525	2665	1	RMS	2580.65	12.57	60	Pass	401
2665	3000	1	RMS	2665.838	-42.46	-25	Pass	401
3000	12000	1	RMS	11695	-50.45	-25	Pass	9002
12000	26500	1	RMS	26029	-35.5	-25	Pass	14502



21.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.12	-25	Pass	2986
30	1000	0.1	RMS	984.19	-60.17	-25	Pass	9701
1000	2525	1	RMS	2525	-44.32	-25	Pass	1526
2525	2665	1	RMS	2585.2	7.36	60	Pass	401
2665	3000	1	RMS	2665	-45.25	-25	Pass	401
3000	12000	1	RMS	11702	-50.4	-25	Pass	9002
12000	26500	1	RMS	26020	-35.57	-25	Pass	14502



21.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-25	Pass	2986
30	1000	0.1	RMS	850.301	-60.12	-25	Pass	9701
1000	2525	1	RMS	2522	-46.87	-25	Pass	1526
2525	2665	1	RMS	2590.8	12.05	60	Pass	401
2665	3000	1	RMS	2675.888	-42.67	-25	Pass	401
3000	12000	1	RMS	11697	-50.4	-25	Pass	9002
12000	26500	1	RMS	26001	-35.55	-25	Pass	14502



21.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.21	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.02	-25	Pass	2986
30	1000	0.1	RMS	848.8	-60.16	-25	Pass	9701
1000	2525	1	RMS	2525	-44.57	-25	Pass	1526
2525	2665	1	RMS	2595	8.64	60	Pass	401
2665	3000	1	RMS	2665.838	-41.72	-25	Pass	401
3000	12000	1	RMS	11705	-50.43	-25	Pass	9002
12000	26500	1	RMS	25995	-35.6	-25	Pass	14502



21.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.97	-25	Pass	2986
30	1000	0.1	RMS	980.387	-60.32	-25	Pass	9701
1000	2525	1	RMS	2506	-46.58	-25	Pass	1526
2525	2665	1	RMS	2590.8	11.84	60	Pass	401
2665	3000	1	RMS	2675.05	-40.9	-25	Pass	401
3000	12000	1	RMS	11700	-50.41	-25	Pass	9002
12000	26500	1	RMS	26028	-35.58	-25	Pass	14502



21.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	Pass	2986
30	1000	0.1	RMS	848.2	-60.16	-25	Pass	9701
1000	2525	1	RMS	2524	-45.96	-25	Pass	1526
2525	2665	1	RMS	2596.05	7.6	60	Pass	401
2665	3000	1	RMS	2665	-43.31	-25	Pass	401
3000	12000	1	RMS	11705	-50.4	-25	Pass	9002
12000	26500	1	RMS	26009	-35.6	-25	Pass	14502



21.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.94	-25	Pass	2986
30	1000	0.1	RMS	988.092	-60.25	-25	Pass	9701
1000	2525	1	RMS	2495	-45.78	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.08	60	Pass	401
2665	3000	1	RMS	2683.425	-43.93	-25	Pass	401
3000	12000	1	RMS	11698	-50.42	-25	Pass	9002
12000	26500	1	RMS	26001	-35.58	-25	Pass	14502



21.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.28	-25	Pass	2986
30	1000	0.1	RMS	845.9	-60.15	-25	Pass	9701
1000	2525	1	RMS	2524	-37.62	-25	Pass	1526
2525	2665	1	RMS	2578.55	7.56	60	Pass	401
2665	3000	1	RMS	2665.838	-41.82	-25	Pass	401
3000	12000	1	RMS	11698	-50.41	-25	Pass	9002
12000	26500	1	RMS	25992	-35.54	-25	Pass	14502



21.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.01	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.49	-25	Pass	2986
30	1000	0.1	RMS	987.091	-60.3	-25	Pass	9701
1000	2525	1	RMS	2496	-43.29	-25	Pass	1526
2525	2665	1	RMS	2571.2	11.85	60	Pass	401
2665	3000	1	RMS	2683.425	-42.89	-25	Pass	401
3000	12000	1	RMS	11708	-50.41	-25	Pass	9002
12000	26500	1	RMS	26002	-35.52	-25	Pass	14502



21.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.65	-25	Pass	2986
30	1000	0.1	RMS	926.251	-60.3	-25	Pass	9701
1000	2525	1	RMS	2524	-40.04	-25	Pass	1526
2525	2665	1	RMS	2579.25	6.53	60	Pass	401
2665	3000	1	RMS	2665.838	-43.33	-25	Pass	401
3000	12000	1	RMS	11706	-50.41	-25	Pass	9002
12000	26500	1	RMS	26000	-35.58	-25	Pass	14502



21.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.41	-25	Pass	2986
30	1000	0.1	RMS	865.911	-60.23	-25	Pass	9701
1000	2525	1	RMS	2501	-43.65	-25	Pass	1526
2525	2665	1	RMS	2576.1	11.84	60	Pass	401
2665	3000	1	RMS	2688.45	-44.26	-25	Pass	401
3000	12000	1	RMS	11697	-50.44	-25	Pass	9002
12000	26500	1	RMS	26005	-35.54	-25	Pass	14502



21.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.04	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.55	-25	Pass	2986
30	1000	0.1	RMS	838.4	-60.21	-25	Pass	9701
1000	2525	1	RMS	2523	-39.27	-25	Pass	1526
2525	2665	1	RMS	2581.7	7.71	60	Pass	401
2665	3000	1	RMS	2665	-39.87	-25	Pass	401
3000	12000	1	RMS	11704	-50.45	-25	Pass	9002
12000	26500	1	RMS	26004	-35.56	-25	Pass	14502



21.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.81	-25	Pass	2986
30	1000	0.1	RMS	855.905	-60.2	-25	Pass	9701
1000	2525	1	RMS	2500	-45.15	-25	Pass	1526
2525	2665	1	RMS	2576.1	12.25	60	Pass	401
2665	3000	1	RMS	2688.45	-43.06	-25	Pass	401
3000	12000	1	RMS	11704	-50.4	-25	Pass	9002
12000	26500	1	RMS	26007	-35.6	-25	Pass	14502



21.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-25	Pass	2986
30	1000	0.1	RMS	849.5	-60.35	-25	Pass	9701
1000	2525	1	RMS	2525	-40.59	-25	Pass	1526
2525	2665	1	RMS	2583.45	6.12	60	Pass	401
2665	3000	1	RMS	2665	-42.12	-25	Pass	401
3000	12000	1	RMS	11701	-50.38	-25	Pass	9002
12000	26500	1	RMS	26004	-35.61	-25	Pass	14502



21.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.4	-25	Pass	2986
30	1000	0.1	RMS	837.6	-60.37	-25	Pass	9701
1000	2525	1	RMS	2506	-43.65	-25	Pass	1526
2525	2665	1	RMS	2581	11.47	60	Pass	401
2665	3000	1	RMS	2693.475	-43.99	-25	Pass	401
3000	12000	1	RMS	11704	-50.43	-25	Pass	9002
12000	26500	1	RMS	25992	-35.58	-25	Pass	14502



21.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.48	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.02	-25	Pass	2986
30	1000	0.1	RMS	843.1	-60.25	-25	Pass	9701
1000	2525	1	RMS	2524	-40.37	-25	Pass	1526
2525	2665	1	RMS	2591.5	7.1	60	Pass	401
2665	3000	1	RMS	2665.838	-38.68	-25	Pass	401
3000	12000	1	RMS	11701	-50.39	-25	Pass	9002
12000	26500	1	RMS	26006	-35.55	-25	Pass	14502



21.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.29	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.78	-25	Pass	2986
30	1000	0.1	RMS	849.2	-60.33	-25	Pass	9701
1000	2525	1	RMS	2506	-42.17	-25	Pass	1526
2525	2665	1	RMS	2581.35	12.05	60	Pass	401
2665	3000	1	RMS	2693.475	-42.85	-25	Pass	401
3000	12000	1	RMS	11997	-50.43	-25	Pass	9002
12000	26500	1	RMS	25996	-35.49	-25	Pass	14502



21.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.06	-25	Pass	2986
30	1000	0.1	RMS	862.009	-60.32	-25	Pass	9701
1000	2525	1	RMS	2524	-42.46	-25	Pass	1526
2525	2665	1	RMS	2588.35	6.49	60	Pass	401
2665	3000	1	RMS	2665.838	-40.72	-25	Pass	401
3000	12000	1	RMS	11706	-50.44	-25	Pass	9002
12000	26500	1	RMS	26004	-35.59	-25	Pass	14502



22. n5


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.85	-13	Pass	2986
30	814	0.1	RMS	813.9	-53.67	-13	Pass	7841
814	859	0.1	RMS	825.6	5.6	60	Pass	451
859	1000	0.1	RMS	925.5	-62.93	-13	Pass	1411
1000	3000	1	RMS	2961	-48.06	-13	Pass	2001
3000	10000	1	RMS	7038	-57.22	-13	Pass	7001




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.73	-13	Pass	7841
814	859	0.1	RMS	824.3	18.72	60	Pass	451
859	1000	0.1	RMS	910	-62.82	-13	Pass	1411
1000	3000	1	RMS	2961	-48.05	-13	Pass	2001
3000	10000	1	RMS	7097	-59.48	-13	Pass	7001




22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.73	-13	Pass	2986
30	814	0.1	RMS	811.5	-61.56	-13	Pass	7841
814	859	0.1	RMS	828.6	18.21	60	Pass	451
859	1000	0.1	RMS	913.7	-62.8	-13	Pass	1411
1000	3000	1	RMS	2961	-48.07	-13	Pass	2001
3000	10000	1	RMS	9999	-59.46	-13	Pass	7001




22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.4	-13	Pass	401
0.15	30	0.01	RMS	17.55	-70.59	-13	Pass	2986
30	814	0.1	RMS	171	-62.79	-13	Pass	7841
814	859	0.1	RMS	834.6	5.68	60	Pass	451
859	1000	0.1	RMS	904.2	-62.83	-13	Pass	1411
1000	3000	1	RMS	2957	-48.09	-13	Pass	2001
3000	10000	1	RMS	10000	-59.29	-13	Pass	7001




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.35	-13	Pass	401
0.15	30	0.01	RMS	11.76	-70.91	-13	Pass	2986
30	814	0.1	RMS	608.7	-61.08	-13	Pass	7841
814	859	0.1	RMS	834.3	18.62	60	Pass	451
859	1000	0.1	RMS	906.3	-62.91	-13	Pass	1411
1000	3000	1	RMS	2963	-47.89	-13	Pass	2001
3000	10000	1	RMS	9998	-59.41	-13	Pass	7001



22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.29	-13	Pass	401
0.15	30	0.01	RMS	29.07	-70.79	-13	Pass	2986
30	814	0.1	RMS	240.2	-62.31	-13	Pass	7841
814	859	0.1	RMS	838.6	18.27	60	Pass	451
859	1000	0.1	RMS	873.9	-62.97	-13	Pass	1411
1000	3000	1	RMS	2961	-48.01	-13	Pass	2001
3000	10000	1	RMS	9986	-59.44	-13	Pass	7001




22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.71	-13	Pass	401
0.15	30	0.01	RMS	23.99	-70.31	-13	Pass	2986
30	814	0.1	RMS	626.6	-60.98	-13	Pass	7841
814	859	0.1	RMS	844.6	6.14	60	Pass	451
859	1000	0.1	RMS	902	-61.97	-13	Pass	1411
1000	3000	1	RMS	2963	-47.89	-13	Pass	2001
3000	10000	1	RMS	7048	-57.12	-13	Pass	7001




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71	-13	Pass	401
0.15	30	0.01	RMS	17.22	-70.31	-13	Pass	2986
30	814	0.1	RMS	479.9	-61	-13	Pass	7841
814	859	0.1	RMS	844.3	18.8	60	Pass	451
859	1000	0.1	RMS	910.8	-60.39	-13	Pass	1411
1000	3000	1	RMS	2965	-47.93	-13	Pass	2001
3000	10000	1	RMS	9999	-59.38	-13	Pass	7001



22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.15	-13	Pass	401
0.15	30	0.01	RMS	9.46	-70.21	-13	Pass	2986
30	814	0.1	RMS	811	-61.02	-13	Pass	7841
814	859	0.1	RMS	848.6	18.32	60	Pass	451
859	1000	0.1	RMS	920	-60.53	-13	Pass	1411
1000	3000	1	RMS	2968	-47.93	-13	Pass	2001
3000	10000	1	RMS	9989	-59.39	-13	Pass	7001




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.81	-13	Pass	401
0.15	30	0.01	RMS	18.26	-70.33	-13	Pass	2986
30	814	0.1	RMS	814	-41.89	-13	Pass	7841
814	859	0.1	RMS	834.3	0.68	60	Pass	451
859	1000	0.1	RMS	898.2	-60.37	-13	Pass	1411
1000	3000	1	RMS	2960	-47.9	-13	Pass	2001
3000	10000	1	RMS	9996	-59.32	-13	Pass	7001




22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	814	0.1	RMS	813.8	-55.08	-13	Pass	7841
814	859	0.1	RMS	824.5	18.63	60	Pass	451
859	1000	0.1	RMS	998.8	-62.51	-13	Pass	1411
1000	3000	1	RMS	2960	-48.06	-13	Pass	2001
3000	10000	1	RMS	9982	-59.4	-13	Pass	7001



22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.98	-13	Pass	401
0.15	30	0.01	RMS	19.13	-70.51	-13	Pass	2986
30	814	0.1	RMS	810.4	-52.34	-13	Pass	7841
814	859	0.1	RMS	838.5	18.88	60	Pass	451
859	1000	0.1	RMS	895.9	-62.86	-13	Pass	1411
1000	3000	1	RMS	2955	-48.01	-13	Pass	2001
3000	10000	1	RMS	9998	-59.39	-13	Pass	7001




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.43	-69.36	-13	Pass	2986
30	814	0.1	RMS	813.8	-47.35	-13	Pass	7841
814	859	0.1	RMS	830.6	0.81	60	Pass	451
859	1000	0.1	RMS	897.7	-60.42	-13	Pass	1411
1000	3000	1	RMS	2959	-47.93	-13	Pass	2001
3000	10000	1	RMS	7049	-57.82	-13	Pass	7001




22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.65	-13	Pass	401
0.15	30	0.01	RMS	18.82	-71.03	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.5	-13	Pass	7841
814	859	0.1	RMS	829.5	18.5	60	Pass	451
859	1000	0.1	RMS	929	-60.97	-13	Pass	1411
1000	3000	1	RMS	2960	-47.93	-13	Pass	2001
3000	10000	1	RMS	9994	-59.39	-13	Pass	7001



22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.69	-13	Pass	2986
30	814	0.1	RMS	813.7	-57.77	-13	Pass	7841
814	859	0.1	RMS	843.5	18.86	60	Pass	451
859	1000	0.1	RMS	877.8	-60.48	-13	Pass	1411
1000	3000	1	RMS	2962	-48.03	-13	Pass	2001
3000	10000	1	RMS	9998	-59.36	-13	Pass	7001




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.09	-13	Pass	401
0.15	30	0.01	RMS	0.68	-69.45	-13	Pass	2986
30	814	0.1	RMS	813.6	-50.04	-13	Pass	7841
814	859	0.1	RMS	835.6	1.25	60	Pass	451
859	1000	0.1	RMS	877.1	-60.5	-13	Pass	1411
1000	3000	1	RMS	2962	-47.94	-13	Pass	2001
3000	10000	1	RMS	9994	-59.32	-13	Pass	7001




22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.27	-13	Pass	401
0.15	30	0.01	RMS	24.82	-70.6	-13	Pass	2986
30	814	0.1	RMS	713.1	-60.99	-13	Pass	7841
814	859	0.1	RMS	834.5	18.53	60	Pass	451
859	1000	0.1	RMS	891.8	-61.05	-13	Pass	1411
1000	3000	1	RMS	2966	-47.98	-13	Pass	2001
3000	10000	1	RMS	9999	-59.29	-13	Pass	7001




22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.4	-72.08	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.36	-13	Pass	7841
814	859	0.1	RMS	848.5	18.86	60	Pass	451
859	1000	0.1	RMS	885	-60.37	-13	Pass	1411
1000	3000	1	RMS	2969	-47.98	-13	Pass	2001
3000	10000	1	RMS	10000	-59.31	-13	Pass	7001




22.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	814	0.1	RMS	814	-40.01	-13	Pass	7841
814	859	0.1	RMS	830.5	-0.67	60	Pass	451
859	1000	0.1	RMS	888.8	-62.79	-13	Pass	1411
1000	3000	1	RMS	2967	-48.02	-13	Pass	2001
3000	10000	1	RMS	7049	-57.28	-13	Pass	7001




22.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.92	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.77	-13	Pass	2986
30	814	0.1	RMS	813.7	-55.24	-13	Pass	7841
814	859	0.1	RMS	824.5	18.39	60	Pass	451
859	1000	0.1	RMS	904.4	-62.78	-13	Pass	1411
1000	3000	1	RMS	2962	-48.07	-13	Pass	2001
3000	10000	1	RMS	9988	-59.4	-13	Pass	7001




22.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	814	0.1	RMS	812.7	-53.58	-13	Pass	7841
814	859	0.1	RMS	843.4	18.43	60	Pass	451
859	1000	0.1	RMS	897.7	-62.65	-13	Pass	1411
1000	3000	1	RMS	2959	-48.12	-13	Pass	2001
3000	10000	1	RMS	9999	-59.47	-13	Pass	7001




22.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.73	-13	Pass	2986
30	814	0.1	RMS	814	-42.06	-13	Pass	7841
814	859	0.1	RMS	831.9	-0.48	60	Pass	451
859	1000	0.1	RMS	908.4	-62.79	-13	Pass	1411
1000	3000	1	RMS	2961	-48.05	-13	Pass	2001
3000	10000	1	RMS	9995	-59.6	-13	Pass	7001




22.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.79	-13	Pass	2986
30	814	0.1	RMS	813.8	-56.67	-13	Pass	7841
814	859	0.1	RMS	827	18.29	60	Pass	451
859	1000	0.1	RMS	910.6	-62.79	-13	Pass	1411
1000	3000	1	RMS	2962	-48.05	-13	Pass	2001
3000	10000	1	RMS	9998	-59.36	-13	Pass	7001




22.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	814	0.1	RMS	813.7	-55.21	-13	Pass	7841
814	859	0.1	RMS	845.9	18.55	60	Pass	451
859	1000	0.1	RMS	889.9	-62.72	-13	Pass	1411
1000	3000	1	RMS	2966	-48.03	-13	Pass	2001
3000	10000	1	RMS	9999	-59.59	-13	Pass	7001




22.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.27	-13	Pass	2986
30	814	0.1	RMS	813.7	-44.06	-13	Pass	7841
814	859	0.1	RMS	831.7	-0.17	60	Pass	451
859	1000	0.1	RMS	885.4	-62.87	-13	Pass	1411
1000	3000	1	RMS	2960	-48.11	-13	Pass	2001
3000	10000	1	RMS	7057	-57.54	-13	Pass	7001




22.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.09	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.41	-13	Pass	2986
30	814	0.1	RMS	814	-57.96	-13	Pass	7841
814	859	0.1	RMS	829.5	18.32	60	Pass	451
859	1000	0.1	RMS	905.9	-62.73	-13	Pass	1411
1000	3000	1	RMS	2964	-47.96	-13	Pass	2001
3000	10000	1	RMS	9997	-59.42	-13	Pass	7001



22.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	Pass	2986
30	814	0.1	RMS	810.6	-53.22	-13	Pass	7841
814	859	0.1	RMS	848.4	18.52	60	Pass	451
859	1000	0.1	RMS	907.6	-60.46	-13	Pass	1411
1000	3000	1	RMS	2961	-47.92	-13	Pass	2001
3000	10000	1	RMS	7048	-57.52	-13	Pass	7001



23. n7


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.86	-13	Pass	2986
30	1000	0.1	RMS	992.695	-62.87	-13	Pass	9701
1000	2490	1	RMS	2490	-47.59	-13	Pass	1491
2490	2580	1	RMS	2501.475	15.91	60	Pass	401
2580	3000	1	RMS	2959	-47.93	-13	Pass	421
3000	6500	1	RMS	3301	-62.63	-13	Pass	3501
6500	26000	1	RMS	20166	-50.44	-13	Pass	19503




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.68	-13	Pass	401
0.15	30	0.01	RMS	17.39	-70.33	-13	Pass	2986
30	1000	0.1	RMS	725.1	-60.91	-13	Pass	9701
1000	2490	1	RMS	2490	-48.92	-13	Pass	1491
2490	2580	1	RMS	2500.125	21.48	60	Pass	401
2580	3000	1	RMS	2966	-47.96	-13	Pass	421
3000	6500	1	RMS	3394	-64.35	-13	Pass	3501
6500	26000	1	RMS	25099	-50.56	-13	Pass	19503




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.33	-13	Pass	401
0.15	30	0.01	RMS	5.05	-70.65	-13	Pass	2986
30	1000	0.1	RMS	861.908	-60.58	-13	Pass	9701
1000	2490	1	RMS	2487	-48.72	-13	Pass	1491
2490	2580	1	RMS	2504.625	21.54	60	Pass	401
2580	3000	1	RMS	2957	-47.94	-13	Pass	421
3000	6500	1	RMS	3401	-64.32	-13	Pass	3501
6500	26000	1	RMS	25101	-50.59	-13	Pass	19503




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.72	-13	Pass	2986
30	1000	0.1	RMS	750.2	-60.99	-13	Pass	9701
1000	2490	1	RMS	2487	-49.28	-13	Pass	1491
2490	2580	1	RMS	2533.875	16.01	60	Pass	401
2580	3000	1	RMS	2959	-47.92	-13	Pass	421
3000	6500	1	RMS	3394	-64.4	-13	Pass	3501
6500	26000	1	RMS	24102	-50.56	-13	Pass	19503




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.88	-13	Pass	2986
30	1000	0.1	RMS	789.3	-61	-13	Pass	9701
1000	2490	1	RMS	2486	-49.34	-13	Pass	1491
2490	2580	1	RMS	2532.75	21.62	60	Pass	401
2580	3000	1	RMS	2962	-47.91	-13	Pass	421
3000	6500	1	RMS	3390	-64.44	-13	Pass	3501
6500	26000	1	RMS	25095	-50.55	-13	Pass	19503




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.29	-13	Pass	401
0.15	30	0.01	RMS	0.88	-71.96	-13	Pass	2986
30	1000	0.1	RMS	896.131	-62.83	-13	Pass	9701
1000	2490	1	RMS	2490	-49.44	-13	Pass	1491
2490	2580	1	RMS	2537.025	21.36	60	Pass	401
2580	3000	1	RMS	2957	-48.16	-13	Pass	421
3000	6500	1	RMS	3265	-62.16	-13	Pass	3501
6500	26000	1	RMS	20076	-49.55	-13	Pass	19503




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.6	-13	Pass	2986
30	1000	0.1	RMS	922.048	-62.77	-13	Pass	9701
1000	2490	1	RMS	2489	-49.42	-13	Pass	1491
2490	2580	1	RMS	2566.275	15.9	60	Pass	401
2580	3000	1	RMS	2580	-46.74	-13	Pass	421
3000	6500	1	RMS	3394	-64.81	-13	Pass	3501
6500	26000	1	RMS	24104	-50.79	-13	Pass	19503




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.68	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.95	-13	Pass	2986
30	1000	0.1	RMS	908.239	-62.73	-13	Pass	9701
1000	2490	1	RMS	2487	-49.48	-13	Pass	1491
2490	2580	1	RMS	2565.15	21.47	60	Pass	401
2580	3000	1	RMS	2973	-48.14	-13	Pass	421
3000	6500	1	RMS	3386	-64.75	-13	Pass	3501
6500	26000	1	RMS	25105	-50.72	-13	Pass	19503




23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.31	-13	Pass	2986
30	1000	0.1	RMS	977.185	-62.68	-13	Pass	9701
1000	2490	1	RMS	2485	-49.45	-13	Pass	1491
2490	2580	1	RMS	2569.65	21.33	60	Pass	401
2580	3000	1	RMS	2968	-48.17	-13	Pass	421
3000	6500	1	RMS	3396	-64.77	-13	Pass	3501
6500	26000	1	RMS	24101	-50.65	-13	Pass	19503




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.76	-13	Pass	2986
30	1000	0.1	RMS	888.726	-63.02	-13	Pass	9701
1000	2490	1	RMS	2490	-30.06	-13	Pass	1491
2490	2580	1	RMS	2512.725	8.44	60	Pass	401
2580	3000	1	RMS	2963	-48.17	-13	Pass	421
3000	6500	1	RMS	3253	-62.8	-13	Pass	3501
6500	26000	1	RMS	20020	-49.96	-13	Pass	19503




23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.89	-13	Pass	2986
30	1000	0.1	RMS	905.938	-63.05	-13	Pass	9701
1000	2490	1	RMS	2489	-45.04	-13	Pass	1491
2490	2580	1	RMS	2500.575	21.1	60	Pass	401
2580	3000	1	RMS	2960	-48.17	-13	Pass	421
3000	6500	1	RMS	3386	-64.82	-13	Pass	3501
6500	26000	1	RMS	24113	-50.82	-13	Pass	19503




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2986
30	1000	0.1	RMS	977.685	-63.17	-13	Pass	9701
1000	2490	1	RMS	2477	-44.24	-13	Pass	1491
2490	2580	1	RMS	2524.2	21.06	60	Pass	401
2580	3000	1	RMS	2964	-48.22	-13	Pass	421
3000	6500	1	RMS	3394	-64.76	-13	Pass	3501
6500	26000	1	RMS	24102	-50.83	-13	Pass	19503




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.83	-13	Pass	2986
30	1000	0.1	RMS	996.197	-63.14	-13	Pass	9701
1000	2490	1	RMS	2490	-44.98	-13	Pass	1491
2490	2580	1	RMS	2524.425	8.61	60	Pass	401
2580	3000	1	RMS	2580	-46.3	-13	Pass	421
3000	6500	1	RMS	3390	-64.82	-13	Pass	3501
6500	26000	1	RMS	25101	-50.8	-13	Pass	19503




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	924.45	-63.08	-13	Pass	9701
1000	2490	1	RMS	2490	-48.01	-13	Pass	1491
2490	2580	1	RMS	2523.075	21	60	Pass	401
2580	3000	1	RMS	2962	-48.23	-13	Pass	421
3000	6500	1	RMS	3401	-64.84	-13	Pass	3501
6500	26000	1	RMS	25100	-50.82	-13	Pass	19503




23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	Pass	2986
30	1000	0.1	RMS	977.485	-62.97	-13	Pass	9701
1000	2490	1	RMS	2490	-47.65	-13	Pass	1491
2490	2580	1	RMS	2546.7	21.09	60	Pass	401
2580	3000	1	RMS	2965	-48.23	-13	Pass	421
3000	6500	1	RMS	3258	-62.37	-13	Pass	3501
6500	26000	1	RMS	20029	-49.33	-13	Pass	19503




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.83	-13	Pass	2986
30	1000	0.1	RMS	896.231	-63.11	-13	Pass	9701
1000	2490	1	RMS	2490	-49.21	-13	Pass	1491
2490	2580	1	RMS	2552.55	8.6	60	Pass	401
2580	3000	1	RMS	2580	-28.01	-13	Pass	421
3000	6500	1	RMS	3388	-64.82	-13	Pass	3501
6500	26000	1	RMS	24103	-50.78	-13	Pass	19503




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	Pass	2986
30	1000	0.1	RMS	897.732	-63.18	-13	Pass	9701
1000	2490	1	RMS	2487	-49.48	-13	Pass	1491
2490	2580	1	RMS	2545.575	21.09	60	Pass	401
2580	3000	1	RMS	2580	-47.35	-13	Pass	421
3000	6500	1	RMS	3393	-64.76	-13	Pass	3501
6500	26000	1	RMS	25105	-50.88	-13	Pass	19503




23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.68	-13	Pass	2986
30	1000	0.1	RMS	892.829	-63.07	-13	Pass	9701
1000	2490	1	RMS	2489	-49.47	-13	Pass	1491
2490	2580	1	RMS	2569.2	21.09	60	Pass	401
2580	3000	1	RMS	2581	-46.54	-13	Pass	421
3000	6500	1	RMS	3389	-64.81	-13	Pass	3501
6500	26000	1	RMS	24100	-50.81	-13	Pass	19503




23.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.82	-13	Pass	2986
30	1000	0.1	RMS	978.686	-62.98	-13	Pass	9701
1000	2490	1	RMS	2490	-29.35	-13	Pass	1491
2490	2580	1	RMS	2521.5	5.55	60	Pass	401
2580	3000	1	RMS	2580	-36.65	-13	Pass	421
3000	6500	1	RMS	3397	-64.85	-13	Pass	3501
6500	26000	1	RMS	24106	-50.73	-13	Pass	19503




23.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	909.44	-62.99	-13	Pass	9701
1000	2490	1	RMS	2490	-42.51	-13	Pass	1491
2490	2580	1	RMS	2500.575	21.08	60	Pass	401
2580	3000	1	RMS	2956	-48.22	-13	Pass	421
3000	6500	1	RMS	3259	-61.93	-13	Pass	3501
6500	26000	1	RMS	20029	-49.42	-13	Pass	19503




23.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.52	-13	Pass	2986
30	1000	0.1	RMS	890.027	-63.19	-13	Pass	9701
1000	2490	1	RMS	2490	-44.27	-13	Pass	1491
2490	2580	1	RMS	2549.175	21.08	60	Pass	401
2580	3000	1	RMS	2962	-48.21	-13	Pass	421
3000	6500	1	RMS	3390	-64.77	-13	Pass	3501
6500	26000	1	RMS	24101	-50.76	-13	Pass	19503




23.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.59	-13	Pass	2986
30	1000	0.1	RMS	902.335	-63.12	-13	Pass	9701
1000	2490	1	RMS	2490	-30.49	-13	Pass	1491
2490	2580	1	RMS	2521.95	5.63	60	Pass	401
2580	3000	1	RMS	2580	-32.34	-13	Pass	421
3000	6500	1	RMS	3390	-64.86	-13	Pass	3501
6500	26000	1	RMS	24115	-50.85	-13	Pass	19503




23.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2986
30	1000	0.1	RMS	987.892	-63.15	-13	Pass	9701
1000	2490	1	RMS	2487	-46.29	-13	Pass	1491
2490	2580	1	RMS	2510.7	21.12	60	Pass	401
2580	3000	1	RMS	2963	-48.19	-13	Pass	421
3000	6500	1	RMS	3386	-64.91	-13	Pass	3501
6500	26000	1	RMS	25101	-50.78	-13	Pass	19503




23.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.35	-71.43	-13	Pass	2986
30	1000	0.1	RMS	901.235	-63.14	-13	Pass	9701
1000	2490	1	RMS	2487	-47.61	-13	Pass	1491
2490	2580	1	RMS	2559.075	21.21	60	Pass	401
2580	3000	1	RMS	2583	-47.11	-13	Pass	421
3000	6500	1	RMS	3384	-64.83	-13	Pass	3501
6500	26000	1	RMS	24101	-50.77	-13	Pass	19503




23.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	1000	0.1	RMS	894.03	-63.11	-13	Pass	9701
1000	2490	1	RMS	2490	-30.87	-13	Pass	1491
2490	2580	1	RMS	2524.425	5.72	60	Pass	401
2580	3000	1	RMS	2580	-28.43	-13	Pass	421
3000	6500	1	RMS	3258	-62.56	-13	Pass	3501
6500	26000	1	RMS	20026	-49.42	-13	Pass	19503




23.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2986
30	1000	0.1	RMS	899.834	-63.09	-13	Pass	9701
1000	2490	1	RMS	2490	-48.08	-13	Pass	1491
2490	2580	1	RMS	2520.6	20.95	60	Pass	401
2580	3000	1	RMS	2580	-46.84	-13	Pass	421
3000	6500	1	RMS	3391	-64.88	-13	Pass	3501
6500	26000	1	RMS	25099	-50.78	-13	Pass	19503



23.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.42	-71.64	-13	Pass	2986
30	1000	0.1	RMS	904.136	-63.25	-13	Pass	9701
1000	2490	1	RMS	2490	-47.62	-13	Pass	1491
2490	2580	1	RMS	2568.975	20.9	60	Pass	401
2580	3000	1	RMS	2580	-44.77	-13	Pass	421
3000	6500	1	RMS	3391	-64.8	-13	Pass	3501
6500	26000	1	RMS	25107	-50.85	-13	Pass	19503



24. n66


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2986
30	1000	0.1	RMS	898.733	-62.62	-13	Pass	9701
1000	1700	1	RMS	1700	-47.53	-13	Pass	701
1700	1790	1	RMS	1711.925	14.94	60	Pass	401
1790	3000	1	RMS	2957	-47.97	-13	Pass	1211
3000	6500	1	RMS	3282	-62.25	-13	Pass	3501
6500	20000	1	RMS	19834	-49.94	-13	Pass	13502




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	905.237	-62.78	-13	Pass	9701
1000	1700	1	RMS	1700	-51.16	-13	Pass	701
1700	1790	1	RMS	1710.125	21.02	60	Pass	401
1790	3000	1	RMS	2952	-48.16	-13	Pass	1211
3000	6500	1	RMS	3388	-64.68	-13	Pass	3501
6500	20000	1	RMS	18103	-51.88	-13	Pass	13502



24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.79	-13	Pass	2986
30	1000	0.1	RMS	887.726	-62.68	-13	Pass	9701
1000	1700	1	RMS	1700	-51.77	-13	Pass	701
1700	1790	1	RMS	1714.625	21.06	60	Pass	401
1790	3000	1	RMS	2966	-48.13	-13	Pass	1211
3000	6500	1	RMS	3393	-64.79	-13	Pass	3501
6500	20000	1	RMS	18096	-52.02	-13	Pass	13502




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.72	-13	Pass	2986
30	1000	0.1	RMS	897.932	-62.85	-13	Pass	9701
1000	1700	1	RMS	1696	-51.84	-13	Pass	701
1700	1790	1	RMS	1743.875	14.88	60	Pass	401
1790	3000	1	RMS	2957	-47.96	-13	Pass	1211
3000	6500	1	RMS	3403	-64.74	-13	Pass	3501
6500	20000	1	RMS	18095	-52.02	-13	Pass	13502




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	Pass	2986
30	1000	0.1	RMS	891.628	-62.66	-13	Pass	9701
1000	1700	1	RMS	1695	-51.9	-13	Pass	701
1700	1790	1	RMS	1742.75	20.95	60	Pass	401
1790	3000	1	RMS	2959	-48.11	-13	Pass	1211
3000	6500	1	RMS	3396	-64.71	-13	Pass	3501
6500	20000	1	RMS	18101	-51.95	-13	Pass	13502




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.56	-13	Pass	2986
30	1000	0.1	RMS	903.336	-62.68	-13	Pass	9701
1000	1700	1	RMS	1697	-51.89	-13	Pass	701
1700	1790	1	RMS	1747.025	21.04	60	Pass	401
1790	3000	1	RMS	2966	-48.08	-13	Pass	1211
3000	6500	1	RMS	3289	-62.77	-13	Pass	3501
6500	20000	1	RMS	19843	-49.18	-13	Pass	13502



24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.52	-13	Pass	2986
30	1000	0.1	RMS	848.1	-62.74	-13	Pass	9701
1000	1700	1	RMS	1698	-51.91	-13	Pass	701
1700	1790	1	RMS	1776.275	15.01	60	Pass	401
1790	3000	1	RMS	1790	-47.37	-13	Pass	1211
3000	6500	1	RMS	3392	-64.67	-13	Pass	3501
6500	20000	1	RMS	18100	-52.01	-13	Pass	13502



24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.48	-13	Pass	2986
30	1000	0.1	RMS	876.718	-62.75	-13	Pass	9701
1000	1700	1	RMS	1696	-51.89	-13	Pass	701
1700	1790	1	RMS	1775.15	21.05	60	Pass	401
1790	3000	1	RMS	2962	-48.1	-13	Pass	1211
3000	6500	1	RMS	3399	-64.68	-13	Pass	3501
6500	20000	1	RMS	18102	-51.98	-13	Pass	13502

