



24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-13	Pass	2986
30	1000	0.1	RMS	892.028	-62.61	-13	Pass	9701
1000	1700	1	RMS	1695	-51.91	-13	Pass	701
1700	1790	1	RMS	1779.425	21.02	60	Pass	401
1790	3000	1	RMS	2965	-48.08	-13	Pass	1211
3000	6500	1	RMS	3397	-64.7	-13	Pass	3501
6500	20000	1	RMS	18087	-51.87	-13	Pass	13502




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.29	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.67	-13	Pass	2986
30	1000	0.1	RMS	879.82	-62.7	-13	Pass	9701
1000	1700	1	RMS	1700	-34.56	-13	Pass	701
1700	1790	1	RMS	1722.95	8.71	60	Pass	401
1790	3000	1	RMS	2960	-48	-13	Pass	1211
3000	6500	1	RMS	3401	-64.63	-13	Pass	3501
6500	20000	1	RMS	18101	-51.96	-13	Pass	13502




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.35	-13	Pass	2986
30	1000	0.1	RMS	987.292	-62.61	-13	Pass	9701
1000	1700	1	RMS	1700	-46.79	-13	Pass	701
1700	1790	1	RMS	1710.35	20.95	60	Pass	401
1790	3000	1	RMS	2959	-48.05	-13	Pass	1211
3000	6500	1	RMS	3290	-62.97	-13	Pass	3501
6500	20000	1	RMS	19846	-49.98	-13	Pass	13502




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.14	-13	Pass	2986
30	1000	0.1	RMS	906.938	-62.78	-13	Pass	9701
1000	1700	1	RMS	1692	-46.75	-13	Pass	701
1700	1790	1	RMS	1729.25	20.88	60	Pass	401
1790	3000	1	RMS	2960	-48.08	-13	Pass	1211
3000	6500	1	RMS	3399	-64.7	-13	Pass	3501
6500	20000	1	RMS	18101	-51.92	-13	Pass	13502




24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2986
30	1000	0.1	RMS	893.529	-62.85	-13	Pass	9701
1000	1700	1	RMS	1700	-49.75	-13	Pass	701
1700	1790	1	RMS	1738.25	8.63	60	Pass	401
1790	3000	1	RMS	2959	-48.06	-13	Pass	1211
3000	6500	1	RMS	3400	-64.68	-13	Pass	3501
6500	20000	1	RMS	18099	-52.02	-13	Pass	13502




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-13	Pass	2986
30	1000	0.1	RMS	895.331	-62.68	-13	Pass	9701
1000	1700	1	RMS	1698	-47.49	-13	Pass	701
1700	1790	1	RMS	1735.325	20.64	60	Pass	401
1790	3000	1	RMS	2970	-48.09	-13	Pass	1211
3000	6500	1	RMS	3398	-64.69	-13	Pass	3501
6500	20000	1	RMS	18101	-52.04	-13	Pass	13502




24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.6	-13	Pass	2986
30	1000	0.1	RMS	902.736	-62.51	-13	Pass	9701
1000	1700	1	RMS	1700	-51.86	-13	Pass	701
1700	1790	1	RMS	1754.225	20.86	60	Pass	401
1790	3000	1	RMS	2948	-48.09	-13	Pass	1211
3000	6500	1	RMS	3390	-64.76	-13	Pass	3501
6500	20000	1	RMS	18103	-51.97	-13	Pass	13502




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	1000	0.1	RMS	911.942	-62.76	-13	Pass	9701
1000	1700	1	RMS	1700	-51.65	-13	Pass	701
1700	1790	1	RMS	1763.9	8.8	60	Pass	401
1790	3000	1	RMS	1790	-32.08	-13	Pass	1211
3000	6500	1	RMS	3288	-62.18	-13	Pass	3501
6500	20000	1	RMS	19841	-50.1	-13	Pass	13502




24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.69	-13	Pass	2986
30	1000	0.1	RMS	908.339	-62.7	-13	Pass	9701
1000	1700	1	RMS	1692	-51.88	-13	Pass	701
1700	1790	1	RMS	1760.525	20.79	60	Pass	401
1790	3000	1	RMS	1790	-47.47	-13	Pass	1211
3000	6500	1	RMS	3398	-64.71	-13	Pass	3501
6500	20000	1	RMS	18096	-52.01	-13	Pass	13502




24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2986
30	1000	0.1	RMS	919.046	-62.86	-13	Pass	9701
1000	1700	1	RMS	1692	-51.87	-13	Pass	701
1700	1790	1	RMS	1779.425	20.88	60	Pass	401
1790	3000	1	RMS	1790	-47.35	-13	Pass	1211
3000	6500	1	RMS	3393	-64.62	-13	Pass	3501
6500	20000	1	RMS	18100	-51.98	-13	Pass	13502




24.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.26	-13	Pass	2986
30	1000	0.1	RMS	910.241	-62.83	-13	Pass	9701
1000	1700	1	RMS	1700	-32.98	-13	Pass	701
1700	1790	1	RMS	1723.625	5.68	60	Pass	401
1790	3000	1	RMS	1790	-43.3	-13	Pass	1211
3000	6500	1	RMS	3394	-64.67	-13	Pass	3501
6500	20000	1	RMS	18102	-51.88	-13	Pass	13502




24.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.63	-13	Pass	2986
30	1000	0.1	RMS	872.616	-62.84	-13	Pass	9701
1000	1700	1	RMS	1700	-48.17	-13	Pass	701
1700	1790	1	RMS	1710.575	20.51	60	Pass	401
1790	3000	1	RMS	2960	-48.02	-13	Pass	1211
3000	6500	1	RMS	3401	-64.61	-13	Pass	3501
6500	20000	1	RMS	18114	-51.87	-13	Pass	13502




24.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	845.9	-61.48	-13	Pass	9701
1000	1700	1	RMS	1700	-47.49	-13	Pass	701
1700	1790	1	RMS	1749.275	20.44	60	Pass	401
1790	3000	1	RMS	2964	-48.01	-13	Pass	1211
3000	6500	1	RMS	3292	-62.69	-13	Pass	3501
6500	20000	1	RMS	19849	-50.33	-13	Pass	13502




24.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.87	-13	Pass	2986
30	1000	0.1	RMS	463.4	-61.5	-13	Pass	9701
1000	1700	1	RMS	1700	-37.69	-13	Pass	701
1700	1790	1	RMS	1729.25	5.62	60	Pass	401
1790	3000	1	RMS	1790	-36.15	-13	Pass	1211
3000	6500	1	RMS	3394	-64.47	-13	Pass	3501
6500	20000	1	RMS	18099	-51.93	-13	Pass	13502




24.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.03	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.2	-13	Pass	2986
30	1000	0.1	RMS	692.6	-61.6	-13	Pass	9701
1000	1700	1	RMS	1700	-50.03	-13	Pass	701
1700	1790	1	RMS	1725.425	20.34	60	Pass	401
1790	3000	1	RMS	2958	-47.94	-13	Pass	1211
3000	6500	1	RMS	3395	-64.4	-13	Pass	3501
6500	20000	1	RMS	18096	-51.79	-13	Pass	13502




24.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	1000	0.1	RMS	761.2	-60.95	-13	Pass	9701
1000	1700	1	RMS	1700	-49.91	-13	Pass	701
1700	1790	1	RMS	1764.125	20.4	60	Pass	401
1790	3000	1	RMS	2968	-47.96	-13	Pass	1211
3000	6500	1	RMS	3398	-64.5	-13	Pass	3501
6500	20000	1	RMS	18102	-51.98	-13	Pass	13502




24.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.54	-13	Pass	2986
30	1000	0.1	RMS	887.626	-62.87	-13	Pass	9701
1000	1700	1	RMS	1700	-48.07	-13	Pass	701
1700	1790	1	RMS	1744.1	5.66	60	Pass	401
1790	3000	1	RMS	1790	-31.69	-13	Pass	1211
3000	6500	1	RMS	3401	-64.74	-13	Pass	3501
6500	20000	1	RMS	18110	-51.97	-13	Pass	13502




24.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.33	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.71	-13	Pass	2986
30	1000	0.1	RMS	917.345	-62.79	-13	Pass	9701
1000	1700	1	RMS	1700	-51.6	-13	Pass	701
1700	1790	1	RMS	1740.5	20.43	60	Pass	401
1790	3000	1	RMS	2962	-48	-13	Pass	1211
3000	6500	1	RMS	3290	-61.77	-13	Pass	3501
6500	20000	1	RMS	19834	-49.74	-13	Pass	13502



24.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2986
30	1000	0.1	RMS	892.929	-62.85	-13	Pass	9701
1000	1700	1	RMS	1700	-51.47	-13	Pass	701
1700	1790	1	RMS	1779.2	20.53	60	Pass	401
1790	3000	1	RMS	2964	-48.1	-13	Pass	1211
3000	6500	1	RMS	3401	-64.77	-13	Pass	3501
6500	20000	1	RMS	18108	-51.96	-13	Pass	13502



25. n38


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.29	-68.3	-13	Pass	2986
30	1000	0.1	RMS	958.272	-59.98	-13	Pass	9701
1000	2560	1	RMS	2560	-45.76	-13	Pass	1561
2560	2630	1	RMS	2571.375	15.03	60	Pass	401
2630	3000	1	RMS	2953.75	-47.92	-13	Pass	401
3000	6500	1	RMS	3341	-63.84	-13	Pass	3501
6500	26500	1	RMS	24442	-49.73	-13	Pass	20003




25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.91	-13	Pass	2986
30	1000	0.1	RMS	923.85	-59.98	-13	Pass	9701
1000	2560	1	RMS	2499	-48.97	-13	Pass	1561
2560	2630	1	RMS	2570.325	21.06	60	Pass	401
2630	3000	1	RMS	2972.25	-47.91	-13	Pass	401
3000	6500	1	RMS	5141	-63.76	-13	Pass	3501
6500	26500	1	RMS	25094	-49.77	-13	Pass	20003




25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.76	-13	Pass	401
0.15	30	0.01	RMS	5.19	-69.44	-13	Pass	2986
30	1000	0.1	RMS	975.484	-60.09	-13	Pass	9701
1000	2560	1	RMS	2558	-48.9	-13	Pass	1561
2560	2630	1	RMS	2574.7	21.02	60	Pass	401
2630	3000	1	RMS	2956.525	-47.89	-13	Pass	401
3000	6500	1	RMS	5149	-63.52	-13	Pass	3501
6500	26500	1	RMS	25096	-49.4	-13	Pass	20003




25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.15	-13	Pass	401
0.15	30	0.01	RMS	18.11	-69.41	-13	Pass	2986
30	1000	0.1	RMS	467.7	-60.47	-13	Pass	9701
1000	2560	1	RMS	2495	-48.94	-13	Pass	1561
2560	2630	1	RMS	2591.325	15.05	60	Pass	401
2630	3000	1	RMS	2962.075	-47.92	-13	Pass	401
3000	6500	1	RMS	3390	-63.96	-13	Pass	3501
6500	26500	1	RMS	24101	-50.01	-13	Pass	20003




25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.29	-69.87	-13	Pass	2986
30	1000	0.1	RMS	970.18	-60.06	-13	Pass	9701
1000	2560	1	RMS	2501	-48.82	-13	Pass	1561
2560	2630	1	RMS	2590.275	21.06	60	Pass	401
2630	3000	1	RMS	2964.85	-47.92	-13	Pass	401
3000	6500	1	RMS	6386	-64.03	-13	Pass	3501
6500	26500	1	RMS	25499	-49.55	-13	Pass	20003




25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.79	-13	Pass	401
0.15	30	0.01	RMS	24.84	-69.57	-13	Pass	2986
30	1000	0.1	RMS	923.349	-60.09	-13	Pass	9701
1000	2560	1	RMS	2507	-48.98	-13	Pass	1561
2560	2630	1	RMS	2594.65	21.11	60	Pass	401
2630	3000	1	RMS	2964.85	-47.93	-13	Pass	401
3000	6500	1	RMS	3333	-63.43	-13	Pass	3501
6500	26500	1	RMS	20930	-48.76	-13	Pass	20003




25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.52	-68.93	-13	Pass	2986
30	1000	0.1	RMS	985.19	-59.3	-13	Pass	9701
1000	2560	1	RMS	2500	-48.9	-13	Pass	1561
2560	2630	1	RMS	2616.35	15.07	60	Pass	401
2630	3000	1	RMS	2630	-45.2	-13	Pass	401
3000	6500	1	RMS	3386	-64.14	-13	Pass	3501
6500	26500	1	RMS	25108	-49.71	-13	Pass	20003




25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.38	-68.98	-13	Pass	2986
30	1000	0.1	RMS	970.18	-60.02	-13	Pass	9701
1000	2560	1	RMS	2511	-48.91	-13	Pass	1561
2560	2630	1	RMS	2615.3	21.14	60	Pass	401
2630	3000	1	RMS	2965.775	-47.93	-13	Pass	401
3000	6500	1	RMS	5231	-63.64	-13	Pass	3501
6500	26500	1	RMS	24386	-49.72	-13	Pass	20003




25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.5	-69.25	-13	Pass	2986
30	1000	0.1	RMS	872.115	-59.57	-13	Pass	9701
1000	2560	1	RMS	2516	-48.86	-13	Pass	1561
2560	2630	1	RMS	2619.675	21.13	60	Pass	401
2630	3000	1	RMS	2967.625	-47.9	-13	Pass	401
3000	6500	1	RMS	5239	-63.6	-13	Pass	3501
6500	26500	1	RMS	24096	-49.7	-13	Pass	20003




25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.91	-13	Pass	401
0.15	30	0.01	RMS	0.46	-68.84	-13	Pass	2986
30	1000	0.1	RMS	925.951	-60	-13	Pass	9701
1000	2560	1	RMS	2560	-32.26	-13	Pass	1561
2560	2630	1	RMS	2574.175	8.82	60	Pass	401
2630	3000	1	RMS	2963	-47.88	-13	Pass	401
3000	6500	1	RMS	3313	-63.59	-13	Pass	3501
6500	26500	1	RMS	20850	-49.3	-13	Pass	20003




25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-13	Pass	2986
30	1000	0.1	RMS	881.121	-60.4	-13	Pass	9701
1000	2560	1	RMS	2560	-44.01	-13	Pass	1561
2560	2630	1	RMS	2570.5	20.82	60	Pass	401
2630	3000	1	RMS	2960.225	-47.94	-13	Pass	401
3000	6500	1	RMS	5141	-63.42	-13	Pass	3501
6500	26500	1	RMS	24112	-49.3	-13	Pass	20003




25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.84	-13	Pass	2986
30	1000	0.1	RMS	903.936	-60.12	-13	Pass	9701
1000	2560	1	RMS	2560	-43.79	-13	Pass	1561
2560	2630	1	RMS	2589.4	20.97	60	Pass	401
2630	3000	1	RMS	2961.15	-47.93	-13	Pass	401
3000	6500	1	RMS	5179	-63.45	-13	Pass	3501
6500	26500	1	RMS	26102	-50.06	-13	Pass	20003




25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.22	-67.83	-13	Pass	2986
30	1000	0.1	RMS	789.8	-59.87	-13	Pass	9701
1000	2560	1	RMS	2560	-40.93	-13	Pass	1561
2560	2630	1	RMS	2589.225	8.84	60	Pass	401
2630	3000	1	RMS	2630	-41.44	-13	Pass	401
3000	6500	1	RMS	3328	-61.51	-13	Pass	3501
6500	26500	1	RMS	20872	-48.01	-13	Pass	20003




25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.06	-13	Pass	2986
30	1000	0.1	RMS	895.531	-59.67	-13	Pass	9701
1000	2560	1	RMS	2558	-48.85	-13	Pass	1561
2560	2630	1	RMS	2585.55	20.82	60	Pass	401
2630	3000	1	RMS	2969.475	-47.93	-13	Pass	401
3000	6500	1	RMS	5171	-63.05	-13	Pass	3501
6500	26500	1	RMS	24101	-49.62	-13	Pass	20003




25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.61	-13	Pass	2986
30	1000	0.1	RMS	841.8	-59.69	-13	Pass	9701
1000	2560	1	RMS	2511	-48.81	-13	Pass	1561
2560	2630	1	RMS	2604.45	20.96	60	Pass	401
2630	3000	1	RMS	2946.35	-47.96	-13	Pass	401
3000	6500	1	RMS	5209	-62.84	-13	Pass	3501
6500	26500	1	RMS	25154	-49.61	-13	Pass	20003




25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.5	-69.14	-13	Pass	2986
30	1000	0.1	RMS	906.438	-60.51	-13	Pass	9701
1000	2560	1	RMS	2560	-47.25	-13	Pass	1561
2560	2630	1	RMS	2603.75	8.82	60	Pass	401
2630	3000	1	RMS	2630	-32.87	-13	Pass	401
3000	6500	1	RMS	6480	-63.93	-13	Pass	3501
6500	26500	1	RMS	25062	-49.82	-13	Pass	20003




25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.7	-13	Pass	2986
30	1000	0.1	RMS	938.659	-59.7	-13	Pass	9701
1000	2560	1	RMS	2501	-48.9	-13	Pass	1561
2560	2630	1	RMS	2600.6	20.8	60	Pass	401
2630	3000	1	RMS	2630	-44.28	-13	Pass	401
3000	6500	1	RMS	3330	-62.16	-13	Pass	3501
6500	26500	1	RMS	20878	-48.95	-13	Pass	20003




25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.54	-69.28	-13	Pass	2986
30	1000	0.1	RMS	892.729	-59.95	-13	Pass	9701
1000	2560	1	RMS	2509	-48.93	-13	Pass	1561
2560	2630	1	RMS	2619.5	20.95	60	Pass	401
2630	3000	1	RMS	2630	-44.49	-13	Pass	401
3000	6500	1	RMS	5239	-63.43	-13	Pass	3501
6500	26500	1	RMS	24111	-49.65	-13	Pass	20003




25.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.35	-68.47	-13	Pass	2986
30	1000	0.1	RMS	993.195	-60.45	-13	Pass	9701
1000	2560	1	RMS	2559	-33.23	-13	Pass	1561
2560	2630	1	RMS	2572.075	5.82	60	Pass	401
2630	3000	1	RMS	2630	-35.68	-13	Pass	401
3000	6500	1	RMS	3384	-64.29	-13	Pass	3501
6500	26500	1	RMS	25803	-49.69	-13	Pass	20003




25.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.43	-68.86	-13	Pass	2986
30	1000	0.1	RMS	956.071	-59.87	-13	Pass	9701
1000	2560	1	RMS	2559	-45.47	-13	Pass	1561
2560	2630	1	RMS	2570.675	20.44	60	Pass	401
2630	3000	1	RMS	2630	-47.38	-13	Pass	401
3000	6500	1	RMS	3383	-63.91	-13	Pass	3501
6500	26500	1	RMS	25086	-49.73	-13	Pass	20003




25.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72	-13	Pass	401
0.15	30	0.01	RMS	0.27	-69.49	-13	Pass	2986
30	1000	0.1	RMS	984.49	-60.26	-13	Pass	9701
1000	2560	1	RMS	2556	-44.01	-13	Pass	1561
2560	2630	1	RMS	2609.35	20.58	60	Pass	401
2630	3000	1	RMS	2633.7	-46.78	-13	Pass	401
3000	6500	1	RMS	5219	-63.88	-13	Pass	3501
6500	26500	1	RMS	24104	-49.63	-13	Pass	20003




25.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.67	-69.83	-13	Pass	2986
30	1000	0.1	RMS	894.03	-60.4	-13	Pass	9701
1000	2560	1	RMS	2560	-34.32	-13	Pass	1561
2560	2630	1	RMS	2579.425	5.84	60	Pass	401
2630	3000	1	RMS	2630	-34.71	-13	Pass	401
3000	6500	1	RMS	3306	-64.04	-13	Pass	3501
6500	26500	1	RMS	24111	-49.69	-13	Pass	20003




25.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.96	-13	Pass	401
0.15	30	0.01	RMS	0.4	-68.87	-13	Pass	2986
30	1000	0.1	RMS	861.208	-59.86	-13	Pass	9701
1000	2560	1	RMS	2556	-46.17	-13	Pass	1561
2560	2630	1	RMS	2575.575	20.44	60	Pass	401
2630	3000	1	RMS	2630	-45.89	-13	Pass	401
3000	6500	1	RMS	5151	-63.85	-13	Pass	3501
6500	26500	1	RMS	25104	-48.83	-13	Pass	20003




25.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.71	-68.79	-13	Pass	2986
30	1000	0.1	RMS	837.5	-60.44	-13	Pass	9701
1000	2560	1	RMS	2560	-44.52	-13	Pass	1561
2560	2630	1	RMS	2614.25	20.57	60	Pass	401
2630	3000	1	RMS	2633.7	-45.39	-13	Pass	401
3000	6500	1	RMS	5229	-63.51	-13	Pass	3501
6500	26500	1	RMS	25061	-49.78	-13	Pass	20003




25.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.48	-69.07	-13	Pass	2986
30	1000	0.1	RMS	904.937	-60.4	-13	Pass	9701
1000	2560	1	RMS	2560	-35.43	-13	Pass	1561
2560	2630	1	RMS	2582.05	5.86	60	Pass	401
2630	3000	1	RMS	2630	-33.62	-13	Pass	401
3000	6500	1	RMS	6396	-64.08	-13	Pass	3501
6500	26500	1	RMS	24085	-49.76	-13	Pass	20003




25.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.53	-68.66	-13	Pass	2986
30	1000	0.1	RMS	909.44	-60.25	-13	Pass	9701
1000	2560	1	RMS	2557	-46.29	-13	Pass	1561
2560	2630	1	RMS	2580.65	20.57	60	Pass	401
2630	3000	1	RMS	2630	-45.23	-13	Pass	401
3000	6500	1	RMS	5161	-63.7	-13	Pass	3501
6500	26500	1	RMS	24116	-49.6	-13	Pass	20003



25.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.37	-68.59	-13	Pass	2986
30	1000	0.1	RMS	986.591	-60.36	-13	Pass	9701
1000	2560	1	RMS	2560	-46.39	-13	Pass	1561
2560	2630	1	RMS	2619.325	20.67	60	Pass	401
2630	3000	1	RMS	2630	-45.51	-13	Pass	401
3000	6500	1	RMS	3330	-60.33	-13	Pass	3501
6500	26500	1	RMS	20901	-49.25	-13	Pass	20003



26. n41


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.98	-13	Pass	401
0.15	30	0.01	RMS	11.28	-67.62	-13	Pass	2986
30	1000	0.1	RMS	652.2	-60.38	-13	Pass	9701
1000	2486	1	RMS	2486	-35.3	-13	Pass	1487
2486	2700	1	RMS	2504.19	12.18	60	Pass	401
2700	3000	1	RMS	2959.5	-47.54	-13	Pass	401
3000	6500	1	RMS	3344	-60.93	-13	Pass	3501
6500	26500	1	RMS	25110	-49.28	-13	Pass	20003




26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.1	-13	Pass	2986
30	1000	0.1	RMS	740.4	-58.19	-13	Pass	9701
1000	2486	1	RMS	2486	-46.36	-13	Pass	1487
2486	2700	1	RMS	2496.165	20.56	60	Pass	401
2700	3000	1	RMS	2997.75	-47.51	-13	Pass	401
3000	6500	1	RMS	3382	-63.69	-13	Pass	3501
6500	26500	1	RMS	24140	-49.2	-13	Pass	20003




26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.46	-13	Pass	2986
30	1000	0.1	RMS	817	-58.32	-13	Pass	9701
1000	2486	1	RMS	2486	-46.33	-13	Pass	1487
2486	2700	1	RMS	2505.795	20.83	60	Pass	401
2700	3000	1	RMS	2953.5	-47.51	-13	Pass	401
3000	6500	1	RMS	3386	-63.66	-13	Pass	3501
6500	26500	1	RMS	25815	-49.23	-13	Pass	20003




26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	Pass	401
0.15	30	0.01	RMS	4.65	-67.96	-13	Pass	2986
30	1000	0.1	RMS	941.361	-59.14	-13	Pass	9701
1000	2486	1	RMS	2485	-48.83	-13	Pass	1487
2486	2700	1	RMS	2589.79	12.45	60	Pass	401
2700	3000	1	RMS	2972.25	-47.48	-13	Pass	401
3000	6500	1	RMS	3414	-63.35	-13	Pass	3501
6500	26500	1	RMS	25402	-49.17	-13	Pass	20003




26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74	-13	Pass	401
0.15	30	0.01	RMS	0.93	-69.63	-13	Pass	2986
30	1000	0.1	RMS	490.1	-58.84	-13	Pass	9701
1000	2486	1	RMS	2484	-48.86	-13	Pass	1487
2486	2700	1	RMS	2588.185	20.93	60	Pass	401
2700	3000	1	RMS	2966.25	-47.56	-13	Pass	401
3000	6500	1	RMS	6259	-63.43	-13	Pass	3501
6500	26500	1	RMS	25104	-49.35	-13	Pass	20003




26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	Pass	401
0.15	30	0.01	RMS	16.64	-68.3	-13	Pass	2986
30	1000	0.1	RMS	986.391	-58.49	-13	Pass	9701
1000	2486	1	RMS	2484	-49.06	-13	Pass	1487
2486	2700	1	RMS	2597.815	20.9	60	Pass	401
2700	3000	1	RMS	2975.25	-47.47	-13	Pass	401
3000	6500	1	RMS	3355	-60.8	-13	Pass	3501
6500	26500	1	RMS	21017	-48.68	-13	Pass	20003




26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	Pass	401
0.15	30	0.01	RMS	15.42	-67.89	-13	Pass	2986
30	1000	0.1	RMS	992.295	-59.11	-13	Pass	9701
1000	2486	1	RMS	2482	-48.97	-13	Pass	1487
2486	2700	1	RMS	2681.81	12.01	60	Pass	401
2700	3000	1	RMS	2700	-35.8	-13	Pass	401
3000	6500	1	RMS	6262	-63.46	-13	Pass	3501
6500	26500	1	RMS	24092	-48.95	-13	Pass	20003




26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.6	-13	Pass	2986
30	1000	0.1	RMS	921.248	-60.32	-13	Pass	9701
1000	2486	1	RMS	2481	-49.08	-13	Pass	1487
2486	2700	1	RMS	2680.205	20.59	60	Pass	401
2700	3000	1	RMS	2700	-46.61	-13	Pass	401
3000	6500	1	RMS	6116	-63.71	-13	Pass	3501
6500	26500	1	RMS	25776	-49.4	-13	Pass	20003




26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.73	-69.7	-13	Pass	2986
30	1000	0.1	RMS	929.153	-59.99	-13	Pass	9701
1000	2486	1	RMS	2484	-49.29	-13	Pass	1487
2486	2700	1	RMS	2689.835	20.33	60	Pass	401
2700	3000	1	RMS	2700	-46.84	-13	Pass	401
3000	6500	1	RMS	6368	-63.98	-13	Pass	3501
6500	26500	1	RMS	24131	-49.4	-13	Pass	20003




26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.46	-69.16	-13	Pass	2986
30	1000	0.1	RMS	885.624	-60.37	-13	Pass	9701
1000	2486	1	RMS	2486	-31.49	-13	Pass	1487
2486	2700	1	RMS	2525.59	4.73	60	Pass	401
2700	3000	1	RMS	2961	-47.7	-13	Pass	401
3000	6500	1	RMS	6304	-64.07	-13	Pass	3501
6500	26500	1	RMS	25095	-48.98	-13	Pass	20003




26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.4	-69.62	-13	Pass	2986
30	1000	0.1	RMS	907.639	-60.5	-13	Pass	9701
1000	2486	1	RMS	2486	-46.2	-13	Pass	1487
2486	2700	1	RMS	2497.235	20.72	60	Pass	401
2700	3000	1	RMS	2958.75	-47.75	-13	Pass	401
3000	6500	1	RMS	3343	-63.26	-13	Pass	3501
6500	26500	1	RMS	20998	-48.98	-13	Pass	20003




26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.77	-13	Pass	2986
30	1000	0.1	RMS	917.846	-60.07	-13	Pass	9701
1000	2486	1	RMS	2486	-46.19	-13	Pass	1487
2486	2700	1	RMS	2555.015	21.26	60	Pass	401
2700	3000	1	RMS	2972.25	-47.74	-13	Pass	401
3000	6500	1	RMS	6364	-63.93	-13	Pass	3501
6500	26500	1	RMS	25087	-49.39	-13	Pass	20003




26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.47	-69.26	-13	Pass	2986
30	1000	0.1	RMS	901.835	-60.59	-13	Pass	9701
1000	2486	1	RMS	2486	-43.08	-13	Pass	1487
2486	2700	1	RMS	2566.785	5.1	60	Pass	401
2700	3000	1	RMS	2700	-43.95	-13	Pass	401
3000	6500	1	RMS	3327	-62.97	-13	Pass	3501
6500	26500	1	RMS	20907	-48.65	-13	Pass	20003




26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.53	-13	Pass	2986
30	1000	0.1	RMS	928.853	-60.4	-13	Pass	9701
1000	2486	1	RMS	2485	-49.13	-13	Pass	1487
2486	2700	1	RMS	2564.11	21.3	60	Pass	401
2700	3000	1	RMS	2968.5	-47.69	-13	Pass	401
3000	6500	1	RMS	6389	-64.08	-13	Pass	3501
6500	26500	1	RMS	25101	-49.48	-13	Pass	20003




26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.74	-13	Pass	401
0.15	30	0.01	RMS	1.37	-69.03	-13	Pass	2986
30	1000	0.1	RMS	1000	-60.41	-13	Pass	9701
1000	2486	1	RMS	2486	-49.12	-13	Pass	1487
2486	2700	1	RMS	2621.89	21.39	60	Pass	401
2700	3000	1	RMS	2963.25	-47.68	-13	Pass	401
3000	6500	1	RMS	6477	-63.99	-13	Pass	3501
6500	26500	1	RMS	25109	-49.35	-13	Pass	20003




26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	Pass	401
0.15	30	0.01	RMS	1.16	-70	-13	Pass	2986
30	1000	0.1	RMS	992.095	-60.54	-13	Pass	9701
1000	2486	1	RMS	2485	-48.91	-13	Pass	1487
2486	2700	1	RMS	2659.875	4.54	60	Pass	401
2700	3000	1	RMS	2700	-30.33	-13	Pass	401
3000	6500	1	RMS	6470	-63.66	-13	Pass	3501
6500	26500	1	RMS	26128	-49.25	-13	Pass	20003




26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.78	-69.72	-13	Pass	2986
30	1000	0.1	RMS	993.195	-59.05	-13	Pass	9701
1000	2486	1	RMS	2485	-48.95	-13	Pass	1487
2486	2700	1	RMS	2630.985	21.04	60	Pass	401
2700	3000	1	RMS	2711.25	-46.61	-13	Pass	401
3000	6500	1	RMS	3381	-63.78	-13	Pass	3501
6500	26500	1	RMS	24094	-49.13	-13	Pass	20003




26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.36	-69.83	-13	Pass	2986
30	1000	0.1	RMS	907.239	-60.2	-13	Pass	9701
1000	2486	1	RMS	2472	-49.09	-13	Pass	1487
2486	2700	1	RMS	2688.765	20.84	60	Pass	401
2700	3000	1	RMS	2700	-46.61	-13	Pass	401
3000	6500	1	RMS	3345	-60.8	-13	Pass	3501
6500	26500	1	RMS	20998	-47.84	-13	Pass	20003




26.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.4	-13	Pass	2986
30	1000	0.1	RMS	916.945	-60.22	-13	Pass	9701
1000	2486	1	RMS	2486	-32.33	-13	Pass	1487
2486	2700	1	RMS	2513.82	2.93	60	Pass	401
2700	3000	1	RMS	2700	-43.28	-13	Pass	401
3000	6500	1	RMS	6391	-64.12	-13	Pass	3501
6500	26500	1	RMS	25090	-49.33	-13	Pass	20003




26.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.67	-69.07	-13	Pass	2986
30	1000	0.1	RMS	785.5	-60.07	-13	Pass	9701
1000	2486	1	RMS	2486	-43.34	-13	Pass	1487
2486	2700	1	RMS	2497.235	20.45	60	Pass	401
2700	3000	1	RMS	2948.25	-47.68	-13	Pass	401
3000	6500	1	RMS	3395	-64	-13	Pass	3501
6500	26500	1	RMS	25099	-49.55	-13	Pass	20003




26.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.85	-69.03	-13	Pass	2986
30	1000	0.1	RMS	478.6	-60.36	-13	Pass	9701
1000	2486	1	RMS	2486	-41.22	-13	Pass	1487
2486	2700	1	RMS	2595.14	20.43	60	Pass	401
2700	3000	1	RMS	2957.25	-47.69	-13	Pass	401
3000	6500	1	RMS	6453	-63.79	-13	Pass	3501
6500	26500	1	RMS	25096	-49.59	-13	Pass	20003




26.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.88	-13	Pass	2986
30	1000	0.1	RMS	877.019	-60.34	-13	Pass	9701
1000	2486	1	RMS	2486	-32.56	-13	Pass	1487
2486	2700	1	RMS	2558.225	3.02	60	Pass	401
2700	3000	1	RMS	2700	-31.89	-13	Pass	401
3000	6500	1	RMS	6253	-63.52	-13	Pass	3501
6500	26500	1	RMS	24102	-48.99	-13	Pass	20003




26.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.43	-69.4	-13	Pass	2986
30	1000	0.1	RMS	711.8	-59.98	-13	Pass	9701
1000	2486	1	RMS	2484	-48.91	-13	Pass	1487
2486	2700	1	RMS	2543.78	20.42	60	Pass	401
2700	3000	1	RMS	2975.25	-47.63	-13	Pass	401
3000	6500	1	RMS	3350	-62.48	-13	Pass	3501
6500	26500	1	RMS	21034	-48.71	-13	Pass	20003




26.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.39	-69.35	-13	Pass	2986
30	1000	0.1	RMS	978.286	-60.71	-13	Pass	9701
1000	2486	1	RMS	2486	-48.5	-13	Pass	1487
2486	2700	1	RMS	2641.685	20.34	60	Pass	401
2700	3000	1	RMS	2739.75	-47.4	-13	Pass	401
3000	6500	1	RMS	6202	-63.62	-13	Pass	3501
6500	26500	1	RMS	25123	-49.38	-13	Pass	20003




26.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.62	-13	Pass	401
0.15	30	0.01	RMS	6.24	-68.6	-13	Pass	2986
30	1000	0.1	RMS	876.518	-59.87	-13	Pass	9701
1000	2486	1	RMS	2484	-42.88	-13	Pass	1487
2486	2700	1	RMS	2605.305	2.41	60	Pass	401
2700	3000	1	RMS	2700	-29.26	-13	Pass	401
3000	6500	1	RMS	6362	-63.7	-13	Pass	3501
6500	26500	1	RMS	25095	-49.47	-13	Pass	20003




26.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.39	-13	Pass	401
0.15	30	0.01	RMS	0.26	-69.17	-13	Pass	2986
30	1000	0.1	RMS	996.898	-60.12	-13	Pass	9701
1000	2486	1	RMS	2484	-49.13	-13	Pass	1487
2486	2700	1	RMS	2590.86	20.46	60	Pass	401
2700	3000	1	RMS	2700	-43.01	-13	Pass	401
3000	6500	1	RMS	6250	-63.8	-13	Pass	3501
6500	26500	1	RMS	25089	-48.88	-13	Pass	20003



26.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.35	-13	Pass	2986
30	1000	0.1	RMS	762.9	-60.56	-13	Pass	9701
1000	2486	1	RMS	2486	-48.96	-13	Pass	1487
2486	2700	1	RMS	2688.765	20.51	60	Pass	401
2700	3000	1	RMS	2710.5	-42.34	-13	Pass	401
3000	6500	1	RMS	6491	-63.54	-13	Pass	3501
6500	26500	1	RMS	25096	-49.45	-13	Pass	20003



27. n77_(3450-3550MHz)


27.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.37	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.36	-13	Pass	2986
30	1000	0.1	RMS	508.8	-60.08	-13	Pass	9701
1000	3000	1	RMS	2979	-47.47	-13	Pass	2001
3000	3440	1	RMS	3440	-39.16	-13	Pass	441
3440	3560	1	RMS	3455.3	13.23	60	Pass	401
3560	6500	1	RMS	3563	-63.26	-13	Pass	2941
6500	26500	1	RMS	24119	-49.47	-13	Pass	20003




27.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.84	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.36	-13	Pass	2986
30	1000	0.1	RMS	889.227	-59.63	-13	Pass	9701
1000	3000	1	RMS	2965	-47.53	-13	Pass	2001
3000	3440	1	RMS	3440	-43.57	-13	Pass	441
3440	3560	1	RMS	3450.5	21.93	60	Pass	401
3560	6500	1	RMS	3560	-63.41	-13	Pass	2941
6500	26500	1	RMS	25103	-49.27	-13	Pass	20003




27.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.63	-13	Pass	2986
30	1000	0.1	RMS	865.911	-59.5	-13	Pass	9701
1000	3000	1	RMS	2976	-47.43	-13	Pass	2001
3000	3440	1	RMS	3440	-43.47	-13	Pass	441
3440	3560	1	RMS	3459.5	21.98	60	Pass	401
3560	6500	1	RMS	3564	-63.29	-13	Pass	2941
6500	26500	1	RMS	25103	-49.53	-13	Pass	20003




27.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.2	-13	Pass	2986
30	1000	0.1	RMS	738.2	-60.3	-13	Pass	9701
1000	3000	1	RMS	2971	-47.5	-13	Pass	2001
3000	3440	1	RMS	3394	-43.93	-13	Pass	441
3440	3560	1	RMS	3497.6	13.69	60	Pass	401
3560	6500	1	RMS	3562	-63.41	-13	Pass	2941
6500	26500	1	RMS	25095	-49.71	-13	Pass	20003




27.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.5	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.89	-13	Pass	2986
30	1000	0.1	RMS	889.827	-59.78	-13	Pass	9701
1000	3000	1	RMS	2981	-47.46	-13	Pass	2001
3000	3440	1	RMS	3394	-43.82	-13	Pass	441
3440	3560	1	RMS	3495.5	22.55	60	Pass	401
3560	6500	1	RMS	3599	-63.56	-13	Pass	2941
6500	26500	1	RMS	24095	-49.39	-13	Pass	20003




27.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.29	-13	Pass	2986
30	1000	0.1	RMS	875.718	-60.06	-13	Pass	9701
1000	3000	1	RMS	2982	-47.42	-13	Pass	2001
3000	3440	1	RMS	3397	-44.08	-13	Pass	441
3440	3560	1	RMS	3504.5	22.54	60	Pass	401
3560	6500	1	RMS	3608	-63.44	-13	Pass	2941
6500	26500	1	RMS	25101	-49.35	-13	Pass	20003




27.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.74	-13	Pass	401
0.15	30	0.01	RMS	0.8	-69.69	-13	Pass	2986
30	1000	0.1	RMS	669.2	-59.97	-13	Pass	9701
1000	3000	1	RMS	2965	-47.38	-13	Pass	2001
3000	3440	1	RMS	3395	-44.06	-13	Pass	441
3440	3560	1	RMS	3547.1	13.81	60	Pass	401
3560	6500	1	RMS	3560	-39.31	-13	Pass	2941
6500	26500	1	RMS	25088	-49.36	-13	Pass	20003




27.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.47	-13	Pass	401
0.15	30	0.01	RMS	0.54	-70.04	-13	Pass	2986
30	1000	0.1	RMS	980.187	-59.77	-13	Pass	9701
1000	3000	1	RMS	2972	-47.53	-13	Pass	2001
3000	3440	1	RMS	3394	-44.09	-13	Pass	441
3440	3560	1	RMS	3540.5	22.54	60	Pass	401
3560	6500	1	RMS	3560	-48.15	-13	Pass	2941
6500	26500	1	RMS	24098	-49.39	-13	Pass	20003




27.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.39	-13	Pass	401
0.15	30	0.01	RMS	0.83	-68.46	-13	Pass	2986
30	1000	0.1	RMS	881.021	-59.72	-13	Pass	9701
1000	3000	1	RMS	2959	-47.39	-13	Pass	2001
3000	3440	1	RMS	3394	-44.08	-13	Pass	441
3440	3560	1	RMS	3549.5	22.7	60	Pass	401
3560	6500	1	RMS	3560	-49.58	-13	Pass	2941
6500	26500	1	RMS	25095	-48.95	-13	Pass	20003




27.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.49	-13	Pass	401
0.15	30	0.01	RMS	15.08	-68.7	-13	Pass	2986
30	1000	0.1	RMS	761.2	-60.18	-13	Pass	9701
1000	3000	1	RMS	2951	-47.41	-13	Pass	2001
3000	3440	1	RMS	3440	-31.9	-13	Pass	441
3440	3560	1	RMS	3485.9	7.05	60	Pass	401
3560	6500	1	RMS	3560	-48.14	-13	Pass	2941
6500	26500	1	RMS	25138	-49.27	-13	Pass	20003




27.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.89	-13	Pass	401
0.15	30	0.01	RMS	0.63	-69.37	-13	Pass	2986
30	1000	0.1	RMS	901.335	-59.32	-13	Pass	9701
1000	3000	1	RMS	2977	-47.37	-13	Pass	2001
3000	3440	1	RMS	3440	-40.52	-13	Pass	441
3440	3560	1	RMS	3450.8	22.65	60	Pass	401
3560	6500	1	RMS	3569	-53.52	-13	Pass	2941
6500	26500	1	RMS	24112	-49.04	-13	Pass	20003




27.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.57	-13	Pass	401
0.15	30	0.01	RMS	2.93	-68.95	-13	Pass	2986
30	1000	0.1	RMS	902.635	-58.96	-13	Pass	9701
1000	3000	1	RMS	2983	-47.39	-13	Pass	2001
3000	3440	1	RMS	3402	-41.18	-13	Pass	441
3440	3560	1	RMS	3499.1	22.52	60	Pass	401
3560	6500	1	RMS	3560	-55.24	-13	Pass	2941
6500	26500	1	RMS	24131	-49.67	-13	Pass	20003




27.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.37	-13	Pass	401
0.15	30	0.01	RMS	0.65	-70.2	-13	Pass	2986
30	1000	0.1	RMS	887.926	-58.81	-13	Pass	9701
1000	3000	1	RMS	2946	-47.47	-13	Pass	2001
3000	3440	1	RMS	3440	-38.5	-13	Pass	441
3440	3560	1	RMS	3490.1	6.98	60	Pass	401
3560	6500	1	RMS	3560	-39.45	-13	Pass	2941
6500	26500	1	RMS	25103	-49.5	-13	Pass	20003




27.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.22	-13	Pass	401
0.15	30	0.01	RMS	0.51	-69.5	-13	Pass	2986
30	1000	0.1	RMS	643.8	-60.38	-13	Pass	9701
1000	3000	1	RMS	2951	-47.31	-13	Pass	2001
3000	3440	1	RMS	3434	-43.8	-13	Pass	441
3440	3560	1	RMS	3475.7	22.92	60	Pass	401
3560	6500	1	RMS	3573	-43.64	-13	Pass	2941
6500	26500	1	RMS	25410	-49.52	-13	Pass	20003




27.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.54	-13	Pass	2986
30	1000	0.1	RMS	875.718	-60.2	-13	Pass	9701
1000	3000	1	RMS	2981	-47.38	-13	Pass	2001
3000	3440	1	RMS	3427	-40.89	-13	Pass	441
3440	3560	1	RMS	3524.3	22.47	60	Pass	401
3560	6500	1	RMS	3567	-50.62	-13	Pass	2941
6500	26500	1	RMS	25088	-49.11	-13	Pass	20003




27.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.88	-13	Pass	401
0.15	30	0.01	RMS	0.28	-70.18	-13	Pass	2986
30	1000	0.1	RMS	987.992	-59.63	-13	Pass	9701
1000	3000	1	RMS	2978	-47.32	-13	Pass	2001
3000	3440	1	RMS	3440	-43.32	-13	Pass	441
3440	3560	1	RMS	3535.7	6.91	60	Pass	401
3560	6500	1	RMS	3560	-32.08	-13	Pass	2941
6500	26500	1	RMS	24094	-49.25	-13	Pass	20003




27.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.97	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.41	-13	Pass	2986
30	1000	0.1	RMS	988.292	-59.94	-13	Pass	9701
1000	3000	1	RMS	2973	-47.37	-13	Pass	2001
3000	3440	1	RMS	3390	-44.04	-13	Pass	441
3440	3560	1	RMS	3500.9	22.61	60	Pass	401
3560	6500	1	RMS	3598	-43.54	-13	Pass	2941
6500	26500	1	RMS	25057	-49.19	-13	Pass	20003




27.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61	-13	Pass	401
0.15	30	0.01	RMS	2.07	-68.05	-13	Pass	2986
30	1000	0.1	RMS	899.333	-59.72	-13	Pass	9701
1000	3000	1	RMS	2964	-47.45	-13	Pass	2001
3000	3440	1	RMS	3394	-44.06	-13	Pass	441
3440	3560	1	RMS	3549.2	22.61	60	Pass	401
3560	6500	1	RMS	3560	-41.92	-13	Pass	2941
6500	26500	1	RMS	24136	-49.65	-13	Pass	20003




27.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.15	-13	Pass	401
0.15	30	0.01	RMS	0.26	-69.24	-13	Pass	2986
30	1000	0.1	RMS	904.537	-60.08	-13	Pass	9701
1000	3000	1	RMS	2958	-47.44	-13	Pass	2001
3000	3440	1	RMS	3440	-34.56	-13	Pass	441
3440	3560	1	RMS	3532.4	3.52	60	Pass	401
3560	6500	1	RMS	3560	-33.96	-13	Pass	2941
6500	26500	1	RMS	25103	-48.98	-13	Pass	20003




27.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.25	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.86	-13	Pass	2986
30	1000	0.1	RMS	386.6	-59.48	-13	Pass	9701
1000	3000	1	RMS	2975	-47.46	-13	Pass	2001
3000	3440	1	RMS	3429	-41.52	-13	Pass	441
3440	3560	1	RMS	3451.1	20.79	60	Pass	401
3560	6500	1	RMS	3567	-41.43	-13	Pass	2941
6500	26500	1	RMS	24129	-49.43	-13	Pass	20003



27.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.12	-13	Pass	2986
30	1000	0.1	RMS	874.717	-59.31	-13	Pass	9701
1000	3000	1	RMS	2952	-47.3	-13	Pass	2001
3000	3440	1	RMS	3440	-41.54	-13	Pass	441
3440	3560	1	RMS	3548.9	21.52	60	Pass	401
3560	6500	1	RMS	3570	-42.7	-13	Pass	2941
6500	26500	1	RMS	24120	-49.42	-13	Pass	20003



28. n77_(3700-3980MHz)


28.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.35	-13	Pass	401
0.15	30	0.01	RMS	2.05	-68.97	-13	Pass	2986
30	1000	0.1	RMS	727.3	-59.82	-13	Pass	9701
1000	3000	1	RMS	2958	-47.49	-13	Pass	2001
3000	3690	1	RMS	3690	-38.63	-13	Pass	691
3690	3990	1	RMS	3707.25	13.64	60	Pass	401
3990	6500	1	RMS	6389	-63.79	-13	Pass	2511
6500	26500	1	RMS	24077	-49.57	-13	Pass	20003




28.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.07	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.16	-13	Pass	2986
30	1000	0.1	RMS	828.8	-60.39	-13	Pass	9701
1000	3000	1	RMS	2962	-47.5	-13	Pass	2001
3000	3690	1	RMS	3408	-44	-13	Pass	691
3690	3990	1	RMS	3700.5	22.03	60	Pass	401
3990	6500	1	RMS	6246	-63.86	-13	Pass	2511
6500	26500	1	RMS	24085	-49.57	-13	Pass	20003




28.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.81	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.5	-13	Pass	2986
30	1000	0.1	RMS	982.689	-59.31	-13	Pass	9701
1000	3000	1	RMS	2969	-47.36	-13	Pass	2001
3000	3690	1	RMS	3690	-43.81	-13	Pass	691
3690	3990	1	RMS	3709.5	22.18	60	Pass	401
3990	6500	1	RMS	6439	-63.85	-13	Pass	2511
6500	26500	1	RMS	25102	-49.12	-13	Pass	20003




28.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-65.69	-13	Pass	2986
30	1000	0.1	RMS	786.7	-59.63	-13	Pass	9701
1000	3000	1	RMS	2962	-47.32	-13	Pass	2001
3000	3690	1	RMS	3396	-43.96	-13	Pass	691
3690	3990	1	RMS	3840	13.52	60	Pass	401
3990	6500	1	RMS	6365	-63.95	-13	Pass	2511
6500	26500	1	RMS	24105	-49.58	-13	Pass	20003




28.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.93	-13	Pass	2986
30	1000	0.1	RMS	958.472	-60.04	-13	Pass	9701
1000	3000	1	RMS	2958	-47.44	-13	Pass	2001
3000	3690	1	RMS	3397	-44.01	-13	Pass	691
3690	3990	1	RMS	3835.5	21.99	60	Pass	401
3990	6500	1	RMS	6218	-63.77	-13	Pass	2511
6500	26500	1	RMS	25095	-49.32	-13	Pass	20003




28.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.33	-13	Pass	2986
30	1000	0.1	RMS	904.136	-59.42	-13	Pass	9701
1000	3000	1	RMS	2968	-47.61	-13	Pass	2001
3000	3690	1	RMS	3406	-44.05	-13	Pass	691
3690	3990	1	RMS	3844.5	21.96	60	Pass	401
3990	6500	1	RMS	6393	-63.91	-13	Pass	2511
6500	26500	1	RMS	25103	-49.29	-13	Pass	20003




28.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-66.87	-13	Pass	2986
30	1000	0.1	RMS	962.375	-59.58	-13	Pass	9701
1000	3000	1	RMS	2963	-47.49	-13	Pass	2001
3000	3690	1	RMS	3389	-44	-13	Pass	691
3690	3990	1	RMS	3972	13.38	60	Pass	401
3990	6500	1	RMS	3990	-40.24	-13	Pass	2511
6500	26500	1	RMS	24116	-49.41	-13	Pass	20003




28.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-65.18	-13	Pass	2986
30	1000	0.1	RMS	894.63	-59.33	-13	Pass	9701
1000	3000	1	RMS	2996	-47.44	-13	Pass	2001
3000	3690	1	RMS	3396	-43.92	-13	Pass	691
3690	3990	1	RMS	3970.5	21.8	60	Pass	401
3990	6500	1	RMS	3990	-48.31	-13	Pass	2511
6500	26500	1	RMS	25429	-49.53	-13	Pass	20003




28.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-65.23	-13	Pass	2986
30	1000	0.1	RMS	996.698	-60.25	-13	Pass	9701
1000	3000	1	RMS	2990	-47.58	-13	Pass	2001
3000	3690	1	RMS	3399	-43.98	-13	Pass	691
3690	3990	1	RMS	3979.5	21.84	60	Pass	401
3990	6500	1	RMS	3990	-49.16	-13	Pass	2511
6500	26500	1	RMS	25172	-49.35	-13	Pass	20003




28.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-64.01	-13	Pass	2986
30	1000	0.1	RMS	490.6	-59.68	-13	Pass	9701
1000	3000	1	RMS	2953	-47.38	-13	Pass	2001
3000	3690	1	RMS	3690	-33.14	-13	Pass	691
3690	3990	1	RMS	3735.75	6.76	60	Pass	401
3990	6500	1	RMS	6498	-64.01	-13	Pass	2511
6500	26500	1	RMS	25113	-49.54	-13	Pass	20003




28.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.21	-66.38	-13	Pass	2986
30	1000	0.1	RMS	978.986	-59.23	-13	Pass	9701
1000	3000	1	RMS	2974	-47.48	-13	Pass	2001
3000	3690	1	RMS	3690	-40.38	-13	Pass	691
3690	3990	1	RMS	3700.5	21.33	60	Pass	401
3990	6500	1	RMS	6252	-63.82	-13	Pass	2511
6500	26500	1	RMS	25870	-49.57	-13	Pass	20003




28.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.21	-67.47	-13	Pass	2986
30	1000	0.1	RMS	997.999	-59.78	-13	Pass	9701
1000	3000	1	RMS	2984	-47.57	-13	Pass	2001
3000	3690	1	RMS	3653	-40.77	-13	Pass	691
3690	3990	1	RMS	3749.25	22.07	60	Pass	401
3990	6500	1	RMS	6240	-63.96	-13	Pass	2511
6500	26500	1	RMS	25105	-49.54	-13	Pass	20003




28.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-65.41	-13	Pass	2986
30	1000	0.1	RMS	563.6	-60.03	-13	Pass	9701
1000	3000	1	RMS	2969	-47.53	-13	Pass	2001
3000	3690	1	RMS	3388	-43.91	-13	Pass	691
3690	3990	1	RMS	3830.25	6.67	60	Pass	401
3990	6500	1	RMS	4004	-63.59	-13	Pass	2511
6500	26500	1	RMS	25048	-49.49	-13	Pass	20003




28.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.09	-13	Pass	401
0.15	30	0.01	RMS	0.21	-64.99	-13	Pass	2986
30	1000	0.1	RMS	887.525	-59.54	-13	Pass	9701
1000	3000	1	RMS	2973	-47.5	-13	Pass	2001
3000	3690	1	RMS	3412	-43.96	-13	Pass	691
3690	3990	1	RMS	3816	21.59	60	Pass	401
3990	6500	1	RMS	4440	-63.94	-13	Pass	2511
6500	26500	1	RMS	25096	-49.37	-13	Pass	20003




28.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.28	-65.28	-13	Pass	2986
30	1000	0.1	RMS	870.414	-60.07	-13	Pass	9701
1000	3000	1	RMS	2976	-47.44	-13	Pass	2001
3000	3690	1	RMS	3385	-43.92	-13	Pass	691
3690	3990	1	RMS	3864	21.7	60	Pass	401
3990	6500	1	RMS	4251	-63.99	-13	Pass	2511
6500	26500	1	RMS	25116	-49.64	-13	Pass	20003




28.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-65.06	-13	Pass	2986
30	1000	0.1	RMS	880.921	-60.19	-13	Pass	9701
1000	3000	1	RMS	2957	-47.44	-13	Pass	2001
3000	3690	1	RMS	3388	-44.03	-13	Pass	691
3690	3990	1	RMS	3945	7.01	60	Pass	401
3990	6500	1	RMS	3991	-35.45	-13	Pass	2511
6500	26500	1	RMS	24098	-49.33	-13	Pass	20003




28.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.23	-66.59	-13	Pass	2986
30	1000	0.1	RMS	773.6	-60.18	-13	Pass	9701
1000	3000	1	RMS	2973	-47.52	-13	Pass	2001
3000	3690	1	RMS	3381	-44.12	-13	Pass	691
3690	3990	1	RMS	3930.75	22.52	60	Pass	401
3990	6500	1	RMS	3990	-45.1	-13	Pass	2511
6500	26500	1	RMS	25110	-49.39	-13	Pass	20003




28.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.76	-13	Pass	2986
30	1000	0.1	RMS	898.433	-59.97	-13	Pass	9701
1000	3000	1	RMS	2979	-47.5	-13	Pass	2001
3000	3690	1	RMS	3401	-44	-13	Pass	691
3690	3990	1	RMS	3979.5	21.04	60	Pass	401
3990	6500	1	RMS	3990	-41.95	-13	Pass	2511
6500	26500	1	RMS	24096	-49.24	-13	Pass	20003




28.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-65.42	-13	Pass	2986
30	1000	0.1	RMS	616.7	-60.28	-13	Pass	9701
1000	3000	1	RMS	2963	-47.53	-13	Pass	2001
3000	3690	1	RMS	3690	-34.77	-13	Pass	691
3690	3990	1	RMS	3782.25	3.49	60	Pass	401
3990	6500	1	RMS	3990	-61.83	-13	Pass	2511
6500	26500	1	RMS	25079	-49.51	-13	Pass	20003




28.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-65.94	-13	Pass	2986
30	1000	0.1	RMS	982.889	-59.1	-13	Pass	9701
1000	3000	1	RMS	2964	-47.32	-13	Pass	2001
3000	3690	1	RMS	3680	-41.16	-13	Pass	691
3690	3990	1	RMS	3701.25	20.7	60	Pass	401
3990	6500	1	RMS	4325	-52.14	-13	Pass	2511
6500	26500	1	RMS	25107	-49.32	-13	Pass	20003




28.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-66.76	-13	Pass	2986
30	1000	0.1	RMS	863.71	-60.27	-13	Pass	9701
1000	3000	1	RMS	2972	-47.36	-13	Pass	2001
3000	3690	1	RMS	3690	-40.84	-13	Pass	691
3690	3990	1	RMS	3798.75	20.7	60	Pass	401
3990	6500	1	RMS	4423	-56.97	-13	Pass	2511
6500	26500	1	RMS	24078	-49.26	-13	Pass	20003




28.22. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.18	-65.92	-13	Pass	2986
30	1000	0.1	RMS	984.49	-59.84	-13	Pass	9701
1000	3000	1	RMS	2959	-47.57	-13	Pass	2001
3000	3690	1	RMS	3394	-44.13	-13	Pass	691
3690	3990	1	RMS	3808.5	3.51	60	Pass	401
3990	6500	1	RMS	3990	-50.78	-13	Pass	2511
6500	26500	1	RMS	24104	-49.42	-13	Pass	20003




28.23. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-66.05	-13	Pass	2986
30	1000	0.1	RMS	941.261	-60.08	-13	Pass	9701
1000	3000	1	RMS	2980	-47.49	-13	Pass	2001
3000	3690	1	RMS	3397	-44.08	-13	Pass	691
3690	3990	1	RMS	3791.25	20.49	60	Pass	401
3990	6500	1	RMS	4415	-52.79	-13	Pass	2511
6500	26500	1	RMS	25783	-49.15	-13	Pass	20003




28.24. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.18	-66.47	-13	Pass	2986
30	1000	0.1	RMS	514.6	-59.95	-13	Pass	9701
1000	3000	1	RMS	2961	-47.42	-13	Pass	2001
3000	3690	1	RMS	3402	-44.15	-13	Pass	691
3690	3990	1	RMS	3888.75	21.12	60	Pass	401
3990	6500	1	RMS	4513	-57.83	-13	Pass	2511
6500	26500	1	RMS	25111	-49.38	-13	Pass	20003




28.25. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-62.8	-13	Pass	401
0.15	30	0.01	RMS	0.28	-67.28	-13	Pass	2986
30	1000	0.1	RMS	892.529	-60.42	-13	Pass	9701
1000	3000	1	RMS	2956	-47.39	-13	Pass	2001
3000	3690	1	RMS	3401	-44.15	-13	Pass	691
3690	3990	1	RMS	3927.75	3.68	60	Pass	401
3990	6500	1	RMS	3993	-38.71	-13	Pass	2511
6500	26500	1	RMS	24098	-49.15	-13	Pass	20003




28.26. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-61.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.59	-13	Pass	2986
30	1000	0.1	RMS	920.848	-60.04	-13	Pass	9701
1000	3000	1	RMS	2957	-47.52	-13	Pass	2001
3000	3690	1	RMS	3400	-44.17	-13	Pass	691
3690	3990	1	RMS	3881.25	20.68	60	Pass	401
3990	6500	1	RMS	3990	-42.51	-13	Pass	2511
6500	26500	1	RMS	24133	-49.4	-13	Pass	20003



28.27. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.4	-13	Pass	401
0.15	30	0.01	RMS	0.21	-67.29	-13	Pass	2986
30	1000	0.1	RMS	827.3	-60.35	-13	Pass	9701
1000	3000	1	RMS	2983	-47.42	-13	Pass	2001
3000	3690	1	RMS	3399	-44.1	-13	Pass	691
3690	3990	1	RMS	3978.75	20.7	60	Pass	401
3990	6500	1	RMS	4000	-43.18	-13	Pass	2511
6500	26500	1	RMS	25832	-49.24	-13	Pass	20003



29. n78_(3450-3550MHz)


29.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-65.47	-13	Pass	2986
30	1000	0.1	RMS	764	-59.24	-13	Pass	9701
1000	3000	1	RMS	2945	-47.55	-13	Pass	2001
3000	3440	1	RMS	3440	-36.6	-13	Pass	441
3440	3560	1	RMS	3452.3	15.03	60	Pass	401
3560	6500	1	RMS	3573	-63.32	-13	Pass	2941
6500	26500	1	RMS	24122	-49.27	-13	Pass	20003




29.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.18	-64.91	-13	Pass	2986
30	1000	0.1	RMS	999.8	-58.26	-13	Pass	9701
1000	3000	1	RMS	2975	-47.5	-13	Pass	2001
3000	3440	1	RMS	3440	-42.61	-13	Pass	441
3440	3560	1	RMS	3450.5	23.73	60	Pass	401
3560	6500	1	RMS	3711	-63.41	-13	Pass	2941
6500	26500	1	RMS	25815	-49.44	-13	Pass	20003




29.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-74.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.23	-13	Pass	2986
30	1000	0.1	RMS	980.987	-59.97	-13	Pass	9701
1000	3000	1	RMS	2964	-47.54	-13	Pass	2001
3000	3440	1	RMS	3440	-42.54	-13	Pass	441
3440	3560	1	RMS	3459.5	23.46	60	Pass	401
3560	6500	1	RMS	3564	-63.17	-13	Pass	2941
6500	26500	1	RMS	26091	-49.73	-13	Pass	20003




29.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.32	-13	Pass	2986
30	1000	0.1	RMS	994.196	-59.29	-13	Pass	9701
1000	3000	1	RMS	2940	-47.58	-13	Pass	2001
3000	3440	1	RMS	3382	-44.1	-13	Pass	441
3440	3560	1	RMS	3496.7	14.28	60	Pass	401
3560	6500	1	RMS	3562	-63.46	-13	Pass	2941
6500	26500	1	RMS	25073	-49.45	-13	Pass	20003




29.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.59	-13	Pass	2986
30	1000	0.1	RMS	859.207	-59.8	-13	Pass	9701
1000	3000	1	RMS	2950	-47.48	-13	Pass	2001
3000	3440	1	RMS	3393	-44.2	-13	Pass	441
3440	3560	1	RMS	3495.5	23	60	Pass	401
3560	6500	1	RMS	3564	-63.43	-13	Pass	2941
6500	26500	1	RMS	24121	-49.03	-13	Pass	20003




29.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.33	-13	Pass	2986
30	1000	0.1	RMS	636.4	-60.24	-13	Pass	9701
1000	3000	1	RMS	2977	-47.57	-13	Pass	2001
3000	3440	1	RMS	3402	-44.14	-13	Pass	441
3440	3560	1	RMS	3504.5	22.94	60	Pass	401
3560	6500	1	RMS	3578	-63.35	-13	Pass	2941
6500	26500	1	RMS	24081	-49.54	-13	Pass	20003




29.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.19	-65.11	-13	Pass	2986
30	1000	0.1	RMS	347.5	-60.67	-13	Pass	9701
1000	3000	1	RMS	2964	-47.43	-13	Pass	2001
3000	3440	1	RMS	3390	-44.1	-13	Pass	441
3440	3560	1	RMS	3547.1	14.53	60	Pass	401
3560	6500	1	RMS	3560	-36.96	-13	Pass	2941
6500	26500	1	RMS	25101	-49.37	-13	Pass	20003




29.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.65	-13	Pass	2986
30	1000	0.1	RMS	921.048	-60.08	-13	Pass	9701
1000	3000	1	RMS	2969	-47.54	-13	Pass	2001
3000	3440	1	RMS	3397	-44.17	-13	Pass	441
3440	3560	1	RMS	3540.5	23.23	60	Pass	401
3560	6500	1	RMS	3560	-46.48	-13	Pass	2941
6500	26500	1	RMS	25115	-49.48	-13	Pass	20003




29.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-66.26	-13	Pass	2986
30	1000	0.1	RMS	576.3	-59.29	-13	Pass	9701
1000	3000	1	RMS	2946	-47.44	-13	Pass	2001
3000	3440	1	RMS	3398	-44.11	-13	Pass	441
3440	3560	1	RMS	3549.5	23.49	60	Pass	401
3560	6500	1	RMS	3560	-47.71	-13	Pass	2941
6500	26500	1	RMS	25096	-49.12	-13	Pass	20003




29.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-66.85	-13	Pass	2986
30	1000	0.1	RMS	980.887	-60.17	-13	Pass	9701
1000	3000	1	RMS	2981	-47.58	-13	Pass	2001
3000	3440	1	RMS	3440	-31.49	-13	Pass	441
3440	3560	1	RMS	3485.9	7.25	60	Pass	401
3560	6500	1	RMS	3560	-47.75	-13	Pass	2941
6500	26500	1	RMS	24113	-49.61	-13	Pass	20003




29.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-66.76	-13	Pass	2986
30	1000	0.1	RMS	997.799	-60.46	-13	Pass	9701
1000	3000	1	RMS	2971	-47.54	-13	Pass	2001
3000	3440	1	RMS	3440	-40.29	-13	Pass	441
3440	3560	1	RMS	3450.8	22.8	60	Pass	401
3560	6500	1	RMS	3569	-53.33	-13	Pass	2941
6500	26500	1	RMS	25050	-49.26	-13	Pass	20003




29.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.21	-66.43	-13	Pass	2986
30	1000	0.1	RMS	948.366	-59.9	-13	Pass	9701
1000	3000	1	RMS	2962	-47.51	-13	Pass	2001
3000	3440	1	RMS	3402	-40.08	-13	Pass	441
3440	3560	1	RMS	3499.1	22.71	60	Pass	401
3560	6500	1	RMS	3563	-55.17	-13	Pass	2941
6500	26500	1	RMS	25062	-49.38	-13	Pass	20003




29.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.18	-65.62	-13	Pass	2986
30	1000	0.1	RMS	976.785	-60.29	-13	Pass	9701
1000	3000	1	RMS	3000	-47.4	-13	Pass	2001
3000	3440	1	RMS	3440	-38.38	-13	Pass	441
3440	3560	1	RMS	3490.1	7.12	60	Pass	401
3560	6500	1	RMS	3560	-38.66	-13	Pass	2941
6500	26500	1	RMS	25102	-49.39	-13	Pass	20003




29.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.21	-66.63	-13	Pass	2986
30	1000	0.1	RMS	890.427	-59.04	-13	Pass	9701
1000	3000	1	RMS	2959	-47.46	-13	Pass	2001
3000	3440	1	RMS	3434	-43.86	-13	Pass	441
3440	3560	1	RMS	3475.7	22.89	60	Pass	401
3560	6500	1	RMS	3573	-42.34	-13	Pass	2941
6500	26500	1	RMS	25096	-48.98	-13	Pass	20003




29.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-66.62	-13	Pass	2986
30	1000	0.1	RMS	843.1	-60.13	-13	Pass	9701
1000	3000	1	RMS	2959	-47.42	-13	Pass	2001
3000	3440	1	RMS	3427	-41.71	-13	Pass	441
3440	3560	1	RMS	3524.3	22.69	60	Pass	401
3560	6500	1	RMS	3567	-50.58	-13	Pass	2941
6500	26500	1	RMS	24097	-48.89	-13	Pass	20003




29.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.68	-13	Pass	2986
30	1000	0.1	RMS	858.506	-59.89	-13	Pass	9701
1000	3000	1	RMS	2964	-47.62	-13	Pass	2001
3000	3440	1	RMS	3440	-43.23	-13	Pass	441
3440	3560	1	RMS	3535.4	7.2	60	Pass	401
3560	6500	1	RMS	3560	-31.16	-13	Pass	2941
6500	26500	1	RMS	25115	-49.26	-13	Pass	20003




29.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.21	-13	Pass	401
0.15	30	0.01	RMS	0.51	-68.38	-13	Pass	2986
30	1000	0.1	RMS	915.844	-59.63	-13	Pass	9701
1000	3000	1	RMS	2956	-47.46	-13	Pass	2001
3000	3440	1	RMS	3396	-44.07	-13	Pass	441
3440	3560	1	RMS	3500.9	22.71	60	Pass	401
3560	6500	1	RMS	3598	-40.44	-13	Pass	2941
6500	26500	1	RMS	24104	-49.31	-13	Pass	20003



29.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.87	-13	Pass	401
0.15	30	0.01	RMS	0.5	-69.26	-13	Pass	2986
30	1000	0.1	RMS	494.5	-58.88	-13	Pass	9701
1000	3000	1	RMS	2934	-47.47	-13	Pass	2001
3000	3440	1	RMS	3391	-44.11	-13	Pass	441
3440	3560	1	RMS	3549.2	23.33	60	Pass	401
3560	6500	1	RMS	3560	-40.7	-13	Pass	2941
6500	26500	1	RMS	24094	-49.46	-13	Pass	20003



29.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.33	-66.46	-13	Pass	2986
30	1000	0.1	RMS	640.7	-60.56	-13	Pass	9701
1000	3000	1	RMS	2957	-47.49	-13	Pass	2001
3000	3440	1	RMS	3440	-31.75	-13	Pass	441
3440	3560	1	RMS	3467.3	4.74	60	Pass	401
3560	6500	1	RMS	3560	-33.68	-13	Pass	2941
6500	26500	1	RMS	25503	-49.6	-13	Pass	20003

