



**29.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.21	-66.13	-13	Pass	2986
30	1000	0.1	RMS	684.5	-59.99	-13	Pass	9701
1000	3000	1	RMS	2968	-47.63	-13	Pass	2001
3000	3440	1	RMS	3430	-39.77	-13	Pass	441
3440	3560	1	RMS	3451.1	22.8	60	Pass	401
3560	6500	1	RMS	3567	-38.85	-13	Pass	2941
6500	26500	1	RMS	24093	-49.29	-13	Pass	20003



**29.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-66.79	-13	Pass	2986
30	1000	0.1	RMS	345.9	-60.06	-13	Pass	9701
1000	3000	1	RMS	2985	-47.63	-13	Pass	2001
3000	3440	1	RMS	3433	-39.26	-13	Pass	441
3440	3560	1	RMS	3548.9	22.45	60	Pass	401
3560	6500	1	RMS	3570	-42.37	-13	Pass	2941
6500	26500	1	RMS	25109	-49.26	-13	Pass	20003



### 30. n78\_(3700-3800MHz)


**30.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.16	-13	Pass	2986
30	1000	0.1	RMS	965.677	-60.26	-13	Pass	9701
1000	3000	1	RMS	2955	-47.44	-13	Pass	2001
3000	3690	1	RMS	3690	-37.84	-13	Pass	691
3690	3810	1	RMS	3707.4	13.92	60	Pass	401
3810	6500	1	RMS	3812	-63.44	-13	Pass	2691
6500	26500	1	RMS	24087	-49.49	-13	Pass	20003




**30.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.6	-13	Pass	2986
30	1000	0.1	RMS	983.289	-59.32	-13	Pass	9701
1000	3000	1	RMS	2961	-47.59	-13	Pass	2001
3000	3690	1	RMS	3690	-43.83	-13	Pass	691
3690	3810	1	RMS	3700.5	22.7	60	Pass	401
3810	6500	1	RMS	3849	-63.48	-13	Pass	2691
6500	26500	1	RMS	25400	-49.2	-13	Pass	20003




**30.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.32	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.44	-13	Pass	2986
30	1000	0.1	RMS	985.691	-59.77	-13	Pass	9701
1000	3000	1	RMS	2965	-47.66	-13	Pass	2001
3000	3690	1	RMS	3690	-43.64	-13	Pass	691
3690	3810	1	RMS	3709.5	22.85	60	Pass	401
3810	6500	1	RMS	3813	-63.02	-13	Pass	2691
6500	26500	1	RMS	24090	-49.54	-13	Pass	20003




**30.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.52	-13	Pass	2986
30	1000	0.1	RMS	889.427	-59.95	-13	Pass	9701
1000	3000	1	RMS	2946	-47.51	-13	Pass	2001
3000	3690	1	RMS	3398	-44.06	-13	Pass	691
3690	3810	1	RMS	3750.6	13.78	60	Pass	401
3810	6500	1	RMS	3826	-63.32	-13	Pass	2691
6500	26500	1	RMS	25103	-49.44	-13	Pass	20003




**30.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.76	-13	Pass	401
0.15	30	0.01	RMS	0.68	-68.66	-13	Pass	2986
30	1000	0.1	RMS	984.79	-60.54	-13	Pass	9701
1000	3000	1	RMS	2992	-47.54	-13	Pass	2001
3000	3690	1	RMS	3414	-44.19	-13	Pass	691
3690	3810	1	RMS	3745.5	22.65	60	Pass	401
3810	6500	1	RMS	3849	-63.48	-13	Pass	2691
6500	26500	1	RMS	25152	-49.54	-13	Pass	20003



**30.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.83	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.02	-13	Pass	2986
30	1000	0.1	RMS	972.982	-59.81	-13	Pass	9701
1000	3000	1	RMS	2996	-47.51	-13	Pass	2001
3000	3690	1	RMS	3393	-43.98	-13	Pass	691
3690	3810	1	RMS	3754.5	22.6	60	Pass	401
3810	6500	1	RMS	3828	-62.82	-13	Pass	2691
6500	26500	1	RMS	24111	-49.41	-13	Pass	20003






**30.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.83	-13	Pass	401
0.15	30	0.01	RMS	0.44	-67.93	-13	Pass	2986
30	1000	0.1	RMS	957.372	-60.11	-13	Pass	9701
1000	3000	1	RMS	2966	-47.44	-13	Pass	2001
3000	3690	1	RMS	3385	-44.2	-13	Pass	691
3690	3810	1	RMS	3797.1	13.58	60	Pass	401
3810	6500	1	RMS	3810	-39.13	-13	Pass	2691
6500	26500	1	RMS	25454	-49.52	-13	Pass	20003




**30.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.42	-13	Pass	401
0.15	30	0.01	RMS	1.04	-69.9	-13	Pass	2986
30	1000	0.1	RMS	363.8	-60.06	-13	Pass	9701
1000	3000	1	RMS	2958	-47.55	-13	Pass	2001
3000	3690	1	RMS	3399	-44.13	-13	Pass	691
3690	3810	1	RMS	3790.5	22.44	60	Pass	401
3810	6500	1	RMS	3810	-47.38	-13	Pass	2691
6500	26500	1	RMS	25092	-49.5	-13	Pass	20003




**30.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.12	-13	Pass	401
0.15	30	0.01	RMS	4.93	-69.35	-13	Pass	2986
30	1000	0.1	RMS	972.682	-60.34	-13	Pass	9701
1000	3000	1	RMS	2979	-47.38	-13	Pass	2001
3000	3690	1	RMS	3401	-44.24	-13	Pass	691
3690	3810	1	RMS	3799.5	22.48	60	Pass	401
3810	6500	1	RMS	3810	-48.31	-13	Pass	2691
6500	26500	1	RMS	24146	-49.59	-13	Pass	20003




**30.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.33	-13	Pass	401
0.15	30	0.01	RMS	0.44	-68.65	-13	Pass	2986
30	1000	0.1	RMS	987.592	-60.31	-13	Pass	9701
1000	3000	1	RMS	2946	-47.64	-13	Pass	2001
3000	3690	1	RMS	3690	-32.58	-13	Pass	691
3690	3810	1	RMS	3735.6	7.02	60	Pass	401
3810	6500	1	RMS	3810	-48.21	-13	Pass	2691
6500	26500	1	RMS	25105	-49.31	-13	Pass	20003




**30.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.13	-13	Pass	401
0.15	30	0.01	RMS	0.32	-68.9	-13	Pass	2986
30	1000	0.1	RMS	974.483	-60.27	-13	Pass	9701
1000	3000	1	RMS	2973	-47.36	-13	Pass	2001
3000	3690	1	RMS	3690	-40.09	-13	Pass	691
3690	3810	1	RMS	3700.8	22.73	60	Pass	401
3810	6500	1	RMS	3819	-52.69	-13	Pass	2691
6500	26500	1	RMS	26047	-49.6	-13	Pass	20003




**30.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.7	-13	Pass	401
0.15	30	0.01	RMS	0.33	-69.68	-13	Pass	2986
30	1000	0.1	RMS	890.227	-60.04	-13	Pass	9701
1000	3000	1	RMS	2978	-47.36	-13	Pass	2001
3000	3690	1	RMS	3652	-41.19	-13	Pass	691
3690	3810	1	RMS	3749.1	22.64	60	Pass	401
3810	6500	1	RMS	3814	-55.18	-13	Pass	2691
6500	26500	1	RMS	25089	-49.44	-13	Pass	20003




**30.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.3	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.77	-13	Pass	2986
30	1000	0.1	RMS	879.52	-60.36	-13	Pass	9701
1000	3000	1	RMS	2963	-47.33	-13	Pass	2001
3000	3690	1	RMS	3690	-38.97	-13	Pass	691
3690	3810	1	RMS	3740.1	6.93	60	Pass	401
3810	6500	1	RMS	3810	-40.1	-13	Pass	2691
6500	26500	1	RMS	24105	-49.49	-13	Pass	20003



**30.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.8	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.46	-13	Pass	2986
30	1000	0.1	RMS	473.1	-60.13	-13	Pass	9701
1000	3000	1	RMS	2989	-47.45	-13	Pass	2001
3000	3690	1	RMS	3392	-44.09	-13	Pass	691
3690	3810	1	RMS	3725.7	22.74	60	Pass	401
3810	6500	1	RMS	3823	-44.45	-13	Pass	2691
6500	26500	1	RMS	25074	-49.08	-13	Pass	20003






**30.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.1	-13	Pass	401
0.15	30	0.01	RMS	0.59	-69.12	-13	Pass	2986
30	1000	0.1	RMS	959.273	-60.44	-13	Pass	9701
1000	3000	1	RMS	2966	-47.51	-13	Pass	2001
3000	3690	1	RMS	3677	-42.79	-13	Pass	691
3690	3810	1	RMS	3774.3	22.55	60	Pass	401
3810	6500	1	RMS	3818	-49.9	-13	Pass	2691
6500	26500	1	RMS	25121	-49.47	-13	Pass	20003




**30.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.82	-13	Pass	401
0.15	30	0.01	RMS	0.68	-68.48	-13	Pass	2986
30	1000	0.1	RMS	993.195	-60.04	-13	Pass	9701
1000	3000	1	RMS	2963	-47.54	-13	Pass	2001
3000	3690	1	RMS	3690	-44.09	-13	Pass	691
3690	3810	1	RMS	3785.4	6.84	60	Pass	401
3810	6500	1	RMS	3812	-34.13	-13	Pass	2691
6500	26500	1	RMS	25412	-49.2	-13	Pass	20003




**30.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.01	-13	Pass	401
0.15	30	0.01	RMS	0.32	-69.35	-13	Pass	2986
30	1000	0.1	RMS	477.8	-60.21	-13	Pass	9701
1000	3000	1	RMS	2956	-47.53	-13	Pass	2001
3000	3690	1	RMS	3400	-44.1	-13	Pass	691
3690	3810	1	RMS	3750.9	22.41	60	Pass	401
3810	6500	1	RMS	3810	-44.23	-13	Pass	2691
6500	26500	1	RMS	25098	-49.35	-13	Pass	20003




**30.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.91	-13	Pass	2986
30	1000	0.1	RMS	952.669	-60.1	-13	Pass	9701
1000	3000	1	RMS	2956	-47.51	-13	Pass	2001
3000	3690	1	RMS	3391	-44.06	-13	Pass	691
3690	3810	1	RMS	3799.2	22.53	60	Pass	401
3810	6500	1	RMS	3810	-41.67	-13	Pass	2691
6500	26500	1	RMS	25101	-49.36	-13	Pass	20003




**30.19. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-66.01	-13	Pass	2986
30	1000	0.1	RMS	993.596	-60.19	-13	Pass	9701
1000	3000	1	RMS	2938	-47.52	-13	Pass	2001
3000	3690	1	RMS	3690	-34.13	-13	Pass	691
3690	3810	1	RMS	3717.3	3.69	60	Pass	401
3810	6500	1	RMS	3812	-36.45	-13	Pass	2691
6500	26500	1	RMS	25771	-49.39	-13	Pass	20003




**30.20. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.21	-66.03	-13	Pass	2986
30	1000	0.1	RMS	488.5	-60.43	-13	Pass	9701
1000	3000	1	RMS	2958	-47.51	-13	Pass	2001
3000	3690	1	RMS	3680	-41.13	-13	Pass	691
3690	3810	1	RMS	3701.1	21.81	60	Pass	401
3810	6500	1	RMS	3817	-40.57	-13	Pass	2691
6500	26500	1	RMS	25753	-49.53	-13	Pass	20003



**30.21. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.69	-13	Pass	2986
30	1000	0.1	RMS	923.649	-59.84	-13	Pass	9701
1000	3000	1	RMS	2969	-47.44	-13	Pass	2001
3000	3690	1	RMS	3690	-40.94	-13	Pass	691
3690	3810	1	RMS	3798.9	21.58	60	Pass	401
3810	6500	1	RMS	3820	-42.64	-13	Pass	2691
6500	26500	1	RMS	25105	-49.49	-13	Pass	20003



--BLANK BELOW--