

Report No.: AR/2021/3000901 Page: 1 of 26

FCC TEST REPORT

AR/2021/30009	
Xiaomi Communications Co., Ltd.	
#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China 100085	
Xiaomi Communications Co., Ltd.	
#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085	
Mobile Phone	
M1908C3JGG	
Redmi	
2AFZZC3JGG	
47 CFR Part 2	
47 CFR Part 22 subpart H	
47 CFR Part 24 subpart E	
47 CFR Part 27 subpart C	
FCC KDB 971168 D01 Power Meas License Digital Systems V03r01	
C63.26 (2015)	
2021/3/12	
2021/3/12 to 2021/3/24	
2021/3/24	
PASS *	

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Derele yang

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ags.com

中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



Report No.: AR/2021/3000901 Page: 2 of 26

1 Version

	Revision Record			
Version	Chapter	Date	Modifier	Remark
01		2021-03-24		Original

Authorized for issue by:	
Prepared By	Dee.Zheng
	(Dee Zheng) / Engineer
Checked By	Daniel Wang
	(Daniel Wang) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoncrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: ON_Doccheck@ags.com

www.sysgroup.com 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2021/3000901 Page: 3 of 26

Contents

1	Versio	on	2
2	Test S	Summary	4
	2.1	GSM850/UMTS Band 5 & LTE Band 5	4
	2.2	GSM 1900/UMTS Band 2 /LTE Band 2	4
	2.3	UMTS Band 4 /LTE Band 4	5
	2.4	LTE Band 7/38/CA_7C/ CA_38C	5
3	Gene	ral Information	7
	3.1	Details of Client	7
	3.2	Test Location	7
	3.3	Test Facility	7
	3.4	General Description of EUT	8
	3.5	Test Mode	8
	3.6	Test Environment	9
	3.7	Technical Specification	9
	3.8	Test Frequencies	12
4	Descr	ription of Tests	17
	4.1	Conducted Output Power	17
	4.2	Effective (Isotropic) Radiated Power of Transmitter	17
	4.3	Occupied Bandwidth	17
	4.4	Band Edge at Antenna Terminals	18
	4.5	Spurious And Harmonic Emissions at Antenna Terminal	19
	4.6	Peak-Average Ratio	19
	4.7	Frequency Stability / Temperature Variation	20
	4.8	Test Setups	21
	2	4.8.1 Test Setup 1	21
	2	4.8.2 Test Setup 3	21
	4.9	Test Conditions	22
5	Main	Test Instruments	24
6	Meas	urement Uncertainty	25
7	Apper	ndixes	26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: AR/2021/3000901 Page: 4 of 26

Test Summary 2

2.1 GSM850/UMTS Band 5 & LTE Band 5

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power	§2.1046, §22.913	FCC: ERP ≤ 7 W	Section 1 of	Pass
Output Data	322.010		Appendix B	
Peak-Average Ratio		Limit≤13 dB	Section 2 of Appendix B	Pass
Modulation Characteristics	§2.1047	Digital modulation	Section 3 of	Pass
Characteristics			Appendix B	
Bandwidth	§2.1049	OBW: No limit.	Section 4 of	Pass
	-	EBW: No limit.	Appendix B	
Band Edges Compliance	§2.1051, §22.917	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B	Pass
Spurious Emission at Antenna Terminals	§2.1051, §22.917	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges.	Section 6 of Appendix B	Pass
Frequency Stability	§2.1055, §22.355	≤ ±2.5ppm.	Section 7 of Appendix B	Pass
Remark: For the verdict, the "N/A" denotes "not applicable", the "N/T" denotes "not tested".				

2.2 GSM 1900/UMTS Band 2 /LTE Band 2

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power	§2.1046, §24.232	EIRP ≤ 2 W	Section 1 of	Pass
Output Data	6		Appendix B	
Peak-Average Ratio	§2.1046, §24.232	Limit≤13 dB	Section 2 of Appendix B	Pass
110	327.202			
Modulation	§2.1047	Digital modulation	Section 3 of	Pass
Characteristics	_		Appendix B	
Bandwidth	§2.1049	OBW: No limit.	Section 4 of	Pass
	_	EBW: No limit.	Appendix B	
Band Edges Compliance	§2.1051, §24.238	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 5 of Appendix B	Pass
Spurious Emission at Antenna Terminals	§2.1051, §24.238	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 6 of Appendix B	Pass
Frequency Stability	§2.1055, §24.235	≤ ±2.5 ppm.	Section 7 of Appendix B	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this ter report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@ess.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SG:

Report No.: AR/2021/3000901

Page: 5 of 26

Remark: For the verdict, the "N/A" denotes "not applicable", the "N/T" denotes "not tested".

2.3 UMTS Band 4 /LTE Band 4

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)	EIRP ≤ 1 W	Section 1 of Appendix B	Pass
Peak-Average Ratio	§2.1046, §27.50(d)	Limit≤13 dB	Section 2 of Appendix B	Pass
Modulation Characteristics	§2.1047	Digital modulation	Section 3 of Appendix B	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 4 of Appendix B	Pass
Band Edges Compliance	§2.1051, §27.53(h)	 ≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block. 	Section 5 of Appendix B	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 6 of Appendix B	Pass
Frequency Stability	§2.1055, §27.54	≤ ±2.5 ppm.	Section 7 of Appendix B	Pass
Remark: For the verdict, the "N/A" denotes "not applicable", the "N/T" denotes "not tested".				

2.4 LTE Band 7/38/CA_7C/ CA_38C

Test Item	FCC Rule No.	Requirements	Test Result	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(h)	EIRP ≤ 2W	Section 1 of Appendix B	Pass
			••	
Peak-Average Ratio	§27.50(a)	≤13 dB	Section 2 of Appendix B	Pass
Modulation	§2.1047	Digital modulation	Section 3 of	Pass
Characteristics	32.1017		Appendix B	1 400
Bandwidth	§2.1049	OBW: No limit.	Section 4 of	Pass
	3	EBW: No limit.	Appendix B	
Band Edges Compliance	§2.1051, §27.53(m4)	For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the	Section 5 of Appendix B	Pass



)	Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ggs.com/en/Terms-and-Conditions.ags.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u> . Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the enternet or appearance of this document is satured to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,
	or email: <u>CN.Doccheck@sgs.com</u>
b.Ltd.	No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sasgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2021/3000901

		Page:	6 of 26	
		greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section.		
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)	P kHz 95 MHz XMHz 10th harmonics X=Max {6MHz, EBW}	Section 6 of Appendix B	Pass
Frequency Stability	§2.1055, §27.54	Within authorized bands of operation/frequency block.	Section 7 of Appendix B	Pass
Remark: For the verdict, the "N/A" denotes "not applicable", the "N/T" denotes "not tested".				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoncrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itest entation, forgrey or falsification of the content or email: CN.Doccheck@gs.com No.1Worksho, M-10, Middle Section, Science & technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

www.sysgroup.com 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2021/3000901 Page: 7 of 26

3 General Information

3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC – Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.





Report No.: AR/2021/3000901 Page: 8 of 26

3.4 General Description of EUT

EUT Description:	Mobile Phone		
Model No.:	M1908C3JGG		
Brand mark:	Redmi		
Hardware Version:	P1		
Software Version:	MIUI12.5		
Sample Type:	⊠ Portable Device, □Module		
Antenna Type:	PIFA Antenna		
Antenna Gain:	GSM850: -3.61dBi(ANT1); GSM1900: -1dBi(ANT1); WCDMA Band II: -1dBi(ANT1); -5.7dBi(ANT2); WCDMA Band IV: -0.5dBi(ANT1); -4.3dBi(ANT2); WCDMA Band V: -3.61dBi(ANT1); -5dBi(ANT2); LTE Band 2: -1dBi(ANT1); -5.7dBi(ANT2); LTE Band 4: -0.5dBi(ANT1); -4.3dBi(ANT2); LTE Band 4: -0.5dBi(ANT1); -4.3dBi(ANT2); LTE Band 5: -3.61dBi(ANT1); -5dBi(ANT2); LTE Band 7: -0.4dBi(ANT1); -1.4dBi(ANT2); LTE Band 38: 0.7dBi(ANT1); 1dBi(ANT2); LTE CA_7C:-0.4dBi(ANT1); -1.4dBi(ANT2); LTE CA_38C: 0.7dBi(ANT1); 1dBi(ANT2);		

3.5 Test Mode

Test Mode	Test Modes Description
GSM/TM1	GSM system, GSM/GPRS, GMSK modulation
GSM/TM2	GSM system, EGPRS, 8PSK modulation
UMTS/TM1	UMTS system, WCDMA, QPSK modulation
LTE/TM1	LTE system, QPSK modulation
LTE/TM2	LTE system, 16QAM modulation

Remark: The test mode(s) are selected according to relevant radio technology specifications.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction Issues defined therein. Any holder of this document is a advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2021/3000901 9 of 26 Page:

3.6 Test Environment

Operating Environment:				
Humidity:	50 %	6 RH		
Atmospheric Pressure:	101.30 KPa			
Temperature	NT	25 °C		
	LV	3.6V		
Voltage:	NV	3.85V		
	HV	4.4V		

Remark: LV= lower extreme test voltage; NV= nominal voltage

HV= upper extreme test voltage; NT= normal temperature

3.7 Technical Specification

Characteristics	Description			
	GSM			
Radio System Type				
	🛛 LTE			
	Band	ТХ	RX	
	GSM850	824 to 849 MHz	869 to 894 MHz	
	GSM1900	1850 to 1910 MHz	1930 to 1990 MHz	
	UMTS Band II	1850 to 1910 MHz	1930 to 1990 MHz	
	UMTS Band IV	1710 to 1755 MHz	2110 to 2155 MHz	
	UMTS Band V	824 to 849 MHz	869 to 894 MHz	
Supported Frequency Range	LTE Band 2	1850 to 1910 MHz	1930 to 1990 MHz	
	LTE Band 4	1710 to 1755 MHz	2110 to 2155 MHz	
	LTE Band 5	824 to 849 MHz	869 to 894 MHz	
	LTE Band 7	2500 to 2570 MHz	2620 to 2690 MHz	
	LTE Band 38	2570 to 2620 MHz	2570 to 2620 MHz	
	LTE CA_7C	2500 to 2570 MHz	2620 to 2690 MHz	
	LTE CA_38C	2570 to 2620 MHz	2570 to 2620 MHz	
GSM850:33.5 dBm GSM1900: 30.5dBm UMTS Band II: 24dBm UMTS Band IV: 24dBm UMTS Band V: 24dBm LTE Band 2: 24dBm LTE Band 2: 24dBm LTE Band 4: 24dBm LTE Band 5: 24.5dBm LTE Band 7: 24dBm				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excented parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to extra parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faislification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test dand such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: ON Doccheck@ess.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com 中国·深圳·科技园中区M-10栋一号厂房



Report No.: AR/2021/3000901 Page: 10 of 26

		Pa	age:	10 of 26
	LTE Band 38: 24dBm			
	LTE CA_7C: 24dBm			
	LTE CA_38C: 24dBm			
	GSM system:		⊠0.2 Mŀ	
	UMTS system:		S MHz	
	LTE Band 2			Iz;⊠3 MHz; ⊠5 MHz; ⊠
				⊠15 MHz, ⊠20 MHz
	LTE Band 4			Hz;⊠3 MHz; ⊠5 MHz; ⊠
				⊠15 MHz, ⊠20 MHz
	LTE Band 5			Hz;⊠3 MHz; ⊠5 MHz; ⊠
			10 MHz	
	LTE Band 7			; 🖂 10 MHz; 🖂 15 MHz, 🖂
			20 MHz	
	LTE Band38		I ⊠5 MHz 20 MHz	; 🖾 10 MHz; 🖾 15 MHz, 🖾
Supported Channel Bandwidth				
				⊠10MHz+20MHz
				⊠10MHz+15MHz
	LTE Band CA_7C			⊠15MHz+15MHz
				⊠15MHz+20MHz
				20MHz+20MHz
	LTE Band CA_38C			⊠15MHz+15MHz
	LTE Band CA_36C			⊠20MHz+20MHz
				—
	Note1: WCDMA supports HSUPA, HSDPA, DS-HSDPA, but only the wors			-HSDPA, but only the worst
	case was tested and the	data displaye	d in this re	port.
Characteristics	Description			
	Description GSM850	2406020	; 247KG7\	Δ/
	GSM1900		/; 247KG7\ /; 247KG7\	
	UMTS Band II	4M20F9W	1	v v
	UMTS Band IV	4M19F9W	1	
	UMTS Band V	4M19F9W	1	
			, ;1M09W7E).
			;2M68W7E	
Designation of Emissions			;4M48W7E	
Designation of Emissions	LTE Band 2		;8M93W7E	
(Remark: the necessary			;13M6W7E	
bandwidth of which is the			;18M0W7E	
worst value from the		1M09G7D	;1M09W7E);
measured occupied bandwidths for each type of			;2M68W7E	
channel bandwidth	LTE Band 4		9G7D;4M48W7D;	
configuration.)			;8M93W7E	
			;13M6W7E	
			;17M9W7E	
			;1M09W7E	
	LTE Band 5		;2M69W7E	
	4M48G7D			
		9102070	·ON/00\//7F) .
		8M93G7D		
	LTE Band 7	4M48G7D	;8M93W7E ;4M49W7E ;8M95W7E);



	Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and
.td.	No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn
	中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2021/3000901

pade.	11 of 26	

	Page: 11 of 26
	13M5G7D;13M5W7D;
	17M9G7D;18M0W7D;
	4M48G7D;4M50W7D;
LTE Dand 20	8M91G7D;8M91W7D;
LTE Band 38	13M5G7D;13M4W7D;
	17M9G7D;17M9W7D;
	50RB+100RB:27M7G7D;27M7W7D;
	75RB+50RB:23M2G7D;23M3W7D;
	75RB+75RB:28M3G7D;28M3W7D;
LTE Band CA_7C	75RB+100RB:32M7G7D;32M8W7D;
	100RB+50RB:28M0G7D;28M0W7D;
	100RB+75RB:32M8G7D;32M9W7D;
	100RB+100RB:37M7G7D;37M6W7D;
	75RB+75RB:28M3G7D;28M4W7D;
LTE Band CA_38C	100RB+100RB:37M5G7D;37M8W7D;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents, studiect to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents, studiect to Terms and Conditions/Terms-end-Conditions.aspx and for electronic Documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2021/3000901 Page: 12 of 26

3.8 Test Frequencies

Test Mode	TX / RX		RF Channel	
Test Mode		Low (L)	Middle (M)	High (H)
	TX	Channel 128	Channel 190	Channel 251
COMOSO		824.2MHz	836.6 MHz	848.8 MHz
GSM850	DV	Channel 128	Channel 190	Channel 251
	RX	869.2 MHz	881.6 MHz	893.8 MHz

Test Mode	TX / RX		RF Channel	
I est Mode		Low (L)	Middle (M)	High (H)
	ТХ	Channel 512	Channel 661	Channel 810
GSM1900		1850.2MHz	1880.0 MHz	1909.8 MHz
GSM1900	RX	Channel 512	Channel 661	Channel 810
	۲A	1930.2 MHz	1960.0 MHz	1989.8 MHz

Test Mode TX / RX			RF Channel	
Test Mode		Low (L)	Middle (M)	High (H)
WCDMA Band II	ТХ	Channel 9262	Channel 9400	Channel 9538
		1852.4 MHz	1880.0 MHz	1907.6 MHz
	υV	Channel 9662	Channel 9800	Channel 9938
	RX	1932.4 MHz	1960.0 MHz	1987.6 MHz

Test Mode	TX / RX		RF Channel	
		Low (L)	Middle (M)	High (H)
		Channel 1312	Channel 1413	Channel 1513
WCDMA Band IV	TX	1712.4MHz	1732.6 MHz	1752.6 MHz
	RX	Channel 1537	Channel 1638	Channel 1738
	۲A	2112.4 MHz	2132.6 MHz	2152.6 MHz

Test Mode	TX / RX	RF Channel					
Test Mode		Low (L)	Middle (M)	High (H)			
	ТХ	Channel 4132	Channel 4182	Channel 4233			
		826.4MHz	836.4 MHz	846.6 MHz			
WCDMA Band V	DV	Channel 4357	Channel 4407	Channel 4458			
	RX	871.4 MHz	881.4 MHz	891.6 MHz			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test relation, forgery or faisification only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egas.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2021/3000901

			Page: 13 of 26				
Teet Mede	Dondwidth		RF Channel				
Test Mode	Bandwidth	TX / RX	Low (L)	Middle (M)	High (H)		
			Channel 18607	Channel 18900	Channel 19193		
		ТХ	1850.7 MHz	1880 MHz	1909.3 MHz		
	1.4MHz	RX	Channel 607	Channel 900	Channel 1193		
		ΓΛ	1930.7 MHz	1960 MHz	1989.3 MHz		
			Channel 18615	Channel 18900	Channel 19185		
		ТХ	1851.5 MHz	1880 MHz	1908.5 MHz		
	3MHz	RX	Channel 615	Channel 900	Channel 1185		
			1931.5 MHz	1960 MHz	1988.5 MHz		
			Channel 18625	Channel 18900	Channel 19175		
	5MHz	ТΧ	1852.5 MHz	1880 MHz	1907.5 MHz		
		RX	Channel 625	Channel 900	Channel1175		
			1932.5 MHz	1960 MHz	1987.5 MHz		
LTE Band 2		ТХ	Channel 18650	Channel 18900	Channel 19150		
			1855 MHz	1880 MHz	1905 MHz		
	10MHz	RX	Channel 650	Channel 900	Channel 1150		
			1935 MHz	1960 MHz	1985 MHz		
			Channel 18675	Channel 18900	Channel 19125		
		ТХ	1857.5 MHz	1880 MHz	1902.5 MHz		
	15MHz	RX	Channel 675	Channel 900	Channel 1125		
			1937.5 MHz	1960 MHz	1982.5 MHz		
			Channel 18700	Channel 18900	Channel 19100		
		ТХ	1860 MHz	1880 MHz	1900 MHz		
	20MHz	RX	Channel 700	Channel 900	Channel 1100		
		ΓΛ	1940 MHz	1960 MHz	1980 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2021/3000901 Page: 14 of 26

Toot Mada	D a se also si altitu		RF Channel				
Test Mode	Bandwidth	TX / RX	Low (L)	Middle (M)	High (H)		
			Channel 19957	Channel 20175	Channel 20393		
		TX	1710.7 MHz	1732.5 MHz	1754.3 MHz		
	1.4MHz	RX	Channel 1975	Channel 2175	Channel 2375		
		ΓΛ	2112.5 MHz	2132.5MHz	2152.5 MHz		
			Channel 19965	Channel 20175	Channel 20385		
		TX	1711.5 MHz	1732.5 MHz	1753.5 MHz		
	3MHz	RX	Channel 2000	Channel 2175	Channel 2350		
		КЛ	2115 MHz	2132.5MHz	2150 MHz		
			Channel 19975	Channel 20175	Channel 20375		
	5MHz	ТХ	1712.5 MHz	1732.5 MHz	1752.5 MHz		
		RX	Channel 1975	Channel 2175	Channel 2375		
			2112.5 MHz	2132.5MHz	2152.5 MHz		
LTE Band 4		ТΧ	Channel 20000	Channel 20175	Channel 20350		
			1715 MHz	1732.5 MHz	1750 MHz		
	10MHz	RX	Channel 2000	Channel 2175	Channel 2350		
			2115 MHz	2132.5MHz	2150 MHz		
			Channel 20025	Channel 20175	Channel 20325		
		TX	1717.5 MHz	1732.5 MHz	1747.5 MHz		
	15MHz	RX	Channel 2025	Channel 2175	Channel 2325		
_			2117.5 MHz	2132.5MHz	2147.5 MHz		
			Channel 20050	Channel 20175	Channel 20300		
		TX	1720 MHz	1732.5 MHz	1745 MHz		
	20MHz	RX	Channel 2050	Channel 2175	Channel 2300		
		ΓΛ	2120 MHz	2132.5MHz	2145 MHz		

Teet Mede	Dondwidth		RF Channel				
Test Mode	Bandwidth	TX / RX	Low (L)	Middle (M)	High (H)		
			Channel 20407	Channel 20525	Channel 20643		
		TX	824.7 MHz	836.5 MHz	848.3 MHz		
	1.4MHz	RX	Channel 2407	Channel 2525	Channel 2643		
		ΓA	869.7 MHz	881.5 MHz	893.3 MHz		
			Channel 20415	Channel 20525	Channel 20635		
	3MHz	TX	825.5 MHz	836.5 MHz	847.5 MHz		
		RX	Channel 2415	Channel 2525	Channel 2635		
			870.5 MHz	881.5 MHz	892.5 MHz		
LTE Band 5		тх	Channel 20425	Channel 20525	Channel 20625		
			826.5 MHz	836.5 MHz	846.5 MHz		
	5MHz	RX	Channel 2425	Channel 2525	Channel 2625		
		ΓΛ	871.5 MHz	881.5 MHz	891.5 MHz		
			Channel 20450	Channel 20525	Channel 20600		
		ТХ	829 MHz	836.5 MHz	844 MHz		
	10MHz	RX	Channel 2450	Channel 2525	Channel 2600		
			874 MHz	881.5 MHz	889 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content of the Content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Ho. Workshop, H=10, mode Section, Science a realining y Fails, Sile izzeri, Cinila S18057 (66-755) 20012053 (66-755) 26710594 www.ssgirudp.com 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2021/3000901

			Page: 15 of 26				
Test Mode	Bandwidth	TX / RX	RF Channel				
Test Mode	Danuwiuun		Low (L)	Middle (M)	High (H)		
			Channel 20775	Channel 21100	Channel 21425		
		ТХ	2502.5 MHz	2535 MHz	2567.5 MHz		
	5MHz	RX	Channel 2775	Channel 3100	Channel 5825		
		КЛ	2622.5 MHz	2655 MHz	2687.5 MHz		
			Channel 20800	Channel 21100	Channel 21400		
	10MHz	TX	2505 MHz	2535 MHz	2565 MHz		
		RX	Channel 2800	Channel 3100	Channel 3400		
			2625 MHz	2655 MHz	2685 MHz		
LTE Band 7		ТХ	Channel 20825	Channel 21100	Channel 21375		
			2507.5 MHz	2535 MHz	2562.5 MHz		
	15MHz	RX	Channel 2825	Channel 3100	Channel 3375		
		КЛ	2627.5 MHz	2655 MHz	2682.5 MHz		
			Channel 20850	Channel 21100	Channel 21350		
		ТХ	2510 MHz	2535 MHz	2560 MHz		
	20MHz	RX	Channel 2850	Channel 3100	Channel 3350		
		ΓΛ	2630 MHz	2655 MHz	2680 MHz		

Test Mode	Bandwidth	TX / RX	RF Channel				
Test Mode	Danuwiutn		Low (L)	Middle (M)	High (H)		
	5MHz	TX/RX	Channel 37775	Channel38000	Channel 38225		
			2572.5 MHz	2595 MHz	2617.5 MHz		
	10MHz	TX/RX	Channel 37800	Channel38000	Channel 38200		
LTE Band 38			2575 MHz	2595 MHz	2615 MHz		
LIE Dallu So	15MHz	TX/RX	Channel 37825	Channel38000	Channel 38175		
			2577.5 MHz	2595 MHz	2612.5 MHz		
	20MHz	TX/RX	Channel 37850	Channel38000	Channel 38150		
			2580 MHz	2595 MHz	2610 MHz		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excente a parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test relation, for gover only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNDoccheck@asps.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2021/3000901 Page: 16 of 26

Table 4.3.1.1.7A-1: Test frequencies for CA_7C

Range	CC-Combo / N _{RB_agg} [RB]	CC1 Note1				CC2 Note1					
		BW [RB]	NuL	f∪∟ [MHz]	NDL	f _{DL} [MHz]	BW [RB]	NuL	f∪∟ [MHz]	NDL	f _{DL} [MHz]
Low	50+100	50	20805	2505.5	2805	2625.5	100	20949	2519.9	2949	2639.9
		100	20850	2510	2850	2630	50	20994	2524.4	2994	2644.4
	75+50	75	20825	2507.5	2825	2627.5	50	20945	2519.5	2945	2639.5
	75+75	75	20825	2507.5	2825	2627.5	75	20975	2522.5	2975	2642.5
	75+100	75	20828	2507.8	2828	2627.8	100	20999	2524.9	2999	2644.9
		100	20850	2510	2850	2630	75	21021	2527.1	3021	2647.1
	100+100	100	20850	2510	2850	2630	100	21048	2529.8	3048	2649.8
Mid	50+100	50	21006	2525.6	3006	2645.6	100	21150	2540	3150	2660
-		100	21051	2530.1	3051	2650.1	50	21195	2544.5	3195	2664.5
	75+50	75	21051	2530.1	3051	2650.1	50	21171	2542.1	3171	2662.1
	75+75	75	21025	2527.5	3025	2647.5	75	21175	2542.5	3175	2662.5
	75+100	75	21003	2525.3	3003	2645.3	100	21174	2542.4	3174	2662.4
		100	21026	2527.6	3026	2647.6	75	21197	2544.7	3197	2664.7
	100+100	100	21001	2525.1	3001	2645.1	100	21199	2544.9	3199	2664.9
High	50+100	50	21206	2545.6	3206	2665.6	100	21350	2560	3350	2680
		100	21251	2550.1	3251	2670.1	50	21395	2564.5	3395	2684.5
	75+50	75	21277	2552.7	3277	2672.7	50	21397	2564.7	3397	2684.7
	75+75	75	21225	2547.5	3225	2667.5	75	21375	2562.5	3375	2682.5
	75+100	75	21179	2542.9	3179	2662.9	100	21350	2560	3350	2680
		100	21201	2545.1	3201	2665.1	75	21372	2562.2	3372	2682.2
	100+100	100	21152	2540.2	3152	2660.2	100	21350	2560	3350	2680
Note 1:	Carriers in inc	reasing f	requency	order.						· · · · ·	

Table 4.3.1.2.6A-1: Test frequencies for CA_38C

Range	CC- Combo / N _{RB_agg} [RB]		CC1 Note1			CC2 Note1		
		BW [RB]	NUL/DL	ful/dl [MHz]	BW [RB]	N _{UL/DL}	ful/dl [MHz]	
Low	75+75	75	37825	2577.5	75	37975	2592.5	
	100+100	100	37850	2580	100	38048	2599.8	
Mid	75+75	75	37925	2587.5	75	38075	2602.5	
	100+100	100	37901	2585.1	100	38099	2604.9	
High	75+75	75	38025	2597.5	75	38175	2612.5	
	100+100	100	37952	2590.2	100	38150	2610	
Note 1:	Carriers in increasing frequency order.							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, resuming the prosecutions and the sample(s) tested and such sample(s) are retained for 30 days only.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.com



Report No.: AR/2021/3000901 Page: 17 of 26

4 Description of Tests

4.1 Conducted Output Power

Measurement Procedure: FCC KDB 971168 D01 V03r01

The transmitter output was connected to a calibrated coaxial cable, attenuator and power meter, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The power output at the transmitter antenna port was determined by adding the value of the cable insertion loss to the power reading. The tests were performed at three frequencies (low channel, middle channel and high channel) and on the highest power levels, which can be setup on the transmitters.

Remark: Reference test setup 1

4.2 Effective (Isotropic) Radiated Power of Transmitter

Measurement Procedure: FCC KDB 971168 D01 V03r01 ; C63.26 (2015) Calculate power in dBm by the following formula: ERP (dBm) = Conducted Power (dBm) + antenna gain (dBd) EIRP(dBm) = Conducted Power (dBm) + antenna gain (dBi) EIRP=ERP+2.15dB

4.3 Occupied Bandwidth

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 4.2

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel, middle channel and high channel). The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts. The resolution bandwidth shall be set to as close to 1 percent of the selected span as is possible without being below 1 percent. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used since a peak or, peak hold, may produce a wider bandwidth than actual. The trace data points are recovered and are directly summed in linear terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5 percent of the total is reached and that frequency recorded. The process is repeated for the highest frequency data points. This frequency is recorded. The span between the two recorded frequencies is the occupied bandwidth.

Remark: Reference test setup 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS

Report No.: AR/2021/3000901 Page: 18 of 26

Test Settings

- The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- 3. VBW ≥ 3 x RBW
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within

1 - 5% of the 99% occupied bandwidth observed in Step 7

4.4 Band Edge at Antenna Terminals

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at two frequencies (low channel and high channel).in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of 100kHz or 1% of the emission bandwidth of the fundamental emission of the transmitter may be employed. The EUT emission bandwidth is measured as the width of the signal between two points, outside of which all emission are attenuated at least 26dB below the transmitter power. The video bandwidth of the spectrum analyzer was set at thrice the resolution bandwidth. Detector Mode was set to rms.

Remark: Reference test setup 1

Test Settings

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW ≥ 1% of the emission bandwidth
- 4. $VBW \ge 3 \times RBW$
- 5. Detector = RMS
- 6. Number of sweep points ≥ 2 x Span/RBW
- 7. Trace mode = trace average for continuous emissions, max hold for pulse emissions

中国·深圳·科技园中区M-10栋一号厂房

- 8. Sweep time = auto couple
- 9. The trace was allowed to stabilize



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) tested on 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@gs.com} [No.1Workshop, M-10.Middle Section, Science & Technology Park, Shenzhen, China 518057 tf (86-755) 26012053 ff (86-755) 26710594 www.sgsgroup.com.cn

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Member of the SGS Group (SGS SA)

sgs.china@sgs.com



Report No.: AR/2021/3000901 Page: 19 of 26

4.5 Spurious And Harmonic Emissions at Antenna Terminal

Measurement Procedure: FCC KDB 971168 D01 V03r01

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyzer, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel). The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. On any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least 43 + 10 log(P) dB. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Remark: Reference test setup 1

Test Settings

- Start frequency was set to 30MHz and stop frequency was set to at least 10 * the fundamental frequency (separated into at least two plots per channel)
- Detector = RMS
- 3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings

4.6 Peak-Average Ratio

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.7.1

A peak to average ratio measurement is performed at the conducted port of the EUT. For WCDMA signals, the spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. For GSM signals, an average and a peak trace are used on a spectrum analyzer to determine the largest deviation between the average and the peak power of the EUT in a bandwidth greater than the emission bandwidth. The traces are generated with the spectrum analyzer set to zero span mode.

Remark: Reference test setup 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.rems-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esg.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tk (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 •深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 tk (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS

Report No.: AR/2021/3000901 Page: 20 of 26

Test Settings

- 1. The signal analyzer's CCDF measurement profile is enabled
- 2. Frequency = carrier center frequency
- 3. Measurement BW > Emission bandwidth of signal
- 4. The signal analyzer was set to collect one million samples to generate the CCDF curve
- 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

4.7 Frequency Stability / Temperature Variation

Measurement Procedure:

Frequency stability testing is performed in accordance with the guidelines of FCC KDB 971168 D01 V03r01; ANSI/C63.26 (2015)

- . The frequency stability of the transmitter is measured by:
- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

Specification – The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

Time Period and Procedure:

- 1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
- 2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
- 3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Remark: Reference test setup 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offender may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing //inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@sags.com

中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2021/3000901 Page: 21 of 26


4.8 Test Setups

4.8.1 Test Setup 1



Ground Reference Plane

4.8.2 Test Setup 3



Ground Reference Plane



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of fhis document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection raport & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CD-Occheck@sgs.com

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



Report No.: AR/2021/3000901 Page: 22 of 26

Test Case)	Test Conditions	5
		Test Environment	Ambient Climate & Rated Voltage
	Average Power,	Test Setup	Test Setup 1
Transmit	Total	RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)
Output		Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1; LTE/TM1;LTE/TM2
Power Data	Average Power,	Test Environment	Ambient Climate & Rated Voltage
	Spectral Density	Test Setup	Test Setup 1
	(if required	RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)
)	Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1; LTE/TM1;LTE/TM2
		Test Environment	Ambient Climate & Rated Voltage
Peak-to-A Ratio	verage	Test Setup	Test Setup 1
(if required)		RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)
		Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1; LTE/TM1;LTE/TM2
		Test Environment	Ambient Climate & Rated Voltage
Modulation	n	Test Setup	Test Setup 1
Characteri	istics	RF Channels (TX)	M (M= middle channel)
		Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1; LTE/TM1;LTE/TM2
	Occupie	Test Environment	Ambient Climate & Rated Voltage
	d	Test Setup	Test Setup 1
	Bandwid th	RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)
Bandwid th		Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1; LTE/TM1;LTE/TM2
	Emissio n	Test Environment	Ambient Climate & Rated Voltage
	Bandwid	Test Setup	Test Setup 1
	th (if	RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Sindings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is tested and such sample(s) is retrained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: <u>CN.Doccheck@gs.com</u> No.1Workshop.M-10,Middle Section,Science & Technology Park, Shenzhen, China <u>518057</u> t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.or mail: <u>518057</u> t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2021/3000901 Page: 23 of 26

	required)	Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1; LTE/TM1;LTE/TM2			
		Test Environment	Ambient Climate & Rated Voltage			
Band Edge	es	Test Setup	Test Setup 1			
Compliand	ce	RF Channels (TX)	L, H (L= low channel, H= high channel)			
		Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1; LTE/TM1;LTE/TM2			
		Test Environment	Ambient Climate & Rated Voltage			
Spurious E at Antenna		Test Setup	Test Setup 1			
Terminals		RF Channels (TX)	L,M, H (L= low channel, M= middle channel, H= high channel)			
		Test Mode	GSM/TM1;UMTS/TM1; LTE/TM1;			
		Test Environment	 (1) -30 °C to +50 °C with step 10 °C at Rated Voltage; (2) VL, VN and VH of Rated Voltage at Ambient Climate. 			
Fraguana	, Stobility	Test Setup	Test Setup 3			
Frequency Stability		RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)			
		Test Mode	GSM/TM1;GSM/TM2;UMTS/TM1; LTE/TM1;LTE/TM2			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents, studiect to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents, studiect to Terms and Conditions/Terms-end-Conditions.aspx and for electronic Documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2021/3000901 Page: 24 of 26

5 Main Test Instruments

RF conducted test									
Toot Equipmont	Manufacturer	Model No.	Inventory	Cal. date	Cal.Due date				
Test Equipment	Manufacturer	Model No.	No.	(yyyy-mm-dd)	(yyyy-mm-dd)				
Dual Output Mobile Communication DC Source	Agilent Technologies Inc	66311B	W009-09	2020/10/22	2021/10/21				
Signal Analyzer	Rohde & Schwarz	FSV	W005-02	2020/4/16	2021/4/15				
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11				
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A				
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/10/22	2021/10/21				
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	W006-17	2020/10/22	2021/10/21				
Temperature Chamber	GIANT FORCE	ICT-150-40- CP-AR	W027-03	2020/10/22	2021/10/21				
Wideband Radio CommunicationTeste	Anristu	MT8821C	6201462742	2020/4/16	2021/4/15				
Wideband Radio CommunicationTester	Rohde & Schwarz	CMW500	W005-02	2020/10/22	2021/10/21				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N_Doccheck@egs.com")

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2021/3000901 Page: 25 of 26

6 Measurement Uncertainty

For a 95% confidence level (k = 2), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

Test Item	Extended Uncertainty	Data
Transmit Output Power Data	Power [dBm]	U =±0.37 dB
Bandwidth	Magnitude [%]	U =± 0.2%
Band Edge Compliance	Disturbance Power [dBm]	U = ±2.0 dB
Spurious Emissions, Conducted	Disturbance Power [dBm]	U = ±2.0 dB
Frequency Stability	Frequency Accuracy [ppm]	U = ±0.24 ppm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditins/Terms-end-Conditions/Terms-end-Conditio

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2021/3000901 Page: 26 of 26

7 Appendixes

Appendix B.1	GSM
Appendix B.2	WCDMA
Appendix B.3	LTE Band 2
Appendix B.4	LTE Band 4
Appendix B.5	LTE Band 5
Appendix B.6	LTE Band 7
Appendix B.7	LTE Band 38
Appendix B.8	LTE CA_7C
Appendix B.9	LTE CA_38C

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writtem approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com