
















































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.532	38.59	-17.41	56.00	28.50	-0.12	10.21	QP
2	0.532	25.29	-20.71	46.00	15.20	-0.12	10.21	Average
3	1.331	41.09	-14.91	56.00	31.21	-0.20	10.08	QP
4	1.331	30.19	-15.81	46.00	20.31	-0.20	10.08	Average
5	1.610	38.77	-17.23	56.00	28.90	-0.21	10.08	QP
6	1.610	29.47	-16.53	46.00	19.60	-0.21	10.08	Average
7	1.772	40.07	-15.93	56.00	30.20	-0.21	10.08	QP
8	1.772	30.47	-15.53	46.00	20.60	-0.21	10.08	Average
9	13.768	43.13	-16.87	60.00	32.19	-0.19	11.13	QP
10	13.768	37.23	-12.77	50.00	26.29	-0.19	11.13	Average
11	15.388	43.52	-16.48	60.00	32.50	-0.20	11.22	QP
12 *	15.388	37.92	-12.08	50.00	26.90	-0.20	11.22	Average



Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jake zhou	Relative Humidity :	52~56%
		Temperature :	22~25℃



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	0	Bluetooth BR_GFSK	00	2402	3DH5	-	-
Mode 2	2400-2483.5	0	Bluetooth BR_GFSK	39	2441	3DH5	-	-
Mode 3	2400-2483.5	0	Bluetooth BR_GFSK	78	2480	3DH5	-	-
Mode 10	2400-2483.5	2	Bluetooth BR_GFSK	00	2402	3DH5	-	-
Mode 11	2400-2483.5	2	Bluetooth BR_GFSK	39	2441	3DH5	-	-
Mode 12	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	3DH5	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2370.71	49.36	74.00	-24.64	V	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	00	4804.00	40.16	74.00	-33.84	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
	Bluetooth BR_GFSK	39	7323.00	41.40	74.00	-32.60	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2483.72	52.81	74.00	-21.19	H	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	78	7440.00	42.24	74.00	-31.76	H	PEAK	Pass	Harmonic
10	Bluetooth BR_GFSK	00	2389.95	50.60	74.00	-23.40	V	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	00	4804.00	52.22	74.00	-21.78	V	PEAK	Pass	Harmonic
11	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
	Bluetooth BR_GFSK	39	4882.00	46.32	74.00	-27.68	V	PEAK	Pass	Harmonic
12	Bluetooth BR_GFSK	78	2483.54	57.44	74.00	-16.56	V	PEAK	Pass	Band Edge
12	Bluetooth BR_GFSK	78	4960.00	46.05	74.00	-27.95	V	PEAK	Pass	Harmonic





Mode	1																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																													
ANT	0																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2342.24</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>41.18</td><td>31.72</td><td>7.09</td><td>36.87</td><td>6.00</td><td>210</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>2342.24</td><td>24.33</td><td>54.00</td><td>-29.67</td><td>16.39</td><td>31.72</td><td>7.09</td><td>36.87</td><td>6.00</td><td>210</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2342.24	49.12	74.00	-24.88	41.18	31.72	7.09	36.87	6.00	210	160	PEAK	2	2342.24	24.33	54.00	-29.67	16.39	31.72	7.09	36.87	6.00	210	160	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.00</td><td>-----</td><td>-----</td><td>97.66</td><td>32.02</td><td>7.18</td><td>36.86</td><td>6.00</td><td>210</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.21</td><td>-----</td><td>-----</td><td>72.87</td><td>32.02</td><td>7.18</td><td>36.86</td><td>6.00</td><td>210</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.00	-----	-----	97.66	32.02	7.18	36.86	6.00	210	160	PEAK	2	2402.00	81.21	-----	-----	72.87	32.02	7.18	36.86	6.00	210	160	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2342.24	49.12	74.00	-24.88	41.18	31.72	7.09	36.87	6.00	210	160	PEAK																																																																																																																		
2	2342.24	24.33	54.00	-29.67	16.39	31.72	7.09	36.87	6.00	210	160	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	106.00	-----	-----	97.66	32.02	7.18	36.86	6.00	210	160	PEAK																																																																																																																		
2	2402.00	81.21	-----	-----	72.87	32.02	7.18	36.86	6.00	210	160	AVERAGE																																																																																																																		





Mode	1																																																																																																																																			
	Band Edge																																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																			
ANT	0																																																																																																																																			
Pol.	Vertical										Fundamental																																																																																																																									
Peak																																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2370.71</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>41.28</td><td>31.82</td><td>7.13</td><td>36.87</td><td>6.00</td><td>340</td><td>200 PEAK</td></tr><tr><td>2</td><td>2370.71</td><td>24.57</td><td>54.00</td><td>-29.43</td><td>16.49</td><td>31.82</td><td>7.13</td><td>36.87</td><td>6.00</td><td>340</td><td>200 AVERAGE</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2370.71	49.36	74.00	-24.64	41.28	31.82	7.13	36.87	6.00	340	200 PEAK	2	2370.71	24.57	54.00	-29.43	16.49	31.82	7.13	36.87	6.00	340	200 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>103.26</td><td>-----</td><td>94.92</td><td>32.02</td><td>7.18</td><td>36.86</td><td>6.00</td><td>340</td><td>200 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.47</td><td>-----</td><td>70.13</td><td>32.02</td><td>7.18</td><td>36.86</td><td>6.00</td><td>340</td><td>200 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	103.26	-----	94.92	32.02	7.18	36.86	6.00	340	200 PEAK	2	2402.00	78.47	-----	70.13	32.02	7.18	36.86	6.00	340	200 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	2370.71	49.36	74.00	-24.64	41.28	31.82	7.13	36.87	6.00	340	200 PEAK																																																																																																																									
2	2370.71	24.57	54.00	-29.43	16.49	31.82	7.13	36.87	6.00	340	200 AVERAGE																																																																																																																									
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	2402.00	103.26	-----	94.92	32.02	7.18	36.86	6.00	340	200 PEAK																																																																																																																										
2	2402.00	78.47	-----	70.13	32.02	7.18	36.86	6.00	340	200 AVERAGE																																																																																																																										





Mode	1																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.22</td><td>74.00</td><td>-34.78</td><td>59.94</td><td>34.32</td><td>10.27</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.22	74.00	-34.78	59.94	34.32	10.27	65.31	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.16</td><td>74.00</td><td>-33.84</td><td>60.88</td><td>34.32</td><td>10.27</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.16	74.00	-33.84	60.88	34.32	10.27	65.31	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4804.00	39.22	74.00	-34.78	59.94	34.32	10.27	65.31	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4804.00	40.16	74.00	-33.84	60.88	34.32	10.27	65.31	0.00	--	--	PEAK																																																																																							





Mode	2																																																																												
	Harmonic																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																												
ANT	0																																																																												
Pol.	Horizontal												Vertical																																																																
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>60.38</td><td>34.63</td><td>10.35</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.23</td><td>74.00</td><td>-32.77</td><td>60.18</td><td>35.72</td><td>12.79</td><td>67.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.11	74.00	-33.89	60.38	34.63	10.35	65.25	0.00	--	--	PEAK	2	7323.00	41.23	74.00	-32.77	60.18	35.72	12.79	67.46	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4882.00	40.11	74.00	-33.89	60.38	34.63	10.35	65.25	0.00	--	--	PEAK																																																																	
2	7323.00	41.23	74.00	-32.77	60.18	35.72	12.79	67.46	0.00	--	--	PEAK																																																																	
																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>60.52</td><td>34.63</td><td>10.35</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.40</td><td>74.00</td><td>-32.60</td><td>60.35</td><td>35.72</td><td>12.79</td><td>67.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.25	74.00	-33.75	60.52	34.63	10.35	65.25	0.00	--	--	PEAK	2	7323.00	41.40	74.00	-32.60	60.35	35.72	12.79	67.46	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4882.00	40.25	74.00	-33.75	60.52	34.63	10.35	65.25	0.00	--	--	PEAK																																																																	
2	7323.00	41.40	74.00	-32.60	60.35	35.72	12.79	67.46	0.00	--	--	PEAK																																																																	





Mode	3																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	0																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.72</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>43.73</td><td>32.60</td><td>7.33</td><td>36.85</td><td>6.00</td><td>131</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>2483.72</td><td>28.02</td><td>54.00</td><td>-25.98</td><td>18.94</td><td>32.60</td><td>7.33</td><td>36.85</td><td>6.00</td><td>131</td><td>159</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.72	52.81	74.00	-21.19	43.73	32.60	7.33	36.85	6.00	131	159	PEAK	2	2483.72	28.02	54.00	-25.98	18.94	32.60	7.33	36.85	6.00	131	159	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>107.34</td><td>-----</td><td>-----</td><td>98.27</td><td>32.60</td><td>7.32</td><td>36.85</td><td>6.00</td><td>131</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.55</td><td>-----</td><td>-----</td><td>73.48</td><td>32.60</td><td>7.32</td><td>36.85</td><td>6.00</td><td>131</td><td>159</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	107.34	-----	-----	98.27	32.60	7.32	36.85	6.00	131	159	PEAK	2	2480.00	82.55	-----	-----	73.48	32.60	7.32	36.85	6.00	131	159	AVERAGE
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2483.72	52.81	74.00	-21.19	43.73	32.60	7.33	36.85	6.00	131	159	PEAK																																																																																																							
2	2483.72	28.02	54.00	-25.98	18.94	32.60	7.33	36.85	6.00	131	159	AVERAGE																																																																																																							
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2480.00	107.34	-----	-----	98.27	32.60	7.32	36.85	6.00	131	159	PEAK																																																																																																							
2	2480.00	82.55	-----	-----	73.48	32.60	7.32	36.85	6.00	131	159	AVERAGE																																																																																																							





Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	0																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.89</td><td>50.43</td><td>74.00</td><td>-23.57</td><td>41.35</td><td>32.60</td><td>7.33</td><td>36.85</td><td>6.00</td><td>114</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2483.89</td><td>25.64</td><td>54.00</td><td>-28.36</td><td>16.56</td><td>32.60</td><td>7.33</td><td>36.85</td><td>6.00</td><td>114</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	50.43	74.00	-23.57	41.35	32.60	7.33	36.85	6.00	114	360	PEAK	2	2483.89	25.64	54.00	-28.36	16.56	32.60	7.33	36.85	6.00	114	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.25</td><td>-----</td><td>-----</td><td>92.18</td><td>32.60</td><td>7.32</td><td>36.85</td><td>6.00</td><td>114</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.46</td><td>-----</td><td>-----</td><td>67.39</td><td>32.60</td><td>7.32</td><td>36.85</td><td>6.00</td><td>114</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.25	-----	-----	92.18	32.60	7.32	36.85	6.00	114	360	PEAK	2	2480.00	76.46	-----	-----	67.39	32.60	7.32	36.85	6.00	114	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.89	50.43	74.00	-23.57	41.35	32.60	7.33	36.85	6.00	114	360	PEAK																																																																																																																		
2	2483.89	25.64	54.00	-28.36	16.56	32.60	7.33	36.85	6.00	114	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	101.25	-----	-----	92.18	32.60	7.32	36.85	6.00	114	360	PEAK																																																																																																																		
2	2480.00	76.46	-----	-----	67.39	32.60	7.32	36.85	6.00	114	360	AVERAGE																																																																																																																		





Mode	3																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.88</td><td>74.00</td><td>-34.12</td><td>60.55</td><td>34.54</td><td>10.44</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>60.49</td><td>35.66</td><td>12.93</td><td>66.84</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.88	74.00	-34.12	60.55	34.54	10.44	65.65	0.00	--	PEAK	2	7440.00	42.24	74.00	-31.76	60.49	35.66	12.93	66.84	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.97</td><td>74.00</td><td>-34.03</td><td>60.64</td><td>34.54</td><td>10.44</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.00</td><td>74.00</td><td>-32.00</td><td>60.25</td><td>35.66</td><td>12.93</td><td>66.84</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.97	74.00	-34.03	60.64	34.54	10.44	65.65	0.00	--	PEAK	2	7440.00	42.00	74.00	-32.00	60.25	35.66	12.93	66.84	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	39.88	74.00	-34.12	60.55	34.54	10.44	65.65	0.00	--	PEAK																																																																																																															
2	7440.00	42.24	74.00	-31.76	60.49	35.66	12.93	66.84	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	39.97	74.00	-34.03	60.64	34.54	10.44	65.65	0.00	--	PEAK																																																																																																															
2	7440.00	42.00	74.00	-32.00	60.25	35.66	12.93	66.84	0.00	--	PEAK																																																																																																															



Mode	10																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2363.56</td><td>49.10</td><td>74.00</td><td>-24.90</td><td>41.07</td><td>31.78</td><td>7.12</td><td>36.87</td><td>6.00</td><td>101</td><td>45 PEAK</td></tr><tr><td>2</td><td>2363.56</td><td>24.31</td><td>54.00</td><td>-29.69</td><td>16.28</td><td>31.78</td><td>7.12</td><td>36.87</td><td>6.00</td><td>101</td><td>45 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2363.56	49.10	74.00	-24.90	41.07	31.78	7.12	36.87	6.00	101	45 PEAK	2	2363.56	24.31	54.00	-29.69	16.28	31.78	7.12	36.87	6.00	101	45 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.18</td><td>-----</td><td>-----</td><td>92.04</td><td>32.02</td><td>7.18</td><td>36.86</td><td>6.00</td><td>101</td><td>45 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.39</td><td>-----</td><td>-----</td><td>68.05</td><td>32.02</td><td>7.18</td><td>36.86</td><td>6.00</td><td>101</td><td>45 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.18	-----	-----	92.04	32.02	7.18	36.86	6.00	101	45 PEAK	2	2402.00	76.39	-----	-----	68.05	32.02	7.18	36.86	6.00	101	45 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2363.56	49.10	74.00	-24.90	41.07	31.78	7.12	36.87	6.00	101	45 PEAK																																																																																																															
2	2363.56	24.31	54.00	-29.69	16.28	31.78	7.12	36.87	6.00	101	45 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2402.00	101.18	-----	-----	92.04	32.02	7.18	36.86	6.00	101	45 PEAK																																																																																																															
2	2402.00	76.39	-----	-----	68.05	32.02	7.18	36.86	6.00	101	45 AVERAGE																																																																																																															





Mode	10																																																																		
	Band Edge																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																		
ANT	2																																																																		
Pol.	Vertical						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>42.36</td><td>31.94</td><td>7.16</td><td>36.86</td><td>6.00</td><td>101</td><td>25 PEAK</td></tr><tr><td>2</td><td>2389.95</td><td>25.81</td><td>54.00</td><td>-28.19</td><td>17.57</td><td>31.94</td><td>7.16</td><td>36.86</td><td>6.00</td><td>101</td><td>25 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.60	74.00	-23.40	42.36	31.94	7.16	36.86	6.00	101	25 PEAK	2	2389.95	25.81	54.00	-28.19	17.57	31.94	7.16	36.86	6.00	101	25 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2389.95	50.60	74.00	-23.40	42.36	31.94	7.16	36.86	6.00	101	25 PEAK																																																								
2	2389.95	25.81	54.00	-28.19	17.57	31.94	7.16	36.86	6.00	101	25 AVERAGE																																																								
																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.52</td><td>-----</td><td>-----</td><td>98.18</td><td>32.02</td><td>7.18</td><td>36.86</td><td>6.00</td><td>101</td><td>25 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.73</td><td>-----</td><td>-----</td><td>73.39</td><td>32.02</td><td>7.18</td><td>36.86</td><td>6.00</td><td>101</td><td>25 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.52	-----	-----	98.18	32.02	7.18	36.86	6.00	101	25 PEAK	2	2402.00	81.73	-----	-----	73.39	32.02	7.18	36.86	6.00	101	25 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2402.00	106.52	-----	-----	98.18	32.02	7.18	36.86	6.00	101	25 PEAK																																																								
2	2402.00	81.73	-----	-----	73.39	32.02	7.18	36.86	6.00	101	25 AVERAGE																																																								





Mode	10																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>64.70</td><td>34.32</td><td>10.27</td><td>65.31</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	43.98	74.00	-30.02	64.70	34.32	10.27	65.31	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>52.22</td><td>74.00</td><td>-21.78</td><td>72.94</td><td>34.32</td><td>10.27</td><td>65.31</td><td>0.00</td><td>153</td><td>348 PEAK</td></tr><tr><td>2</td><td>4804.00</td><td>27.43</td><td>54.00</td><td>-26.57</td><td>48.15</td><td>34.32</td><td>10.27</td><td>65.31</td><td>0.00</td><td>153</td><td>348 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	52.22	74.00	-21.78	72.94	34.32	10.27	65.31	0.00	153	348 PEAK	2	4804.00	27.43	54.00	-26.57	48.15	34.32	10.27	65.31	0.00	153	348 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	4804.00	43.98	74.00	-30.02	64.70	34.32	10.27	65.31	0.00	--	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	4804.00	52.22	74.00	-21.78	72.94	34.32	10.27	65.31	0.00	153	348 PEAK																																																																																																			
2	4804.00	27.43	54.00	-26.57	48.15	34.32	10.27	65.31	0.00	153	348 AVERAGE																																																																																																			





Mode	11																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																											
ANT	2																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.50</td><td>74.00</td><td>-32.50</td><td>61.77</td><td>34.63</td><td>10.35</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.08</td><td>74.00</td><td>-31.92</td><td>61.03</td><td>35.72</td><td>12.79</td><td>67.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	41.50	74.00	-32.50	61.77	34.63	10.35	65.25	0.00	--	--	PEAK	2	7323.00	42.08	74.00	-31.92	61.03	35.72	12.79	67.46	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>66.59</td><td>34.63</td><td>10.35</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.79</td><td>74.00</td><td>-31.21</td><td>61.74</td><td>35.72</td><td>12.79</td><td>67.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	46.32	74.00	-27.68	66.59	34.63	10.35	65.25	0.00	--	--	PEAK	2	7323.00	42.79	74.00	-31.21	61.74	35.72	12.79	67.46	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4882.00	41.50	74.00	-32.50	61.77	34.63	10.35	65.25	0.00	--	--	PEAK																																																																																																																																
2	7323.00	42.08	74.00	-31.92	61.03	35.72	12.79	67.46	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4882.00	46.32	74.00	-27.68	66.59	34.63	10.35	65.25	0.00	--	--	PEAK																																																																																																																																
2	7323.00	42.79	74.00	-31.21	61.74	35.72	12.79	67.46	0.00	--	--	PEAK																																																																																																																																





Mode	12																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>50.02</td><td>74.00</td><td>-23.98</td><td>40.94</td><td>32.60</td><td>7.33</td><td>36.85</td><td>6.00</td><td>292</td><td>68</td><td>PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>25.23</td><td>54.00</td><td>-28.77</td><td>16.15</td><td>32.60</td><td>7.33</td><td>36.85</td><td>6.00</td><td>292</td><td>68</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	50.02	74.00	-23.98	40.94	32.60	7.33	36.85	6.00	292	68	PEAK	2	2483.60	25.23	54.00	-28.77	16.15	32.60	7.33	36.85	6.00	292	68	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.69</td><td>-----</td><td>-----</td><td>91.62</td><td>32.60</td><td>7.32</td><td>36.85</td><td>6.00</td><td>292</td><td>68</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.90</td><td>-----</td><td>-----</td><td>66.83</td><td>32.60</td><td>7.32</td><td>36.85</td><td>6.00</td><td>292</td><td>68</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.69	-----	-----	91.62	32.60	7.32	36.85	6.00	292	68	PEAK	2	2480.00	75.90	-----	-----	66.83	32.60	7.32	36.85	6.00	292	68	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.60	50.02	74.00	-23.98	40.94	32.60	7.33	36.85	6.00	292	68	PEAK																																																																																																																		
2	2483.60	25.23	54.00	-28.77	16.15	32.60	7.33	36.85	6.00	292	68	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	100.69	-----	-----	91.62	32.60	7.32	36.85	6.00	292	68	PEAK																																																																																																																		
2	2480.00	75.90	-----	-----	66.83	32.60	7.32	36.85	6.00	292	68	AVERAGE																																																																																																																		





Mode	12																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>57.44</td><td>74.00</td><td>-16.56</td><td>48.36</td><td>32.60</td><td>7.33</td><td>36.85</td><td>6.00</td><td>186</td><td>22 PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>32.65</td><td>54.00</td><td>-21.35</td><td>23.57</td><td>32.60</td><td>7.33</td><td>36.85</td><td>6.00</td><td>186</td><td>22 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	57.44	74.00	-16.56	48.36	32.60	7.33	36.85	6.00	186	22 PEAK	2	2483.54	32.65	54.00	-21.35	23.57	32.60	7.33	36.85	6.00	186	22 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.70</td><td>-----</td><td>-----</td><td>99.63</td><td>32.60</td><td>7.32</td><td>36.85</td><td>6.00</td><td>186</td><td>22 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>83.91</td><td>-----</td><td>-----</td><td>74.84</td><td>32.60</td><td>7.32</td><td>36.85</td><td>6.00</td><td>186</td><td>22 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.70	-----	-----	99.63	32.60	7.32	36.85	6.00	186	22 PEAK	2	2480.00	83.91	-----	-----	74.84	32.60	7.32	36.85	6.00	186	22 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2483.54	57.44	74.00	-16.56	48.36	32.60	7.33	36.85	6.00	186	22 PEAK																																																																																																															
2	2483.54	32.65	54.00	-21.35	23.57	32.60	7.33	36.85	6.00	186	22 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2480.00	108.70	-----	-----	99.63	32.60	7.32	36.85	6.00	186	22 PEAK																																																																																																															
2	2480.00	83.91	-----	-----	74.84	32.60	7.32	36.85	6.00	186	22 AVERAGE																																																																																																															



Mode	12																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.50</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>64.13</td><td>34.54</td><td>10.44</td><td>65.65</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>41.75</td><td>74.00</td><td>-32.25</td><td>60.00</td><td>35.66</td><td>12.93</td><td>66.84</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.50	43.46	74.00	-30.54	64.13	34.54	10.44	65.65	0.00	--	Peak	2	7440.00	41.75	74.00	-32.25	60.00	35.66	12.93	66.84	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>66.72</td><td>34.54</td><td>10.44</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.48</td><td>74.00</td><td>-32.52</td><td>59.73</td><td>35.66</td><td>12.93</td><td>66.84</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	46.05	74.00	-27.95	66.72	34.54	10.44	65.65	0.00	--	PEAK	2	7440.00	41.48	74.00	-32.52	59.73	35.66	12.93	66.84	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.50	43.46	74.00	-30.54	64.13	34.54	10.44	65.65	0.00	--	Peak																																																																																																															
2	7440.00	41.75	74.00	-32.25	60.00	35.66	12.93	66.84	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	46.05	74.00	-27.95	66.72	34.54	10.44	65.65	0.00	--	PEAK																																																																																																															
2	7440.00	41.48	74.00	-32.52	59.73	35.66	12.93	66.84	0.00	--	PEAK																																																																																																															




Mode	12																																																																																																																																																																																								
	LF																																																																																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																								
ANT	2																																																																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																																																																			
QP																																																																																																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable Factor</th><th>Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.70</td><td>32.06</td><td>-7.94</td><td>40.00</td><td>44.45</td><td>19.61</td><td>0.86</td><td>32.86</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>151.25</td><td>23.62</td><td>-19.88</td><td>43.50</td><td>37.54</td><td>16.99</td><td>1.80</td><td>32.71</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>324.88</td><td>20.75</td><td>-25.25</td><td>46.00</td><td>31.47</td><td>19.47</td><td>2.65</td><td>32.84</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>626.55</td><td>27.10</td><td>-18.90</td><td>46.00</td><td>30.48</td><td>26.22</td><td>3.69</td><td>33.29</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>738.10</td><td>28.48</td><td>-17.52</td><td>46.00</td><td>29.50</td><td>28.16</td><td>4.04</td><td>33.22</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>971.87</td><td>32.07</td><td>-21.93</td><td>54.00</td><td>27.86</td><td>31.01</td><td>4.63</td><td>31.43</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	39.70	32.06	-7.94	40.00	44.45	19.61	0.86	32.86	---	Peak	2	151.25	23.62	-19.88	43.50	37.54	16.99	1.80	32.71	---	Peak	3	324.88	20.75	-25.25	46.00	31.47	19.47	2.65	32.84	---	Peak	4	626.55	27.10	-18.90	46.00	30.48	26.22	3.69	33.29	---	Peak	5	738.10	28.48	-17.52	46.00	29.50	28.16	4.04	33.22	---	Peak	6	971.87	32.07	-21.93	54.00	27.86	31.01	4.63	31.43	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Cable Factor</th><th>Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.77</td><td>-18.23</td><td>40.00</td><td>29.14</td><td>24.68</td><td>0.76</td><td>32.81</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>89.17</td><td>21.82</td><td>-21.68</td><td>43.50</td><td>38.70</td><td>14.48</td><td>1.34</td><td>32.70</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>150.28</td><td>27.04</td><td>-16.46</td><td>43.50</td><td>40.90</td><td>17.05</td><td>1.80</td><td>32.71</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>607.15</td><td>26.82</td><td>-19.18</td><td>46.00</td><td>30.85</td><td>25.62</td><td>3.65</td><td>33.30</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>732.28</td><td>31.58</td><td>-14.42</td><td>46.00</td><td>32.97</td><td>27.80</td><td>4.03</td><td>33.22</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>988.36</td><td>31.79</td><td>-22.21</td><td>54.00</td><td>27.73</td><td>30.65</td><td>4.66</td><td>31.25</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	21.77	-18.23	40.00	29.14	24.68	0.76	32.81	---	Peak	2	89.17	21.82	-21.68	43.50	38.70	14.48	1.34	32.70	---	Peak	3	150.28	27.04	-16.46	43.50	40.90	17.05	1.80	32.71	---	Peak	4	607.15	26.82	-19.18	46.00	30.85	25.62	3.65	33.30	---	Peak	5	732.28	31.58	-14.42	46.00	32.97	27.80	4.03	33.22	---	Peak	6	988.36	31.79	-22.21	54.00	27.73	30.65	4.66	31.25	---
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																															
1	39.70	32.06	-7.94	40.00	44.45	19.61	0.86	32.86	---	Peak																																																																																																																																																																															
2	151.25	23.62	-19.88	43.50	37.54	16.99	1.80	32.71	---	Peak																																																																																																																																																																															
3	324.88	20.75	-25.25	46.00	31.47	19.47	2.65	32.84	---	Peak																																																																																																																																																																															
4	626.55	27.10	-18.90	46.00	30.48	26.22	3.69	33.29	---	Peak																																																																																																																																																																															
5	738.10	28.48	-17.52	46.00	29.50	28.16	4.04	33.22	---	Peak																																																																																																																																																																															
6	971.87	32.07	-21.93	54.00	27.86	31.01	4.63	31.43	---	Peak																																																																																																																																																																															
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Cable Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																															
1	30.00	21.77	-18.23	40.00	29.14	24.68	0.76	32.81	---	Peak																																																																																																																																																																															
2	89.17	21.82	-21.68	43.50	38.70	14.48	1.34	32.70	---	Peak																																																																																																																																																																															
3	150.28	27.04	-16.46	43.50	40.90	17.05	1.80	32.71	---	Peak																																																																																																																																																																															
4	607.15	26.82	-19.18	46.00	30.85	25.62	3.65	33.30	---	Peak																																																																																																																																																																															
5	732.28	31.58	-14.42	46.00	32.97	27.80	4.03	33.22	---	Peak																																																																																																																																																																															
6	988.36	31.79	-22.21	54.00	27.73	30.65	4.66	31.25	---	Peak																																																																																																																																																																															




Mode	12	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	The plot shows the signal level in dBuV/m versus frequency in MHz for horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m with major ticks every 16.3 dB. The x-axis ranges from 18000 to 25000 MHz with major ticks every 400 MHz. A blue line represents the measured signal, which is relatively flat around 40 dBuV/m. Two red horizontal lines indicate the FCC Part 15C limits: the upper line is at approximately 75 dBuV/m and the lower line is at approximately 50 dBuV/m. The measured signal is well below the lower limit line.	The plot shows the signal level in dBuV/m versus frequency in MHz for vertical polarization. The y-axis ranges from 0 to 130 dBuV/m with major ticks every 16.3 dB. The x-axis ranges from 18000 to 25000 MHz with major ticks every 400 MHz. A blue line represents the measured signal, which is relatively flat around 40 dBuV/m. Two red horizontal lines indicate the FCC Part 15C limits: the upper line is at approximately 75 dBuV/m and the lower line is at approximately 50 dBuV/m. The measured signal is well below the lower limit line.

Appendix D. Duty Cycle Plots

3DH5 on time (One Pulse) Plot



3DH5 on time (Count Pulses) Plot



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.