

Report No.: AR/2020/9001007

# **Appendix D**


#### **Photographs**

- 1. SAR measurement System
- 2. Photographs of Tissue Simulate Liquid
- 3. Photographs of EUT test position
- 4. EUT Constructional Details

Report No.: AR/2020/9001007

#### 1. SAR measurement System







Report No.: AR/2020/9001007

2. Photographs of Tissue Simulate Liquid

Photo 1: Tissue Simulant Liquid for HBBL600-10000MHz	NA
8 7 8 9 20 1 2 3	NA



Report No.: AR/2020/9001007

Photo 3: Left tilted

3. Photographs of EUT test position





Photo 4: Right cheek

Photo 5: Right tilted






Photo 6: Front side 15mm

Photo 7: Back side 15mm







Report No.: AR/2020/9001007





Report No.: AR/2020/9001007

Photo 14: Front side 0mm	Photo 15: Back side 0mm
Photo 16: Right side 0mm	Photo 17: Top side 0mm
Photo 18: Bottom side 0mm	Photo 19: Back side 17mm



Report No.: AR/2020/9001007


Photo 20: Bottom side 15mm	NA
	NA



Report No.: AR/2020/9001007

#### 4. EUT Constructional Details

SAR Proximity sensor location is same as main Ant(Ant1)



The test device is a smart phone. The overall diagonal dimension of this device is 174 mm. Per KDB

648474 D04, because the diagonal distance of this device is ≥160mm, so it is a phablet.