Report No.: AR/2020/A000704 Page: 1 of 88

FCC TEST REPORT

Application No.:	AR/2020/A0007
Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
EUT Description:	Mobile Phone
Model No.:	M2010J19SG, M2010J19ST
Trade Mark:	Redmi
FCC ID:	2AFZZJ19CG
Standards:	47 CFR FCC Part 2, Subpart J 47 CFR Part 15, Subpart C
Test Method	ANSI C63.10 (2013) KDB558074 D01 15.247 Meas Guidance v05r02
Date of Receipt:	2020/9/29(for original report AR/2020/9001004)
Date of Test:	2020/9/29 to 2020/10/16(for original report AR/2020/9001004) 2020/11/3 to 2020/11/10(for new report AR/2020/A000704)
Date of Issue:	2020/10/18(for original report AR/2020/9001004) 2020/11/13(for new report AR/2020/A000704)
Test Result:	PASS *

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Derde yang

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this tes report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@egs.com



Report No.: AR/2020/A000704 Page: 2 of 88

1 Version

Revision Record					
Version	Chapter	Date	Modifier	Remark	
01		2020/11/13		Original	

Authorized for issue by:		
Tested By	Mike Mu (Mike Hu) /Project Engineer	
Checked By	David Chen (David Chen) /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test no subject in servet and of 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone; (80-755) 8307 1443, or email: CN.Doccheck@css.com



Report No.: AR/2020/A000704 Page: 3 of 88

2 Test Summary

Test Item	Test Requirement	Test method	Test Result	Result
AC Power Line Conducted Emission	15.207	ANSI C63.10 (2013)	Clause 4.3	PASS
Conducted Peak Output Power	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS
20dB Emission Bandwidth & 99% Occupied Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.11	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS

Remark:

ItemM2010J19SGM2010J19STLTE Band 41SupportNot Support

Note: customer declaration, two models are the same,except for model. There are more than one model,each one should be applied throughout the compliance test respectively, However, only the worst case(M2010J19CG) will be recorded in this report.

This report is changed to model based on the original report number AR/2020/9001004 The revised contents are as follow:

Model name	Camera specification	LED position	Camera position	Trade Mark	rear cover
M2010J19CG, M2010J19CT	401017210172101	located to the right of the macro camera	Viewed from the back, the macro camera, main camera and depth-of-field camera appear from top to bottom	POCO	The material is the same, Camera area coverage shape adjustment,



	Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed
	overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents,
	subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
	Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is
	advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of
	Client's instructions, if any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a
	transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced
	except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or
	appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the
	results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
	Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,
	or email: CN.Doccheck@sqs.com
d.	No 1 Workshop M-10 Middle Section Science & Technology Park Shenzhen China 518057 t (86-755) 26012053 t (86-755) 26710594 www.sosgroup.com.cn



Report No.: AR/2020/A000704 Page: 4 of 88

M2010J19SG M2010J19ST	48M+8M+2M+2M	The LED is located below the depth-of-field	Viewed from the back, the wide Angle camera, main camera and depth of field	6	drawing different, engraving	is laser is
		camera	camera are in order from top to bottom, and add single macro camera is on the righ	Redmi	different	

Therefore in this report only radiated spurious emissions were performed based on the worst case(GFSK:Channel:78) of the original report with report number AR/2020/9001004 and other test data in this report are base on the previous report with report number AR/2020/9001004.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond



Report No.: AR/2020/A000704 Page: 5 of 88

Contents

1	VERSION	2
2	TEST SUMMARY	
3	GENERAL INFORMATION	6
	3.1 CLIENT INFORMATION	6
	3.2 TEST LOCATION	
	3.3 TEST FACILITY	6
	3.4 GENERAL DESCRIPTION OF EUT	7
	3.5 TEST ENVIRONMENT	
	3.6 DESCRIPTION OF SUPPORT UNITS	8
4	TEST RESULTS AND MEASUREMENT DATA	9
	4.1 ANTENNA REQUIREMENT	
	4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence	
	4.2.1 Test Requirement:	
	4.2.2 Conclusion	
	4.3 AC Power Line Conducted Emissions	
	4.4 CONDUCTED PEAK OUTPUT POWER	
	4.4.1 Test Results	
	4.4.2 Test plots	
	4.5 20DB EMISSION BANDWIDTH & 99% OCCUPIED BANDWIDTH	
	4.5.1 Test Results 4.5.2 Test plots	
	4.5.2 Test piols 4.6 CARRIER FREQUENCIES SEPARATION	
	4.6.1 Test Results	
	4.6.2 Test plots:	
	4.7 HOPPING CHANNEL NUMBER	
	4.7.1 Test Results	
	4.7.2 Test plots	
	4.8 DWELL TIME	
	4.8.1 Test Results	
	4.8.2 Test plots	
	4.9 BAND-EDGE FOR RF CONDUCTED EMISSIONS	
	4.9.1 Test plots	
	4.10 Spurious RF Conducted Emissions	
	4.10.1 Test plots	
	4.11 RADIATED SPURIOUS EMISSION	
	4.11.1 Radiated Emission below 1GHz	
	4.11.2 Transmitter Emission above 1GHz	
	4.12 RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	76
	4.12.1 Test plots	
5	MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)	
6	EQUIPMENT LIST	
7	PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is astructioned to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-756) 83071443, or email: CN_Doccheck@sgs.com

> Report No.: AR/2020/A000704 Page: 6 of 88

3 General Information

3.1 Client Information

Applicant:	Xiaomi Communications Co., Ltd.		
Address of Applicant:#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085			
Manufacturer: Xiaomi Communications Co., Ltd.			
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085		

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057
Telephone:	+86 (0) 755 2601 2053
Fax:	+86 (0) 755 2671 0594
E-mail:	ee.shenzhen@sgs.com

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. ĆNAS L2929)

CNAS has accredited SGŚ-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

• Industry Canada (IC)

Two 3m Śemi-anechoić chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.



)	Unless otherwise agreed in writing, this document is issued overleaf, available on request or accessible at <u>http://www.sgs.</u> subject to Terms and Conditions for Electronic Documents at Attention is drawn to the limitation of liability, indemnification advised that information contained hereon reflects the Compa (Elent's instructions, if any. The Company's sole responsibil transaction from exercising all their rights and obligations ur except in full, without prior written approval of the Company appearance of this document is unlawful and offenders may be results shown in this test report refer only to the sample(s) teste Attention: To check the authenticity of testing imspection results shown in this test report refer only to the sample(s) teste	com/en/Ter t http://www and jurisd any's findin ity is to its nder the tra t. Any unau e prosecute ed and such	ms-and-Conditions. .sgs.com/en/Terms- iction issues define gs at the time of its Client and this do ansaction documen thorized alteration, d to the fullest exte sample(s) are retai	aspx and, for electron and-Conditions/Term d therein. Any holde intervention only ar coment does not ex ts. This document co forgery or falsificati nt of the law. Unless ned for 30 days only.	ic format documents, <u>ns-e-Document.aspx</u> . r of this document is id within the limits of conerate parties to a annot be reproduced ion of the content or otherwise stated the	
	or email: CN_Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China	518057	t (86-755) 26012053	f (86-755) 26710594	www.sgsgroup.com.cn	
story.	中国·深圳·科技园中区M-10栋一号厂房 邮编:	518057	t (86-755) 26012053	f (86-755) 26710594	sgs.china@sgs.com	

Report No.: AR/2020/A000704 Page: 7 of 88

3.4 General Description of EUT

EUT Description:	Mobile Phone
Model No.:	M2010J19SG, M2010J19ST
Trade Mark:	Redmi
Hardware Version:	P2
Software Version:	MIUI12
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.
Bluetooth Version:	Bluetooth V3.0 +EDR
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)
Modulation Type:	GFSK, π/4DQPSK, 8DPSK
Number of Channel:	79
Hopping Channel Type:	Adaptive Frequency Hopping systems
Sample Type:	⊠ Portable Device,
Antenna Type:	PIFA Antenna
Antenna Gain:	0.8dBi
Power Supply	AC/DC Adapter; Battery PoE:; Other:

Operation Frequency each of channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles! extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443; or sample(s) are relatined for 30 days only.

Report No.: AR/2020/A000704

Page: 8 of 88

	10 2	421MHz	39	2441MHz	59	2461MHz	
--	------	--------	----	---------	----	---------	--

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle

frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel	2402MHz
The Middle channel	2441MHz
The Highest channel	2480MHz

3.5 Test Environment

Operating Environment				
Temperature:	24.0 °C			
Humidity:	55 % RH			
Atmospheric Pressure:	101.30 KPa			

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

Report No.: AR/2020/A000704 Page: 9 of 88

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -2.5dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test neg table and supple). Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755).83071443.

Report No.: AR/2020/A000704 Page: 10 of 88

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.


> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

5 1	16 75		8	64	7	62 46 77
		I	1			
. 1.	1		11	1.8		
11		1	11	LŁ.	1	

Each frequency used equally on the average by each transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic format documents, subject to Terms and Conditions for Electronic format documents, subject to Terms and Conditions for Electronic format documents, subject to Terms and Conditions for Electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unattorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443, or email: (

Report No.: AR/2020/A000704 Page: 11 of 88

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system. Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, extensity. The Descheduence of the Some method is the same test of the same testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, extensity.

Report No.: AR/2020/A000704 Page: 12 of 88

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	150kHz to 30MHz				
	Frequency range (MHz)	Limit (dBuV)			
		Quasi-peak	Average		
Limit:	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the logarith	nm of the frequency.			
Test Procedure:	 impedance. The power of connected to a second L reference plane in the sameasured. A multiple soor power cables to a single exceeded. 3) The tabletop EUT was plinground reference plane. placed on the horizontal 4) The test was performed work of the EUT shall be 0.4 m vertical ground reference plane. The LIS unit under test and bondomounted on top of the ground the EUT and associated 5) In order to find the maxim 	to AC power source throug Network) which provides a ables of all other units of the ISN 2, which was bonded to me way as the LISN 1 for the cket outlet strip was used to LISN provided the rating of aced upon a non-metallic to And for floor-standing arran ground reference plane, with a vertical ground referen- the from the vertical ground referen- en from the vertical ground referen- en from the vertical ground referen- te plane was bonded to the H N 1 was placed 0.8 m from ed to a ground reference plane. This ts of the LISN 1 and the EU equipment was at least 0.8 hum emission, the relative interface cables must be classical stress of the stress of the classical stress of the stre	gh a LISN 1 (Line $50\Omega/50\mu$ H + 5Ω linear the EUT were to the ground the unit being to connect multiple f the LISN was not able 0.8m above the the gement, the EUT was the contract plane. The rear eference plane. The rear eference plane. The sear eference plane. The sear efference plane.		

4.3 AC Power Line Conducted Emissions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/A000704 Page: 13 of 88

Test Setup:	Shielding Room Test Receiver Test			
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type at the lowest, middle, high channel. Charge + Transmitting mode.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation at the lowest channel is the worst case. Charge + Transmitting mode Only the worst case is recorded in the report.			
Instruments Used:	Refer to section 5.10 for details			
Test Results:	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.




Report No.: AR/2020/A000704 Page: 14 of 88

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.




Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1657	10.10	34.51	65.18	30.67	19.27	55.18	35.91	L
2	0.2134	10.10	34.35	63.07	28.72	15.74	53.07	37.33	L
3	0.4672	10.10	29.15	56.56	27.41	14.00	46.56	32.56	L
4	2.1164	10.10	27.44	56.00	28.56	14.45	46.00	31.55	L
5	6.7864	10.10	35.74	60.00	24.26	27.01	50.00	22.99	L
6	15.3400	10.11	38.19	60.00	21.81	28.32	50.00	21.68	L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Report No.: AR/2020/A000704 Page: 15 of 88



Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1705	10.10	33.17	64.94	31.77	16.58	54.94	38.36	N
2	0.4265	10.10	21.99	57.32	35.33	7.69	47.32	39.63	Ν
3	1.9524	10.10	28.63	56.00	27.37	20.09	46.00	25.91	Ν
4	6.8525	10.10	30.72	60.00	29.28	22.91	50.00	27.09	N
5	15.0930	10.11	37.59	60.00	22.41	27.70	50.00	22.30	Ν
6	23.8227	10.11	31.34	60.00	28.66	22.76	50.00	27.24	Ν

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to rems and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents shown in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is anawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authention (Inspection report & certificate, please cont

Report No.: AR/2020/A000704 Page: 16 of 88

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.5		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Limit:	(20.97dBm) 125mW		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 		
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		

4.4 Conducted Peak Output Power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.

Report No.: AR/2020/A000704 Page: 17 of 88

4.4.1 Test Results


Measurement Data of Peak power:

GFSK mode							
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	8.04	20.97	Pass				
Middle	8.94	20.97	Pass				
Highest	8.90	20.97	Pass				
	π/4DQPSK mode						
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	8.51	20.97	Pass				
Middle	9.34	20.97	Pass				
Highest	9.41	20.97	Pass				
	8DPSK mode						
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	8.84	20.97	Pass				
Middle	9.60	20.97	Pass				
Highest	9.68	20.97	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.

> Report No.: AR/2020/A000704 Page: 18 of 88







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parities to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or smail: CAD.Doccheck@cas.com



Report No.: AR/2020/A000704 19 of 88 Page:









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terretation of 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testemation.

Report No.: AR/2020/A000704 20 of 88 Page:









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terretation of 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testemation.



Report No.: AR/2020/A000704 21 of 88 Page:








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terretation of 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testemation.



Report No.: AR/2020/A000704 22 of 88 Page:



Date: 16.OCT.2020 14:21:00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this dreper roly to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443.

Report No.: AR/2020/A000704 Page: 23 of 88

Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) Test Method: ANSI C63.10:2013 Section 7.8.7 Spectrum Analyzer 000 E.U.T 00 0 Test Setup: Non-Conducted Table Ground Reference Plane NA Limit: Non-hopping transmitting with all kind of modulation and all kind of data Exploratory Test Mode: type. Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, Final Test Mode: 2-DH5 of data type is the worst case of $\pi/4DQPSK$ modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. Instruments Used: Refer to section 5.10 for details Test Results: Pass

4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth

4.5.1 Test Results

4.5.1								
Mode	Test Channel	99% Occupied Bandwidth (KHz)	20dB Emission Bandwidth (KHz)	Result				
	Lowest	864.0	950.8	Pass				
GFSK	Middle	864.0	950.8	Pass				
	Highest	864.0	950.8	Pass				
	Lowest	1172.2	1293.8	Pass				
π/4DQPSK	Middle	1172.2	1311.1	Pass				
	Highest	1172.2	1302.5	Pass				
	Lowest	1176.6	1302.5	Pass				
8DPSK	Middle	1180.9	1302.5	Pass				
	Highest	1176.6	1302.5	Pass				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cillent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email CN Depcheck@ens.com



Report No.: AR/2020/A000704 Page: 24 of 88

4.5.2 Test plots





Date: 16.OCT.2020 14:22:07




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443,

Report No.: AR/2020/A000704 Page: 25 of 88

4.5.2.2 GFSK _Middle Channel

T Spectrum Ref Level 30.00 dBm Offset 5,40 dB a RBW 30 kHz Att 40 dB 🕳 SWT 10 ms 🖷 VBW 100 kHz Mode Auto FFT • 1Pk Max M1[1] 5.88 dBn 2.44098260 GH 863.965267728 kH: 20 dBm-Occ BW 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CE 2,441 GHz Snan 3.0 MHz 691 pts Measuring... **HERE FORD** Date: 16.OCT.2020 14:22:38



Date: 16.OCT.2020 14:22:28




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443,

Report No.: AR/2020/A000704 Page: 26 of 88



T Spectrum Ref Level 30.00 dBm Offset 5,40 dB a RBW 30 kHz Att 40 dB 🕳 SWT 10 ms 🖷 VBW 100 kHz Mode Auto FFT • 1Pk Max M1[1] 5.86 dBn 2.47998260 GH 863.965267728 kH: 20 dBm-Occ BW 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CE 2,48 GHz Snan 3.0 MHz 691 pts Measuring... Contractor of the local division of the loca .

Date: 16.OCT.2020 14:22:54



Date: 16.OCT.2020 14:23:05



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itest and sub-sample(s) are retained for 30 days only. Attention is certificate, please contact us at telephone: (62-756) 83071443, or email: (40 Doccheck@egs.com)

Report No.: AR/2020/A000704 Page: 27 of 88



Date: 16.OCT.2020 14:25:41



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443,

Report No.: AR/2020/A000704 Page: 28 of 88




4.5.2.5 π/4DQPSK _Middle Channel

Date: 16.OCT.2020 14:25:56



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N.Doccheck@css.com

Report No.: AR/2020/A000704 Page: 29 of 88



4.5.2.6 π/4DQPSK _Highest Channel

Date: 16.OCT.2020 14:26:36




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N.Doccheck@css.com



Report No.: AR/2020/A000704 Page: 30 of 88





691 pts

3.58 dBm

-16.68 dBm

-16.59 dBm

Y-value

Date: 16.OCT.2020 14:24:35

1

-30 dBm--40 dBro--50 dBm--60 dBm-

CF 2.402 GHz

Type | Ref | Trc

X-value

2.4019826 GHz

2,4026469 GHz

.4013444 GHz

Marker

M1

Τ1

T2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itest and sub-sample(s) are retained for 30 days only. Attention is certificate, please contact us at telephone: (62-756) 83071443, or email: (40 Doccheck@egs.com)

Function

ndB down

O factor

ndB

Measuring...

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 •深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com

Span 3.0 MHz

1.3025 MHz

20.00 dB


1844.2

Function Result

Elenanden 🖬 🍁



Report No.: AR/2020/A000704 31 of 88 Page:



T Spectrum Ref Level 30.00 dBm Offset 5,40 dB a RBW 30 kHz Att 40 dB 🕳 SWT 10 ms 🖷 VBW 100 kHz Mode Auto FFT • 1Pk Max M1[1] 4.38 dBn 2.44098260 GH 1.180897250 MH 20 dBm-Occ Bw 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm 40 dBm -50 dBm -60 dBm Snan 3.0 MHz CE 2,441 GHz 691 pts Measuring... STREET, SQUARE, SQUARE Date: 16.OCT.2020 14:24:05 The second Spectrum Ref Level 30.00 dBm Offset 5.40 dB RBW 30 kHz Mode Auto FFT 40 dB - SWT 10 ms - VBW 100 kHz Att 1Pk Max M1[1] 4.28 dBn 2.44098260 GH 20 dBm ndB 20.00 de BW 1.302500000 MH: 10 dBm 0 factor 1874. 0 dBm -10 dBm -20 dBm -30 dBm 40 dBm -50 dBm -60 dBm CF 2.441 GHz Span 3.0 MHz 691 pts Marker Type Ref Trc Function **Function Result** X-value Y-value 2.4409826 GHz 4.28 dBm 1.3025 MHz ndB down M1

Date: 16.OCT.2020 14:24:14

Τ1

T2

1

.4403444 GHz

2,4416469 GHz

-15.79 dBm

-15.86 dBm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terretation of 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, the tested of the Dependence and the sample(s) testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testemation is the same inspection report acertificate, please contact us at telephone: (86-755) 8307 1443, testemation is the same inspection report acertificate, please contact us at telephone: (86-755) 8307 1443, testemation is the same inspection report acertificate, please contact us at telephone: (86-755) 8307 1443, testemation is the same inspection report acertificate, please contact us at telephone: (86-755) 8307 1443, testemation is the same inspect

ndB

Measuring...

O factor

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

20.00 dB

1874.1

ERRETER ER 🖬 🍁

Report No.: AR/2020/A000704 Page: 32 of 88



Date: 16.OCT.2020 14:23:22



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N.D.Doccheck@css.com

Report No.: AR/2020/A000704 Page: 33 of 88

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.2		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Limit:	2/3 of the 20dB bandwidth		
	Remark: the transmission power is less than 0.125W.		
Exploratory Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 		
Instruments Used:	Refer to section 5.10 for details		
Test Results:	Pass		

4.6 Carrier Frequencies Separation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or considered the defined therein the testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or considered the defined therein the defined therein the testing inspection report acertificate, please contact us at telephone: (86-755) 83071443, or considered the defined therein testing inspection report acertificate, please contact us at telephone: (86-755) 83071443, or considered the defined testing inspection report acertificate, please contact us at telephone: (86-755) 83071443, or considered the defined testing inspection report acertifi



Report No.: AR/2020/A000704 Page: 34 of 88

4.6.1 Test Results

GFSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result	
Middle	998.6	633.9	Pass	
π/4DQPSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result	
Middle	998.6	874.1	Pass	
8DPSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result	
Middle	998.6	868.3	Pass	


Remark: According to section 6.4,

Mode	20dB bandwidth (kHz) (worse case)	Limit (kHz) (Carrier Frequencies Separation)
GFSK	950.8	633.9
π/4DQPSK	1311.1	874.1
8DPSK	1302.5	868.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.


Report No.: AR/2020/A000704 Page: 35 of 88






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to rerms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

Report No.: AR/2020/A000704 Page: 36 of 88







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document tacanot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or smail: (8.0.Doccheck@egs.cm

Report No.: AR/2020/A000704 Page: 37 of 88

Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) Test Method: ANSI C63.10:2013 Section 7.8.3 Spectrum Analyzer 000 000 000 E.U.T 1 Test Setup: Non-Conducted Table Ground Reference Plane Limit: At least 15 channels Test Mode: Hopping transmitting with all kind of modulation Instruments Used: Refer to section 5.10 for details Test Results: Pass

4.7 Hopping Channel Number

4.7.1 Test Results

Mode	Hopping channel numbers	Limit		
GFSK	79	≥15		
π/4DQPSK	79	≥15		
8DPSK	79	≥15		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T




Report No.: AR/2020/A000704 Page: 38 of 88

4.7.2 Test plots

4.7.2.1 GFSK



4.7.2.2 π/4DQPSK




Date: 16.OCT.2020 14:44:24





Report No.: AR/2020/A000704 Page: 39 of 88

4.7.2.3 8DPSK



Date: 16.OCT.2020 14:43:37



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.



Report No.: AR/2020/A000704 Page: 40 of 88

4.8 Dwell Time

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)					
Test Method:	ANSI C63.10:2013 Section 7.8.4					
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane					
Instruments Used:	Refer to section 5.10 for details					
Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.					
Limit:	0.4 Second					
Test Results:	Pass					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.

Report No.: AR/2020/A000704 Page: 41 of 88

4.8.1 Test Results	
Operation Modes	On time (ms) on one channel
DH1	0.394
DH3	1.670
DH5	2.939
2-DH1	0.418
2-DH3	1.683
2-DH5	2.930
3-DH1	0.415
3-DH3	1.674
3-DH5	2.930

Bluetooth Time of Occupancy Calculation

Typically, Bluetooth 1x/EDR mode has a channel hopping rate of 1600 hops/s, since 1x/EDR modes use 5 transmit and 1 receive slot, for a total of 6 slots, the Bluetooth transmitter is actually hopping at a rate of 1600/6=266.67 hops/slot

400ms x 79 Channel = 31.6 s (Time of Occupancy Limit)

Worst case BT has 266.67 hops/second (for 1x/EDR modes with 1-DH5 operation)

266.67 hops/second/79 channels=3.38 hops/second (# of hops/second on one channel)

3.38 hops/second/channel*31.6seconds=106.67 hops (#hops over a 31.6 second period)

106.67 hops *2.939 ms/channel =313.50 ms(worst case dwell time for one channel in 1x/EDR modes)

With AFH, the number of channels is reduced to a minimum of 20 channels and the channel hopping rate is reduced by 50% to 800hops/s, AFH mode also uses 6 slots so the Bluetooth transmitter hops at a rate of 800/6=133.3 hops/s/slot

400ms x 20 Channel = 8 s (Time of Occupancy Limit)

Worst case BT has 133.3 hops/second/slot (for AFH mode with 1-DH5 operation)

133.3 hops/second/20 channels=6.67 hops/second (#hops/second on one channel)

6.67 hops/second *8seconds=53.34 hops (#hops over a 8 seconds period)

53.34 hops x2.939 ms/channel=156.77 ms(worst case dwell time for one channel in AFH mode)







Report No.: AR/2020/A000704 Page: 42 of 88

4.8.2 Test plots

4.8.2.1 DH1 _Middle Channel



4.8.2.2 DH3 _ Middle Channel



Date: 16.OCT.2020 14:48:32




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443, testered in the Deschader and the same




Report No.: AR/2020/A000704 Page: 43 of 88

4.8.2.3 DH5 _ Middle Channel



4.8.2.4 2DH1 _Middle Channel



Date: 16.OCT.2020 14:50:02




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or events of the Depcherement of the State of State of




Report No.: AR/2020/A000704 Page: 44 of 88

4.8.2.5 2DH3 _ Middle Channel



4.8.2.6 2DH5 _ Middle Channel




Date: 16.OCT.2020 14:46:39






Report No.: AR/2020/A000704 Page: 45 of 88

4.8.2.7 3DH1 _Middle Channel



Date: 16.001.2020 14.50.20

4.8.2.8 3DH3 _ Middle Channel



Date: 16.OCT.2020 14:47:50




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or same to the Depchedices on the same



Report No.: AR/2020/A000704 Page: 46 of 88

4.8.2.9 3DH5 _ Middle Channel



Date: 16.OCT.2020 14:47:03





Report No.: AR/2020/A000704 Page: 47 of 88

Test Requirement:	47 CFR Part 15C Section 15.247 (d)					
Test Method:	ANSI C63.10:2013 Section 7.8.6					
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane					
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.					
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type					
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 					
Instruments Used:	Refer to section 5.10 for details					
Test Results:	Pass					

4.9 Band-edge for RF Conducted Emissions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (AD.Boccheck@egs.com

SGS SGS-CS Branch

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen

Report No.: AR/2020/A000704 Page: 48 of 88

T

4.9.1 Test plots 4.9.1.1 GFSK_Lowest Channel_ Hopping ON Spectrum Ref Level 30.00 dBm Offset 5.40 dB RBW 100 kHz Att 40 dB SWT 10 ms VBW 300 kHz Mode Auto Sv 1Pk Max

Mode Auto Sweep D1[1] 49.89 dB 4.2400 MH MILTT 20 dBm-7.80 dBn 2.4039940 GH 10 dBm 0 dBm -10 dBm-D1 -12,200 dBm -20 dBm -30 dBm--40 dBmun and a lightly and a start mappingha water providence A Aller -50 dBm -60 dBm-CF 2.4 GHz Span 10.0 MHz 691 pts Measuring... Contra a la contra de la contra


Date: 16.OCT.2020 14:39:11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or small: (8-75



> Report No.: AR/2020/A000704 Page: 49 of 88



4.9.1.2 GFSK _Lowest Channel_ Hopping OFF

Date: 16.OCT.2020 14:30:17

4.9.1.3 GFSK _Highest Channel_ Hopping ON




Date: 16.OCT.2020 14:40:11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or small: (8-75



> Report No.: AR/2020/A000704 Page: 50 of 88



4.9.1.5 π/4DQPSK _Lowest Channel_ Hopping ON



Date: 16.OCT.2020 14:38:06




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com

SGS SGS-CS Branch

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: AR/2020/A000704 Page: 51 of 88



4.9.1.7 π/4DQPSK _Highest Channel_ Hopping ON

H Spectrum Ref Level 30.00 dBm Offset 5.40 dB 🗰 RBW 100 kHz Att 10 ms 🖷 YBW 300 kHz 40 dB 🖷 SWT Mode Auto Sweep 1Pk Ma: D1[1] 48.51 dB 4.9200 MHz 20 dBm MILIT 6.89 dBn 2,4799980 GH 10 dBm dal 6 dBm--10 dBm-D1 -13.110 dBm -20 dBm -30 dBm That. -40 dBm many march and all them - at in mathemarker ententrumpts where mounder -50 dBm -60 dBm-CF 2.4835 GHz 691 pts Span 10.0 MHz Measuring... STREET, STREET

Date: 16.OCT.2020 14:37:08




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or small: (8-75


SGS SGS-CS Branch

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen

Report No.: AR/2020/A000704 Page: 52 of 88



4.9.1.9 8DPSK _Lowest Channel_ Hopping ON




Date: 16.OCT.2020 14:35:27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com



> Report No.: AR/2020/A000704 Page: 53 of 88



4.9.1.11 8DPSK _Highest Channel_ Hopping ON

H Spectrum Ref Level 30.00 dBm Offset 5.40 dB 🗰 RBW 100 kHz Att 10 ms 🖷 **VBW** 300 kHz Mode Auto Sweep 40 dB 🖷 SWT 1Pk Ma: D1[1] 46.80 dP 6.2230 MH 20 dBm MILIT 5.56 dBn 2,4791870 GH 10 dBmr And 0 dBm -10 dBm D1 -14,440 -20 dBm--30 dBm tuning -40 dBm wannah mananaka mature and her and her and her a so that herenes -50 dBm -60 dBm-CF 2.4835 GHz 691 pts Span 10.0 MHz Measuring...

Date: 16.OCT.2020 14:36:33




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com

SGS SG

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: AR/2020/A000704 Page: 54 of 88



4.9.1.12 8DPSK _Highest Channel_ Hopping OFF

Date: 16.OCT.2020 14:32:39



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



Report No.: AR/2020/A000704 Page: 55 of 88

Test Requirement:	47 CFR Part 15C Section 15.247 (d)					
Test Method:	ANSI C63.10:2013 Section 7.8.8					
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane					
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.					
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type					
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 					
Instruments Used:	Refer to section 5.10 for details					
Test Results:	Pass					

4.10 Spurious RF Conducted Emissions




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (AD.Boccheck@egs.com



> Report No.: AR/2020/A000704 Page: 56 of 88

4.10.1 Test plots

4.10.1.1 GFSK _Lowest Channel




Date: 16.OCT.2020 14:54:48




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@esps.com**



Report No.: AR/2020/A000704 Page: 57 of 88



4.10.1.3 GFSK _Highest Channel




Date: 16.OCT.2020 14:56:30




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com



> Report No.: AR/2020/A000704 Page: 58 of 88



4.10.1.5 π /4DQPSK _Middle Channel




Date: 16.OCT.2020 14:59:04



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@ess.com**




> Report No.: AR/2020/A000704 Page: 59 of 88



4.10.1.6 π/4DQPSK _Highest Channel

4.10.1.7 8DPSK Lowest Channel




Date: 16.OCT.2020 15:05:07



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing visual sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or




Report No.: AR/2020/A000704 Page: 60 of 88



4.10.1.8 8DPSK _Middle Channel

4.10.1.9 8DPSK_Highest Channel



Date: 16.OCT.2020 15:00:20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



Report No.: AR/2020/A000704 Page: 61 of 88

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Astention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)



Report No.: AR/2020/A000704 Page: 62 of 88

4.11 Kaula	ted Spurious Ellis	51011						
Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10: 2013							
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)							
	Frequency	Detector	RBW	VBW	Remark			
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak			
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average			
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
D O. t.	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak			
Receiver Setup:	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average			
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak			
	Above 1GHz	Peak	1MHz	3MHz	Peak			
		Peak	1MHz	10Hz	Average			
	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measuremen t distance (m)			
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz	30	-	-	30			
	30MHz-88MHz	100	40.0	Quasi-peak	3			
Limit:	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz	500	54.0	Average	3			
	Remark: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.							


4.11 Radiated Spurious Emission



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itset and sub sample(s) are retained for 30 days only. Attention, to check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM. Doccheck@egs.com



Report No.: AR/2020/A000704 Page: 63 of 88





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Astention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)



Report No.: AR/2020/A000704 Page: 64 of 88

	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving
	antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. Use the following spectrum analyzer settings:
	 Span shall wide enough to fully capture the emission being measured;
	(2) Set RBW=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz ; VBW ≥ RBW; Sweep = auto;
	Detector function = peak; Trace = max hold for peak
Test Procedure:	(3) For average measurement: use duty cycle correction factor method per 15.35(c).
rest riocedure.	Duty cycle = On time/100 milliseconds
	On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n
	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.
	Average Emission Level = Peak Emission Level + 20*log(Duty cycle)
	f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	 Test the EUT in the lowest channel (2402MHz), the middle channel (2441MHz), the Highest channel (2480MHz)
	j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
	k. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type



	Unless otherwise agreed in writing, this document is issued by the Col	npany subject to its General Conditions of Service printed
	overleaf, available on request or accessible at http://www.sgs.com/en/Terr	
	subject to Terms and Conditions for Electronic Documents at http://www	
	Attention is drawn to the limitation of liability, indemnification and jurisdi	
	advised that information contained hereon reflects the Company's finding	
	Client's instructions, if any. The Company's sole responsibility is to its	Client and this document does not exonerate parties to a
	transaction from exercising all their rights and obligations under the tra	
	except in full, without prior written approval of the Company. Any unau	norized alteration, forgery or faisfication of the content or
	appearance of this document is unlawful and offenders may be prosecute	a to the fullest extent of the law. Unless otherwise stated the
	results shown in this test report refer only to the sample(s) tested and such Attention: To check the authenticity of testing /inspection report & cer	sample(s) are retained for 50 days only.
	or email: CN.Doccheck@sqs.com	tilleate, prease contact us at telephone. (00-r 55) 6507 1445,
14		t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
ш.	u. No. i workshop, M-To, Middle Section, Science & recinology Park, Sherizhen, China 518057	
	中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057	t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/A000704 Page: 65 of 88


	Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@ess.com**



Page: 66 of 88



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	44.0720	23.19	-30.39	40.00	16.81	150	142	Horizontal
2	167.808	28.49	-33.76	43.50	15.01	150	271	Horizontal
3	351.715	29.17	-26.30	46.00	16.83	150	237	Horizontal
4	612.291	30.43	-19.91	46.00	15.57	150	344	Horizontal
5	705.457	31.94	-18.66	46.00	14.06	150	344	Horizontal
6	845.207	32.41	-16.13	46.00	13.59	150	268	Horizontal


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) ters retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact.us at telephone: (86-755) e307 1443, or email: CN.Doccheck@cgs.com



Report No.: AR/2020/A000704 Page: 67 of 88



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	46.9835	29.92	-30.20	40.00	10.08	150	28	Vertical	
2	70.7604	27.18	-34.29	40.00	12.82	150	69	Vertical	
3	167.808	26.27	-33.76	43.50	17.23	150	195	Vertical	
4	215.847	22.44	-30.44	43.50	21.06	150	141	Vertical	
5	456.043	25.14	-23.71	46.00	20.86	150	333	Vertical	
6	640.920	27.90	-19.51	46.00	18.10	150	289	Vertical	


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the approval of the Company. Any unathorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and submanife(s) and restand of 30 days only. Attention is retained for 30 days only.



Report No.: AR/2020/A000704 Page: 68 of 88



4.11.2 Transmitter Emission above 1GHz 4.11.2.1 GFSK_Channel 0

Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2966.49	43.89	9.60	54.00	10.11	150	18	Horizontal
2	3000.00	55.45	9.45	74.00	18.55	150	18	Horizontal
3	4804.00	33.17	-18.30	54.00	20.83	150	291	Horizontal
4	4804.00	44.39	-18.30	74.00	29.61	150	291	Horizontal
5	7206.00	46.23	-9.82	74.00	27.77	150	154	Horizontal
6	7206.00	35.48	-9.82	54.00	18.52	150	127	Horizontal
7	14596.1	45.44	2.26	54.00	8.56	150	318	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) ters retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact.us at telephone: (86-755) e307 1443, or email: CN.Doccheck@cgs.com



Page: 69 of 88

4.11.2.2 GFSK_Channel 0



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2977.99	55.76	9.55	74.00	18.24	150	218	Vertical
2	2991.49	43.82	9.49	54.00	10.18	150	136	Vertical
3	4804.00	29.94	-18.30	54.00	24.06	150	177	Vertical
4	4804.00	41.11	-18.30	74.00	32.89	150	232	Vertical
5	7206.00	46.75	-9.82	74.00	27.25	150	314	Vertical
6	7206.00	35.44	-9.82	54.00	18.56	150	232	Vertical
7	15073.2	45.33	2.67	54.00	8.67	150	96	Vertical

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Page: 70 of 88





Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2986.99	54.79	9.51	74.00	19.21	150	32	Horizontal
2	2998.49	44.15	9.46	54.00	9.85	150	252	Horizontal
3	4882.00	33.59	-17.96	54.00	20.41	150	237	Horizontal
4	4882.00	44.14	-17.96	74.00	29.86	150	264	Horizontal
5	7323.00	48.67	-9.53	74.00	25.33	150	99	Horizontal
6	7323.00	35.92	-9.53	54.00	18.08	150	127	Horizontal
7	15044.7	45.28	2.63	54.00	8.72	150	208	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Page: 71 of 88





Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2992.99	44.01	9.48	54.00	9.99	150	66	Vertical
2	2994.99	55.53	9.47	74.00	18.47	150	53	Vertical
3	4882.00	30.38	-17.96	54.00	23.62	150	69	Vertical
4	4882.00	41.80	-17.96	74.00	32.20	150	288	Vertical
5	7323.00	47.58	-9.53	74.00	26.42	150	97	Vertical
6	7323.00	35.85	-9.53	54.00	18.15	150	42	Vertical
7	15062.7	45.29	2.66	54.00	8.71	150	69	Vertical

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Page: 72 of 88

4.11.2.5 GFSK_Channel 78



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2956.48	44.03	9.65	54.00	9.97	150	18	Horizontal
2	2959.99	55.07	9.63	74.00	18.93	150	239	Horizontal
3	4960.00	33.43	-17.47	54.00	20.57	150	320	Horizontal
4	4960.00	43.92	-17.47	74.00	30.08	150	320	Horizontal
5	7440.00	48.22	-9.02	74.00	25.78	150	183	Horizontal
6	7440.00	36.59	-9.02	54.00	17.41	150	320	Horizontal
7	15061.2	45.46	2.65	54.00	8.54	150	73	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Page: 73 of 88

4.11.2.6 GFSK_Channel 78



Susp	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2946.98	44.28	9.65	54.00	9.72	150	220	Vertical	
2	2991.49	55.54	9.49	74.00	18.46	150	0	Vertical	
3	4960.00	31.25	-17.47	54.00	22.75	150	14	Vertical	
4	4960.00	41.15	-17.47	74.00	32.85	150	342	Vertical	
5	7440.00	48.64	-9.02	74.00	25.36	150	288	Vertical	
6	7440.00	36.97	-9.02	54.00	17.03	150	234	Vertical	
7	15041.7	45.41	2.62	54.00	8.59	150	342	Vertical	

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000704 Page: 74 of 88

Test on the worst case: 4.11.2.7 GFSK_Channel 78



Suspec	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Polarity					
1	2942.9857	55.02	9.60	74.00	18.98	Horizontal					
2	2951.4879	43.97	9.67	54.00	10.03	Horizontal					
3	4960.0000	29.41	-17.47	54.00	24.59	Horizontal					
4	4960.0000	41.39	-17.47	74.00	32.61	Horizontal					
5	7440.0000	48.28	-9.02	74.00	25.72	Horizontal					
6	7440.0000	36.67	-9.02	54.00	17.33	Horizontal					
7	17917.491	42.92	-1.30	54.00	11.08	Horizontal					

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact.us at telephone: (86-755) e307 1443, or email: CN.Doccheck@esps.com



Report No.: AR/2020/A000704 Page: 75 of 88

4.11.2.8 GFSK_Channel 78



Suspected List

Caepee									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2972.9932	55.09	9.57	74.00	18.91	Vertical			
2	2978.9947	43.95	9.55	54.00	10.05	Vertical			
3	4960.0000	28.81	-17.47	54.00	25.19	Vertical			
4	4960.0000	41.04	-17.47	74.00	32.96	Vertical			
5	7440.0000	49.08	-9.02	74.00	24.92	Vertical			
6	7440.0000	36.31	-9.02	54.00	17.69	Vertical			
7	17914.491	42.96	-1.31	54.00	11.04	Vertical			

Final Data List

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All Modes have been tested, but only the worst case data displayed in this report.



	Unless otherwise agreed in writing, this document is issued by overleaf, available on request or accessible at <u>http://www.sgs.co</u> subject to Terms and Conditions for Electronic Documents at h Attention is drawn to the limitation of liability, indemnification ar advised that information contained hereon reflects the Company Client's instructions, if any. The Company's sole responsibility transaction from exercising all their rights and obligations und except in full, without prior written approval of the Company. A appearance of this document is unlawful and offenders may be p results shown in this test report refer only to the sample(s) tested Attention: To check the authenticity of testing (inspection rep or email: CN.Doccheck@sgs.com	m/en/Terr ttp://www nd jurisdi y's finding is to its er the tra any unau prosecute and such	ns-and-Conditions. sgs.com/en/Terms- ction issues define gs at the time of its Client and this do nsaction document thorized alteration, d to the fullest exte sample(s) are retain	aspx and, for electron and-Conditions/Term d therein. Any holder intervention only an cument does not ex s. This document ca forgery or falsificati nt of the law. Unless ed for 30 days only.	ic format documents, is-e-Document.aspx, r of this document is d within the limits of onerate parties to a annot be reproduced on of the content or otherwise stated the	
Co.,Ltd.	No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 5	18057	t (86-755) 26012053	f (86-755) 26710594	www.sgsgroup.com.cn	
story.	中国·深圳・科技园中区M-10栋一号厂房 邮编:5	18057	t (86-755) 26012053	f (86-755) 26710594	sgs.china@sgs.com	




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2020/A000704 Page: 76 of 88

4.12 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Secti	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10: 2013	ANSI C63.10: 2013							
Test Site:	Measurement Distance	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)							
	Frequency	Limit (dBuV/m @3m)	Remark						
	30MHz-88MHz	40.0	Quasi-peak Value						
	88MHz-216MHz	43.5	Quasi-peak Value						
Limit:	216MHz-960MHz	46.0	Quasi-peak Value						
	960MHz-1GHz	54.0	Quasi-peak Value						
	Above 1GHz	54.0	Average Value						
	Above IGHZ	74.0	Peak Value						
Test Setup:									





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test retainon, for a deck first on the sample(s) test end sub-sample(s) test end sub-



Report No.: AR/2020/A000704 Page: 77 of 88


Test Procedure:	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning which it is the worst case. j. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass
	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (AD.Boccheck@egs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: AR/2020/A000704 Page: 78 of 88



4.12.1 Test plots 4.12.1.1 Worst Case Mode (GFSK(DH5)) _Lowest Channel

Suspected List Level Factor Limit Margin Height Angle Freq. NO. Polarity [°] [dBµV/m] [dB] [dBµV/m] [dB] [MHz] [cm] 2375.80 107 37.37 7.78 54.00 16.63 150 Horizontal 1 2 2384.81 51.30 7.78 74.00 22.70 150 90 Horizontal 2389.99 3 51.55 7.77 74.00 22.45 150 287 Horizontal 2390.00 4 37.54 7.77 54.00 16.46 150 238 Horizontal 2402.00 5 104.12 7.77 0.00 -104.12 150 287 Horizontal 2402.00 104.00 7.77 0.00 -104.00 150 287 Horizontal 6


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



Report No.: AR/2020/A000704 Page: 79 of 88



2	2383.68	51.06	7.78	74.00	22.94	150	308	Vertical
3	2390.00	36.99	7.77	54.00	17.01	150	346	Vertical
4	2390.00	49.36	7.77	74.00	24.64	150	73	Vertical
5	2402.00	97.43	7.77	0.00	-97.43	150	117	Vertical
6	2402.00	97.29	7.77	0.00	-97.29	150	117	Vertical


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact.us at telephone: (86-755) e307 1443, or email: CN.Doccheck@esps.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2020/A000704 Page: 80 of 88



4.12.1.2 Worst Case Mode (GFSK(DH5)) _Highest Channel

Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2480.00	104.16	8.01	0.00	-104.16	150	288	Horizontal	
2	2480.00	104.06	8.01	0.00	-104.06	150	282	Horizontal	
3	2483.50	59.47	8.01	74.00	14.53	150	255	Horizontal	
4	2483.50	39.87	8.01	54.00	14.13	150	282	Horizontal	
5	2487.04	50.38	8.01	74.00	23.62	150	250	Horizontal	
6	2487.04	39.95	8.01	54.00	14.05	150	244	Horizontal	


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the excore at the protocode of this document is arasaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@egs.com**



Report No.: AR/2020/A000704 Page: 81 of 88



Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test dand such sample(s) present of 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@cgs.com



Report No.: AR/2020/A0007 Page: 82 of 88

Test on the worst case: 4.12.1.3 GFSK_Channel 78



Suspec	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Polarity				
1	2480.0000	105.18	8.01	0.00	-105.18	Horizontal				
2	2480.0000	104.92	8.01	0.00	-104.92	Horizontal				
3	2483.5418	62.23	8.01	74.00	11.77	Horizontal				
4	2483.9920	39.09	8.01	54.00	14.91	Horizontal				
5	2488.0940	49.83	8.02	74.00	24.17	Horizontal				
6	2488.7444	37.61	8.02	54.00	16.39	Horizontal				

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@ess.com**



Report No.: AR/2020/A000704 Page: 83 of 88

4.12.1.4 GFSK_Channel 78



Suspec	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Polarity				
1	2480.0000	91.69	8.01	0.00	-91.69	Vertical				
2	2480.0000	91.41	8.01	0.00	-91.41	Vertical				
3	2483.5000	45.68	8.01	74.00	28.32	Vertical				
4	2483.5000	32.39	8.01	54.00	21.61	Vertical				
5	2488.7944	46.45	8.02	74.00	27.55	Vertical				
6	2491.9460	32.71	8.02	54.00	21.29	Vertical				

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) ters retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: CN.Doccheck@csos.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen

Report No.: AR/2020/A000704 Page: 84 of 88

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty		
1	Total RF power, conducted	±0.75dB		
2	RF power density, conducted	±2.84dB		
3	Spurious emissions, conducted	±0.75dB		
4	Radiated Spurious emission test	±4.5dB (30MHz-1GHz)		
4	Radiated Spundus emission test	±4.8dB (1GHz-25GHz)		
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)		
6	Temperature test	±1°C		
7	Humidity test	±3%		
8	DC and low frequency voltages	±0.5%		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T

SGS SGS-CS Branch

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2020/A000704 Page: 85 of 88

6 Equipment List

Conducted Emission									
			Inventory	Cal. date	Cal.Duedate				
Test Equipment	Manufacturer	Model No.	No.	(yyyy-mm- dd)	(yyyy-mm- dd)				
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2020/5/10	2023/5/9				
LISN	Rohde & Schwarz	ENV216	SEM007-01	2020/7/14	2021/7/14				
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2020/4/1	2021/3/31				
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A				
Coaxial Cable	SGS	N/A	SEM024-01	2020/6/12	2021/6/11				
2 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T2-02	EMC0122	2020/2/11	2021/2/10				
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2020/3/2	2021/3/1				

RF conducted test								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Duedate			
				(yyyy-mm- dd)	(yyyy-mm- dd)			
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2020/7/15	2021/7/15			
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2			
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11			
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A			
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14			
Temperature Chamber	GIANT FORCE	ICT-150-40- CP-AR	W027-03	2020/10/27	2021/10/27			
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/an/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing available (86-755) 8307 1443, or email: (80-755) 8307 1443, or em

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2020/A000704 Page: 86 of 88

RE in Chamber							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm- dd)	Cal.Due date (yyyy-mm- dd)		
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001- 02	2018/3/13	2021/3/12		
Measurement Software	AUDIX	e3V8.2014-6-27	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM026- 01	2020/6/12	2021/6/11		
EXA Signal Analyzer (10Hz-26.5GHz)	Agilent Technologies Inc	N9010A	SEM004- 09	2020/3/12	2021/3/11		
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003- 01	2020/6/27	2023/6/26		
Horn Antenna (0.8- 18GHz)	Rohde & Schwarz	HF907	SEM003- 07	2018/4/13	2021/4/12		
Pre-amplifier(0.1- 1.3GHz)	HP	8447D	SEM005- 02	2020/7/14	2021/7/14		
Low Noise Amplifier(100MHz- 18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005- 05	2020/9/3	2021/9/2		
Horn Antenna (15- 40GHz)	Schwarzbeck	BBHA 9170	SEM003- 15	2020/10/17	2023/10/16		
Pre-amplifier(18-26GHz)	Rohde & Schwarz	CH14-H052	SEM005- 17	2020/3/2	2021/3/1		
Band filter	N/A	N/A	SEM023- 01	N/A	N/A		
RE in Chamber							
Test Environment		Model No.	Inventory No.	Cal. date	Cal.Due date		
Test Equipment	Manufacturer			(yyyy-mm- dd)	(yyyy-mm- dd)		
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001- 01	2020/8/5	2021/8/4		
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM025- 01	2020/6/12	2021/6/11		
MXE EMI Receiver (20Hz-8.4GHz)	Agilent Technologies	N9038A	SEM004- 05	2020/7/14	2021/7/14		
BiConiLog Antenna (26- 3000MHz)	ETS-LINDGREN	3142C	SEM003- 01	2020/6/27	2023/6/26		
Pre-amplifier (0.1- 1.3GHz)	Agilent Technologies	8447D	SEM005- 01	2020/3/2	2021/3/1		



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing visual sole sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (NDpoccheck@sgs.com)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2020/A000704 Page: 87 of 88

RE in Chamber								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm- dd)	Cal. Due date (yyyy- mm-dd)			
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30			
EMI Test Receiver (9k- 7GHz)	Rohde & Schwarz	ESR	SEM004-03	2020/3/2	2021/3/1			
Trilog-Broadband Antenna(25M-2GHz)	Schwarzbeck	VULB9168	SEM003-18	2020/3/15	2022/3/14			
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2020/3/12	2021/3/11			
Loop Antenna (9kHz- 30MHz)	ETS-Lindgren	6502	SEM003-08	2020/8/22	2023/8/21			
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM029-01	2020/6/12	2021/6/11			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore ate parities to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test and submanification, rectained on 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN.Doccheck@sgs.com**



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen

Report No.: AR/2020/A000704 Page: 88 of 88

7 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of Set-Up for AR/2020/A0007.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T