

Report No.: AR/2020/C000402 Page: 1 of 88

FCC TEST REPORT

Application No.:	AR/2020/C0004
Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
EUT Description:	Mobile Phone
Model No.:	M2010J19SL
Trade Mark:	Redmi
FCC ID:	2AFZZJ19SL
Standards:	47 CFR FCC Part 2, Subpart J
	47 CFR Part 15, Subpart C
Date of Receipt:	2020/12/11
Date of Test:	2020/12/11 to 2020/12/31
Date of Issue:	2020/12/31
Test Result :	PASS *

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Derele yang

Derek Yang Wireless Laboratory Manager

中国·深圳·科技园中区M-10栋一号厂房



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoncrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is test as the sub-sample(s) are retained for 30 days only. Attention to check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sg.com

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000402 Page: 2 of 88

1 Version

Revision Record						
Version	Chapter	Date	Modifier	Remark		
01		2020-12-31		Original		

Authorized for issue by:		
Tested By	Mike Mu (Mike Hu) /Project Engineer	
Checked By	David Chen (David Chen) /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: (N_Doccheck@egs.com)



Report No.: AR/2020/C000402 Page: 3 of 88

2 Test Summary

Test Item	Test Requirement	Test Method	Test Result	Result
AC Power Line Conducted Emission	15.207	ANSI C63.10 (2013)	Clause 4.3	PASS
Conducted Peak Output Power	15.247 (b)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS
20dB Emission Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.11	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com



Report No.: AR/2020/C000402 Page: 4 of 88

Contents

1	Vers	sion		2					
2	Test	t Sumn	nary	3					
3	Gen	neral Information							
	3.1	De	etails of Client						
	3.2	Те	st Location	6					
	3.3	Те	st Facility	7					
	3.4	Ge	neral Description of EUT	8					
	3.5	Те	st Environment	9					
	3.6	De	scription of Support Units	9					
4	Test	t result	s and Measurement Data	10					
	4.1	An	tenna Requirement	10					
	4.2	Ot	ner requirements Frequency Hopping Spread Spectrum System	Hopping					
	Sec	quence		11					
		4.2.1	Test Requirement:	11					
		4.2.2	Conclusion	11					
	4.3	AC	Power Line Conducted Emissions	13					
	4.4	Co	nducted Output Power	17					
		4.4.1	Test Results	18					
		4.4.2	Test Plots	19					
	4.5	20	dB Emission Bandwidth & 99% Occupied Bandwidth	28					
		4.5.1	Test Results	28					
		4.5.2	Test Plots	29					
	4.6	Ca	rrier Frequencies Separationy	38					
		4.6.1	Test Results						
		4.6.2	Test Plots	40					
	4.7	Ho	pping Channel Number	42					
		4.7.1	Test Results	42					
		4.7.2	Test Plots	43					
	4.8	Dw	/ell Time	45					
		4.8.1	Test Results	46					
		4.8.2	Test Plots	47					
	4.9	Ba	nd-edge for RF Conducted Emissions	52					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e_Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results hown in this test report refer only to the easing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 26710594 www.sgsgroup.com.cn mail: S18057 t (86-755) 26012053 f (86-755) 26710594 sgs.com

			Report No.: AR/2020/C Page: 5 of 88	000402
	4.9.1 T	est Plots		53
	4.10 Spuri	ous RF Conducted Emissions		60
	4.10.1	Test Plots		61
	4.11 Radia	ted Spurious Emissions		67
	4.11.1	Radiated emission below 1GHz	Error! Bookmark r	ot defined.
	4.11.2	Transmitter emission above 1GHz	Error! Bookmark r	ot defined.
	4.12 Restr	icted bands around fundamental freq	uency	70
	4.12.1	Test Plots		80
5	Measurement	t Uncertainty (95% confidence levels	, k=2)	84
6	Equipment Li	st		85
7	Photographs	- EUT Constructional Details		88



SGS

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small CA. Doccheck@egs.com

No.1Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000402 Page: 6 of 88

3 General Information

3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.			
Address of Applicant	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,			
Address of Applicant	China, 100085			
Manufacturer:	Xiaomi Communications Co., Ltd.			
Address of Manufacturer	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,			
	China, 100085			

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or email: CA.Doccheck@egas.com

Report No.: AR/2020/C000402 Page: 7 of 88

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction Issues defined therein. Any holder of this document is a dvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) isertation, for ertained for 30 days only. Attention: To check the authenticity of testing impaction report & certificate, please contact us at telephone: (85-755) 8307 1443, or amail (CN) Doccheck forma.com



Report No.: AR/2020/C000402 8 of 88 Page:

3.4 General Description of EUT

EUT Description:	Mobile Phone		
Model No.:	M2010J19SL		
Trade Mark:	Redmi		
Hardware Version:	P2		
Software Version:	MIUI12		
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.		
Bluetooth version:	Bluetooth V5.0		
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)		
Modulation Type:	GFSK, π/4DQPSK, 8DPSK		
Number of Channel:	79		
Hopping Channel Type:	Adaptive Frequency Hopping systems		
Sample Type:	⊠ Portable Device, □Module		
Antenna Type:	PIFA Antenna		
Antenna Gain:	1.0dBi		

Operation Frequency of each channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000402

					Page:	9 of 88	
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz
19	2421MHz	39	2441MHz	59	2461MHz		

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH39)	2441MHz
The Highest channel(CH78)	2480MHz

3.5 Test Environment

Operating Environment:			
Temperature:	25.0 °C		
Humidity:	50 % RH		
Atmospheric Pressure:	101.30 KPa		

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juriadiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Olient and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unavful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Artention: To check the authenticity of testing inspection creport & actritticate, please contact us at telephone: (86-755) 8307 1443, or email: CM_Doccheck@ags.com No.1 Workshon, M-10, Midde Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sggroup.com.on

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000402 Page: 10 of 88

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 1.0dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company so prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing (inspection report & carrificate, please contact us at teiphone: (66-755) 5307 1443.



Report No.: AR/2020/C000402 Page: 11 of 88

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.


> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

20 62 46 77	7 64 8 73	16 75 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Astention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this ter report refer only to the sample(s) tested and such sample(s) tested on 30 days only.



Report No.: AR/2020/C000402 Page: 12 of 88

Each frequency used equally on the average by each transmitter.

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system. Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond



Report No.: AR/2020/C000402 Page: 13 of 88

4.3 AC Power Line Conducted Emissions


Test Requirement:	47 CFR Part 15C Section 15.207			
Test Method:	ANSI C63.10: 2013			
Test Frequency Range:	150kHz to 30MHz			
Limit:	Erequency renge (MHz)	Limit (dBuV)		
	Frequency range (MHz)	Quasi-peak	Average	
	0.15-0.5	66 to 56*	56 to 46*	
	0.5-5	56	46	
	5-30	60	50	
	* Decreases with the log	arithm of the frequency.		
Test Procedure:				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction Issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the excore and obligations under the transaction documents. This document is unlawful and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this terport refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: AR/2020/C000402 Page: 14 of 88





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond




Report No.: AR/2020/C000402 Page: 15 of 88

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:




Test Graph

Final	Final Data List							
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]
1	0.1531	10.10	29.12	65.83	36.71	16.90	55.83	38.93
2	0.4428	10.10	27.19	57.01	29.82	18.18	47.01	28.83
3	1.9504	10.10	26.09	56.00	29.91	13.84	46.00	32.16
4	6.8147	10.10	35.68	60.00	24.32	26.48	50.00	23.52
5	14.7618	10.11	44.49	60.00	15.51	30.67	50.00	19.33
6	23.1190	10.11	47.61	60.00	12.39	36.77	50.00	13.23



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





Test Graph

Final	Final Data List							
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]
1	0.1524	10.10	29.06	65.87	36.81	12.57	55.87	43.30
2	0.4403	10.10	27.40	57.06	29.66	15.80	47.06	31.26
3	1.9345	10.10	30.04	56.00	25.96	16.96	46.00	29.04
4	6.8664	10.10	37.82	60.00	22.18	29.13	50.00	20.87
5	14.5065	10.11	47.67	60.00	12.33	32.63	50.00	17.37
6	23.1316	10.11	51.50	60.00	8.50	40.22	50.00	9.78

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: AR/2020/C000402 Page: 17 of 88

4.4 Conducted Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.5		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Test Instruments:	Refer to section 5.10 for details		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 		
Limit:	(20.97dBm) 125mW		
Test Results:	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com



Report No.: AR/2020/C000402 Page: 18 of 88

4.4.1 Test Results


GFSK mode					
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result		
Lowest	7.50	20.97	Pass		
Middle	8.12	20.97	Pass		
Highest	8.29	20.97	Pass		
	π/4DQP	SK mode			
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result		
Lowest	7.90	20.97	Pass		
Middle	8.53	20.97	Pass		
Highest	8.68	20.97	Pass		
	8DPSI	K mode			
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result		
Lowest	8.31	20.97	Pass		
Middle	8.86	20.97	Pass		
Highest	9.09	20.97	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com



Report No.: AR/2020/C000402 Page: 19 of 88




Date: 25.DEC.2020 15:55:41



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000402 Page: 28 of 88

4.5 20dB Emission Bandwidth

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.7		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Instruments Used:	Refer to section 5.10 for details		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 		
Limit:	NA		
Test Results:	Pass		

Test Results 4.5.1

Mode	Test Channel	20dB Emission Bandwidth (KHz)	Result
	Lowest	955.1	Pass
GFSK	Middle	955.1	Pass
	Highest	955.1	Pass
	Lowest	1289.4	Pass
π/4DQPSK	Middle	1289.4	Pass
	Highest	1289.4	Pass
	Lowest	1298.1	Pass
8DPSK	Middle	1298.1	Pass
	Highest	1298.1	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn

中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000402 Page: 29 of 88




Date: 25.DEC.2020 16:01:19



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter






Date: 25.DEC.2020 16:01:34



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com






Date: 25.DEC.2020 16:02:05



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com






Date: 25.DEC.2020 15:58:29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com






Date: 25.DEC.2020 15:58:47



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com






Date: 25.DEC.2020 15:59:20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com






Date: 25.DEC.2020 16:00:32



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com






Date: 25.DEC.2020 16:00:14



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com





Date: 25.DEC.2020 15:59:35




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.com



Report No.: AR/2020/C000402 Page: 38 of 88

4.6 Carrier Frequencies Seperationy





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the aptroverse of the company. Sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test dam such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNL Doccheck@sss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.com



Report No.: AR/2020/C000402 Page: 39 of 88

4.6.1 Test Results

	GFSK	mode	
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result
Middle	1007	636.7	PASS
	π/4DQP	SK mode	
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result
Middle	1003	859.6	PASS
	8DPSH	(mode	
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result
Middle	1003	865.4	PASS

Remark: According to section 4.5,

Mode	20dB bandwidth (kHz) (worse case)	Limit (kHz) (Carrier Frequencies Separation)
GFSK	955.1	636.7
π/4DQPSK	1289.4	859.6
8DPSK	1298.1	865.4




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000402 Page: 40 of 88





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



						Pag	0.	41 c	
st mode:		π/4DQPS	K		Test cha			Mido	
Spectr	um		to a state	_					
Ref Le Matt	vel 30.00	dBm Offset 40 dB SWT	5.40 dB 🖷 R 6.3 µs 🖷 V			to FFT			
1Pk Ma	×	T	1		M1[11		4	.42 dBm
20 dBm-					D1[2		140 GHz 0.06 dB
20 0811-	1				- DI	-1		1.00	290 MHz
10 dBm-	-	-	MI		-			-	
0 dBm-	~	-		~	-			-	
								-	
-10 dBm			-						
-20 dBm			-		-				
	1								
-30 dBm									
-40 dBm	-		-	-					
-50 dBm	-							-	
ob dbin									
-60 dBm	-		-		1				
		_							
CF 2.44	15 GHz			69:	L pts	Measuring			B.O MHz
		40:41		69:	L pts	Measuring			3.0 MHz
Date: 6.JA	N,2021 16:			69:)			40	lh
Date: 6.JA	N,2021 16:	49:41 8DPSK		69	Test cha				dle
Date: 6.JA St mode:	um	8DPSK	5.40 dB 🖷 R) Test cha		. Wannen	40	lh
Date: 6.JA Date: 6.JA Spectr Ref Le Att	um vel 30.00	8DPSK	5.40 dB ■ R 6.3 µs ● Y	BW 300 ki	Test cha	annel:		40	dle
Date: 6.JA St mode: Spectr Ref Le	um vel 30.00	8DPSK		BW 300 ki	Test cha	annel:		Mide	dle ♥
Date: 6.JA Date: 6.JA Spectr Ref Le Att	um vel 30.00	8DPSK		BW 300 ki	Test cha	to FFT		Midd	dle T
Date: 6.JA Spectr Ref Le Att 1PK Ma 20 dBm-	um vel 30.00	8DPSK		BW 300 ki	Hz Hz Hz Mode Au	to FFT		Midd 1.020	dle
Date: 6.JA Date: 6.JA Spectr Ref Le Att PIPK Ma	um vel 30.00	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6.JA Spectr Ref Le Att 1PK Ma 20 dBm-	um vel 30.00	8DPSK		BW 300 ki	Test cha	annel: to FFT 1]		Midd 1.020	dle (↓
Date: 6.JA) St mode: Spectr Ref Le Att 10 dBm- 0 dBm-	vel 30.00	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6.JA St mode: Spectr Ref Le Att 10 dBm- 10 dBm-	vel 30.00	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6.JA) St mode: Spectr Ref Le Att 10 dBm- 0 dBm-	vel 30.00	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6 JAi Date: 6 JAi Spectr Ref Le Att 1PK Ma 20 dBm- 10 dBm- -10 dBm- -20 dBm	vel 30.00	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6 JAi Date: 6 JAi Spectr Ref Le Att 1Pk Ma 20 dBm- 10 dBm- -10 dBm	vel 30.00	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6 JAi Date: 6 JAi Spectr Ref Le Att 1PK Ma 20 dBm- 10 dBm- -10 dBm- -20 dBm	vel 30,00	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6.JA) St mode: Spectr Ref Le Att PIPK Ma 20 dBm- 10 dBm- 10 dBm- -10 dBm- -20 dBm -30 dBm -40 dBm	x 2021 16:	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6.JA) St mode: Spectr Ref Le Att 1PK Ma 20 dBm- 10 dBm- 10 dBm- -10 dBm- -30 dBm	x 2021 16:	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6.JA) St mode: Spectr Ref Le Att PIPK Ma 20 dBm- 10 dBm- 10 dBm- -10 dBm- -20 dBm -30 dBm -40 dBm	x 2021 16:	8DPSK	6.3 µs 🕳 Ұ	BW 300 ki	Test cha	annel: to FFT 1]	2	Midd 1.020	dle (↓
Date: 6.JA) St mode: Spectr Ref Le Att PIPK Ma 20 dBm- 10 dBm- 10 dBm- -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm	x 2021 16:	8DPSK	6.3 µs 🕳 Ұ	BW 300 k BW 1 M	Test cha	annel: to FFT 1]	2	Mide	dle (↓




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000402 Page: 42 of 88

4.7 Hopping Channel Number



4.7.1 Test Results

Mode	Hopping channel numbers	Limit
GFSK	79	≥15
π/4DQPSK	79	≥15
8DPSK	79	≥15




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000402 Page: 43 of 88





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.com



st mode:						π/4DQ		Page:	44	of 8	00
St mode.	Constant						FUN				
	Spectrum Ref Level	30.00 dBm	Offset	5.40 dB 🖷	RBW 300 ki	łz				_	
	Att 1Pk Max	40 dB			VBW 1 M		Auto FFT				-
	TEK Max		-	1		D	L[1]			-0.3	
	20 dBm					M	1[1]		2	8.340 3.36 (
	20 000						-1-1	· · · · · ·	2.4	01770	
	10 dBm		-	-							
	MAAAAAA	MAAAAAA	Innanna	MAMAN	KANAAN	hanna	MMM	mmm	MARAAAA	Innt	1
	Goom						-				
	-10 dBm		-	-			1				
	-20 dBm										
	CO GDIT										
	-30 dBm			-							
	-40 dBm										hans
	i to abiit							· · · · · · · · · · · · · · · · · · ·			
	-50 dBm		-	-							
	-60 dBm			_							
	-00 0011							1			
	Start 2.4 G	19			1			1	Stop 2	4835 G	Hz
	Date: 6.JAN 202	I			693	L pts		rring 🚺			Ili
est mode:		I			69:	8DPS		iring 🚺			
est mode:	Date: 6.JAN.202	21 16:51:09				8DPSł		rring 🚺			
st mode:	Date: 6.JAN.202	21 16:51:09	Offset		69: RBW 300 ki VBW 1 Mi	8DPSk		iring 🗰			
st mode:	Date: 6.JAN,202	21 16,51:09	Offset		RBW 300 ki	8DPSk 12 12 Mode /	Auto FFT	ring 🖤			
st mode:	Date: 6.JAN,202 Spectrum Ref Level Att	21 16,51:09	Offset		RBW 300 ki	8DPSk Hz Hz Mode /	4 Auto FFT 1[1]	ring 🚺	ALLARY 44	3.13 (IBm GHz
st mode:	Date: 6.JAN.20 Spectrum Ref Level Att	21 16,51:09	Offset		RBW 300 ki	8DPSk Hz Hz Mode /	Auto FFT	ring ()	2.4	3.13 (tBm GHz z dB
est mode:	Date: 6.JAN.202 Spectrum Ref Level Att DPK Max 20 dBm 10 dBm	21 16,51:09	Offset		RBW 300 ki	8DPSk Hz Hz Mode /	4 Auto FFT 1[1]	ring ***	2.4	3.13 d 02010 -0.02	tBm GHz z dB
est mode:	Date: 6.JAN,202 Spectrum Ref Level Att 10 dBm 10 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
st mode:	Date: 6.JAN,202 Spectrum Ref Level Att 10 dBm 10 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>	ring	2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6.JAN,202 Spectrum Ref Level Att 10 dBm 10 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6. JAN. 202 Spectrum Ref Level Att IPk Max 20 dBm 10 dBm M1 0 dBm -10 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6.JAN.20: Spectrum Ref Level Att • 1Pk Max 20 dBm 10 dBm M1 • 0 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6. JAN. 202 Spectrum Ref Level Att IPk Max 20 dBm 10 dBm M1 0 dBm -10 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6.JAN 202 Spectrum Ref Level Att IPK Max 20 dBm 10 dBm 10 dBm 10 dBm 20 dBm 30 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6. JAN 202 Spectrum Ref Level Att IPK Max 20 dBm 10 dBm M1 0 dBm -10 dBm -20 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6.JAN 202 Spectrum Ref Level Att IPK Max 20 dBm 10 dBm 10 dBm 10 dBm 20 dBm 30 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6. JAN, 202 Spectrum Ref Level Att PIPK Max 20 dBm 10 dBm 10 dBm 10 dBm 20 dBm 40 dBm -50 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6. JAN, 202 Spectrum Ref Level Att IPK Max 20 dBm 10 dBm 10 dBm 10 dBm 20 dBm -10 dBm -10 dBm -10 dBm -10 dBm -10 dBm	21 16:51:09 21 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 ki VBW 1 Mi	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.0 7.980 1	IBm GHz 2 dB MHz
est mode:	Date: 6. JAN, 202 Spectrum Ref Level Att PIPK Max 20 dBm 10 dBm 10 dBm 10 dBm 20 dBm 40 dBm -50 dBm	21 16:51:09 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 kl	42 H2 Mode / M	<pre> Auto FFT I[1] I[1] </pre>		2.4	3.13 (02010 -0.03 77.980 (D)	dBm GHz Z dB MHz
est mode:	Date: 6. JAN 202 Spectrum Ref Level Att IPK Max 20 dBm 10 dBm 10 dBm 10 dBm 20 dBm 20 dBm -10 dBm -50 dBm -60 dBm	21 16:51:09 30.00 dBm 40 dB	Offset SWT	31,7 µs 🖷	RBW 300 kl	BDPSP			2.4 7 100000000000000000000000000000000000	3.13 c 02010 -0.0 7.980 l	dBm GHz Z dB MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000402 Page: 45 of 88

4.8 Dwell Time

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)
Test Method:	ANSI C63.10:2013 Section 7.8.4
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table
	Ground Reference Plane
Instruments Used:	Refer to section 5.10 for details
Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.
Limit:	0.4 Second
Test Results:	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000402 Page: 46 of 88

4.8.1 Test Results	
Operation Modes	On time (ms) on one channel
DH1	0.409
DH3	1.683
DH5	2.942
2-DH1	0.419
2-DH3	1.678
2-DH5	2.942
3-DH1	0.417
3-DH2	1.687
3-DH5	2.928

Bluetooth Time of Occupancy Calculation

Typically, Bluetooth 1x/EDR mode has a channel hopping rate of 1600 hops/s, since 1x/EDR modes use 5 transmit and 1 receive slot, for a total of 6 slots, the Bluetooth transmitter is actually hopping at a rate of 1600/6=266.67 hops/slot

400ms x 79 Channel = 31.6 s (Time of Occupancy Limit)

Worst case BT has 266.67 hops/second (for 1x/EDR modes with 2-DH5 operation)

266.67 hops/second/79 channels=3.38 hops/second (# of hops/second on one channel)

3.38 hops/second/channel*31.6seconds=106.67 hops (#hops over a 31.6 second period)

106.67 hops *2.928 ms/channel =312.33 ms(worst case dwell time for one channel in 1x/EDR

modes)

With AFH, the number of channels is reduced to a minimum of 20 channels and the channel hopping rate is reduced by 50% to 800hops/s, AFH mode also uses 6 slots so the Bluetooth transmitter hops at a rate of 800/6=133.3 hops/s/slot

400ms x 20 Channel = 8 s (Time of Occupancy Limit)

Worst case BT has 133.3 hops/second/slot (for AFH mode with 2-DH5 operation)

133.3 hops/second/20 channels=6.67 hops/second (#hops/second on one channel)

6.67 hops/second *8seconds=53.34 hops (#hops over a 8 seconds period)

53.34 hops x2.928 ms/channel=156.18 ms(worst case dwell time for one channel in AFH mode)




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excente parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) iser testiand for 30 days only. Attention: To check the authenticity at testing (inspection report & cartificate, please contact us at telephone: (85-755) 8307 1443, or annal: CN Decchedres and testing (inspection report & cartificate, please contact us at telephone: (85-755) 8307 1443, or annal:

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



Report No.: AR/2020/C000402 Page: 47 of 88




Date: 25.DEC.2020 16:29:35



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com






Date: 25.DEC 2020 16:27:09



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com






Date: 25 DEC 2020 16:28:35



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com





Date: 25 DEC 2020 16:27:37



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000402 Page: 52 of 88

4.9 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10:2013 Section 7.8.6
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane
Instruments Used:	Refer to section 5.10 for details
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type.
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000402 Page: 53 of 88




Date: 25.DEC.2020 16:19:06



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com






Date: 25 DEC 2020 16:16:59



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com






SGS-CST Regards Technical Safety Co. Ltd. Sherzhen Brandy Hyter Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To chack the authenticity of testing inspection reports a cartificate, please contact us at telephone: (86-755) 8307 1443, or small: OM-Doccheck@ags.com

中国・深圳・科技园中区M-10栋一号厂房 邮编: 51805.

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com 中国·深圳·科技园中区M-10栋一号厂房





Date: 25 DEC 2020 16:12:23



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



			Page:	58 of 88
est mode:	8DPSK	Test channel:	Lowest	Hopping OFF
	Spectrum			
	Ref Level 35.40 dBm Offset Att 40 dB SWT	t 5.40 dB 👄 RBW 100 kHz 10 ms 🖷 VBW 300 kHz Mode 4	Auto Sweep	<u>, , , , , , , , , , , , , , , , , , , </u>
	●1Pk Max			17.00.10
	30 dBm	D1		-47.99 dB -2.0840 MHz
	20 dBm	M1		5.70 dBm 2.4020120 GHz
	10 dBm		MI	
	D dBm		many	
	-10 dBm			4
	D1 -14,300 dBm			
	-20 dBm-		1 1 1 -	
	-30 dBm-			
		Annot	Ywr	
	-40 dBm	normannanananan		WalippontureAper
	-50 dBm-			
	-60 dBm-			
	· */.***			
	CF 2.4 GHz	691 pts	1 1	Span 10.0 MHz
	CF 2.4 GHz	691 pts	Measuring	
	CF 2.4 GHz	691 pts		440
	π	691 pts		440
	Date: 25 DEC.2020 16:06:23 8DPSK Spectrum	Test channel:	Measuring 🚺 👘 👘	
	Date: 25 DEC.2020 16:06:23 8DPSK Spectrum	Test channel:	Measuring 🚺 👘 👘	Hopping ON
	Date: 25.DEC.2020 16:06:23 8DPSK Spectrum Ref Level 35,40 dBm Offsel	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz	Measuring	Hopping ON
	Date: 25.DEC.2020 16.06:23 8DPSK Spectrum Ref Level 35,40 dBm Offset 40 dB SWT	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
	Date: 25 DEC.2020 16:06:23	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz	Measuring	Hopping ON
	BDPSK Spectrum Ref Level 35,40 dBm Offset Att 40 dB SWT 1Pk Max 30 dBm 20 dBm 1000000000000000000000000000000000000	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
	BDPSK Spectrum Ref Level 35,40 dBm Offset Att 40 dB SWT 1Pk Max 30 dBm 30 dBm 110 dBm	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
Fest mode:	BDPSK Spectrum Ref Level 35,40 dBm Offset Att 40 dB SWT 1Pk Max 30 dBm 20 dBm 1000000000000000000000000000000000000	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
Fest mode:	Date: 25 DEC. 2020 16:06:23	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
Fest mode:	Spectrum Offset Ref Level 35,40 dBm Offset Att 40 dB SWT 1Pk Max 30 dBm 0 dB 20 dBm 10 dBm 11 13,470 dBm	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
Fest mode:	Date: 25 DEC. 2020 16:06:23	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
Fest mode:	Bate: 25.DEC. 2020 16.06:23 Spectrum Offset Ref Level 35,40 dBm Offset Att 40 dB SWT IPk: Max 30 dBm 30 dBm 30 dBm 20 dBm 91 13,470 dBm 91 -10 dBm D1 -13,470 dBm -30 dBm	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
est mode:	BDPSK Spectrum Ref Level 35,40 dBm Offset 4tt 40 dB SWT 1Pk: Max 30 dBm 30 dBm 30 dBm 10 dBm 11 -13,470 dBm -20 dBm -30 dBm -30 dBm -10 dBm -10 dBm	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
est mode:	Bate: 25.DEC. 2020 16.06:23 Spectrum Offset Ref Level 35,40 dBm Offset Att 40 dB SWT IPk: Max 30 dBm 30 dBm 30 dBm 20 dBm 91 13,470 dBm 91 -10 dBm D1 -13,470 dBm -30 dBm	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 4 10 ms • VBW 300 kHz Mode 4	Measuring	Hopping ON
est mode:	BDPSK Spectrum Ref Level 35,40 dBm Offset 4tt 40 dB SWT 1Pk: Max 30 dBm 30 dBm 30 dBm 10 dBm 11 -13,470 dBm -20 dBm -30 dBm -30 dBm -10 dBm -10 dBm	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 2 0 01 M1 M1	Measuring	-48.51 dB 7.3950 MHz 6.53 dBm 2.4799980 GHz
Fest mode:	BDPSK Spectrum Ref Level 35,40 dBm Offset SWT 1Pk: Max 40 dB SWT 30 dBm 30 dBm 30 dBm 10 dBm 10 dBm 10 dBm -10 dBm 10 -13,470 dBm -30 dBm -30 dBm -10 dBm -10 dBm	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 2 0 01 M1 M1	Measuring	-48.51 dB 7.3950 MHz 6.53 dBm 2.4799980 GHz
Test mode:	Bate: 25 DEC. 2020 16:06:23 Spectrum Offset Ref Level 35,40 dBm Offset Att 40 dB SWT IPk: Max 30 dBm 30 dBm 30 dBm 20 dBm 91 -13,470 dBm -10 dBm -20 dBm 91 -13,470 dBm -30 dBm -30 dBm -30 dBm -30 dBm -30 dBm	Test channel: t 5,40 dB • RBW 100 kHz 10 ms • VBW 300 kHz Mode 2 0 01 M1 M1	Measuring	-48.51 dB 7.3950 MHz 6.53 dBm 2.4799980 GHz


Date: 25.DEC.2020 16:14:16



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com





Date: 25 DEC 2020 16:05:40



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000402 Page: 60 of 88

4.10 Spurious RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10:2013 Section 7.8.8
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane
Instruments Used:	Refer to section 5.10 for details
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000402 Page: 61 of 88




Date: 25.DEC.2020 16:34:58



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com





Date: 25.DEC.2020 16:40:57



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com 中国·深圳·科技园中区M-10栋一号厂房



Report No.: AR/2020/C000402 Page: 66 of 88

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection reports a cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CM.Deccheck/@ags.com

中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000402 Page: 67 of 88

4.11 Radiated Spurious Emissions


Test Requirement:	47 CFR Part 15C Sectio	n 15.209 and 15.20	05				
Test Method:	ANSI C63.10 :2013 Section 11.12						
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)						
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark		
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak		
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average		
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak		
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak		
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average		
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak		
	30MHz-1GHz	Quasi-peak	100kHz	30kHz	Quasi-peak		
		Peak	1MHz	3MHz	Peak		
	Above 1GHz	Peak	1MHz	10Hz(Duty Cycle≥0.98) ≥1/T(Duty Cycle <0.98)	Average		
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurem ent distance (m)		
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300		
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30		
	1.705MHz-30MHz	30	-	-	30		
	30MHz-88MHz	100	40.0	Quasi-peak	3		
	88MHz-216MHz	150	43.5	Quasi-peak	3		
	216MHz-960MHz	200	46.0	Quasi-peak	3		
	960MHz-1GHz	500	54.0	Quasi-peak	3		
	Above 1GHz	500	54.0	Average	3		
	Remark: 15.35(b),Unless emissions is 20dB above applicable to the equipm level radiated by the dev	e the maximum per ent under test. Thi	mitted avera	age emission limit			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) ters retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/



	Report No.: AR/2020/C000402 Page: 69 of 88
	Duty cycle = On time/100 milliseconds On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc. Average Emission Level = Peak Emission Level + 20*log(Duty cycle) f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the
	 g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. i. Test the EUT in the lowest channel, the middle channel ,the Highest channel. j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. k. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com




Report No.: AR/2020/C000402 Page: 70 of 88

4.11.1 Radiated Emission below 1GHz

4.11.1.1 Charge + Transmitting





Suspected List

Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	44.0720	22.47	40.00	17.53	150	121	Horizontal
2	59.5998	20.79	40.00	19.21	150	56	Horizontal
3	103.7569	22.14	43.50	21.36	150	229	Horizontal
4	146.4582	24.43	43.50	19.07	150	32	Horizontal
5	203.2316	30.94	43.50	12.56	150	357	Horizontal
6	835.5028	24.23	46.00	21.77	150	52	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconreate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is entert content or appearance of this document is available without prior written approval of the Company be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report's carrificate, please contact us at teiphone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 2601205



Report No.: AR/2020/C000402 Page: 71 of 88



Suspected List

Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	49.4097	24.82	40.00	15.18	150	156	Vertical
2	82.4062	31.34	40.00	8.66	150	0	Vertical
3	181.3957	25.46	43.50	18.04	150	344	Vertical
4	214.8774	28.18	43.50	15.32	150	293	Vertical
5	288.1491	26.24	46.00	19.76	150	344	Vertical
6	889.8499	25.06	46.00	20.94	150	16	Vertical

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconreate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to enton the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report's cartificate, please contact us at teiphone: (66-755) 8307 1443,


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 2601205



Report No.: AR/2020/C000402 Page: 72 of 88

4.11.2 Transmitter Emission above 1GHz

4.11.2.1 GFSK_Channel 0



Suspected List

Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2879.469	44.41	54.00	9.59	150	314	Horizontal
2	2926.981	56.17	74.00	17.83	150	139	Horizontal
3	4804.000	34.34	54.00	19.66	150	123	Horizontal
4	4804.000	43.20	74.00	30.80	150	3	Horizontal
5	7206.000	45.68	74.00	28.32	150	226	Horizontal
6	7206.000	35.21	54.00	18.79	150	209	Horizontal
7	17816.24	47.55	54.00	6.45	150	140	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.com



Report No.: AR/2020/C000402 Page: 73 of 88

4.11.2.2 GFSK_Channel 0



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2859.965	56.09	74.00	17.91	150	210	Vertical		
2	2921.980	45.17	54.00	8.83	150	331	Vertical		
3	4804.000	34.21	54.00	19.79	150	31	Vertical		
4	4804.000	42.85	74.00	31.15	150	357	Vertical		
5	7206.000	45.74	74.00	28.26	150	117	Vertical		
6	7206.000	35.16	54.00	18.84	150	306	Vertical		
7	17993.99	47.69	54.00	6.31	150	237	Vertical		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com



Report No.: AR/2020/C000402 Page: 74 of 88

4.11.2.3 GFSK_Channel 39



Suspected List

Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2963.490	56.77	74.00	17.23	150	38	Horizontal	
2	2998.499	45.24	54.00	8.76	150	158	Horizontal	
3	4882.000	34.84	54.00	19.16	150	242	Horizontal	
4	4882.000	43.20	74.00	30.80	150	278	Horizontal	
5	7323.000	49.33	74.00	24.67	150	68	Horizontal	
6	7323.000	36.19	54.00	17.81	150	33	Horizontal	
7	17783.23	47.41	54.00	6.59	150	1	Horizontal	

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com

Member of the SGS Group (SGS SA)



Report No.: AR/2020/C000402 Page: 75 of 88

4.11.2.4 GFSK_Channel 39



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2913.478	56.20	74.00	17.80	150	306	Vertical		
2	2997.999	44.95	54.00	9.05	150	29	Vertical		
3	4882.000	33.43	54.00	20.57	150	356	Vertical		
4	4882.000	42.12	74.00	31.88	150	99	Vertical		
5	7323.000	47.30	74.00	26.70	150	340	Vertical		
6	7323.000	35.80	54.00	18.20	150	99	Vertical		
7	17806.49	47.63	54.00	6.37	150	340	Vertical		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com



Report No.: AR/2020/C000402 Page: 76 of 88

4.11.2.5 GFSK_Channel 39



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2926.981	45.59	54.00	8.41	150	190	Horizontal		
2	2994.498	56.17	74.00	17.83	150	232	Horizontal		
3	4960.000	33.74	54.00	20.26	150	226	Horizontal		
4	4960.000	42.36	74.00	31.64	150	226	Horizontal		
5	7440.000	37.15	54.00	16.85	150	209	Horizontal		
6	7440.000	48.70	74.00	25.30	150	106	Horizontal		
7	17999.25	47.84	54.00	6.16	150	295	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) ters retained for 30 days on). Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN.Doccheck@ess.com



Report No.: AR/2020/C000402 Page: 77 of 88

4.11.2.6 GFSK_Channel 78



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2927.982	56.49	74.00	17.51	150	285	Vertical		
2	2996.999	44.96	54.00	9.04	150	280	Vertical		
3	4960.000	32.09	54.00	21.91	150	271	Vertical		
4	4960.000	42.96	74.00	31.04	150	254	Vertical		
5	7440.000	46.99	74.00	27.01	150	202	Vertical		
6	7440.000	37.66	54.00	16.34	150	185	Vertical		
7	17784.73	48.25	54.00	5.75	150	220	Vertical		

Final Data List

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3)As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All Modes have been tested, but only the worst case data displayed in this report.





Report No.: AR/2020/C000402 Page: 78 of 88

4.12Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10: 2013					
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)					
Limit:	Frequency	Limit (dBuV/m)	Remark			
	30MHz-88MHz		Quasi-peak			
	88MHz-216MHz	43.5	Quasi-peak			
	216MHz-960MHz	46.0	Quasi-peak			
	960MHz-1GHz	54.0	Quasi-peak			
	Above 1GHz	54.0	Average Value			
		43.5Quasi-peak46.0Quasi-peak54.0Quasi-peak	Peak Value			
Test Setup:						
(Turntable) Ground Test Receive	Antenna Tower n or 10m Reference Plane Pre- Pre- Controller	Gr Test Receiv	3a ound Reference Plane er Pro- Angular Controller			
Figure	1. 30MHz to 1GHz	Figure	2. Above 1 GHz			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com



Report No.: AR/2020/C000402 Page: 79 of 88

Test Procedure: a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode. f. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode. f. The radiation measurements are performed in X, Y, Z a		1 490. 10 61 66			
meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel h. Test the EUT in the lowest channel, the Highest channel h. Test above procedures until all frequencies measured was complete. Exploratory Test Mode: Final Test Mode: Final Test Mode: Refer to section 5.10 for details	Test Procedure:	above the ground at a 3 or 10 meter semi-anechoic camber. The table was			
example antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was turned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Non-hopping transmitting mode. Final Test Mode: Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report. Instruments Used: Refer to section 5.1		meters above the ground at a 3 meter semi-anechoic camber. The table was			
Exploratory Test Mode: Non-hopping transmitting mode, And found the X axis positioning which it is worse case. Final Test Mode: Non-hopping transmitting mode. Final Test Mode: Refer to section 5.10 for details					
Final Test Mode: Non-hopping transmitting mode. Final Test Mode: Non-hopping transmitting mode. Final Test Mode: Refer to section 5.10 for details		to determine the maximum value of the field strength. Both horizontal and			
Bandwidth with Maximum Hold Mode.g.Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete.Exploratory Test Mode:Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.Final Test Mode:Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report.Instruments Used:Refer to section 5.10 for details		then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the			
Final Test Mode:Non-hopping transmitting mode.Non-hopping transmitting mode.Final Test Mode:Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case is recorded in the report.					
i.The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the X axis positioning which it is worse case. j.j.Repeat above procedures until all frequencies measured was complete.Exploratory Test Mode:Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.Final Test Mode:Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report.Instruments Used:Refer to section 5.10 for details		frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and			
Transmitting mode, And found the X axis positioning which it is worse case.j.Repeat above procedures until all frequencies measured was complete.Exploratory Test Mode:Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.Final Test Mode:Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report.Instruments Used:Refer to section 5.10 for details		h. Test the EUT in the lowest channel , the Highest channel			
Exploratory Test Mode: Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode. Charge + Transmitting mode. Final Test Mode: Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details					
Exploratory Test Mode: data type Charge + Transmitting mode. Final Test Mode: Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		j. Repeat above procedures until all frequencies measured was complete.			
Final Test Mode: case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details	Exploratory Test Mode:	data type			
Final Test Mode: case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details					
Instruments Used: Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report.	Final Test Made				
Instruments Used: Refer to section 5.10 for details	Final Test Mode:	• •			
		Only the worst case is recorded in the report.			
Test Results: Pass	Instruments Used:	Refer to section 5.10 for details			
	Test Results:	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: (N-Doccheck@ess.com").




Report No.: AR/2020/C000402 Page: 80 of 88

4.12.1 Test Plots

4.11.2.7 Worst Case Mode (GFSK(DH5))

4.11.2.8 GFSK_Channel 0

Test Graph



Suspected List

Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2368.304	47.71	74.00	26.29	150	119	Horizontal	
2	2369.955	34.20	54.00	19.80	150	219	Horizontal	
3	2390.000	34.36	54.00	19.64	150	207	Horizontal	
4	2390.000	46.28	74.00	27.72	150	192	Horizontal	
5	2402.000	102.17	0.00	-102.17	150	226	Horizontal	
6	2402.000	102.04	0.00	-102.04	150	230	Horizontal	

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter



Report No.: AR/2020/C000402 Page: 81 of 88

4.11.2.9 GFSK_Channel 0



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2365.827	47.79	74.00	26.21	150	134	Vertical		
2	2368.229	34.11	54.00	19.89	150	172	Vertical		
3	2390.000	33.66	54.00	20.34	150	244	Vertical		
4	2390.000	46.62	74.00	27.38	150	344	Vertical		
5	2402.000	93.65	0.00	-93.65	150	214	Vertical		
6	2402.000	91.45	0.00	-91.45	150	33	Vertical		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com



Report No.: AR/2020/C000402 Page: 82 of 88

4.11.2.10 GFSK_Channel 78



Suspected List

Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2480.000	103.13	0.00	-103.13	150	214	Horizontal	
2	2480.000	102.06	0.00	-102.06	150	206	Horizontal	
3	2483.500	60.08	74.00	13.92	150	225	Horizontal	
4	2483.500	37.32	54.00	16.68	150	222	Horizontal	
5	2485.642	53.23	74.00	20.77	150	214	Horizontal	
6	2488.144	38.67	54.00	15.33	150	214	Horizontal	

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com



Report No.: AR/2020/C000402 Page: 83 of 88

Test Graph FCC PART 15 C 130 120 110 100 90 80 Level[dBµV/m] 70 60 50 40 30 20 10 24G2.43G 2.46G 2.47G 2.48G 2.49G 2.5G 241G 2 42G 2.44G 2.45G PK Limit AV Limit · Vertical PK Frequents/[Hz]/ PK Detector * AV Detector

4.11.2.11 GFSK_Channel 78

Suspected List

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2480.000	94.34	0.00	-94.34	150	219	Vertical			
2	2480.000	94.22	0.00	-94.22	150	215	Vertical			
3	2483.500	33.20	54.00	20.80	150	215	Vertical			
4	2483.691	52.21	74.00	21.79	150	215	Vertical			
5	2487.043	33.89	54.00	20.11	150	215	Vertical			
6	2492.446	47.39	74.00	26.61	150	189	Vertical			

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions



Report No.: AR/2020/C000402 Page: 84 of 88

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.75dB
2	RF power density, conducted	±2.84dB
3	Spurious emissions, conducted	±0.75dB
4	Padiated Spurious omission test	±4.5dB (30MHz-1GHz)
4	Radiated Spurious emission test	±4.8dB (1GHz-25GHz)
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)
6	Temperature test	±1°C
7	Humidity test	±3%
8	DC and low frequency voltages	±0.5%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days only. Attention is tested and such sample(s) here retained for 30 days only.



Report No.: AR/2020/C000402 Page: 85 of 88

6 Equipment List

Conducted Emission					
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate
				(yyyy-mm-dd)	(yyyy-mm-dd)
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2020/5/10	2023/5/9
LISN	Rohde & Schwarz	ENV216	SEM007-01	2020/7/14	2021/7/14
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2020/4/1	2021/3/31
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM024-01	2020/6/12	2021/6/11
2 Line ISN	Fischer Custom Communications Inc	FCC-TLISN-T2 02	EMC0122	2020/2/11	2021/2/10
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2020/3/2	2021/3/1

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate
				(yyyy-mm-dd)	(yyyy-mm-dd)
DC Power Supply	Agilent Technologie Inc	66311B	W009-09	2020/7/15	2021/7/15
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14
Temperature Chamber	GIANT FORCE	ICT-150-40-CP AR	W027-03	2020/10/27	2021/10/27
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com



Report No.: AR/2020/C000402 86 of 88 Page:

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Measurement Software	AUDIX	e3V8.2014-6-2	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2020/6/12	2021/6/11
EXA Signal Analyzer (10Hz-26.5GHz)	Agilent Technologie Inc	N9010A	SEM004-09	2020/3/12	2021/3/11
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003-01	2020/6/27	2023/6/26
Horn Antenna (0.8- 18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Pre-amplifier(0.1-1.3GHz	HP	8447D	SEM005-02	2020/7/14	2021/7/14
Low Noise Amplifier(100MHz- 18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005-05	2020/9/3	2021/9/2
Horn Antenna (15- 40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2020/10/17	2023/10/16
Pre-amplifier(18-26GHz	Rohde & Schwarz	CH14-H052	SEM005-17	2020/3/2	2021/3/1
Band filter	N/A	N/A	SEM023-01	N/A	N/A
		RE in Chamb	er		
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2020/8/5	2023/8/4
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2020/6/12	2021/6/11
MXE EMI Receiver (20Hz-8.4GHz)	Agilent Technologie	N9038A	SEM004-05	2020/7/14	2021/7/14
BiConiLog Antenna (26- 3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2020/6/27	2023/6/26
Pre-amplifier (0.1- 1.3GHz)	Agilent Technologie	8447D	SEM005-01	2020/3/2	2021/3/1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: AR/2020/C000402 Page: 87 of 88

			i ugo.	07 01 00	, 	
RE in Chamber						
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. Date (yyyy mm-dd)	Cal. Due date (yyyy-mm-dd)	
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30	
EMI Test Receiver (9k- 7GHz)	Rohde & Schwarz	ESR	SEM004-03	2020/3/2	2021/3/1	
Trilog-Broadband Antenna(25M-2GHz)	Schwarzbeck	VULB9168	SEM003-18	2020/3/15	2022/3/14	
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2020/3/12	2021/3/11	
Loop Antenna (9kHz- 30MHz)	ETS-Lindgren	6502	SEM003-08	2020/8/22	2023/8/21	
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A	
Coaxial Cable	SGS	N/A	SEM029-01	2020/6/12	2021/6/11	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com



Report No.: AR/2020/C000402 Page: 88 of 88

7 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of Set-Up for AR/2020/C0004.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com

Member of the SGS Group (SGS SA)