

Report No.: AR/2020/C000403 Page: 1 of 54

## FCC TEST REPORT

AR/2020/C0004
Xiaomi Communications Co., Ltd.
#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Xiaomi Communications Co., Ltd.
#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Mobile Phone
M2010J19SL
Redmi
2AFZZJ19SL
47 CFR FCC Part 2, Subpart J
47 CFR Part 15, Subpart C
2020/12/11
2020/12/11 to 2020/12/31
2020/12/31
PASS *

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Derele yang

Derek Yang Wireless Laboratory Manager

中国·深圳·科技园中区M-10栋一号厂房



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's osle responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the esample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing /inspection reports a certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN\_Doccheck@asgs.com

邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)



Report No.: AR/2020/C000403 Page: 2 of 54

## 1 Version

Revision Record					
Version	Chapter	Date	Modifier	Remark	
01		2020-12-31		Original	

Authorized for issue by:		
Tested By	Mike Mu (Mike Hu) /Project Engineer	
Checked By	David Chen (David Chen) /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: (N-Doccheck@egs.com



Report No.: AR/2020/C000403 Page: 3 of 54

## 2 Test Summary

Test Item	Test Requirement	Test Method	Test Result	Result
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013	Clause 4.2	PASS
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013	Clause 4.3	PASS
DTS (6 dB) Bandwidth	15.247 (a)(2)	ANSI C63.10 2013	Clause 4.4	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10 2013	Clause 4.5	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.6	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.7	PASS
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10 2013	Clause 4.8	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10 2013	Clause 4.9	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter



Report No.: AR/2020/C000403 Page: 4 of 54

## Contents

1	Version		2			
2	Test Sum	imary	3			
3	General Information					
	3.1 D	etails of Client	6			
	3.2 T	est Location	6			
	3.3 T	est Facility	7			
	3.4 G	eneral Description of EUT	8			
	3.5 T	est Environment	9			
	3.6 D	escription of Support Units	9			
4	Test resu	Its and Measurement Data	10			
	4.1 A	ntenna Requirement	10			
	4.2 A	C Power Line Conducted Emissions	11			
	4.3 D	uty Cycle	15			
	4.3.1	1 Test Results	15			
	4.3.2	2 Test Plots	16			
	4.4 C	onducted Output Power	17			
	4.4.1	1 Test Results	18			
	4.4.2	2 Test Plots	18			
	4.5 D	TS (6 dB) Bandwidth & 99% Occupied Bandwidth	20			
	4.5.1	1 Test Results				
	4.5.2	2 Test Plots	21			
	4.6 P	ower Spectral Density	23			
	4.6.1	1 Test Results	23			
	4.6.2	2 Test Plots	24			
	4.7 B	and-edge for RF Conducted Emissions				
	4.7.1	1 Test Plots	27			
	4.8 R	F Conducted Spurious Emissions				
	4.8.1	1 Test Plots				
	4.9 R	adiated Spurious Emissions				
	4.9.1	1 Radiated Emission below 1GHz				
	4.9.2	2 Transmitter Emission above 1GHz				
	4.10 R	estricted bands around fundamental frequency	44			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e\_Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writem approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 26710594 www.sgsgroup.com.cn mail: CN Doccheck@ags.com

	Report No.: AR/2020/C000403	
	Page: 5 of 54	
	4.10.1 Test Plots	46
5	Measurement Uncertainty (95% confidence levels, k=2)	50
6	Equipment List	51
7	Photographs - EUT Constructional Details	54



SGS

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000403 Page: 6 of 54

## **3** General Information

## 3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,
Address of Applicant	China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,
	China, 100085

## 3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or email: CA.Doccheck@egas.com

Report No.: AR/2020/C000403 Page: 7 of 54

## 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

#### • FCC –Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

#### Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction Issues defined therein. Any holder of this document is a dvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) isertation, for ertained for 30 days only. Attention: To check the authenticity of testing impaction report & certificate, please contact us at telephone: (85-755) 8307 1443, or amail (CN) Doccheck forma.com</a>



Report No.: AR/2020/C000403 Page: 8 of 54

## 3.4 General Description of EUT

EUT Description:	Mobile Phone
Model No.:	M2010J19SL
Trade Mark:	Redmi
Hardware Version:	P2
Software Version:	MIUI12
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.
Bluetooth version:	Bluetooth V5.0
Modulation Type:	GFSK
Number of Channel:	40
Sample Type:	⊠ Portable Device, □Module
Antenna Type:	PIFA Antenna
Antenna Gain:	1.0dBi

Remark: According to the client, the EUT doses't support the rates of 2Mbps.

	Operation Frequency of each channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000403 Page: 9 of 54

#### Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz

#### 3.5 Test Environment

Operating Environment:			
Temperature:	25.0 °C		
Humidity:	50 % RH		
Atmospheric Pressure:	101.30 KPa		

## 3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-And-Conditions/T



Report No.: AR/2020/C000403 Page: 10 of 54

## 4 Test results and Measurement Data

## 4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 1.0dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing (Inspection report & carrificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: AR/2020/C000403 Page: 11 of 54

## 4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	150kHz to 30MHz				
Limit:		Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	<ul> <li>room.</li> <li>2) The EUT was connected impedance Stabilization impedance. The process connected to a second plane in the same of multiple socket outlet single LISN provided</li> <li>3) The tabletop EUT was ground reference plane placed on the horizon</li> <li>4) The test was perform the EUT shall be 0, vertical ground reference plane. The unit under test and mounted on top of the the closest points of and associated equip</li> <li>5) In order to find the mand all of the interfate</li> </ul>	disturbance voltage test was of ected to AC power source to tion Network) which provides ower cables of all other un nd LISN 2, which was bonded way as the LISN 1 for the un t strip was used to connect mul- t the rating of the LISN was no as placed upon a non-metalling inte. And for floor-standing arra- ntal ground reference plane. ed with a vertical ground refer 4 m from the vertical ground rence plane was bonded to be LISN 1 was placed 0.8 m fr d bonded to a ground refer e ground reference plane. This the LISN 1 and the EUT. All oment was at least 0.8 m from the was at least 0.8 m from the cables must be changed ac on conducted measurement.	through a LISN 1 (Line a $50\Omega/50\mu$ H + $5\Omega$ linear nits of the EUT were to the ground reference unit being measured. A ultiple power cables to a bit exceeded. ic table 0.8m above the angement, the EUT was rence plane. The rear of d reference plane. The pothe horizontal ground from the boundary of the rence plane for LISNs is distance was between I other units of the EUT in the LISN 2.		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test relation, for gover only. Antention. To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or email: CND pocheck@csos.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26012053 g (86–755) 26012053 f (86–755) 2601205



Report No.: AR/2020/C000403 Page: 12 of 54





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond




Report No.: AR/2020/C000403 Page: 13 of 54

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:




#### **Test Graph**

Final Data List									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	
1	0.1770	10.10	28.25	64.63	36.38	15.21	54.63	39.42	
2	0.4421	10.10	27.42	57.02	29.60	18.36	47.02	28.66	
3	1.9798	10.10	24.43	56.00	31.57	13.55	46.00	32.45	
4	6.8143	10.10	35.51	60.00	24.49	26.35	50.00	23.65	
5	14.7843	10.11	43.93	60.00	16.07	30.58	50.00	19.42	
6	23.0094	10.11	47.42	60.00	12.58	36.80	50.00	13.20	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com/en/Terms-and-Conditions, sapx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. forgery or falsification of the content or appearance of this document is of the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





#### **Test Graph**

Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]
1	0.1565	10.10	34.18	65.65	31.47	15.23	55.65	40.42
2	0.4397	10.10	27.32	57.07	29.75	15.67	47.07	31.40
3	1.9430	10.10	30.60	56.00	25.40	17.30	46.00	28.70
4	6.7870	10.10	36.95	60.00	23.05	27.28	50.00	22.72
5	14.6966	10.11	48.29	60.00	11.71	33.08	50.00	16.92
6	23.0930	10.11	51.19	60.00	8.81	39.96	50.00	10.04

#### Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sgpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.sgpx and, for electronic format documents, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sgpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction Issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Artention: To check the authenticity of testing /inspection report & cartificate, please contact us at temphone: (86-755) 8307 1443, or email: CN. Doccheck@ess.com



Report No.: AR/2020/C000403 Page: 15 of 54

## 4.3 Duty Cycle

#### 4.3.1 Test Results

Test Mode	TX Freq. [MHz]	Duty cycle [%]
BLE_1M	CH0, CH19, CH39	62.50




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com




Report No.: AR/2020/C000403 Page: 16 of 54



#### 4.3.2.1**ANT1**

#### 4.3.2.1.1 BLE\_1M



Date: 24.DEC.2020 15.26:51




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter



Report No.: AR/2020/C000403 Page: 17 of 54

## 4.4 Conducted Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.com



Report No.: AR/2020/C000403 Page: 18 of 54

#### 4.4.1 Test Results

#### Measurement Data of Peak Power:

GFSK_1M mode						
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	7.71	30.00	Pass			
Middle	8.36	30.00	Pass			
Highest	8.39	30.00	Pass			

## 4.4.2 Test Plots

#### 4.4.2.1 GFSK 1M\_Lowest Channel



Date: 24.DEC.2020 15:20:47




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000403 19 of 54 Page:



#### Date: 24.DEC.2020 15:21:07

#### 4.4.2.3 GFSK 1M\_Highest Channel



Date: 24 DEC 2020 15:21:19



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000403 Page: 20 of 54

## 4.5 DTS (6 dB) Bandwidth

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(2)				
Test Method:	ANSI C63.10: 2013 Section 11.8 Option 2				
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane				
Instruments Used:	Refer to section 5.10 for details				
Test Mode:	Transmitting with GFSK modulation.				
Limit:	≥ 500 kHz				
Test Results:	Pass				

#### 4.5.1 Test Results

Mode	Test Channel	6dB Emission Bandwidth (MHz)	Limit (kHz)	Result
	Lowest	0.66	≥500	Pass
GFSK_1M	Middle	0.66	≥500	Pass
_	Highest	0.66	≥500	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com




> Report No.: AR/2020/C000403 21 of 54 Page:

4.5.2 **Test Plots** 



#### 4.5.2.2 GFSK 1M Middle Channel



Date: 24 DEC 2020 15:22:44




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com 中国·深圳·科技园中区M-10栋一号厂房



Report No.: AR/2020/C000403 Page: 22 of 54



Date: 24.DEC.2020 15:22:30




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com



Report No.: AR/2020/C000403 Page: 23 of 54

## 4.6 Power Spectral Density



#### 4.6.1 Test Results

Mode	Test Channel	Test Channel Power Spectral Density (dBm/3kHz)		Result
	Lowest	-7.43	≤8.00	Pass
GFSK_1M	Middle	-6.79	≤8.00	Pass
	Highest	-6.79	≤8.00	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, steps of the service of the se



Report No.: AR/2020/C000403 Page: 24 of 54

4.6.2 Test Plots



Date: 24.DEC.2020 15:21:46




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Attention is drawn to the limitation of liability, indemnification and urindiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's ose responsibility is to its Cilent and this document does not excore the approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub aspmile(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small:

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com




Report No.: AR/2020/C000403 Page: 25 of 54



#### Date: 24.DEC.2020 15:22:01

#### 4.6.2.3 GFSK 1M\_Highest Channel



Date: 24.DEC.2020 15:22:13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection ceport a cartificate, plasse contact us at telephone: (86-755) 8307 1443, or email: ON-Doccheck@ags.com

中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000403 Page: 26 of 54

## 4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	ANSI C63.10: 2013 Section 11.13				
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table				
	Ground Reference Plane				
Instruments Used:	Refer to section 5.10 for details				
Test Mode:	Transmitting with GFSK modulation.				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Test Results:	Pass				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days only. Attention is tested and such sample(s) here retained for 30 days only.



Report No.: AR/2020/C000403 Page: 27 of 54

4.7.1 Test Plots




Date: 24.DEC.2020 15:25:49



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter



Report No.: AR/2020/C000403 Page: 28 of 54



Date: 24.DEC.2020 15:24:32




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter



Report No.: AR/2020/C000403 Page: 29 of 54

## 4.8 **RF Conducted Spurious Emissions**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: AR/2020/C000403 Page: 30 of 54

## 4.8.1 Test Plots

#### 4.8.1.1 GFSK 1M\_Lowest Channel




Date: 24.DEC.2020 15:28:46



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com




Report No.: AR/2020/C000403 Page: 31 of 54



Date: 24.DEC.2020 15:29:41

#### 4.8.1.3 GFSK 1M\_Highest Channel



Date: 24.DEC.2020 15:30:29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To chack the authenticity of testing inspection reports a cartificate, please contact us at telephone: (86-755) 8307 1443, or small: OM-Doccheck@ags.com

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t

n, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000403 Page: 32 of 54

#### Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sgsx.and, for electronic format documents, subject to the format and Conditions for Electronic Documents and the interview sgs.com/en/Terms-and-Conditions.sgsx.and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's olice responsibility is to its Client and this document does not excerpt and the prior within approval of the Company. Anuthorized alteration, forgery or faisification to the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test cartestion to 30 days on). Attention, To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@gss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.com



Report No.: AR/2020/C000403 Page: 33 of 54


## 4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	n 15.209 and 15.20	05			
Test Method:	ANSI C63.10 :2013 Sect	ion 11.12				
Test Site:	Measurement Distance:	3m (Semi-Anechoi	ic Chamber)			
Receiver Setup:	Frequency	Frequency Detector		VBW	Remark	
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak	
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average	
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak	
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak	
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average	
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak	
	30MHz-1GHz	Quasi-peak	100kHz	30kHz	Quasi-peak	
		Peak	1MHz	3MHz	Peak	
	Above 1GHz	Peak	1MHz	10Hz(Duty Cycle≥0.98) ≥1/T(Duty Cycle <0.98)	Average	
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)	
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300	
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30	
	1.705MHz-30MHz	30	-	-	30	
	30MHz-88MHz	100	40.0	Quasi-peak	3	
	88MHz-216MHz	150	43.5	Quasi-peak	3	
	216MHz-960MHz	200	46.0	Quasi-peak	3	
	960MHz-1GHz	500	54.0	Quasi-peak	3	
	Above 1GHz	500	54.0	Average	3	
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN\_Doccheck@egs.com







邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn



	Report No.: AR/2020/C000403 Page: 35 of 54
	Duty cycle = On time/100 milliseconds
	On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n
	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.
	Average Emission Level = Peak Emission Level + 20*log(Duty cycle)
	f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	i. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
	j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	k. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with GFSK modulation.
	Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode,
	For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com

No. 1Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



4.9.1

Report No.: AR/2020/C000403 Page: 36 of 54



**Radiated Emission below 1GHz** 

## Suspected List

Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	43.5868	23.19	40.00	16.81	150	162	Horizontal
2	95.0225	20.95	43.50	22.55	150	250	Horizontal
3	145.9730	22.24	43.50	21.26	150	200	Horizontal
4	201.2906	31.15	43.50	12.35	150	337	Horizontal
5	292.0310	23.67	46.00	22.33	150	42	Horizontal
6	941.2856	24.57	46.00	21.43	150	25	Horizontal


**Final Data List** 



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com



Report No.: AR/2020/C000403 Page: 37 of 54



### **Suspected List**

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	42.6163	23.42	40.00	16.58	150	186	Vertical		
2	67.3637	28.78	40.00	11.22	150	59	Vertical		
3	83.8619	29.98	40.00	10.02	150	119	Vertical		
4	214.3922	28.64	43.50	14.86	150	294	Vertical		
5	287.6638	28.11	46.00	17.89	150	344	Vertical		
6	879.6598	23.72	46.00	22.28	150	253	Vertical		

**Final Data List** 



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com



Report No.: AR/2020/C000403 Page: 38 of 54

## 4.9.2Transmitter Emission above 1GHz4.9.2.1BLE\_1M\_Channel 0

#### **Test Graph** FCC PART 15 C 130 120 110 100 90 80 evel[dBµV/m] 70 60 50 40 83 30 20



## Suspected List

Suspe	cted List						
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2979.995	44.99	54.00	9.01	150	180	Horizontal
2	2993.498	56.61	74.00	17.39	150	315	Horizontal
3	4804.000	34.05	54.00	19.95	150	210	Horizontal
4	4804.000	42.95	74.00	31.05	150	38	Horizontal
5	7206.000	46.62	74.00	27.38	150	227	Horizontal
6	7206.000	35.57	54.00	18.43	150	210	Horizontal
7	17999.25	47.73	54.00	6.27	150	175	Horizontal

**Final Data List** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



Report No.: AR/2020/C000403 Page: 39 of 54

## 4.9.2.2 BLE\_1M\_Channel 0



## Suspected List

Suspe	cted List		_		-		
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2761.940	44.36	54.00	9.64	150	192	Vertical
2	2905.976	57.17	74.00	16.83	150	250	Vertical
3	4804.000	30.86	54.00	23.14	150	151	Vertical
4	4804.000	41.15	74.00	32.85	150	185	Vertical
5	7206.000	46.68	74.00	27.32	150	323	Vertical
6	7206.000	35.47	54.00	18.53	150	323	Vertical
7	17766.73	47.36	54.00	6.64	150	48	Vertical

**Final Data List** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN\_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000403 Page: 40 of 54

## 4.9.2.3 BLE\_1M\_Channel 19



## Suspected List

Suspe	cted List				-		
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2956.989	56.64	74.00	17.36	150	34	Horizontal
2	2986.496	45.24	54.00	8.76	150	107	Horizontal
3	4880.000	33.57	54.00	20.43	150	244	Horizontal
4	4880.000	42.60	74.00	31.40	150	346	Horizontal
5	7320.000	46.67	74.00	27.33	150	141	Horizontal
6	7320.000	36.43	54.00	17.57	150	210	Horizontal
7	17783.98	47.90	54.00	6.10	150	261	Horizontal

**Final Data List** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN\_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000403 Page: 41 of 54

## 4.9.2.4 BLE\_1M\_Channel 19



### Suspected List

Suspe	cted List		_		_	-	
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2945.986	56.76	74.00	17.24	150	326	Vertical
2	2992.498	45.13	54.00	8.87	150	222	Vertical
3	4880.000	31.50	54.00	22.50	150	261	Vertical
4	4880.000	41.45	74.00	32.55	150	175	Vertical
5	7320.000	48.67	74.00	25.33	150	106	Vertical
6	7320.000	36.28	54.00	17.72	150	14	Vertical
7	17790.73	47.98	54.00	6.02	150	54	Vertical

**Final Data List** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN\_Doccheck@egs.com



Report No.: AR/2020/C000403 Page: 42 of 54

## 4.9.2.5 BLE\_1M\_Channel 39



### Suspected List

Suspe	cted List						
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2802.450	56.47	74.00	17.53	150	51	Horizontal
2	2980.995	45.19	54.00	8.81	150	346	Horizontal
3	4960.000	34.64	54.00	19.36	150	224	Horizontal
4	4960.000	42.97	74.00	31.03	150	224	Horizontal
5	7440.000	48.50	74.00	25.50	150	258	Horizontal
6	7440.000	37.04	54.00	16.96	150	1	Horizontal
7	17771.98	47.68	54.00	6.32	150	241	Horizontal

**Final Data List** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com



Report No.: AR/2020/C000403 Page: 43 of 54

## 4.9.2.6 BLE\_1M\_Channel 39



## Suspected List

Suspe	cted List				_		
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2914.978	56.56	74.00	17.44	150	330	Vertical
2	3000.000	45.06	54.00	8.94	150	161	Vertical
3	4960.000	31.83	54.00	22.17	150	31	Vertical
4	4960.000	42.84	74.00	31.16	150	31	Vertical
5	7440.000	47.79	74.00	26.21	150	83	Vertical
6	7440.000	37.39	54.00	16.61	150	134	Vertical
7	17784.73	47.81	54.00	6.19	150	151	Vertical

## **Final Data List**

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to rerms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.from-ser-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is attempted to the sample(s) tested and such sample(s) are retained for 30 days only. Attention To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com
No.1 Workshop, M-10, Midel Section, Science & Technology Park, Sherzhen, China 518057 tt (86-755) 26012053 ft (86-755) 2671054 www.sgsgroup.com.cn
ref a: 深圳. 科技面中区M-1016— 号厂房 msis: 518057 tt (86-755) 26012053 ft (86-755) 2671054 sgs.china@sgs.com



Report No.: AR/2020/C000403 Page: 44 of 54

## 4.10Restricted bands around fundamental frequency





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's osle responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) is test as any in the retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, No. Workshop, M-10, Midde Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Member of the SGS Group (SGS SA)

sgs.china@sgs.com



## Report No.: AR/2020/C000403 Page: 45 of 54

Test Procedure:       a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.         b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.         c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.         d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.         e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.         f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.         g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel         h. Test the EUT in the lowest channel, the Highest channel         f. The test-receiver system was set to peak detect since any emissions in the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for		
meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.         c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.         d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.         e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.         f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.         g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel         h. Test the EUT in the lowest channel , the Highest channel         i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.         j. Repeat above procedures until all frequencies measured was complete.         Exploratory Test Mode:       Transmitting with GFSK modulation. Charge + Transmitting mode.         Final Test Mode:       Transmitting with GFSK modulation. Charge + Transmitting mode.         Only the worst case is recorded in the report. </td <td>Test Procedure:</td> <td>above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.</td>	Test Procedure:	above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
antenna, which was mounted on the top of a variable-height antenna tower.         d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.         e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.         f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.         g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel         h. Test the EUT in the lowest channel , the Highest channel         i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.         j. Repeat above procedures until all frequencies measured was complete.         Final Test Mode:       Transmitting with GFSK modulation. Charge + Transmitting mode. Only the worst case is recorded in the report.         Instruments Used:       Refer to section 5.10 for details		meters above the ground at a 3 meter semi-anechoic camber. The table was
to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.         e.       For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.         f.       The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.         g.       Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel         h.       Test the EUT in the lowest channel , the Highest channel         i.       The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.         j.       Repeat above procedures until all frequencies measured was complete.         Final Test Mode:       Transmitting with GFSK modulation.         Pretest the EUT at Charge + Transmitting mode.       Only the worst case is recorded in the report.         Instruments Used:       Refer to section 5.10 for details		
Exploratory Test Mode:       Transmitting with GFSK modulation.         Final Test Mode:       Transmitting with GFSK modulation.         Priest the EUT at Charge + Transmitting mode.       Only the worst case is recorded in the report.         Instruments Used:       Refer to section 5.10 for details		to determine the maximum value of the field strength. Both horizontal and
Bandwidth with Maximum Hold Mode.g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channelh. Test the EUT in the lowest channel , the Highest channeli. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete.Exploratory Test Mode:Transmitting with GFSK modulation. Charge + Transmitting mode.Final Test Mode:Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode.Instruments Used:Refer to section 5.10 for details		then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the
image: style="text-align: center;">		
i.The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j.Exploratory Test Mode:Transmitting with GFSK modulation. Charge + Transmitting mode.Final Test Mode:Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode.Instruments Used:Refer to section 5.10 for details		frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and
Transmitting mode, And found the X axis positioning which it is worse case.j.Repeat above procedures until all frequencies measured was complete.Exploratory Test Mode:Transmitting with GFSK modulation. Charge + Transmitting mode.Final Test Mode:Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode.Instruments Used:Refer to section 5.10 for details		h. Test the EUT in the lowest channel , the Highest channel
Charge + Transmitting mode.         Final Test Mode:       Transmitting with GFSK modulation.         Pretest the EUT at Charge + Transmitting mode.         Only the worst case is recorded in the report.         Instruments Used:       Refer to section 5.10 for details		Transmitting mode, And found the X axis positioning which it is worse case.
Charge + Transmitting mode.         Final Test Mode:       Transmitting with GFSK modulation.         Pretest the EUT at Charge + Transmitting mode.         Only the worst case is recorded in the report.         Instruments Used:       Refer to section 5.10 for details		
Pretest the EUT at Charge + Transmitting mode.         Only the worst case is recorded in the report.         Instruments Used:       Refer to section 5.10 for details	Exploratory Test Mode:	5
Only the worst case is recorded in the report.           Instruments Used:         Refer to section 5.10 for details	Final Test Mode:	Transmitting with GFSK modulation.
Instruments Used: Refer to section 5.10 for details		Pretest the EUT at Charge + Transmitting mode.
		Only the worst case is recorded in the report.
Test Results: Pass	Instruments Used:	Refer to section 5.10 for details
	Test Results:	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com




Report No.: AR/2020/C000403 Page: 46 of 54

4.10.1 Test Plots

4.10.1.1 BLE\_1M\_Channel 0

Test Graph



### Suspected List

Suspe	cted List			_	_	-	
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2370.330	48.09	74.00	25.91	150	285	Horizontal
2	2371.605	34.07	54.00	19.93	150	153	Horizontal
3	2390.000	35.06	54.00	18.94	150	210	Horizontal
4	2390.000	46.41	74.00	27.59	150	107	Horizontal
5	2402.000	103.44	0.00	-103.44	150	214	Horizontal
6	2402.000	102.55	0.00	-102.55	150	210	Horizontal

**Final Data List** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) ters retained for 30 days on). Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN.Doccheck@ess.com



Report No.: AR/2020/C000403 Page: 47 of 54

## 4.10.1.2 BLE\_1M\_Channel 0



### Suspected List

Suspe	cted List						
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2377.158	33.96	54.00	20.04	150	279	Vertical
2	2379.709	48.81	74.00	25.19	150	188	Vertical
3	2390.000	33.89	54.00	20.11	150	312	Vertical
4	2390.000	46.37	74.00	27.63	150	267	Vertical
5	2402.000	92.63	0.00	-92.63	150	222	Vertical
6	2402.000	91.96	0.00	-91.96	150	218	Vertical

**Final Data List** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com

Member of the SGS Group (SGS SA)



Report No.: AR/2020/C000403 Page: 48 of 54

## 4.10.1.3 BLE\_1M\_Channel 39



## Suspected List

Suspe	cted List			-	_		
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.000	103.25	0.00	-103.25	150	228	Horizontal
2	2480.000	101.77	0.00	-101.77	150	209	Horizontal
3	2483.500	59.95	74.00	14.05	150	228	Horizontal
4	2483.500	37.49	54.00	16.51	150	213	Horizontal
5	2488.144	36.41	54.00	17.59	150	228	Horizontal
6	2488.244	49.22	74.00	24.78	150	228	Horizontal

**Final Data List** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sus.com



Report No.: AR/2020/C000403 49 of 54 Page:

#### BLE 1M Channel 39 4.10.1.4



### Suspected List

Su		- 4 -		
	eno	CTO	<b>n</b>	

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2480.000	91.40	0.00	-91.40	150	219	Vertical	
2	2480.000	90.07	0.00	-90.07	150	212	Vertical	
3	2483.500	50.64	74.00	23.36	150	295	Vertical	
4	2483.500	32.89	54.00	21.11	150	14	Vertical	
5	2488.094	33.33	54.00	20.67	150	322	Vertical	
6	2488.944	46.61	74.00	27.39	150	158	Vertical	

### **Final Data List**

### Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.sapp</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.rems-e-Document.spx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection reports deattificate, please contact us at testphone; (86-755) 8307 1443, e: (86-755) 8307 1443 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000403 Page: 50 of 54

## 5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.75dB
2	RF power density, conducted	±2.84dB
3	Spurious emissions, conducted	±0.75dB
	Dedicted Source emission test	±4.5dB (30MHz-1GHz)
4	Radiated Spurious emission test	±4.8dB (1GHz-25GHz)
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)
6	Temperature test	±1°C
7	Humidity test	±3%
8	DC and low frequency voltages	±0.5%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days only. Attention is tested and such sample(s) here retained for 30 days only.



Report No.: AR/2020/C000403 Page: 51 of 54

## 6 Equipment List

Conducted Emission						
Toot Equipment	Manufacturer	Model No.	leventer Ne	Cal. date	Cal.Duedate	
Test Equipment			Inventory No	(yyyy-mm-dd)	(yyyy-mm-dd)	
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2020/5/10	2023/5/9	
LISN	Rohde & Schwarz	ENV216	SEM007-01	2020/7/14	2021/7/14	
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2020/4/1	2021/3/31	
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A	
Coaxial Cable	SGS	N/A	SEM024-01	2020/6/12	2021/6/11	
2 Line ISN	Fischer Custom Communications Inc	FCC-TLISN-T2 02	EMC0122	2020/2/11	2021/2/10	
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2020/3/2	2021/3/1	

RF conducted test						
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate	
rest Equipment			Inventory No	(yyyy-mm-dd)	(yyyy-mm-dd)	
DC Power Supply	Agilent Technologie Inc	66311B	W009-09	2020/7/15	2021/7/15	
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2	
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11	
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A	
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14	
Temperature Chamber	GIANT FORCE	ICT-150-40-CP AR	W027-03	2020/10/27	2021/10/27	
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com



Report No.: AR/2020/C000403 Page: 52 of 54

RE in Chamber							
To of Family and	<b>M</b>	Model No.		Cal. date	Cal.Due date		
Test Equipment	Manufacturer		Inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)		
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12		
Measurement Software	AUDIX	e3V8.2014-6-2	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM026-01	2020/6/12	2021/6/11		
EXA Signal Analyzer (10Hz-26.5GHz)	Agilent Technologie Inc	N9010A	SEM004-09	2020/3/12	2021/3/11		
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003-01	2020/6/27	2023/6/26		
Horn Antenna (0.8- 18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12		
Pre-amplifier(0.1-1.3GHz	HP	8447D	SEM005-02	2020/7/14	2021/7/14		
Low Noise Amplifier(100MHz- 18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005-05	2020/9/3	2021/9/2		
Horn Antenna (15- 40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2020/10/17	2023/10/16		
Pre-amplifier(18-26GHz	Rohde & Schwarz	CH14-H052	SEM005-17	2020/3/2	2021/3/1		
Band filter	N/A	N/A	SEM023-01	N/A	N/A		
	-	RE in Chamb	er				
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date		
	Wanutacturer			(yyyy-mm-dd)	(yyyy-mm-dd)		
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2020/8/5	2023/8/4		
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM025-01	2020/6/12	2021/6/11		
MXE EMI Receiver (20Hz-8.4GHz)	Agilent Technologie	N9038A	SEM004-05	2020/7/14	2021/7/14		
BiConiLog Antenna (26- 3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2020/6/27	2023/6/26		
Pre-amplifier (0.1- 1.3GHz)	Agilent Technologie	8447D	SEM005-01	2020/3/2	2021/3/1		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000403 Page: 53 of 54

RE in Chamber							
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. Date (yyyy mm-dd)	Cal. Due date (yyyy-mm-dd)		
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30		
EMI Test Receiver (9k- 7GHz)	Rohde & Schwarz	ESR	SEM004-03	2020/3/2	2021/3/1		
Trilog-Broadband Antenna(25M-2GHz)	Schwarzbeck	VULB9168	SEM003-18	2020/3/15	2022/3/14		
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2020/3/12	2021/3/11		
Loop Antenna (9kHz- 30MHz)	ETS-Lindgren	6502	SEM003-08	2020/8/22	2023/8/21		
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM029-01	2020/6/12	2021/6/11		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: (N-Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000403 Page: 54 of 54

## 7 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of Set-Up for AR/2020/C0004.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com