

Report No.: AR/2020/C000603 Page: 1 of 63

FCC TEST REPORT

Application No.:	AR/2020/C0006
Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
EUT Description:	Mobile Phone
Model No.:	M2010J19SY
Trade Mark:	Redmi
FCC ID:	2AFZZJ19SY
Standards:	47 CFR FCC Part 2, Subpart J
	47 CFR Part 15, Subpart C
Date of Receipt:	2020/12/11(for original report AR/2020/C000403)
Date of Test:	2020/12/11 to 2020/12/31(for original report AR/2020/C000403)
	2020/12/20 to 2020/12/31(for new report AR/2020/C000603)
Date of Issue:	2020/12/31(for original report AR/2020/C000403)
	2021/1/7(for new report AR/2020/C000603)
Test Result :	PASS *

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Derde yang

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's osle responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the esample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing /inspection reports a certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@asgs.com

won wonksnop, w-10, Miolai Section, Science & technology Fank, Snenzhen, Cinia 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.c 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000603 Page: 2 of 63

1 Version

Revision Record					
Version Chapter Date Modifier Remark				Remark	
01		2021/1/7		Original	

Authorized for issue by:		
Tested By	Mike Mu (Mike Hu) /Project Engineer	
Checked By	David Chen (David Chen) /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: (N-Doccheck@egs.com



Report No.: AR/2020/C000603 Page: 3 of 63

2 Test Summary

Test Item	Test Requirement	Test Method	Test Result	Result
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013	Clause 4.2	PASS
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013	Clause 4.3	PASS
DTS (6 dB) Bandwidth	15.247 (a)(2)	ANSI C63.10 2013	Clause 4.4	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10 2013	Clause 4.5	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.6	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.7	PASS
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10 2013	Clause 4.8	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10 2013	Clause 4.9	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter



Report No.: AR/2020/C000603 Page: 4 of 63

Remark:

This test report (Report No.: AR/2020/C000603) is base on the original test report (Report No.: AR/2020/C000403) issued on 2020-12-31.

Review this report and original report, this report just changing the parts according to the declaration letter from client.

According to the applicant's statement, model numbers: M2010J19SY(FCC ID: 2AFZZJ19SY) and M2010J19SL(FCC ID: 2AFZZJ19SL)

Taking into account the differences, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report only the power was retested and radiated spurious emissions were performed based on the worst case(BLE_1M:Channel:39) of the original report with report number AR/2020/C000403 and other test data in this report are base on the previous report with report number AR/2020/C000403.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days only. Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: COL Doccheck@ess.com



Report No.: AR/2020/C000603 Page: 5 of 63

Contents

1	Version.		2			
2	Test Sun	nmary	3			
3	General Information					
	3.1 E	Details of Client	7			
	3.2 T	Fest Location	7			
	3.3 T	Fest Facility	8			
	3.4 C	General Description of EUT	9			
	3.5 T	Fest Environment	10			
	3.6 E	Description of Support Units	10			
4	Test resu	ults and Measurement Data	11			
	4.1 A	Antenna Requirement	11			
	4.2 A	AC Power Line Conducted Emissions	12			
	4.3 E	Duty Cycle	18			
	4.3.	1 Test Results	18			
	4.3.	2 Test Plots	19			
	4.4 0	Conducted Output Power	20			
	4.4.	1 Test Results	21			
	4.4.	2 Test Plots	21			
	4.5 E	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	23			
	4.5.	1 Test Results	23			
	4.5.	2 Test Plots	24			
	4.6 F	Power Spectral Density	26			
	4.6.	1 Test Results	26			
	4.6.	2 Test Plots	27			
	4.7 E	Band-edge for RF Conducted Emissions	29			
	4.7.	1 Test Plots	30			
	4.8 F	RF Conducted Spurious Emissions	32			
	4.8.	1 Test Plots	33			
	4.9 F	Radiated Spurious Emissions				
		1 Radiated Emission below 1GHz				
	4.9.	2 Transmitter Emission above 1GHz	41			
	4.10 F	Restricted bands around fundamental frequency	51			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e_Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication on the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 26710594 www.sgsgroup.com.cn mail: CN Doccheck@ags.com

	Report No.: AR/2020/C000603	
	Page: 6 of 63	
	4.10.1 Test Plots	.53
5	Measurement Uncertainty (95% confidence levels, k=2)	.59
6	Equipment List	.60
7	Photographs - EUT Constructional Details	.63



SGS

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000603 Page: 7 of 63

3 General Information

3.1 Details of Client

Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,
Address of Applicant	China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing,
	China, 100085

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or email: CA.Doccheck@egas.com

Report No.: AR/2020/C000603 Page: 8 of 63

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction Issues defined therein. Any holder of this document is a dvised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) isertation, for ertained for 30 days only. Attention: To check the authenticity of testing impaction report & certificate, please contact us at telephone: (85-755) 8307 1443, or amail: CN Doccheck.com



Report No.: AR/2020/C000603 Page: 9 of 63

3.4 General Description of EUT

EUT Description:	Mobile Phone
Model No.:	M2010J19SY
Trade Mark:	Redmi
Hardware Version:	P2
Software Version:	MIUI12
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.
Bluetooth version:	Bluetooth V5.0
Modulation Type:	GFSK
Number of Channel:	40
Sample Type:	Portable Device, Module
Antenna Type:	PIFA Antenna
Antenna Gain:	1.0dBi

Remark: According to the client, the EUT doses't support the rates of 2Mbps.

	Operation Frequency of each channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditio

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000603 Page: 10 of 63

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz

3.5 Test Environment

Operating Environment:		
Temperature:	25.0 °C	
Humidity:	50 % RH	
Atmospheric Pressure:	101.30 KPa	

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-And-Conditions/T



Report No.: AR/2020/C000603 Page: 11 of 63

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 1.0dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the cost of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & cartificate, please contact us at teiphone: (86-755) 8307 1443.



Report No.: AR/2020/C000603 Page: 12 of 63

4.2 AC Power Line Conducted Emissions


Test Requirement:	47 CFR Part 15C Sectio	n 15.207				
Test Method:	ANSI C63.10: 2013					
Test Frequency Range:	150kHz to 30MHz					
Limit:	Frequency range (MHz)	Limit (dł	BuV)			
	Frequency range (MHZ)	Quasi-peak	Average			
	0.15-0.5	66 to 56*	56 to 46*			
	0.5-5	56	46			
	5-30	60	50			
	* Decreases with the log	arithm of the frequency.				
Test Procedure:	room. 2) The EUT was conne	listurbance voltage test was o ected to AC power source t	hrough a LISN 1 (Line			
	impedance. The po connected to a secor plane in the same w multiple socket outlet	tion Network) which provides a ower cables of all other un nd LISN 2, which was bonded way as the LISN 1 for the u t strip was used to connect mu the rating of the LISN was no	nits of the EUT were to the ground reference unit being measured. A ultiple power cables to a			
	ground reference pla	as placed upon a non-metalli ne. And for floor-standing arra ntal ground reference plane.				
 4) The test was performed with a vertical ground reference plane. 4) The test was performed with a vertical ground reference plane the EUT shall be 0.4 m from the vertical ground reference plane vertical ground reference plane was bonded to the horizon reference plane. The LISN 1 was placed 0.8 m from the box unit under test and bonded to a ground reference plane. This distance with a closest points of the LISN 1 and the EUT. All other units and associated equipment was at least 0.8 m from the LISN 2 5) In order to find the maximum emission, the relative positions and all of the interface cables must be changed according to 						
	ANSI C63.10: 2013 c	on conducted measurement.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond



Report No.: AR/2020/C000603 Page: 13 of 63





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excense here a transaction from exercising all their rights and obligations under the transaction documents. This document is any performed of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is of the factore of this document is satted the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & cartificate, please contact us at teephone: (66-755) 8307 1443.




Report No.: AR/2020/C000603 Page: 14 of 63

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:




Test Graph

Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]
1	0.1770	10.10	28.25	64.63	36.38	15.21	54.63	39.42
2	0.4421	10.10	27.42	57.02	29.60	18.36	47.02	28.66
3	1.9798	10.10	24.43	56.00	31.57	13.55	46.00	32.45
4	6.8143	10.10	35.51	60.00	24.49	26.35	50.00	23.65
5	14.7843	10.11	43.93	60.00	16.07	30.58	50.00	19.42
6	23.0094	10.11	47.42	60.00	12.58	36.80	50.00	13.20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gs.com/en/Terms-and-Conditions, sapx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. forgery or falsification of the content or appearance of this document is of the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





Test Graph

Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]
1	0.1565	10.10	34.18	65.65	31.47	15.23	55.65	40.42
2	0.4397	10.10	27.32	57.07	29.75	15.67	47.07	31.40
3	1.9430	10.10	30.60	56.00	25.40	17.30	46.00	28.70
4	6.7870	10.10	36.95	60.00	23.05	27.28	50.00	22.72
5	14.6966	10.11	48.29	60.00	11.71	33.08	50.00	16.92
6	23.0930	10.11	51.19	60.00	8.81	39.96	50.00	10.04




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.rems-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing inspection creport & cartificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26012053 g (86–755) 26012053 f (86–755) 2601205



Report No.: AR/2020/C000603 Page: 16 of 63



Test on the worst case:


Test Graph

Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1857	10.10	27.07	64.22	37.15	15.48	54.22	38.74	L
2	0.2425	10.10	28.50	62.01	33.51	14.37	52.01	37.64	L
3	1.9057	10.10	31.39	56.00	24.61	18.06	46.00	27.94	L
4	6.8345	10.10	38.72	60.00	21.28	29.08	50.00	20.92	L
5	14.4356	10.11	48.23	60.00	11.77	35.38	50.00	14.62	L
6	23.1348	10.11	50.67	60.00	9.33	39.37	50.00	10.63	L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excoreate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is enterved except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is estated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing (inspection report & cartificate, please contact us at telephone: (66-755) 8307 1443.





Test Graph

Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1606	10.10	32.25	65.43	33.18	16.57	55.43	38.86	N
2	0.4413	10.10	32.22	57.04	24.82	20.96	47.04	26.08	N
3	1.9968	10.10	34.94	56.00	21.06	21.81	46.00	24.19	Ν
4	6.8616	10.10	37.56	60.00	22.44	28.41	50.00	21.59	Ν
5	14.7288	10.11	48.74	60.00	11.26	35.19	50.00	14.81	Ν
6	23.1118	10.11	49.33	60.00	10.67	38.11	50.00	11.89	Ν

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconse the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the suthenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ses.com



Report No.: AR/2020/C000603 Page: 18 of 63

4.3 Duty Cycle

4.3.1 Test Results

Test Mode	TX Freq. [MHz]	Duty cycle [%]
BLE_1M	CH0, CH19, CH39	62.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com




Report No.: AR/2020/C000603 Page: 19 of 63



4.3.2.1**ANT1**

4.3.2.1.1 BLE_1M



Date: 24.DEC.2020 15.26:51




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000603 Page: 20 of 63

4.4 Conducted Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755)26012053 f (86-755)26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755)26012053 f (86-755)26710594 sgs.com



Report No.: AR/2020/C000603 Page: 21 of 63

4.4.1 Test Results

Measurement Data of Peak Power:

GFSK_1M mode						
Test Channel Peak Output Power (dBm)		Limit (dBm)	Result			
Lowest	7.71	30.00	Pass			
Middle	8.49	30.00	Pass			
Highest	8.53	30.00	Pass			

4.4.2 Test Plots

4.4.2.1 GFSK 1M_Lowest Channel




Date: 7 JAN 2021 15:01:18




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com



Report No.: AR/2020/C000603 22 of 63 Page:



4.4.2.3 GFSK 1M_Highest Channel



Date: 7 JAN 2021 15:01:33



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000603 Page: 23 of 63

4.5 DTS (6 dB) Bandwidth

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(2)				
Test Method:	ANSI C63.10: 2013 Section 11.8 Option 2				
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane				
Instruments Used:	Refer to section 5.10 for details				
Test Mode:	Transmitting with GFSK modulation.				
Limit:	≥ 500 kHz				
Test Results:	Pass				

4.5.1 Test Results

Mode	Test Channel	6dB Emission Bandwidth (MHz)	Limit (kHz)	Result
	Lowest	0.66	≥500	Pass
GFSK_1M	Middle	0.66	≥500	Pass
	Highest	0.66	≥500	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com



> Report No.: AR/2020/C000603 24 of 63 Page:

4.5.2 **Test Plots**



4.5.2.2 GFSK 1M Middle Channel



Date: 24 DEC 2020 15:22:44




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com 中国·深圳·科技园中区M-10栋一号厂房

Member of the SGS Group (SGS SA)



Report No.: AR/2020/C000603 Page: 25 of 63



Date: 24.DEC.2020 15:22:30




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com



Report No.: AR/2020/C000603 Page: 26 of 63

4.6 Power Spectral Density



4.6.1 Test Results

Mode	Test Channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
	Lowest	-7.43	≤8.00	Pass
GFSK_1M	Middle	-6.79	≤8.00	Pass
	Highest	-6.79	≤8.00	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/C000603 Page: 27 of 63

4.6.2 Test Plots




Date: 24.DEC.2020 15:21:46



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days only. Attention is tested and such sample(s) here retained for 30 days only.




Report No.: AR/2020/C000603 Page: 28 of 63



Date: 24.DEC.2020 15:22:01

4.6.2.3 GFSK 1M_Highest Channel



Date: 24.DEC.2020 15:22:13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection ceport a cartificate, plasse contact us at telephone: (86-755) 8307 1443, or email: ON-Doccheck@ags.com

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000603 Page: 29 of 63

4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)		
Test Method:	ANSI C63.10: 2013 Section 11.13		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table		
	Ground Reference Plane		
Instruments Used:	Refer to section 5.10 for details		
Test Mode:	Transmitting with GFSK modulation.		
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.		
Test Results:	Pass		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days only. Attention is tested and such sample(s) here retained for 30 days only.



Report No.: AR/2020/C000603 Page: 30 of 63

4.7.1 Test Plots




Date: 24.DEC.2020 15:25:49



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter



Report No.: AR/2020/C000603 Page: 31 of 63



Date: 24.DEC.2020 15:24:32




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions aspx and, for electronic Documents, subject to Terms and Conditions/Terms-end-Conditions/Ter



Report No.: AR/2020/C000603 Page: 32 of 63

4.8 **RF Conducted Spurious Emissions**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: AR/2020/C000603 Page: 33 of 63

4.8.1 Test Plots

4.8.1.1 GFSK 1M_Lowest Channel




Date: 24.DEC.2020 15:28:46



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com




Report No.: AR/2020/C000603 Page: 34 of 63



Date: 24.DEC.2020 15:29:41

4.8.1.3 GFSK 1M_Highest Channel



Date: 24.DEC.2020 15:30:29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection ceport a cartificate, plasse contact us at telephone: (86-755) 8307 1443, or email: ON-Doccheck@ags.com

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t

n, cnina 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/C000603 Page: 35 of 63

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sgsx and, for electronic format documents, subject to the format and Conditions for Electronic Documents and the interview sgs.com/en/Terms-and-Conditions.sgsx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's osile responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) here retained for 30 days on). Attention, to check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or small: CN. Deccheck@gss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/C000603 Page: 36 of 63

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10 :2013 Section 11.12							
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)							
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark			
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak			
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average			
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak			
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average			
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	30MHz-1GHz	Quasi-peak	100kHz	30kHz	Quasi-peak			
		Peak	1MHz	3MHz	Peak			
	Above 1GHz	Peak	1MHz	10Hz(Duty Cycle≥0.98) ≥1/T(Duty Cycle <0.98)	Average			
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)			
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz	30	-	-	30			
	30MHz-88MHz	100	40.0	Quasi-peak	3			
	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz	500	54.0	Average	3			
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com



		Report No.: AR/2020/C000603 Page: 37 of 63
Test Setup:		<u> </u>
	Antenna Tower Antenna Tower Reference Plane	AE EUT (Turntable) Ground Reference Plane
Test Receive	Pro- Amplifar Controlles	Test Receiver
Figure 7	1. Below 30MHz	Figure 2. 30MHz to 1GHz
	Ground Refer Test Receiver Figure 3. Al	Horr Antenna Tower Horr Antenna Tower Horr Plane Prace Plane Deve 1 GHz
Test Procedure:	 above the ground at a rotated 360 degrees to a b. For above 1GHz, the meters above the groun rotated 360 degrees to a c. The EUT was set 3 a antenna, which was modeled antenna, which was modeled antenna height is vare to determine the maxim vertical polarizations of the set of the following spectre (1) Span share measured; (2) Set RBW; Sweet Detector function = 	all wide enough to fully capture the emission being /=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz ; ep = auto; peak; Trace = max hold for peak age measurement: use duty cycle correction factor

Unless otherwise agreed in writing, this document is issued by the Company subject to the School of School



	Report No.: AR/2020/C000603 Page: 38 of 63
	Duty cycle = On time/100 milliseconds
	On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n
	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.
	Average Emission Level = Peak Emission Level + 20*log(Duty cycle)
	f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	i. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
	j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	k. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with GFSK modulation.
	Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode,
	For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com



4.9.1

Report No.: AR/2020/C000603 Page: 39 of 63



Radiated Emission below 1GHz

Suspected List

Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	43.5868	23.19	40.00	16.81	150	162	Horizontal		
2	95.0225	20.95	43.50	22.55	150	250	Horizontal		
3	145.9730	22.24	43.50	21.26	150	200	Horizontal		
4	201.2906	31.15	43.50	12.35	150	337	Horizontal		
5	292.0310	23.67	46.00	22.33	150	42	Horizontal		
6	941.2856	24.57	46.00	21.43	150	25	Horizontal		


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com



Report No.: AR/2020/C000603 Page: 40 of 63



Suspected List

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	42.6163	23.42	40.00	16.58	150	186	Vertical			
2	67.3637	28.78	40.00	11.22	150	59	Vertical			
3	83.8619	29.98	40.00	10.02	150	119	Vertical			
4	214.3922	28.64	43.50	14.86	150	294	Vertical			
5	287.6638	28.11	46.00	17.89	150	344	Vertical			
6	879.6598	23.72	46.00	22.28	150	253	Vertical			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000603 Page: 41 of 63

18G

4.9.2Transmitter Emission above 1GHz4.9.2.1BLE_1M_Channel 0

Test Graph FCC PART 15 C 130 120 110 100 90 80 evel[dBµV/m] 70 60 50 40 83 30 20 10 0 6G 8G 2G 3G 1G 4G PK Limit AV Limit Horizontal PK Frequericy[Hz]htal AV * AV Detector

Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2979.995	44.99	54.00	9.01	150	180	Horizontal	
2	2993.498	56.61	74.00	17.39	150	315	Horizontal	
3	4804.000	34.05	54.00	19.95	150	210	Horizontal	
4	4804.000	42.95	74.00	31.05	150	38	Horizontal	
5	7206.000	46.62	74.00	27.38	150	227	Horizontal	
6	7206.000	35.57	54.00	18.43	150	210	Horizontal	
7	17999.25	47.73	54.00	6.27	150	175	Horizontal	

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing inspection creport & astrificate, please contact us at telephone: (86-755) 8307 1443, Attention.



Report No.: AR/2020/C000603 Page: 42 of 63

4.9.2.2 BLE_1M_Channel 0



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2761.940	44.36	54.00	9.64	150	192	Vertical		
2	2905.976	57.17	74.00	16.83	150	250	Vertical		
3	4804.000	30.86	54.00	23.14	150	151	Vertical		
4	4804.000	41.15	74.00	32.85	150	185	Vertical		
5	7206.000	46.68	74.00	27.32	150	323	Vertical		
6	7206.000	35.47	54.00	18.53	150	323	Vertical		
7	17766.73	47.36	54.00	6.64	150	48	Vertical		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000603 Page: 43 of 63

4.9.2.3 BLE_1M_Channel 19



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2956.989	56.64	74.00	17.36	150	34	Horizontal		
2	2986.496	45.24	54.00	8.76	150	107	Horizontal		
3	4880.000	33.57	54.00	20.43	150	244	Horizontal		
4	4880.000	42.60	74.00	31.40	150	346	Horizontal		
5	7320.000	46.67	74.00	27.33	150	141	Horizontal		
6	7320.000	36.43	54.00	17.57	150	210	Horizontal		
7	17783.98	47.90	54.00	6.10	150	261	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000603 Page: 44 of 63

4.9.2.4 BLE_1M_Channel 19



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2945.986	56.76	74.00	17.24	150	326	Vertical		
2	2992.498	45.13	54.00	8.87	150	222	Vertical		
3	4880.000	31.50	54.00	22.50	150	261	Vertical		
4	4880.000	41.45	74.00	32.55	150	175	Vertical		
5	7320.000	48.67	74.00	25.33	150	106	Vertical		
6	7320.000	36.28	54.00	17.72	150	14	Vertical		
7	17790.73	47.98	54.00	6.02	150	54	Vertical		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000603 Page: 45 of 63

4.9.2.5 BLE_1M_Channel 39



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2802.450	56.47	74.00	17.53	150	51	Horizontal		
2	2980.995	45.19	54.00	8.81	150	346	Horizontal		
3	4960.000	34.64	54.00	19.36	150	224	Horizontal		
4	4960.000	42.97	74.00	31.03	150	224	Horizontal		
5	7440.000	48.50	74.00	25.50	150	258	Horizontal		
6	7440.000	37.04	54.00	16.96	150	1	Horizontal		
7	17771.98	47.68	54.00	6.32	150	241	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com



Report No.: AR/2020/C000603 Page: 46 of 63

4.9.2.6 BLE_1M_Channel 39



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2914.978	56.56	74.00	17.44	150	330	Vertical		
2	3000.000	45.06	54.00	8.94	150	161	Vertical		
3	4960.000	31.83	54.00	22.17	150	31	Vertical		
4	4960.000	42.84	74.00	31.16	150	31	Vertical		
5	7440.000	47.79	74.00	26.21	150	83	Vertical		
6	7440.000	37.39	54.00	16.61	150	134	Vertical		
7	17784.73	47.81	54.00	6.19	150	151	Vertical		

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com



Report No.: AR/2020/C000603 Page: 47 of 63

Test on the worst case: 4.9.3 **Radiated Emission below 1GHz** Charge + Transmitting 4.9.3.1 **Test Graph** FCC PART 15 C 130 120 110 100 90 80 _evel[dBµV/m] 70 60 50 40 30 Man 20 10 0 30M 100M 1G Frequency[Hz] OP Limit Horizontal PK OP Detector

Suspected List

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	41.1606	26.22	40.00	13.78	150	31	Horizontal			
2	79.4947	25.20	40.00	14.80	150	298	Horizontal			
3	155.1926	28.11	43.50	15.39	150	217	Horizontal			
4	311.4407	32.47	46.00	13.53	150	75	Horizontal			
5	814.6373	23.39	46.00	22.61	150	65	Horizontal			


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com



Report No.: AR/2020/C000603 Page: 48 of 63



Suspected List

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	37.2786	24.85	40.00	15.15	150	339	Vertical			
2	48.9245	23.36	40.00	16.64	150	317	Vertical			
3	79.4947	32.64	40.00	7.36	150	243	Vertical			
4	155.6778	25.34	43.50	18.16	150	199	Vertical			
5	310.9555	31.88	46.00	14.12	150	348	Vertical			
6	872.8664	24.00	46.00	22.00	150	16	Vertical			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com



Report No.: AR/2020/C000603 Page: 49 of 63

4.9.4 Transmitter Emission above 1GHz 4.9.4.1BLE_1M_Channel 19

Test Graph FCC PART 15 C 130 120 110 100 90 80 Level[dBµV/m] 70 60 50 40 30 20 10 0 18G 1G 2G 3G 6G 8G 4G PK Limit AV Limit Horizontal PK Frequerity[112]htal AV PK Detector * AV Detector

Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2970.992	45.18	54.00	8.82	150	117	Horizontal		
2	2991.497	56.35	74.00	17.65	150	148	Horizontal		
3	4880.000	30.78	54.00	23.22	150	134	Horizontal		
4	4880.000	41.90	74.00	32.10	150	221	Horizontal		
5	7320.000	47.39	74.00	26.61	150	221	Horizontal		
6	7320.000	36.03	54.00	17.97	150	256	Horizontal		
7	17324.21	44.80	54.00	9.20	150	342	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000603 Page: 50 of 63

4.9.4.2 BLE_1M_Channel 19



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2934.983	45.09	54.00	8.91	150	9	Vertical		
2	2995.999	56.27	74.00	17.73	150	0	Vertical		
3	4880.000	30.83	54.00	23.17	150	346	Vertical		
4	4880.000	41.62	74.00	32.38	150	346	Vertical		
5	7320.000	47.98	74.00	26.02	150	48	Vertical		
6	7320.000	36.09	54.00	17.91	150	226	Vertical		
7	17784.73	45.91	54.00	8.09	150	48	Vertical		

Final Data List

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.forms-en-Conditio</u>



Report No.: AR/2020/C000603 51 of 63 Page:

4.10 Restricted bands around fundamental frequency





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.sapx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.sapx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Side access the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unavful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & cartificate, please contact: us at telephone: (66-755) 8307 1443, No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: AR/2020/C000603 Page: 52 of 63

Test Procedure: a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned form 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel, the Highest channel h. Test the EUT in the lowest channel, the Highest channel h. Test the EUT in the lowest channel, the Highest the specified Bandwidth with GFSK modulation. Charge + Transmitting mode. Final Test Mode:		9				
meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Transmitting with GFSK modulation. Charge + Transmitting mode. Final Test Mode: Transmitting with GFSK modulation. Charge + Transmitting mode. Only the worst case is recorded in the report. </td <td>Test Procedure:</td> <td>above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.</td>	Test Procedure:	above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.				
antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Final Test Mode: Transmitting with GFSK modulation. Charge + Transmitting mode. Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		meters above the ground at a 3 meter semi-anechoic camber. The table was				
to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Transmitting with GFSK modulation. Charge + Transmitting mode. Final Test Mode: Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode. Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details						
Exploratory Test Mode: Transmitting with GFSK modulation. Final Test Mode: Transmitting with GFSK modulation. Priest the EUT at Charge + Transmitting mode. Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		to determine the maximum value of the field strength. Both horizontal and				
Bandwidth with Maximum Hold Mode.g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channelh. Test the EUT in the lowest channel , the Highest channeli. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.j. Repeat above procedures until all frequencies measured was complete.Exploratory Test Mode:Final Test Mode:Transmitting with GFSK modulation. Charge + Transmitting mode.Final Test Mode:Instruments Used:Refer to section 5.10 for details		then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the				
inferegreenergy to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. Exploratory Test Mode: Transmitting with GFSK modulation. Charge + Transmitting mode. Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode. Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		Bandwidth with Maximum Hold Mode.				
i.The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j.Exploratory Test Mode:Transmitting with GFSK modulation. Charge + Transmitting mode.Final Test Mode:Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode.Instruments Used:Refer to section 5.10 for details		frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and				
Transmitting mode, And found the X axis positioning which it is worse case.j.Repeat above procedures until all frequencies measured was complete.Exploratory Test Mode:Transmitting with GFSK modulation. Charge + Transmitting mode.Final Test Mode:Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode.Instruments Used:Refer to section 5.10 for details		h. Test the EUT in the lowest channel , the Highest channel				
Charge + Transmitting mode. Final Test Mode: Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode. Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details		Transmitting mode, And found the X axis positioning which it is worse case.				
Charge + Transmitting mode. Final Test Mode: Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode. Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details						
Pretest the EUT at Charge + Transmitting mode. Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details	Exploratory Test Mode:	5				
Only the worst case is recorded in the report. Instruments Used: Refer to section 5.10 for details	Final Test Mode:	Transmitting with GFSK modulation.				
Instruments Used: Refer to section 5.10 for details		Pretest the EUT at Charge + Transmitting mode.				
		Only the worst case is recorded in the report.				
Test Results: Pass	Instruments Used:	Refer to section 5.10 for details				
	Test Results:	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CA. Doccheck@exac.




Report No.: AR/2020/C000603 Page: 53 of 63

4.10.1 Test Plots

4.10.1.1 BLE_1M_Channel 0

Test Graph



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2370.330	48.09	74.00	25.91	150	285	Horizontal		
2	2371.605	34.07	54.00	19.93	150	153	Horizontal		
3	2390.000	35.06	54.00	18.94	150	210	Horizontal		
4	2390.000	46.41	74.00	27.59	150	107	Horizontal		
5	2402.000	103.44	0.00	-103.44	150	214	Horizontal		
6	2402.000	102.55	0.00	-102.55	150	210	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com



Report No.: AR/2020/C000603 Page: 54 of 63

4.10.1.2 BLE_1M_Channel 0



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2377.158	33.96	54.00	20.04	150	279	Vertical		
2	2379.709	48.81	74.00	25.19	150	188	Vertical		
3	2390.000	33.89	54.00	20.11	150	312	Vertical		
4	2390.000	46.37	74.00	27.63	150	267	Vertical		
5	2402.000	92.63	0.00	-92.63	150	222	Vertical		
6	2402.000	91.96	0.00	-91.96	150	218	Vertical		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@esps.com

Member of the SGS Group (SGS SA)



Report No.: AR/2020/C000603 Page: 55 of 63

4.10.1.3 BLE_1M_Channel 39



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.000	103.25	0.00	-103.25	150	228	Horizontal		
2	2480.000	101.77	0.00	-101.77	150	209	Horizontal		
3	2483.500	59.95	74.00	14.05	150	228	Horizontal		
4	2483.500	37.49	54.00	16.51	150	213	Horizontal		
5	2488.144	36.41	54.00	17.59	150	228	Horizontal		
6	2488.244	49.22	74.00	24.78	150	228	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sus.com



Report No.: AR/2020/C000603 Page: 56 of 63

4.10.1.4 BLE_1M_Channel 39



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.000	91.40	0.00	-91.40	150	219	Vertical		
2	2480.000	90.07	0.00	-90.07	150	212	Vertical		
3	2483.500	50.64	74.00	23.36	150	295	Vertical		
4	2483.500	32.89	54.00	21.11	150	14	Vertical		
5	2488.094	33.33	54.00	20.67	150	322	Vertical		
6	2488.944	46.61	74.00	27.39	150	158	Vertical		

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 260710594 sgs.com



Report No.: AR/2020/C000603 Page: 57 of 63

Test on the worst case: 4.10.1.1 BLE_1M_Channel 39





Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.000	103.50	0.00	-103.50	150	234	Horizontal		
2	2480.000	102.98	0.00	-102.98	150	234	Horizontal		
3	2483.500	60.43	74.00	13.57	150	234	Horizontal		
4	2483.500	38.43	54.00	15.57	150	234	Horizontal		
5	2485.943	39.55	54.00	14.45	150	215	Horizontal		
6	2486.343	52.39	74.00	21.61	150	219	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days on). Attention. To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN_Doccheck@egs.com



Report No.: AR/2020/C000603 Page: 58 of 63





Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.000	91.53	0.00	-91.53	150	253	Vertical		
2	2480.000	91.00	0.00	-91.00	150	253	Vertical		
3	2483.500	50.27	74.00	23.73	150	257	Vertical		
4	2483.500	33.03	54.00	20.97	150	253	Vertical		
5	2489.794	47.31	74.00	26.69	150	168	Vertical		
6	2489.945	33.42	54.00	20.58	150	253	Vertical		

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

中国·深圳·科技园中区M-10栋一号厂房 邮编:518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



Report No.: AR/2020/C000603 Page: 59 of 63

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.75dB
2	RF power density, conducted	±2.84dB
3	Spurious emissions, conducted	±0.75dB
	Dedicted Services emission test	±4.5dB (30MHz-1GHz)
4	Radiated Spurious emission test	±4.8dB (1GHz-25GHz)
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)
6	Temperature test	±1°C
7	Humidity test	±3%
8	DC and low frequency voltages	±0.5%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's osile responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small:



Report No.: AR/2020/C000603 Page: 60 of 63

6 Equipment List

Conducted Emission								
Toot Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate			
Test Equipment	Manufacturer	Model No.	Inventory No	(yyyy-mm-dd)	(yyyy-mm-dd) 2023/5/9 2021/7/14 2021/3/31 N/A 2021/6/11			
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2020/5/10	2023/5/9			
LISN	Rohde & Schwarz	ENV216	SEM007-01	2020/7/14	2021/7/14			
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2020/4/1	2021/3/31			
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM024-01	2020/6/12	2021/6/11			
2 Line ISN	Fischer Custom Communications Inc	FCC-TLISN-T2 02	EMC0122	2020/2/11	2021/2/10			
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2020/3/2	2021/3/1			

RF conducted test									
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate				
rest Equipment	Manufacturer	Model No.	Inventory No	(yyyy-mm-dd)	(yyyy-mm-dd)				
DC Power Supply	Agilent Technologie Inc	66311B	W009-09	2020/7/15	2021/7/15				
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2				
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11				
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A				
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14				
Temperature Chamber	GIANT FORCE	ICT-150-40-CP AR	W027-03	2020/10/27	2021/10/27				
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not excore a the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the subtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or smail: CM. Doccheck@egs.com



Report No.: AR/2020/C000603 Page: 61 of 63

RE in Chamber								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date			
				(yyyy-mm-dd)	(yyyy-mm-dd)			
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12			
Measurement Software	AUDIX	e3V8.2014-6-2	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM026-01	2020/6/12	2021/6/11			
EXA Signal Analyzer (10Hz-26.5GHz)	Agilent Technologie Inc	N9010A	SEM004-09	2020/3/12	2021/3/11			
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003-01	2020/6/27	2023/6/26			
Horn Antenna (0.8- 18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12			
Pre-amplifier(0.1-1.3GHz	HP	8447D	SEM005-02	2020/7/14	2021/7/14			
Low Noise Amplifier(100MHz- 18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005-05	2020/9/3	2021/9/2			
Horn Antenna (15- 40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2020/10/17	2023/10/16			
Pre-amplifier(18-26GHz	Rohde & Schwarz	CH14-H052	SEM005-17	2020/3/2	2021/3/1			
Band filter	N/A	N/A	SEM023-01	N/A	N/A			
RE in Chamber								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date			
				(yyyy-mm-dd)	(yyyy-mm-dd)			
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2020/8/5	2023/8/4			
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM025-01	2020/6/12	2021/6/11			
MXE EMI Receiver (20Hz-8.4GHz)	Agilent Technologie	N9038A	SEM004-05	2020/7/14	2021/7/14			
BiConiLog Antenna (26- 3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2020/6/27	2023/6/26			
Pre-amplifier (0.1- 1.3GHz)	Agilent Technologie	8447D	SEM005-01	2020/3/2	2021/3/1			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: AR/2020/C000603 Page: 62 of 63

RE in Chamber							
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. Date (yyyy mm-dd)	Cal. Due date (yyyy-mm-dd)		
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30		
EMI Test Receiver (9k- 7GHz)	Rohde & Schwarz	ESR	SEM004-03	2020/3/2	2021/3/1		
Trilog-Broadband Antenna(25M-2GHz)	Schwarzbeck	VULB9168	SEM003-18	2020/3/15	2022/3/14		
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2020/3/12	2021/3/11		
Loop Antenna (9kHz- 30MHz)	ETS-Lindgren	6502	SEM003-08	2020/8/22	2023/8/21		
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A		
Coaxial Cable	SGS	N/A	SEM029-01	2020/6/12	2021/6/11		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are retained for 30 days on). Attention: To check the authenticity of testing /inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck@ess.com



Report No.: AR/2020/C000603 Page: 63 of 63

7 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of Set-Up for AR/2020/C0004.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days on). Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443, or smail: CA.Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 260710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com