

# Appendix B

## GSM 850 & 1900



## CONTENT

	Page
1. EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA .....	4
1.1. Test Result .....	4
2. PEAK-TO-AVERAGE RATIO .....	6
2.1. Test Result .....	6
2.2. Part II - Test Plots .....	6
3. MODULATION CHARACTERISTICS .....	13
3.1. For GSM .....	13
3.1.1. Test Band = GSM 850 .....	13
3.1.1.1. Test Mode = GSM/TM1 .....	13
3.1.1.1.1. Test Channel = MCH .....	13
3.1.1.2. Test Mode = GSM/TM2 .....	14
3.1.1.2.1. Test Channel = MCH .....	14
3.1.2. Test Band = GSM 1900 .....	15
3.1.2.1. Test Mode = GSM/TM1 .....	15
3.1.2.1.1. Test Channel = MCH .....	15
3.1.2.2. Test Mode = GSM/TM2 .....	16
3.1.2.2.1. Test Channel = MCH .....	16
4. 26dB BANDWIDTH AND OCCUPIED BANDWIDTH .....	17
4.1. Test Result .....	17
4.2. Test Plots .....	17
5. BAND EDGE COMPLIANCE .....	24
5.1. Test Plots .....	24
6. SPURIOUS EMISSION AT ANTENNA TERMINAL .....	29
6.1. Test Plots .....	29
7. FIELD STRENGTH OF SPURIOUS RADIATION .....	42
7.1. Test Band = GSM 1900(ANT1) .....	42
7.1.1. Test Channel = LCH .....	42
7.1.2. Test Channel = MCH .....	42
7.1.3. Test Channel = HCH .....	43
7.2. Test Band = GSM 850(ANT1) .....	43
7.2.1. Test Channel = LCH .....	43
7.2.2. Test Channel = MCH .....	44



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

7.2.3.	Test Channel = HCH.....	44
7.3.	Test Band = GSM 1900(ANT2).....	45
7.3.1.	Test Channel = LCH .....	45
7.3.2.	Test Channel = MCH .....	45
7.3.3.	Test Channel = HCH.....	46
7.4.	Test Band = GSM 850(ANT2).....	46
7.4.1.	Test Channel = LCH .....	46
7.4.2.	Test Channel = MCH .....	47
7.4.3.	Test Channel = HCH.....	47
8.	FREQUENCY STABILITY .....	49
8.1.	Frequency Error Vs Voltage.....	49
8.2.	Frequency Error Vs Temperature.....	50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1. Test Result

#### ANT1:

Band	Channel	Slot	Conducted Power (dBm)	ERP (dBm)	Limit(dBm)	Verdict
GSM850	128	---	32.95	26.2	38.45	PASS
GSM850	190	---	33.01	26.26	38.45	PASS
GSM850	251	---	33.04	26.29	38.45	PASS
EGPRS850	128	1	26.64	19.89	38.45	PASS
EGPRS850	128	2	23.79	17.04	38.45	PASS
EGPRS850	128	3	21.75	15	38.45	PASS
EGPRS850	128	4	20.51	13.76	38.45	PASS
EGPRS850	190	1	26.78	20.03	38.45	PASS
EGPRS850	190	2	23.83	17.08	38.45	PASS
EGPRS850	190	3	21.71	14.96	38.45	PASS
EGPRS850	190	4	20.55	13.8	38.45	PASS
EGPRS850	251	1	26.81	20.06	38.45	PASS
EGPRS850	251	2	23.81	17.06	38.45	PASS
EGPRS850	251	3	21.69	14.94	38.45	PASS
EGPRS850	251	4	20.53	13.78	38.45	PASS

Band	Channel	Slot	Conducted Power (dBm)	EIRP (dBm)	Limit(dBm)	Verdict
GSM1900	512	---	29.86	28.36	33.00	PASS
GSM1900	661	---	29.92	28.42	33.00	PASS
GSM1900	810	---	29.81	28.31	33.00	PASS
EGPRS1900	512	1	25.64	24.14	33.00	PASS
EGPRS1900	512	2	22.55	21.05	33.00	PASS
EGPRS1900	512	3	20.52	19.02	33.00	PASS
EGPRS1900	512	4	19.51	18.01	33.00	PASS
EGPRS1900	661	1	25.75	24.25	33.00	PASS
EGPRS1900	661	2	22.66	21.16	33.00	PASS
EGPRS1900	661	3	20.51	19.01	33.00	PASS
EGPRS1900	661	4	19.50	18	33.00	PASS
EGPRS1900	810	1	25.66	24.16	33.00	PASS
EGPRS1900	810	2	22.57	21.07	33.00	PASS
EGPRS1900	810	3	20.52	19.02	33.00	PASS
EGPRS1900	810	4	19.55	18.05	33.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



**ANT2:**

Band	Channel	Slot	Conducted Power (dBm)	ERP (dBm)	Limit(dBm)	Verdict
GSM850	128	---	31.94	24.29	38.45	PASS
GSM850	190	---	32.27	24.62	38.45	PASS
GSM850	251	---	32.22	24.57	38.45	PASS
EGPRS850	128	1	26.12	18.47	38.45	PASS
EGPRS850	128	2	23.25	15.6	38.45	PASS
EGPRS850	128	3	21.12	13.47	38.45	PASS
EGPRS850	128	4	20.06	12.41	38.45	PASS
EGPRS850	190	1	26.22	18.57	38.45	PASS
EGPRS850	190	2	23.29	15.64	38.45	PASS
EGPRS850	190	3	21.23	13.58	38.45	PASS
EGPRS850	190	4	20.04	12.39	38.45	PASS
EGPRS850	251	1	26.26	18.61	38.45	PASS
EGPRS850	251	2	23.36	15.71	38.45	PASS
EGPRS850	251	3	21.22	13.57	38.45	PASS
EGPRS850	251	4	20.15	12.5	38.45	PASS

Band	Channel	Slot	Conducted Power (dBm)	EIRP (dBm)	Limit(dBm)	Verdict
GSM1900	512	---	28.77	24.77	33.00	PASS
GSM1900	661	---	28.63	24.63	33.00	PASS
GSM1900	810	---	28.61	24.61	33.00	PASS
EGPRS1900	512	1	24.80	20.8	33.00	PASS
EGPRS1900	512	2	21.78	17.78	33.00	PASS
EGPRS1900	512	3	19.57	15.57	33.00	PASS
EGPRS1900	512	4	18.56	14.56	33.00	PASS
EGPRS1900	661	1	24.67	20.67	33.00	PASS
EGPRS1900	661	2	21.71	17.71	33.00	PASS
EGPRS1900	661	3	19.51	15.51	33.00	PASS
EGPRS1900	661	4	18.50	14.5	33.00	PASS
EGPRS1900	810	1	24.79	20.79	33.00	PASS
EGPRS1900	810	2	21.85	17.85	33.00	PASS
EGPRS1900	810	3	19.59	15.59	33.00	PASS
EGPRS1900	810	4	18.53	14.53	33.00	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power), the following formula should be taken to calculate it,

ERP [dBm] = Conducted Power [dBm] + Gain [dBd]

EIRP [dBm] = Conducted Power [dBm] + Gain [dBi]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com






## 2. Peak-to-Average Ratio

### 2.1. Test Result

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM850	128	8.87	13	PASS
GSM850	190	8.9	13	PASS
GSM850	251	8.9	13	PASS
EGPRS850	128	12.49	13	PASS
EGPRS850	190	12.72	13	PASS
EGPRS850	251	12.7	13	PASS
GSM1900	512	8.87	13	PASS
GSM1900	661	8.9	13	PASS
GSM1900	810	9.74	13	PASS
EGPRS1900	512	11.91	13	PASS
EGPRS1900	661	12.75	13	PASS
EGPRS1900	810	12.78	13	PASS


### 2.2. Part II - Test Plots



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## GSM850-190



Date: 16.OCT.2020 16:57:21


## GSM850-251



Date: 16.OCT.2020 16:57:31




## EGPRS850-128



Date: 16.OCT.2020 17:02:10

## EGPRS850-190




Date: 16.OCT.2020 17:02:21






## EGPRS850-251



Date: 16.OCT.2020 17:02:31

## GSM1900-512




Date: 16.OCT.2020 16:48:21



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## GSM1900-661



Date: 16.OCT.2020 16:48:30


## GSM1900-810



Date: 16.OCT.2020 16:48:40




## EGPRS1900-512



Date: 16.OCT.2020 16:51:08

## EGPRS1900-661




Date: 16.OCT.2020 16:51:19



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## EGPRS1900-810



Date: 16.OCT.2020 16:51:29




### 3. Modulation Characteristics

#### 3.1. For GSM

##### 3.1.1. Test Band = GSM 850

##### 3.1.1.1. Test Mode = GSM/TM1


##### 3.1.1.1.1. Test Channel = MCH





### 3.1.1.2. Test Mode = GSM/TM2

#### 3.1.1.2.1. Test Channel = MCH




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



### 3.1.2. Test Band = GSM 1900

#### 3.1.2.1. Test Mode = GSM/TM1


##### 3.1.2.1.1. Test Channel = MCH





### 3.1.2.2. Test Mode = GSM/TM2

#### 3.1.2.2.1. Test Channel = MCH




## 4. 26dB Bandwidth and Occupied Bandwidth

### 4.1. Test Result

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GSM850	128	0.249	0.323	---	PASS
GSM850	190	0.248	0.323	---	PASS
GSM850	251	0.248	0.323	---	PASS
EGPRS850	128	0.248	0.318	---	PASS
EGPRS850	190	0.248	0.321	---	PASS
EGPRS850	251	0.248	0.320	---	PASS
GSM1900	512	0.247	0.324	---	PASS
GSM1900	661	0.247	0.323	---	PASS
GSM1900	810	0.247	0.323	---	PASS
EGPRS1900	512	0.246	0.318	---	PASS
EGPRS1900	661	0.246	0.317	---	PASS
EGPRS1900	810	0.248	0.318	---	PASS

### 4.2. Test Plots



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Testing Center, CCC Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




## GSM850-190



Date: 16.OCT.2020 16:59:22

## GSM850-251




Date: 16.OCT.2020 16:59:40






## EGPRS850-128



Date: 16.OCT.2020 17:02:50


## EGPRS850-190



Date: 16.OCT.2020 17:03:09




## EGPRS850-251



Date: 16.OCT.2020 17:03:28

## GSM1900-512




Date: 16.OCT.2020 16:48:58



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## GSM1900-661



Date: 16.OCT.2020 16:49:16


## GSM1900-810



Date: 16.OCT.2020 16:49:35




## EGPRS1900-512



Date: 16.OCT.2020 16:51:48


## EGPRS1900-661



Date: 16.OCT.2020 16:52:07



## EGPRS1900-810




Date: 16.OCT.2020 16:52:26






## 5. Band Edge Compliance

### 5.1. Test Plots




## GSM850-251



Date: 16.OCT.2020 17:00:00


## EGPRS850-128



Date: 16.OCT.2020 17:03:40




## EGPRS850-251



Date: 16.OCT.2020 17:03:50

## GSM1900-512




Date: 16.OCT.2020 16:49:45




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## GSM1900-810




Date: 16.OCT.2020 16:49:55

## EGPRS1900-512



Date: 16.OCT.2020 16:52:37





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




## 6. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of  $< RBW/2$  so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points =  $k * (\text{Span} / RBW)$ " with  $k$  between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.

### 6.1. Test Plots




## GSM850-128-1000~10000MHz



Date: 16.OCT.2020 17:00:33


## GSM850-190-30~1000MHz



Date: 16.OCT.2020 17:00:42




## GSM850-190-1000~10000MHz



Date: 16.OCT.2020 17:01:05


## GSM850-251-30~1000MHz




Date: 16.OCT.2020 17:01:14




## GSM850-251-1000~10000MHz



## EGPRS850-128-30~1000MHz




## EGPRS850-128-1000~10000MHz



Date: 16.OCT.2020 17:04:24

## EGPRS850-190-30~1000MHz




Date: 16.OCT.2020 17:04:34






## EGPRS850-190-1000~10000MHz



Date: 16.OCT.2020 17:04:57


## EGPRS850-251-30~1000MHz



Date: 16.OCT.2020 17:05:07




## EGPRS850-251-1000~10000MHz



Date: 16.OCT.2020 17:05:29


## GSM1900-512-30~1000MHz



Date: 16.OCT.2020 16:50:04




## GSM1900-512-1000~20000MHz



Date: 16.OCT.2020 16:50:36


## GSM1900-661-30~1000MHz



Date: 16.OCT.2020 17:06:50




## GSM1900-661-1000~20000MHz



Date: 16.OCT.2020 17:07:13


## GSM1900-810-30~1000MHz



Date: 16.OCT.2020 17:07:22




## GSM1900-810-1000~20000MHz



Date: 16.OCT.2020 17:07:45

## EGPRS1900-512-30~1000MHz




Date: 16.OCT.2020 16:52:57






EGPRS1900-512-1000~20000MHz



Date: 16.OCT.2020 16:53:29

EGPRS1900-661-30~1000MHz



Date: 16.OCT.2020 16:53:38



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (Shenzhen CMAA EEC Laboratory)


Unless otherwise agreed in writing this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and accepted the Terms and Conditions of the document and to have agreed to follow the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or signature of this document is strictly prohibited and may result in severe civil and criminal penalties. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)


Member of the SGS Group (SGS SA)

## EGPRS1900-661-1000~20000MHz



Date: 16.OCT.2020 16:54:01


## EGPRS1900-810-30~1000MHz



Date: 16.OCT.2020 16:54:11



**EGPRS1900-810-1000~20000MHz**



Date: 16.OCT.2020 16:55:19



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing Center EEC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## 7. Field Strength of Spurious Radiation

### 7.1. Test Band = GSM 1900(ANT1)

#### 7.1.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
31.3096	-74.71	-13.00	61.71	Vertical
113.2787	-65.26	-13.00	52.26	Vertical
416.6128	-67.57	-13.00	54.57	Vertical
3700.5234	-54.73	-13.00	41.73	Vertical
5550.5850	-58.11	-13.00	45.11	Vertical
17990.4997	-39.91	-13.00	26.91	Vertical
43.7747	-64.42	-13.00	51.42	Horizontal
98.7279	-75.19	-13.00	62.19	Horizontal
237.9784	-68.35	-13.00	55.35	Horizontal
3700.5234	-52.61	-13.00	39.61	Horizontal
5550.5850	-52.10	-13.00	39.10	Horizontal
16397.4466	-43.78	-13.00	30.78	Horizontal

#### 7.1.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
31.3096	-74.17	-13.00	61.17	Vertical
111.4356	-65.24	-13.00	52.24	Vertical
402.9351	-67.61	-13.00	54.61	Vertical
3760.0253	-56.77	-13.00	43.77	Vertical
5640.0880	-57.04	-13.00	44.04	Vertical
17992.4998	-40.29	-13.00	27.29	Vertical
44.3082	-64.48	-13.00	51.48	Horizontal
89.8520	-75.50	-13.00	62.50	Horizontal
245.7388	-68.32	-13.00	55.32	Horizontal
3760.0253	-53.53	-13.00	40.53	Horizontal
5640.0880	-58.28	-13.00	45.28	Horizontal
16384.4461	-43.52	-13.00	30.52	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



### 7.1.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
50.3225	-72.50	-13.00	59.50	Vertical
116.8193	-64.57	-13.00	51.57	Vertical
444.1137	-67.84	-13.00	54.84	Vertical
3819.5273	-55.68	-13.00	42.68	Vertical
5729.5910	-59.43	-13.00	46.43	Vertical
17997.9999	-39.72	-13.00	26.72	Vertical
42.7076	-63.36	-13.00	50.36	Horizontal
229.0540	-68.03	-13.00	55.03	Horizontal
628.6169	-63.49	-13.00	50.49	Horizontal
3819.5273	-55.28	-13.00	42.28	Horizontal
7343.6448	-56.40	-13.00	43.40	Horizontal
16390.9464	-43.29	-13.00	30.29	Horizontal

## 7.2. Test Band = GSM 850(ANT1)

### 7.2.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
51.7776	-72.13	-13.00	59.13	Vertical
112.1631	-63.61	-13.00	50.61	Vertical
337.0689	-68.10	-13.00	55.10	Vertical
1648.5297	-58.88	-13.00	45.88	Vertical
2471.4943	-50.67	-13.00	37.67	Vertical
7369.3123	-55.73	-13.00	42.73	Vertical
43.6292	-63.07	-13.00	50.07	Horizontal
102.4626	-74.59	-13.00	61.59	Horizontal
242.2466	-67.18	-13.00	54.18	Horizontal
1648.5297	-58.06	-13.00	45.06	Horizontal
2472.6945	-48.66	-13.00	35.66	Horizontal
7467.0822	-55.72	-13.00	42.72	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Testing Center, EEC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



### 7.2.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
52.9902	-71.80	-13.00	58.80	Vertical
111.1931	-64.44	-13.00	51.44	Vertical
310.4410	-68.76	-13.00	55.76	Vertical
1777.3555	-62.08	-13.00	49.08	Vertical
2509.9020	-49.21	-13.00	36.21	Vertical
7363.4788	-55.43	-13.00	42.43	Vertical
41.5436	-63.68	-13.00	50.68	Horizontal
85.4383	-74.73	-13.00	61.73	Horizontal
235.7473	-67.81	-13.00	54.81	Horizontal
1672.9346	-63.74	-13.00	50.74	Horizontal
2509.9020	-42.05	-13.00	29.05	Horizontal
7485.2828	-56.00	-13.00	43.00	Horizontal

### 7.2.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
49.4495	-71.88	-13.00	58.88	Vertical
109.2530	-63.86	-13.00	50.86	Vertical
417.3404	-65.59	-13.00	52.59	Vertical
1697.7395	-62.53	-13.00	49.53	Vertical
2546.3093	-53.95	-13.00	40.95	Vertical
7346.4449	-55.67	-13.00	42.67	Vertical
39.5065	-63.83	-13.00	50.83	Horizontal
83.4982	-74.77	-13.00	61.77	Horizontal
240.4520	-66.75	-13.00	53.75	Horizontal
1697.7395	-63.38	-13.00	50.38	Horizontal
2546.7093	-52.19	-13.00	39.19	Horizontal
7486.6829	-56.14	-13.00	43.14	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Testing Center, CCC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



### 7.3. Test Band = GSM 1900(ANT2)

#### 7.3.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.7760	-74.62	-13.00	61.62	Vertical
111.4356	-64.84	-13.00	51.84	Vertical
446.9753	-66.72	-13.00	53.72	Vertical
3700.0233	-61.64	-13.00	48.64	Vertical
5550.5850	-52.13	-13.00	39.13	Vertical
17996.4999	-40.22	-13.00	27.22	Vertical
40.6220	-64.26	-13.00	51.26	Horizontal
111.6781	-75.38	-13.00	62.38	Horizontal
237.3964	-68.11	-13.00	55.11	Horizontal
3700.5234	-58.62	-13.00	45.62	Horizontal
5550.5850	-52.81	-13.00	39.81	Horizontal
16405.9469	-43.72	-13.00	30.72	Horizontal

#### 7.3.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
31.4066	-74.36	-13.00	61.36	Vertical
111.5811	-64.93	-13.00	51.93	Vertical
588.7479	-64.00	-13.00	51.00	Vertical
3760.0253	-61.80	-13.00	48.80	Vertical
5640.0880	-53.88	-13.00	40.88	Vertical
17999.5000	-39.87	-13.00	26.87	Vertical
40.8645	-64.40	-13.00	51.40	Horizontal
86.6993	-74.53	-13.00	61.53	Horizontal
235.8928	-67.97	-13.00	54.97	Horizontal
3760.0253	-59.42	-13.00	46.42	Horizontal
5640.0880	-50.63	-13.00	37.63	Horizontal
16406.4469	-43.45	-13.00	30.45	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 7.3.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
31.4551	-75.07	-13.00	62.07	Vertical
111.7266	-64.56	-13.00	51.56	Vertical
302.5351	-68.95	-13.00	55.95	Vertical
3819.5273	-59.72	-13.00	46.72	Vertical
5729.5910	-55.59	-13.00	42.59	Vertical
17998.5000	-39.66	-13.00	26.66	Vertical
39.3610	-64.49	-13.00	51.49	Horizontal
76.1743	-75.69	-13.00	62.69	Horizontal
246.4663	-68.10	-13.00	55.10	Horizontal
3819.5273	-54.07	-13.00	41.07	Horizontal
5729.5910	-54.30	-13.00	41.30	Horizontal
16368.4456	-43.67	-13.00	30.67	Horizontal

### 7.4. Test Band = GSM 850(ANT2)

#### 7.4.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.8730	-75.42	-13.00	62.42	Vertical
109.4955	-63.84	-13.00	50.84	Vertical
442.4646	-66.69	-13.00	53.69	Vertical
1648.5297	-55.95	-13.00	42.95	Vertical
2472.6945	-47.78	-13.00	34.78	Vertical
7369.0790	-55.66	-13.00	42.66	Vertical
42.7076	-63.75	-13.00	50.75	Horizontal
97.9519	-75.11	-13.00	62.11	Horizontal
237.1539	-66.88	-13.00	53.88	Horizontal
1648.5297	-59.15	-13.00	46.15	Horizontal
2472.6945	-42.50	-13.00	29.50	Horizontal
7469.1823	-56.14	-13.00	43.14	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Testing Center, CCC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 7.4.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.1455	-75.31	-13.00	62.31	Vertical
115.3158	-64.62	-13.00	51.62	Vertical
290.7005	-67.16	-13.00	54.16	Vertical
1673.3347	-57.36	-13.00	44.36	Vertical
2509.9020	-47.65	-13.00	34.65	Vertical
7352.2784	-55.64	-13.00	42.64	Vertical
41.2526	-63.42	-13.00	50.42	Horizontal
100.8135	-74.37	-13.00	61.37	Horizontal
240.5005	-67.54	-13.00	54.54	Horizontal
1673.3347	-50.58	-13.00	37.58	Horizontal
2509.9020	-41.82	-13.00	28.82	Horizontal
7462.1821	-56.18	-13.00	43.18	Horizontal

#### 7.4.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.2425	-75.11	-13.00	62.11	Vertical
110.9505	-63.69	-13.00	50.69	Vertical
344.1987	-67.78	-13.00	54.78	Vertical
1697.3395	-58.31	-13.00	45.31	Vertical
2546.3093	-51.78	-13.00	38.78	Vertical
4243.9415	-61.68	-13.00	48.68	Vertical
45.3753	-63.14	-13.00	50.14	Horizontal
240.5005	-66.19	-13.00	53.19	Horizontal
564.0602	-63.75	-13.00	50.75	Horizontal
1697.7395	-52.42	-13.00	39.42	Horizontal
2546.3093	-47.88	-13.00	34.88	Horizontal
4243.9415	-59.52	-13.00	46.52	Horizontal





## Test on the worst case:

### 7.5. Test Band = GSM 850(ANT1)

#### 7.5.1. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.0000	-72.72	-13.00	59.72	Vertical
107.8464	-63.27	-13.00	50.27	Vertical
498.4849	-64.66	-13.00	51.66	Vertical
1661.3323	-46.15	-13.00	33.15	Vertical
2491.8984	-48.45	-13.00	35.45	Vertical
9288.5430	-53.08	-13.00	40.08	Vertical
51.0016	-58.75	-13.00	45.75	Horizontal
229.8785	-66.48	-13.00	53.48	Horizontal
1660.9322	-39.56	-13.00	26.56	Horizontal
2491.8984	-39.48	-13.00	26.48	Horizontal
4152.9384	-60.56	-13.00	47.56	Horizontal
9547.3182	-53.03	-13.00	40.03	Horizontal

### 7.6. Test Band = GSM 850(ANT2)

#### 7.6.1. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
30.1940	-71.91	-13.00	58.91	Vertical
109.1075	-63.85	-13.00	50.85	Vertical
383.9707	-66.78	-13.00	53.78	Vertical
1673.3347	-52.62	-13.00	39.62	Vertical
2474.6949	-46.25	-13.00	33.25	Vertical
9887.0629	-53.16	-13.00	40.16	Vertical
44.9872	-54.36	-13.00	41.36	Horizontal
238.8029	-66.38	-13.00	53.38	Horizontal
1673.3347	-50.24	-13.00	37.24	Horizontal
2475.0950	-48.90	-13.00	35.90	Horizontal
4183.2728	-60.81	-13.00	47.81	Horizontal
9236.0412	-54.27	-13.00	41.27	Horizontal

Remark:

- 1) According to 971168 D01 Power Meas License Digital Systems, The amplitudes of unwanted emissions that are attenuated more than 20 dB below the applicable limit are not required to be reported.
- 2) The disturbance above 12.75GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.







## 8. Frequency Stability

### 8.1. Frequency Error Vs Voltage

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VL	NT	-5.68	-0.006892	±2.5	PASS
GSM850	128	VN	NT	-8.88	-0.010774	±2.5	PASS
GSM850	128	VH	NT	-5.78	-0.007013	±2.5	PASS
GSM850	190	VL	NT	-6.55	-0.007829	±2.5	PASS
GSM850	190	VN	NT	-10.65	-0.012730	±2.5	PASS
GSM850	190	VH	NT	-6.72	-0.008033	±2.5	PASS
GSM850	251	VL	NT	-9.30	-0.010957	±2.5	PASS
GSM850	251	VN	NT	-4.23	-0.004984	±2.5	PASS
GSM850	251	VH	NT	-5.91	-0.006963	±2.5	PASS
EGPRS850	128	VL	NT	4.62	0.005605	±2.5	PASS
EGPRS850	128	VN	NT	1.84	0.002232	±2.5	PASS
EGPRS850	128	VH	NT	2.45	0.002973	±2.5	PASS
EGPRS850	190	VL	NT	-8.10	-0.009682	±2.5	PASS
EGPRS850	190	VN	NT	-4.33	-0.005176	±2.5	PASS
EGPRS850	190	VH	NT	-8.23	-0.009837	±2.5	PASS
EGPRS850	251	VL	NT	-12.33	-0.014526	±2.5	PASS
EGPRS850	251	VN	NT	-5.46	-0.006433	±2.5	PASS
EGPRS850	251	VH	NT	-3.75	-0.004418	±2.5	PASS
GSM1900	512	VL	NT	-12.66	-0.006843	±2.5	PASS
GSM1900	512	VN	NT	-11.04	-0.005967	±2.5	PASS
GSM1900	512	VH	NT	-9.33	-0.005043	±2.5	PASS
GSM1900	661	VL	NT	-8.33	-0.004431	±2.5	PASS
GSM1900	661	VN	NT	-10.01	-0.005324	±2.5	PASS
GSM1900	661	VH	NT	-10.56	-0.005617	±2.5	PASS
GSM1900	810	VL	NT	-14.08	-0.007372	±2.5	PASS
GSM1900	810	VN	NT	-12.56	-0.006577	±2.5	PASS
GSM1900	810	VH	NT	-10.36	-0.005425	±2.5	PASS
EGPRS1900	512	VL	NT	-15.24	-0.008237	±2.5	PASS
EGPRS1900	512	VN	NT	-15.76	-0.008518	±2.5	PASS
EGPRS1900	512	VH	NT	-12.11	-0.006545	±2.5	PASS
EGPRS1900	661	VL	NT	-18.34	-0.009755	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



EGPRS1900	661	VN	NT	-14.79	-0.007867	±2.5	PASS
EGPRS1900	661	VH	NT	-16.66	-0.008862	±2.5	PASS
EGPRS1900	810	VL	NT	-16.11	-0.008435	±2.5	PASS
EGPRS1900	810	VN	NT	-18.14	-0.009498	±2.5	PASS
EGPRS1900	810	VH	NT	-19.11	-0.010006	±2.5	PASS

## 8.2. Frequency Error Vs Temperature

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	NV	-30	-6.88	-0.008347	±2.5	PASS
GSM850	128	NV	-20	-6.33	-0.007680	±2.5	PASS
GSM850	128	NV	-10	-7.88	-0.009561	±2.5	PASS
GSM850	128	NV	0	-3.49	-0.004234	±2.5	PASS
GSM850	128	NV	10	-5.68	-0.006892	±2.5	PASS
GSM850	128	NV	20	-6.36	-0.007717	±2.5	PASS
GSM850	128	NV	30	-3.91	-0.004744	±2.5	PASS
GSM850	128	NV	40	-8.43	-0.010228	±2.5	PASS
GSM850	128	NV	50	-8.10	-0.009828	±2.5	PASS
GSM850	190	NV	-30	-9.04	-0.010806	±2.5	PASS
GSM850	190	NV	-20	-8.04	-0.009610	±2.5	PASS
GSM850	190	NV	-10	-6.94	-0.008295	±2.5	PASS
GSM850	190	NV	0	-6.39	-0.007638	±2.5	PASS
GSM850	190	NV	10	-8.46	-0.010112	±2.5	PASS
GSM850	190	NV	20	-7.91	-0.009455	±2.5	PASS
GSM850	190	NV	30	-9.81	-0.011726	±2.5	PASS
GSM850	190	NV	40	-8.43	-0.010077	±2.5	PASS
GSM850	190	NV	50	-6.78	-0.008104	±2.5	PASS
GSM850	251	NV	-30	-8.43	-0.009932	±2.5	PASS
GSM850	251	NV	-20	-5.46	-0.006433	±2.5	PASS
GSM850	251	NV	-10	-4.97	-0.005855	±2.5	PASS
GSM850	251	NV	0	-13.27	-0.015634	±2.5	PASS
GSM850	251	NV	10	-5.65	-0.006656	±2.5	PASS
GSM850	251	NV	20	-6.49	-0.007646	±2.5	PASS
GSM850	251	NV	30	-8.68	-0.010226	±2.5	PASS
GSM850	251	NV	40	-5.71	-0.006727	±2.5	PASS
GSM850	251	NV	50	-3.75	-0.004418	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

EGPRS850	128	NV	-30	1.03	0.001250	±2.5	PASS
EGPRS850	128	NV	-20	0.42	0.000510	±2.5	PASS
EGPRS850	128	NV	-10	-0.36	-0.000437	±2.5	PASS
EGPRS850	128	NV	0	2.68	0.003252	±2.5	PASS
EGPRS850	128	NV	10	3.81	0.004623	±2.5	PASS
EGPRS850	128	NV	20	-3.97	-0.004817	±2.5	PASS
EGPRS850	128	NV	30	1.10	0.001335	±2.5	PASS
EGPRS850	128	NV	40	0.32	0.000388	±2.5	PASS
EGPRS850	128	NV	50	2.52	0.003058	±2.5	PASS
EGPRS850	190	NV	-30	-1.87	-0.002235	±2.5	PASS
EGPRS850	190	NV	-20	-3.13	-0.003741	±2.5	PASS
EGPRS850	190	NV	-10	-6.13	-0.007327	±2.5	PASS
EGPRS850	190	NV	0	-3.97	-0.004745	±2.5	PASS
EGPRS850	190	NV	10	-7.85	-0.009383	±2.5	PASS
EGPRS850	190	NV	20	-2.65	-0.003168	±2.5	PASS
EGPRS850	190	NV	30	1.07	0.001279	±2.5	PASS
EGPRS850	190	NV	40	-1.87	-0.002235	±2.5	PASS
EGPRS850	190	NV	50	-5.88	-0.007028	±2.5	PASS
EGPRS850	251	NV	-30	-6.75	-0.007952	±2.5	PASS
EGPRS850	251	NV	-20	-6.97	-0.008212	±2.5	PASS
EGPRS850	251	NV	-10	-4.26	-0.005019	±2.5	PASS
EGPRS850	251	NV	0	-8.68	-0.010226	±2.5	PASS
EGPRS850	251	NV	10	-4.07	-0.004795	±2.5	PASS
EGPRS850	251	NV	20	-9.43	-0.011110	±2.5	PASS
EGPRS850	251	NV	30	-12.62	-0.014868	±2.5	PASS
EGPRS850	251	NV	40	-8.78	-0.010344	±2.5	PASS
EGPRS850	251	NV	50	-8.36	-0.009849	±2.5	PASS
GSM1900	512	NV	-30	-6.84	-0.003697	±2.5	PASS
GSM1900	512	NV	-20	-5.07	-0.002740	±2.5	PASS
GSM1900	512	NV	-10	-9.62	-0.005199	±2.5	PASS
GSM1900	512	NV	0	-7.59	-0.004102	±2.5	PASS
GSM1900	512	NV	10	-7.72	-0.004173	±2.5	PASS
GSM1900	512	NV	20	-7.39	-0.003994	±2.5	PASS
GSM1900	512	NV	30	-6.39	-0.003454	±2.5	PASS
GSM1900	512	NV	40	-8.68	-0.004691	±2.5	PASS
GSM1900	512	NV	50	-16.59	-0.008967	±2.5	PASS
GSM1900	661	NV	-30	-9.20	-0.004894	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch, Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057

中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057

t (86-755) 26012053 f (86-755) 26710594

t (86-755) 26012053 f (86-755) 26710594

[www.sgs.com](http://www.sgs.com)

[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

GSM1900	661	NV	-20	-9.88	-0.005255	±2.5	PASS
GSM1900	661	NV	-10	-8.62	-0.004585	±2.5	PASS
GSM1900	661	NV	0	-13.24	-0.007043	±2.5	PASS
GSM1900	661	NV	10	-7.88	-0.004191	±2.5	PASS
GSM1900	661	NV	20	-12.37	-0.006580	±2.5	PASS
GSM1900	661	NV	30	-11.98	-0.006372	±2.5	PASS
GSM1900	661	NV	40	-18.40	-0.009787	±2.5	PASS
GSM1900	661	NV	50	-9.56	-0.005085	±2.5	PASS
GSM1900	810	NV	-30	-11.91	-0.006236	±2.5	PASS
GSM1900	810	NV	-20	-9.56	-0.005006	±2.5	PASS
GSM1900	810	NV	-10	-9.72	-0.005090	±2.5	PASS
GSM1900	810	NV	0	-12.01	-0.006289	±2.5	PASS
GSM1900	810	NV	10	-11.91	-0.006236	±2.5	PASS
GSM1900	810	NV	20	-10.01	-0.005241	±2.5	PASS
GSM1900	810	NV	30	-9.43	-0.004938	±2.5	PASS
GSM1900	810	NV	40	-7.20	-0.003770	±2.5	PASS
GSM1900	810	NV	50	-7.30	-0.003822	±2.5	PASS
EGPRS1900	512	NV	-30	-12.75	-0.006891	±2.5	PASS
EGPRS1900	512	NV	-20	-14.59	-0.007886	±2.5	PASS
EGPRS1900	512	NV	-10	-12.56	-0.006788	±2.5	PASS
EGPRS1900	512	NV	0	-13.08	-0.007070	±2.5	PASS
EGPRS1900	512	NV	10	-19.44	-0.010507	±2.5	PASS
EGPRS1900	512	NV	20	-9.69	-0.005237	±2.5	PASS
EGPRS1900	512	NV	30	-17.89	-0.009669	±2.5	PASS
EGPRS1900	512	NV	40	-17.31	-0.009356	±2.5	PASS
EGPRS1900	512	NV	50	-11.95	-0.006459	±2.5	PASS
EGPRS1900	661	NV	-30	-15.43	-0.008207	±2.5	PASS
EGPRS1900	661	NV	-20	-12.66	-0.006734	±2.5	PASS
EGPRS1900	661	NV	-10	-20.89	-0.011112	±2.5	PASS
EGPRS1900	661	NV	0	-15.17	-0.008069	±2.5	PASS
EGPRS1900	661	NV	10	-16.24	-0.008638	±2.5	PASS
EGPRS1900	661	NV	20	-14.50	-0.007713	±2.5	PASS
EGPRS1900	661	NV	30	-12.11	-0.006441	±2.5	PASS
EGPRS1900	661	NV	40	-15.34	-0.008160	±2.5	PASS
EGPRS1900	661	NV	50	-18.05	-0.009601	±2.5	PASS
EGPRS1900	810	NV	-30	-12.17	-0.006372	±2.5	PASS
EGPRS1900	810	NV	-20	-20.05	-0.010498	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com





EGPRS1900	810	NV	-10	-15.95	-0.008352	±2.5	PASS
EGPRS1900	810	NV	0	-18.63	-0.009755	±2.5	PASS
EGPRS1900	810	NV	10	-10.36	-0.005425	±2.5	PASS
EGPRS1900	810	NV	20	-16.56	-0.008671	±2.5	PASS
EGPRS1900	810	NV	30	-11.36	-0.005948	±2.5	PASS
EGPRS1900	810	NV	40	-18.47	-0.009671	±2.5	PASS
EGPRS1900	810	NV	50	-17.66	-0.009247	±2.5	PASS

The End

