Report No.: AR/2020/A000304-01 Page: 1 of 88

FCC TEST REPORT

Application No.:	AR/2020/A0003
Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
EUT Description:	Mobile Phone
Model No.:	M2007J22R
Trade Mark:	Redmi
FCC ID:	2AFZZJ22G
Standards:	47 CFR FCC Part 2, Subpart J 47 CFR Part 15, Subpart C
Test Method	ANSI C63.10 (2013) KDB558074 D01 15.247 Meas Guidance v05r02
Date of Receipt:	2020/9/11
Date of Test:	2020/9/11 to 2020/9/24(for original report AR/2020/8000504-01) 2020/10/28 to 2020/11/6 (for new report AR/2020/A000304-01)
Date of Issue:	2021/4/20
Test Result:	PASS *

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Derde yang

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company sole responsibility is to its Client and this document. This document is unawful and obligations under the transaction foremet. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention. To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM.Doccheck@egs.com



Report No.: AR/2020/A000304-01 Page: 2 of 88

1 Version

		Revision	Record	
Version	Chapter	Date	Modifier	Remark
01		2020/11/6		Original
02		2021/4/20		1.Add test site Information2.Modify data conversionerror of antenna height3.Update equipment list

Authorized for issue by:	
Prepared By	Stophen liang (Stephen liang) / Engineer
Checked By	David Chen (David Chen) /Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) itseted and such sample(s) its of 30 days on). Aftention: To check the authenticity of testing imspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CN.Doccheck@ess.com



Report No.: AR/2020/A000304-01 Page: 3 of 88

2 Test Summary

Test Item	Test Requirement	Test method	Test Result	Result	Test Lab*
AC Power Line Conducted Emission	15.207	15.207 ANSI C63.10 (2013)		PASS	В
Conducted Peak Output Power	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS	А
20dB Emission Bandwidth & 99% Occupied Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS	А
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS	А
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS	А
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS	А
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS	А
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS	А
Radiated Spurious	15.247(d);	ANSI C63.10 (2013)	Clause 4.11	PASS	В
emissions	15.205/15.209				
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS	В

Remark:

This test report (Report No.: AR/2020/A000304-01) is base on the original test report (Report No.: AR/2020/8000504-01).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report only radiated spurious emissions were performed based on the worst case of the original report with report number AR/2020/8000504-01 and other test data in this report are base on the previous report with report number AR/2020/8000504-01.

All test were performed by Lab A and B.

Parts of test items above were subcontracted to Lab B.

Lab A SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Lab B SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) isted and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or smail: CN.Doccheck@sgs.com



Report No.: AR/2020/A000304-01 4 of 88 Page:

Contents

1	VERSION	2
2	TEST SUMMARY	3
3	GENERAL INFORMATION	6
3 3 3 3	 CLIENT INFORMATION	6 7 8 9 9
4	TEST RESULTS AND MEASUREMENT DATA	10
4 4 4 4 4 4 4 4 4	1 ANTENNA REQUIREMENT 2 OTHER REQUIREMENTS FREQUENCY HOPPING SPECAD SPECTRUM SYSTEM HOPPING SEQUENCE 42.1 Test Requirement: 42.2 Conclusion 3 AC POWER LINE CONDUCTED EMISSIONS 4 CONDUCTED PEAK OUTPUT POWER. 4.4.1 Test Results. 4.4.2 Test plots. .5 20DB EMISSION BANDWIDTH & 99% OCCUPIED BANDWIDTH 4.5.1 Test Results. 4.5.2 Test plots. .6 CARRIER FREQUENCIES SEPARATION .4.6.1 Test Results. .4.6.2 Test plots. .7 HOPPING CHANNEL NUMBER. .4.7.1 Test Results. .4.7.2 Test plots. .8 DweLL TIME. .4.8.1 Test Results. .4.8.2 Test plots. .9 BAND-EDGE FOR RF CONDUCTED EMISSIONS .4.9.1 Test plots. .9 BAND-EDGE FOR RF CONDUCTED EMISSIONS .4.9.1 Test plots. .10 SPURIOUS RF CONDUCTED EMISSIONS .4.9.1 Test plots. .10 SPURIOUS RF CONDUC	11 11 11 13 17 18 19 24 24 24 25 34 35 38 38 39 41 42 43 49 56 57
4	.11 RADIATED SPURIOUS EMISSION	
	4.11.2 Transmitter Emission above 1GHz	69
	4.11.1 Transmitter Emission above 1GHz	
	SPECTED LIST	
4	.12 RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	
TES	ST GRAPH	
SGS-C Shenz	Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document is subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of their document is advised that information contained hereon reflects the Company's to its is to coursent does not exonerate parties to a coept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification and the socument to appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Testing Services, come in the other the authenticity of testing impetion report & certificate, please contact us at the phone: (86-755) 28071443, or email: CN. Doccheck@sogs.com No. Workshop, M-10. Middle Section, Science & Technology Park, Shenzhen, China 518057 tt (86-755) 28012053 ft (86-755) 280710594 www.sggs.com.or experiments and experiment is sing@sgs.com	

Report No.: AR/2020/A000304-01 Page: 5 of 88

SUS	PECTED LIST	83
TES	T GRAPH	84
SUS	PECTED LIST	84
5	MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)	85
6	EQUIPMENT LIST	86
7	PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS	88



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to rerms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Report No.: AR/2020/A000304-01 Page: 6 of 88

3 General Information

3.1 Client Information

Applicant:	Xiaomi Communications Co., Ltd.
Address of Applicant:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085
Manufacturer:	Xiaomi Communications Co., Ltd.
Address of Manufacturer:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

3.2 Test Location

Lab A:

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057
Test engineer:	Dee Zheng, Mike Hu

Lab B:

Company:	SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.
Address:	1/F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi China
Post code:	710086
Test engineer:	Ben Huang, Leah Chen



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditins/Terms-and-Conditions/Terms-and-Conditions/

Report No.: AR/2020/A000304-01 Page: 7 of 88

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

Lab A:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

Lab B:

A2LA (Certificate No. 4854.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

• FCC –Designation Number: CN1271



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gg.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gg.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443.

Report No.: AR/2020/A000304-01 Page: 8 of 88

3.4 General Description of EUT

EUT Description:	Mobile Phone
Model No.:	M2007J22R
Trade Mark:	Redmi
Hardware Version:	P2
Software Version:	MIUI12
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.
Bluetooth Version:	Bluetooth V3.0 +EDR
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)
Modulation Type:	GFSK, π/4DQPSK, 8DPSK
Number of Channel:	79
Hopping Channel Type:	Adaptive Frequency Hopping systems
Sample Type:	⊠ Portable Device, □Module
Antenna Type:	PIFA Antenna
Antenna Gain:	0dBi
Power Supply	□ AC/DC Adapter; ⊠ Battery □ PoE:; □ Other:

		Оре	ration Freque	ncy each of	f channel		
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.

Report No.: AR/2020/A000304-01 Page: 9 of 88

19 2421MHz 39 2441MHz 59 2461MHz			2461MHz	59	2441MHz	39		19
----------------------------------	--	--	---------	----	---------	----	--	----

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle

frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel	2402MHz
The Middle channel	2441MHz
The Highest channel	2480MHz

3.5 Test Environment

Operating Environment					
Temperature: 24.0 °C					
Humidity:	55 % RH				
Atmospheric Pressure:	101.30 KPa				

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, resumit (ND Doccheck@sons.com).

Report No.: AR/2020/A000304-01 Page: 10 of 88

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 0dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443,

> Report No.: AR/2020/A000304-01 Page: 11 of 88

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.


> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

5 1	16 75		8	64	7	62 46 77
		I	1			
. 1	1		11	1.8		
11		1	11	LŁ.	1	

Each frequency used equally on the average by each transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents,
subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-o-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

Report No.: AR/2020/A000304-01 Page: 12 of 88

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system. Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test neg tables and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, re email CON Depoched/Gisso.com

Report No.: AR/2020/A000304-01 Page: 13 of 88

Test Requirement:	47 CFR Part 15C Section 15.207					
Test Method:	ANSI C63.10: 2013					
Test Frequency Range:	150kHz to 30MHz					
	Frequency range (MHz)	Limit (dBuV)				
		Quasi-peak	Average			
Limit:	0.15-0.5	66 to 56*	56 to 46*			
Linnt.	0.5-5	56	46			
	5-30	60	50			
	* Decreases with the logarith	hm of the frequency.				
Test Procedure:	0.5-5 56 46					

4.3 AC Power Line Conducted Emissions



中国·深圳·科技园中区M-10栋一号厂房

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/A000304-01 Page: 14 of 88

Test Setup:	Shielding Room Test Receiver Test
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type at the lowest, middle, high channel. Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation at the lowest channel is the worst case. Charge + Transmitting mode Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.


Report No.: AR/2020/A000304-01 Page: 15 of 88

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live line:




Final	Final Data List									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре	
1	0.1857	10.10	40.34	64.22	23.88	20.57	54.22	33.65	L	
2	0.5498	10.10	39.34	56.00	16.66	35.66	46.00	10.34	L	
3	1.5671	10.10	35.83	56.00	20.17	25.74	46.00	20.26	L	
4	5.1319	10.10	29.85	60.00	30.15	22.51	50.00	27.49	L	
5	6.8601	10.10	33.37	60.00	26.63	25.41	50.00	24.59	L	
6	14.6084	10.11	37.89	60.00	22.11	27.79	50.00	22.21	L	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attentions is or earthicate, please contact us at telephone: (86-755) 8307 1443.



Report No.: AR/2020/A000304-01 Page: 16 of 88



Final	Final Data List									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре	
1	0.1550	10.10	44.98	65.73	20.75	24.09	55.73	31.64	Ν	
2	0.5539	10.10	35.81	56.00	20.19	23.53	46.00	22.47	Ν	
3	1.7514	10.10	32.10	56.00	23.90	22.29	46.00	23.71	Ν	
4	3.8404	10.10	29.16	56.00	26.84	19.06	46.00	26.94	Ν	
5	7.0437	10.10	33.62	60.00	26.38	23.66	50.00	26.34	Ν	
6	14.8630	10.11	43.25	60.00	16.75	29.17	50.00	20.83	Ν	

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to its General Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic more accessible at http://www.sgs.com/en/Terms-and-Conditions.terms-and-Conditions-terms-and-Conditions.terms-and-Conditions.terms-and-Conditions.terms-and-Conditions.terms-and-Conditions.terms-and-Conditions.terms-and-Conditions.terms-and-Conditions-terms-and-Conditi

Report No.: AR/2020/A000304-01 Page: 17 of 88

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)			
Test Method:	ANSI C63.10:2013 Section 7.8.5			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane			
Limit:	(20.97dBm) 125mW			
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.			
Instruments Used:	Refer to section 6 for details			
Test Results:	Pass			

4.4 Conducted Peak Output Power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.

Report No.: AR/2020/A000304-01 Page: 18 of 88

4.4.1 Test Results

Measurement Data of Peak power:

GFSK mode							
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	10.63	20.97	Pass				
Middle	11.31	20.97	Pass				
Highest	10.65	20.97	Pass				
	π/4DQPSK mode						
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	10.31	20.97	Pass				
Middle	10.53	20.97	Pass				
Highest	ighest 9.95 20.97		Pass				
	8DPSK mode						
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	10.20	20.97	Pass				
Middle	10.45	20.97	Pass				
Highest	9.89	20.97	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.


> Report No.: AR/2020/A000304-01 Page: 19 of 88






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443,

Report No.: AR/2020/A000304-01 Page: 20 of 88








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N.Doccheck@css.com


Report No.: AR/2020/A000304-01 21 of 88 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terretation of 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testemation.

Report No.: AR/2020/A000304-01 Page: 22 of 88



Date: 21 SEP 2020 08:51:06



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443,

Report No.: AR/2020/A000304-01 Page: 23 of 88

ode:	8DPSK	Test	channel:	Highest
Spectrum				
Ref Level 3 Att			e Auto Sweep	
• 1Pk Max			111111	
			M1[1]	9.89 dBm 2.4800430 GHz
20 dBm				
		MI		
10 dBm				
0 dBm				
-10 dBm				2
				X
-20 dBm	1			1
a support	with the second s			and the second second
1230 ABM				
-40 dBm				
-40 dBm				
-50 dBm			-	
-60 dBm				
CF 2.48 GHz		691 pts		Span 15.0 MHz
			Measuring	🗰 na mana an

Date: 21.SEP.2020 08:51:17



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

Report No.: AR/2020/A000304-01 Page: 24 of 88

Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) Test Method: ANSI C63.10:2013 Section 7.8.7 Spectrum Analyzer 000 E.U.T 00 0 Test Setup: Non-Conducted Table Ground Reference Plane NA Limit: Non-hopping transmitting with all kind of modulation and all kind of data Exploratory Test Mode: type. Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, Final Test Mode: 2-DH5 of data type is the worst case of $\pi/4DQPSK$ modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. Refer to section 6 for details Instruments Used: Test Results: Pass

4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth

4.5.1 Test Results


T.J. I	rest nesun			
Mode	Test Channel	99% Occupied Bandwidth (KHz)	20dB Emission Bandwidth (KHz)	Result
	Lowest	764.1	820.5	Pass
GFSK	Middle	759.8	820.5	Pass
	Highest	764.2	820.5	Pass
	Lowest	1146.2	1259.0	Pass
π/4DQPSK	Middle	1141.8	1254.7	Pass
	Highest	1146.2	1259.0	Pass
	Lowest	1150.5	1267.7	Pass
8DPSK	Middle	1146.2	1267.7	Pass
	Highest	1150.5	1267.7	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small CN DepchedRefs on the sample(s) testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small CN DepchedRefs on the sample(s) testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small CN DepchedRefs on the sample(s) testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small CN DepchedRefs on the sample(s) testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small CN DepchedRefs on the sample(s) testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small CN DepchedRefs on complex

Report No.: AR/2020/A000304-01 Page: 25 of 88





Date: 21.SEP.2020 08:53:48



Report No.: AR/2020/A000304-01 Page: 26 of 88

4.5.2.2 GFSK _Middle Channel

The second secon Spectrum Offset 5.40 dB 🖷 RBW 30 kHz Ref Level 30.00 dBm Att 40 dB 🕳 SWT 10 ms 💼 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 8.21 dBm 2.44106090 CH 759.768451519 kH 20 dBm OCC BW 10 dBm 0 dBm T1 -10 dBm -20 dBm -30 dBm -40 dBm m -50 dBm -60 dBm Snan 3.0 MHz CE 2,441 GHz 691 pts Measuring... **CONTRACTOR** Date: 21.SEP.2020 08:53:23 Spectrum Ref Level 30.00 dBm Offset 5.40 dB 🖷 RBW 30 kHz Att 40 dB . SWT 10 ms 🔳 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 8.17 dBr 2.44099130 GH 20 dBm ndB 20.00 di 820.50000000 kHz Aw 10 dBm O factor 2974. m 0 dBm A -10 dBm -20 dBm -30 dBm 40 dBm -S0 dBm -60 dBm CF 2.441 GHz 691 pts Span 3.0 MHz Marker Type | Ref | Trc Function **Function Result** X-value Y-value 8.17 dBm 12.11 dBm 4409913 GHz 820.5 kHz ndB down T1 2.4405962 GHz ndB 20.00 dB 11.89 dBm 4414168 GHz Q factor Τ2 2974.8 Measuring... CONTRACTOR OF CO

Date: 21.SEP.2020 08:54:03




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443,

Report No.: AR/2020/A000304-01 Page: 27 of 88



B Spectrum Offset 5.40 dB 🖷 RBW 30 kHz Ref Level 30.00 dBm Att 40 dB 🕳 SWT 10 ms 💼 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 7.49 dBm 2.47000130 CH 764.109985528 kH 20 dBm OCC BW 10 dBm NN 0 dBm τı -10 dBm -20 dBm -30 dBm -40 dBm S0 dBm -60 dBm Snan 3.0 MHz CE 2,48 GHz 691 pts Measuring... CONTRACTOR OF STREET, Date: 21.SEP.2020 08:53:12



Date: 21.SEP.2020 08:54:14



Report No.: AR/2020/A000304-01 Page: 28 of 88




4.5.2.4 π/4DQPSK _Lowest Channel

Date: 21.SEP.2020 08:54:47



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443,

Report No.: AR/2020/A000304-01 Page: 29 of 88




4.5.2.5 π/4DQPSK _Middle Channel

Date: 21.SEP.2020 08:54:38



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443,

Report No.: AR/2020/A000304-01 Page: 30 of 88



4.5.2.6 π/4DQPSK _Highest Channel

Date: 21.SEP.2020 08:54:26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443,

Report No.: AR/2020/A000304-01 Page: 31 of 88

4.5.2.7 8DPSK_Lowest Channel

B Spectrum Offset 5.40 dB 🖷 RBW 30 kHz Ref Level 30.00 dBm Att 40 dB 🕳 SWT 10 ms 💼 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 6.95 dBm 2.40199130 GH 1.150506512 MH 20 dBm OCC BW 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm Snan 3.0 MHz CE 2,402 GHz 691 pts Measuring... OCCUPATION NO. Date: 21.SEP.2020 08:51:51 Spectrum Ref Level 30.00 dBm Offset 5.40 dB 🖷 RBW 30 kHz Att 40 dB . SWT 10 ms 💼 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 6 95 dBr 2.40199130 GH 20 dBm ndB 20.00 d 1.267700000 MHz AW 10 dBm O factor 1894. 0 dBm -10 dBm -20 dBm -30 dBm 40 dBm -50 dBm -60 dBm CF 2.402 GHz 691 pts Span 3.0 MHz Marker Type | Ref | Trc Function **Function Result** X-value Y-value 6.95 dBm 1.2677 MHz 4019913 GHz ndB down T1 2.4013661 GHz 12.81 dBm ndB 20.00 dB .4026339 GHz 13.14 dBm Q factor Τ2 1894.7 Measuring... CONTRACTOR OF CO


Date: 21.SEP.2020 08:54:58



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443,

Report No.: AR/2020/A000304-01 Page: 32 of 88





Date: 21.SEP.2020 08:55:13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443,

Report No.: AR/2020/A000304-01 Page: 33 of 88



Spectrum Offset 5.40 dB 🖷 RBW 30 kHz Ref Level 30.00 dBm Att 40 dB 🕳 SWT 10 ms 💼 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 6.64 dBm 2.47000130 CH Occ Bw 1.150506512 MH 20 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm n -50 dBm -60 dBm Snan 3.0 MHz CE 2,48 GHz 691 pts Measuring... **CONTRACTOR** Date: 21.SEP.2020 08:51:28 Spectrum Ref Level 30.00 dBm Offset 5.40 dB 🖷 RBW 30 kHz Att 40 dB . SWT 10 ms 🔳 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 6.65 dBr 2,47999130 GH 20 dBm ndB 20.00 di BW 1.267700000 MHz 10 dBm O factor 1956. 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm CF 2.48 GHz 691 pts Span 3.0 MHz Marker Type | Ref | Trc Function **Function Result** X-value Y-value 1.2677 MHz 799913 GHz 6.65 dBm ndB down T1 2.4793661 GHz 13.11 dBm ndB 20.00 dB 4806339 GHz 13.39 dBm Q factor Τ2 1956.2 Measuring... CONTRACTOR OF CO

Date: 21.SEP.2020 08:55:22



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (N.Doccheck@css.com

Report No.: AR/2020/A000304-01 Page: 34 of 88

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.2		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Limit:	2/3 of the 20dB bandwidth		
	Remark: the transmission power is less than 0.125W.		
Exploratory Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of $\pi/4DQPSK$ modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.		
Instruments Used:	Refer to section 6 for details		
Test Results:	Pass		

4.6 Carrier Frequencies Separation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.



Report No.: AR/2020/A000304-01 Page: 35 of 88

4.6.1 Test Results

GFSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result	
Middle	999	547.0	Pass	
π/4DQPSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result	
Middle	1003	839.3	Pass	
8DPSK mode				
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result	
Middle	1003	845.1	Pass	


Remark: According to section 6.4,

Mode	20dB bandwidth (kHz) (worse case)	Limit (kHz) (Carrier Frequencies Separation)
GFSK	820.5	547.0
π/4DQPSK	1259.0	839.3
8DPSK	1267.7	845.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.


Report No.: AR/2020/A000304-01 Page: 36 of 88





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

Report No.: AR/2020/A000304-01 Page: 37 of 88





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is stated then submitting to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imple(s) tested and such sample(s) are retained for 30 days only. Not Workshow Multi Midde Section Seinere & Technology Dear Section Secti

Report No.: AR/2020/A000304-01 Page: 38 of 88

Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) Test Method: ANSI C63.10:2013 Section 7.8.3 Spectrum Analyzer 000 000 000 E.U.T 1 Test Setup: Non-Conducted Table Ground Reference Plane Limit: At least 15 channels Test Mode: Hopping transmitting with all kind of modulation Instruments Used: Refer to section 6 for details **Test Results:** Pass

4.7 Hopping Channel Number

4.7.1 Test Results

Mode	Hopping channel numbers	Limit
GFSK	79	≥15
π/4DQPSK	79	≥15
8DPSK	79	≥15







Report No.: AR/2020/A000304-01 Page: 39 of 88



4.7.2.1 GFSK



4.7.2.2 π/4DQPSK



Date: 21.SEP.2020 09:18:26




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 83071443, https://www.stert.asp.com/en/Terms-and-Conditions.asp.



Report No.: AR/2020/A000304-01 Page: 40 of 88

4.7.2.3 8DPSK



Date: 21.SEP.2020 09:20:07



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443.



Report No.: AR/2020/A000304-01 Page: 41 of 88

4.8 Dwell Time

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)					
Test Method:	ANSI C63.10:2013 Section 7.8.4					
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane					
Instruments Used:	Refer to section 6 for details					
Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.					
Limit:	0.4 Second					
Test Results:	Pass					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to rerms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

Report No.: AR/2020/A000304-01 Page: 42 of 88

4.8.1 Test Results	
Operation Modes	On time (ms) on one channel
DH1	0.380
DH3	1.653
DH5	2.899
2-DH1	0.388
2-DH3	1.662
2-DH5	2.928
3-DH1	0.387
3-DH3	1.658
3-DH5	2.920

Bluetooth Time of Occupancy Calculation

Typically, Bluetooth 1x/EDR mode has a channel hopping rate of 1600 hops/s, since 1x/EDR modes use 5 transmit and 1 receive slot, for a total of 6 slots, the Bluetooth transmitter is actually hopping at a rate of 1600/6=266.67 hops/slot

400ms x 79 Channel = 31.6 s (Time of Occupancy Limit)

Worst case BT has 266.67 hops/second (for 1x/EDR modes with 2-DH5 operation)

266.67 hops/second/79 channels=3.38 hops/second (# of hops/second on one channel)

3.38 hops/second/channel*31.6seconds=106.67 hops (#hops over a 31.6 second period)

106.67 hops *2.928 ms/channel =312.33 ms(worst case dwell time for one channel in 1x/EDR s)

modes)

With AFH, the number of channels is reduced to a minimum of 20 channels and the channel hopping rate is reduced by 50% to 800hops/s, AFH mode also uses 6 slots so the Bluetooth transmitter hops at a rate of 800/6=133.3 hops/s/slot

400ms x 20 Channel = 8 s (Time of Occupancy Limit)

Worst case BT has 133.3 hops/second/slot (for AFH mode with 2-DH5 operation)

133.3 hops/second/20 channels=6.67 hops/second (#hops/second on one channel)

6.67 hops/second *8seconds=53.34 hops (#hops over a 8 seconds period)

53.34 hops x2.928 ms/channel=156.18 ms(worst case dwell time for one channel in AFH mode)




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.sapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) e307 1443, or smail: **CM_Doccheck@egs.com**




Report No.: AR/2020/A000304-01 Page: 43 of 88

4.8.2 Test plots

4.8.2.1 DH1 _Middle Channel



4.8.2.2 DH3 _ Middle Channel



Date: 21.SEP.2020 09:22:39




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terretation of 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testemation.




Report No.: AR/2020/A000304-01 Page: 44 of 88

4.8.2.3 DH5 _ Middle Channel



4.8.2.4 2DH1 _Middle Channel



Date: 21.SEP.2020 09:25:01




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terretation of 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or events of the Depcherement of the Depcherement of the demont.




Report No.: AR/2020/A000304-01 Page: 45 of 88

4.8.2.5 2DH3 _ Middle Channel



4.8.2.6 2DH5 _ Middle Channel



Date: 21.SEP.2020 09:21:45




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) terretation of 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testemation.




Report No.: AR/2020/A000304-01 Page: 46 of 88

4.8.2.7 3DH1 _Middle Channel



4.8.2.8 3DH3 _ Middle Channel



Date: 21.SEP.2020 09:23:15




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email.



Report No.: AR/2020/A000304-01 Page: 47 of 88

4.8.2.9 3DH5 _ Middle Channel



Date: 21.SEP.2020 09:21:12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, http://www.stransaction.com/endefined/files/file



Report No.: AR/2020/A000304-01 Page: 48 of 88

Test Requirement:	47 CFR Part 15C Section 15.247 (d)						
Test Method:	ANSI C63.10:2013 Section 7.8.6						
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane						
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.						
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type						
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.						
Instruments Used:	Refer to section 6 for details						
Test Results:	Pass						

4.9 Band-edge for RF Conducted Emissions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (AD.Boccheck@egs.com

SGS SGS-CS Branch

4.9.1

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen

Report No.: AR/2020/A000304-01 Page: 49 of 88

4.9.1.1 GFSK _Lowest Channel_ Hopping ON Spectrum Ref Level 30.00 dBm Offset 5.40 dB @ RBW 100 kHz 40 dB = SWT 10 ms 💼 VBW 300 kHz Mode Auto Sweep Att 1Pk Max D1[1] 51.77 dF 8.0750 MHz MILLI 10,16 dBm 20 dBm 2.4040090 GH 10 dBm 0 dBm -10 dBm D1 -9,840 dBr -20 dBm -30 dBm -40 dBm-manufactor of a most a motor law -50 dBm -60 dBm-Span 10.0 MHz CF 2.4 GHz 691 pts . Measuring... CONTRACTOR OF STREET, STREET,

Date: 21.SEP.2020 09:04:50

Test plots



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



> Report No.: AR/2020/A000304-01 Page: 50 of 88

Spectrum Ref Level 30.00 dBm Offset 5.40 dB @ RBW 100 kHz Att 40 dB 🕳 SWT 10 ms 💼 VBW 300 kHz Mode Auto Sweep 1Pk Max D1[1] -52.46 dE -2.7210 MHz MILLI 10.28 dBm 20 dBm 2.4020120 GH 10 dBm 0 dBm -10 dBm D1 -9.720 -20 dBm -30 dBm -40 dBm waymouth a vertiled Upper produce and the de and home hours have been and Alexandra da -50 dBm -60 dBm CF 2.4 GHz 691 pts Span 10.0 MHz Measuring... CONTRACTOR OF STREET, Date: 21.SEP.2020 09:03:08

4.9.1.2 GFSK Lowest Channel Hopping OFF

4.9.1.3 GFSK Highest Channel Hopping ON


.... Spectrum Ref Level 30.00 dBm Offset 5.40 dB @ RBW 100 kHz 10 ms 💼 VBW 300 kHz Att 40 dB 🕳 SWT Mode Auto Sweep 1Pk Max D1[1] 51.78 dF 5.1810 MH MILLI 10.06 dBm 20 dBm 2.4790140 GH; 10 dBa o dBm -10 dBm D1 -9,940 de -20 dBm -30 dBm -40 dBm When ALAMAN - needing bus Almalinha Rotumment metholitals manta -50 dBm -60 dBm-Span 10.0 MHz CF 2.4835 GH 691 pts Measuring... Date: 21.SEP.2020 09:06:34

。测专用章 on & Testing Services SGS-C Shenzhen Br Mal Services Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Astention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)



> Report No.: AR/2020/A000304-01 Page: 51 of 88



4.9.1.4 GFSK _Highest Channel_ Hopping OFF

4.9.1.5 π /4DQPSK _Lowest Channel_ Hopping ON


Spectrum Offset 5.40 dB @ RBW 100 kHz Ref Level 30.00 dBm 10 ms 💼 VBW 300 kHz Att 40 dB 🖷 SWT Mode Auto Sweep 1Pk Max D1[1] 40.07 dF 3.8490 MHz M1[1] 9,45 dBr 20 dBm 2,4048480 GH IN. 10 dBm ЪŇ 0 dBm -10 dBm D1 -10.550 dBm -20 dBm -30 dBm Mar LA -40 dBm milhili New Array All methown -50 dBm -60 dBm-CF 2.4 GHz Span 10.0 MHz 691 pts Measuring... Date: 21.SEP.2020 09:09:38

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Condition

SGS SG


SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2020/A000304-01 Page: 52 of 88



4.9.1.6 π/4DQPSK _Lowest Channel_ Hopping OFF

4.9.1.7 π/4DQPSK _Highest Channel_ Hopping ON




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) ters retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact.us at telephone: (86-755) e307 1443, or email: **CNDoccheck@cspc.com**

SGS SC Br

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: AR/2020/A000304-01 Page: 53 of 88



4.9.1.8 π/4DQPSK _Highest Channel_ Hopping OFF

Date: 21.SEP.2020 09:01:03

4.9.1.9 8DPSK _Lowest Channel_ Hopping ON




Date: 21.SEP.2020 09:10:45



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the Aproxed and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: (80-755) e307




> Report No.: AR/2020/A000304-01 Page: 54 of 88



4.9.1.10 8DPSK Lowest Channel Hopping OFF

4.9.1.11 8DPSK _Highest Channel_ Hopping ON





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com

SGS SG

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

> Report No.: AR/2020/A000304-01 Page: 55 of 88



4.9.1.12 8DPSK _Highest Channel_ Hopping OFF

Date: 21.SEP.2020 08:56:51



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) ters retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact.us at telephone: (86-755) e307 1443, or email: **CNDoccheck@cspc.com**



Report No.: AR/2020/A000304-01 Page: 56 of 88

Test Requirement: 47 CFR Part 15C Section 15.247 (d) Test Method: ANSI C63.10:2013 Section 7.8.8 Spectrum Analyzer ____ E.U.T Test Setup: Non-Conducted Table Ground Reference Plane In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the Limit: 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Exploratory Test Mode: Non-hopping transmitting with all kind of modulation and all kind of data type Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, Final Test Mode: 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. Refer to section 6 for details Instruments Used: Test Results: Pass

4.10 Spurious RF Conducted Emissions




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) e307 1443, or email: (80-755) e307 1443, or email: (80-755)



Report No.: AR/2020/A000304-01 Page: 57 of 88

4.10.1 Test plots


4.10.1.1 GFSK _Lowest Channel



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test dand such sample(s) present of 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@cgs.com




Report No.: AR/2020/A000304-01 Page: 58 of 88



Date: 21.SEP.2020 09:37:08

4.10.1.3 GFSK _Highest Channel




Date: 21.SEP.2020 09:37:41




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443, or e



> Report No.: AR/2020/A000304-01 Page: 59 of 88



4.10.1.5 π/4DQPSK _Middle Channel




Date: 21.SEP.2020 09:33:32




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443,



> Report No.: AR/2020/A000304-01 Page: 60 of 88



4.10.1.7 8DPSK_Lowest Channel




Date: 21.SEP.2020 09:29:02




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443,



> Report No.: AR/2020/A000304-01 Page: 61 of 88



4.10.1.9 8DPSK_Highest Channel



Date: 21.SEP.2020 09:31:07



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or s



Report No.: AR/2020/A000304-01 Page: 62 of 88

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Astention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)



Report No.: AR/2020/A000304-01 Page: 63 of 88

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10: 2013							
Test Site:	Measurement Distance: 3	8m or 10m (Semi-Ane	echoic Chaml	per)				
	Frequency	Detector	RBW	VBW	Remark			
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak			
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average			
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
Deseiver Osture	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak			
Receiver Setup:	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average			
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak			
	Above 1GHz	Peak	1MHz	3MHz	Peak			
		Peak	1MHz	10Hz	Average			
	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measuremen t distance (m)			
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz	30	-	-	30			
	30MHz-88MHz	100	40.0	Quasi-peak	3			
Limit:	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz	500	54.0	Average	3			
	Remark: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.							


4.11 Radiated Spurious Emission



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: AR/2020/A000304-01 Page: 64 of 88





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test neg retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 83071443, or small: (N.D.occheck@egs.com)



> Report No.: AR/2020/A000304-01 Page: 65 of 88

	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5
	meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. Use the following spectrum analyzer settings:
	 Span shall wide enough to fully capture the emission being measured;
	(2) Set RBW=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz ; VBW ≥ RBW; Sweep = auto;
	Detector function = peak; Trace = max hold for peak
Test Procedure:	(3) For average measurement: use duty cycle correction factor method per 15.35(c).
	Duty cycle = On time/100 milliseconds
	On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n
	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.
	Average Emission Level = Peak Emission Level + 20*log(Duty cycle)
	f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	 Test the EUT in the lowest channel (2402MHz), the middle channel (2441MHz), the Highest channel (2480MHz)
	j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
	k. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relianed for 30 days only. Attention is check the authenticity of testing (inspection report & certificate, prease contact us at telephone: (86-755) 28071459 at the former: (86-755) 26710594 www.sgsgroup.com.on Philes, With Rept ECM-10核 - 8/T & Mage to Mage technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: AR/2020/A000304-01 Page: 66 of 88

	Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CLDoccheck@ess.com**



Page: 67 of 88

4.11.1 Radiated Emission below 1GHz

4.11.1.1 Charge + Transmitting, Vertical



Suspected List


Juspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	35.4331	22.34	-29.82	40.00	17.66	177	346	Vertical			
2	53.6727	18.82	-30.92	40.00	21.18	230	332	Vertical			
3	99.8540	15.94	-32.03	43.50	27.56	199	343	Vertical			
4	249.8460	18.34	-29.67	46.00	27.66	189	40	Vertical			
5	637.5355	24.13	-20.18	46.00	21.87	216	54	Vertical			
6	844.9630	28.49	-16.97	46.00	17.51	238	165	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000304-01 Page: 68 of 88



4.11.1.2 Charge + Transmitting, Horizontal

Suspected List


Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	40.6721	15.15	-28.62	40.00	24.85	156	314	Horizontal			
2	68.2256	14.98	-33.96	40.00	25.02	207	28	Horizontal			
3	107.033	17.59	-32.00	43.50	25.91	158	20	Horizontal			
4	291.176	19.57	-28.60	46.00	26.43	218	49	Horizontal			
5	728.927	27.67	-18.83	46.00	18.33	212	270	Horizontal			
6	845.545	28.88	-16.96	46.00	17.12	116	308	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: AR/2020/A000304-01 Page: 69 of 88



4.11.2 Transmitter Emission above 1GHz 4.11.2.1 GFSK_Channel 0

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2934.4836	55.21	9.51	74.00	18.79	244	331	Horizontal		
2	2985.9965	43.94	9.51	54.00	10.06	233	18	Horizontal		
3	4804.0000	31.69	-18.30	54.00	22.31	231	318	Horizontal		
4	4804.0000	42.07	-18.30	74.00	31.93	207	18	Horizontal		
5	7206.0000	35.47	-9.82	54.00	18.53	248	18	Horizontal		
6	7206.0000	48.02	-9.82	74.00	25.98	246	126	Horizontal		
7	17906.9907	44.61	-1.31	54.00	9.39	147	72	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the Aproxed and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: (80-755) e307



Report No.: AR/2020/A000304 Page: 70 of 88

4.11.2.2 GFSK_Channel 0



Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2928.4821	43.95	9.45	54.00	10.05	215	12	Vertical			
2	2961.4904	55.15	9.63	74.00	18.85	212	67	Vertical			
3	4804.0000	29.59	-18.30	54.00	24.41	271	0	Vertical			
4	4804.0000	40.98	-18.30	74.00	33.02	286	96	Vertical			
5	7206.0000	47.10	-9.82	74.00	26.90	206	260	Vertical			
6	7206.0000	35.40	-9.82	54.00	18.60	268	260	Vertical			
7	17912.9913	44.63	-1.31	54.00	9.37	234	123	Vertical			

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000304-Page: 71 of 88

4.11.2.3 GFSK_Channel 39



Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2943.4859	55.41	9.61	74.00	18.59	197	330	Horizontal		
2	2993.9985	44.01	9.48	54.00	9.99	130	344	Horizontal		
3	4882.0000	32.50	-17.96	54.00	21.50	117	18	Horizontal		
4	4882.0000	42.06	-17.96	74.00	31.94	154	18	Horizontal		
5	7323.0000	48.28	-9.53	74.00	25.72	140	348	Horizontal		
6	7323.0000	36.11	-9.53	54.00	17.89	217	18	Horizontal		
7	17911.4911	44.69	-1.31	54.00	9.31	143	266	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000304-0 Page: 72 of 88

4.11.2.4 GFSK_Channel 39



Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2931.9830	55.86	9.49	74.00	18.14	262	151	Vertical
2	2942.9857	44.13	9.60	54.00	9.87	279	15	Vertical
3	4882.0000	30.07	-17.96	54.00	23.93	195	69	Vertical
4	4882.0000	41.49	-17.96	74.00	32.51	183	14	Vertical
5	7323.0000	48.47	-9.53	74.00	25.53	190	124	Vertical
6	7323.0000	36.26	-9.53	54.00	17.74	245	0	Vertical
7	17924.9925	44.58	-1.30	54.00	9.42	205	233	Vertical

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000304-Page: 73 of 88

4.11.2.5 GFSK_Channel 78



Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2963.4909	43.77	9.62	54.00	10.23	157	222	Horizontal
2	2966.9917	55.36	9.60	74.00	18.64	107	59	Horizontal
3	4960.0000	32.87	-17.47	54.00	21.13	166	18	Horizontal
4	4960.0000	43.72	-17.47	74.00	30.28	123	360	Horizontal
5	7440.0000	49.52	-9.02	74.00	24.48	199	360	Horizontal
6	7440.0000	37.51	-9.02	54.00	16.49	121	100	Horizontal
7	17914.4914	44.63	-1.31	54.00	9.37	126	182	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000304-Page: 74 of 88

4.11.2.6 GFSK_Channel 78



Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2995.9990	44.33	9.47	54.00	9.67	239	80	Vertical
2	2996.4991	55.52	9.47	74.00	18.48	187	135	Vertical
3	4960.0000	29.60	-17.47	54.00	24.40	224	287	Vertical
4	4960.0000	41.09	-17.47	74.00	32.91	234	205	Vertical
5	7440.0000	48.82	-9.02	74.00	25.18	271	205	Vertical
6	7440.0000	37.64	-9.02	54.00	16.36	289	67	Vertical
7	17917.4917	44.84	-1.30	54.00	9.16	274	342	Vertical

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000304-01 Page: 75 of 88

Test on the worst case: 4.11.1 Transmitter Emission above 1GHz 4.11.1.1 GFSK_Channel 0





Suspected List

Susp	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2947.48	54.98	9.65	74.00	19.02	165	85	Horizontal
2	2995.49	43.83	9.47	54.00	10.17	154	356	Horizontal
3	4804.00	29.23	-18.30	54.00	24.77	117	155	Horizontal
4	4804.00	39.62	-18.30	74.00	34.38	164	18	Horizontal
5	7206.00	45.75	-9.82	74.00	28.25	139	73	Horizontal
6	7206.00	34.31	-9.82	54.00	19.69	239	73	Horizontal
7	15055.2	44.73	2.64	54.00	9.27	134	209	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification on the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: CN.Doccheck@cgs.com



Report No.: AR/2020/A000304-01 Page: 76 of 88

4.11.1.2 GFSK_Channel 0



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2943.48	44.10	9.61	54.00	9.90	213	301	Vertical
2	2972.49	55.52	9.58	74.00	18.48	206	314	Vertical
3	4804.00	28.65	-18.30	54.00	25.35	291	122	Vertical
4	4804.00	39.96	-18.30	74.00	34.04	163	40	Vertical
5	7206.00	45.51	-9.82	74.00	28.49	276	259	Vertical
6	7206.00	34.05	-9.82	54.00	19.95	238	12	Vertical
7	15029.7	44.39	2.60	54.00	9.61	177	259	Vertical

Final Data List

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3)As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All Modes have been tested, but only the worst case data displayed in this report.





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2020/A000304-01 Page: 77 of 88

4.12 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section	15.209 and 15.205		
Test Method:	ANSI C63.10: 2013			
Test Site:	Measurement Distance:	3m or 10m (Semi-Anechoid	c Chamber)	
	Frequency	Limit (dBuV/m @3m)	Remark	
	30MHz-88MHz	40.0	Quasi-peak Value	
	88MHz-216MHz	43.5	Quasi-peak Value	
Limit:	216MHz-960MHz	46.0	Quasi-peak Value	
	960MHz-1GHz	54.0	Quasi-peak Value	
	Above 1GHz	54.0	Average Value	
	Above IGHZ	74.0	Peak Value	
Test Setup:				
AE EUT (Turntable) Ground Reference Test Raceiver	Plane O	AE EUT AE EUT (Turntable) Ground Reference Phi Cround Reference Phi Test Receiver	Hom Antenna Tower	



Figure 1. 30MHz to 1GHz

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) present of 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact.us at telephone: (86-755) e307 1443, or email: CN.Doccheck@esps.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 •深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com

Figure 2. Above 1 GHz



Report No.: AR/2020/A000304-01 Page: 78 of 88


 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to meters the ground to determine the maximum value of the field strength.
 make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case. j. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode: Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.
Final Test Mode: Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report.
Final Test Mode: Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode,



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Page: 79 of 88



4.12.1 Test plots 4.12.1.1 GFSK_Channel 0

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2365.9780	51.48	7.79	74.00	22.52	100	270	Horizontal
2	2375.7329	37.46	7.78	54.00	16.54	214	357	Horizontal
3	2390.0000	37.22	7.77	54.00	16.78	120	144	Horizontal
4	2390.0000	49.77	7.77	74.00	24.23	156	19	Horizontal
5	2402.0000	103.70	7.77	0.00	-103.70	203	215	Horizontal
6	2402.0000	103.97	7.77	0.00	-103.97	186	204	Horizontal


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000304-0 Page: 80 of 88



4.12.1.2 GFSK_Channel 0

Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2362.4512	51.29	7.80	74.00	22.71	216	105	Vertical			
2	2370.6303	37.35	7.79	54.00	16.65	289	253	Vertical			
3	2390.0000	49.92	7.77	74.00	24.08	293	105	Vertical			
4	2390.0000	37.02	7.77	54.00	16.98	222	34	Vertical			
5	2402.0000	92.14	7.77	0.00	-92.14	211	308	Vertical			
6	2402.0000	92.47	7.77	0.00	-92.47	243	308	Vertical			

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000304-0 Page: 81 of 88

4.12.1.3 GFSK_Channel 78



Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.0000	105.55	8.01	0.00	-105.55	204	212	Horizontal
2	2480.0000	105.29	8.01	0.00	-105.29	176	212	Horizontal
3	2483.5000	46.68	8.01	74.00	27.32	168	206	Horizontal
4	2483.5000	35.26	8.01	54.00	18.74	201	212	Horizontal
5	2486.8434	46.95	8.01	74.00	27.05	221	195	Horizontal
6	2487.5438	33.75	8.02	54.00	20.25	134	212	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



Report No.: AR/2020/A000304-0 Page: 82 of 88

4.12.1.4 GFSK_Channel 78



Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.0000	93.84	8.01	0.00	-93.84	243	20	Vertical
2	2480.0000	93.59	8.01	0.00	-93.59	265	26	Vertical
3	2483.5000	45.29	8.01	74.00	28.71	262	308	Vertical
4	2483.5000	32.17	8.01	54.00	21.83	184	264	Vertical
5	2490.3952	46.44	8.02	74.00	27.56	178	297	Vertical
6	2496.1481	32.79	8.03	54.00	21.21	243	341	Vertical

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Report No.: AR/2020/A000304-01

Report No.: AR/2020/A000304-0⁻ Page: 83 of 88

Test on the worst case: 4.12.1.5 GFSK_Channel 0



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2357.49	51.40	7.80	74.00	22.60	185	10	Horizontal
2	2369.05	37.27	7.79	54.00	16.73	127	10	Horizontal
3	2390.00	37.12	7.77	54.00	16.88	209	160	Horizontal
4	2390.00	49.77	7.77	74.00	24.23	227	340	Horizontal
5	2402.00	95.05	7.77	0.00	-95.05	217	210	Horizontal
6	2402.00	94.54	7.77	0.00	-94.54	164	80	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test dand such sample(s) present of 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@cgs.com



Report No.: AR/2020/A000304-01 Page: 84 of 88

4.12.1.6 GFSK_Channel 0



Suspected List

Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2369.57	37.40	7.79	54.00	16.60	274	350	Vertical		
2	2371.30	50.76	7.79	74.00	23.24	178	300	Vertical		
3	2390.00	37.05	7.77	54.00	16.95	276	110	Vertical		
4	2390.00	49.88	7.77	74.00	24.12	155	110	Vertical		
5	2402.00	91.13	7.77	0.00	-91.13	233	210	Vertical		
6	2402.00	90.59	7.77	0.00	-90.59	239	40	Vertical		
0		90.09	1.11	0.00	-90.09	239	40	vertical		

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exeonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To Check the authenticity of testing inspection report & certificate, please contact us at telepiohere: (86-755) 83071443, or email: CN_Doccheck@gs.com No. Workshow, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tt (86-755) 26012053 ft (86-755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 t (86-755) 26710594 sgs.china@sgs.com



Report No.: AR/2020/A000304-01 Page: 85 of 88

5 Measurement Uncertainty (95% confidence levels, k=2)

Lab A:				
No.	Item	Measurement Uncertainty		
1	Total RF power, conducted	±0.75dB		
2	RF power density, conducted	±2.84dB		
3	Spurious emissions, conducted	±0.75dB		
4	Temperature test	±1°C		
5	Humidity test	±3%		
6	DC and low frequency voltages	±0.5%		

Lab B:

No.	Item	Measurement Uncertainty		
1	Conduct emission test	± 3.0dB (150kHz to 30MHz)		
2	Radiated Spurious emission test	± 4.8dB (Below 1GHz)		
		± 4.8dB (1GHz to 6GHz)		
		± 4.5dB (6GHz to 18GHz)		
		± 5.02dB (Above 18GHz)		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2020/A000304-01 Page: 86 of 88

6 Equipment List

RF conducted test						
	Manufacturer	Model No.	Inventory	Cal. date	Cal.Duedate	
Test Equipment			No.	(yyyy-mm- dd)	(yyyy-mm- dd)	
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2020/7/15	2021/7/15	
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2	
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11	
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A	
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14	
Temperature Chamber	GIANT FORCE	ICT-150-40- CP-AR	W027-03	2020/10/27	2021/10/27	
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14	

CE Test System					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	Brilliant-emc	N/A	XAW03-35-01	2019-09-11	2022-09-10
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2020-09-11	2021-09-10
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2020-08-04	2021-08-03
Temperature and humidity meter	MingGao	TH101B	XAW01-01-01	2019-12-06	2020-12-05
Measurement Software	Tonscend	TS+ CE V2.5	XAW02-05-02	NCR	NCR



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CLDoccheck@ess.com**



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: AR/2020/A000304-01 Page: 87 of 88

RSE Test System					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2019-09-11	2022-09-10
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2020-04-02	2021-04-01
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2020-09-11	2021-09-10
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2019-10-13	2021-10-12
Receiving antenna (1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2019-10-13	2021-10-12
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2019-10-13	2021-10-12
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR
Amplifier	Tonscend	TAP00903040	XAW01-41-01	2019-11-18	2020-11-17
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2019-11-18	2020-11-17
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2019-12-03	2020-12-02
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2019-11-18	2020-11-17
Temperature and humidity meter	MingGao	TH101B	XAW01-01-01	2019-12-06	2020-12-05
Measurement Software	Tonscend	TS+ RSE V3.0.0.2	XAW02-05-01	NCR	NCR



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T



Report No.: AR/2020/A000304-01 Page: 88 of 88

7 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of Set-Up for AR/2020/A0003.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Astention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)